




Legend	Font Type	Font Size
EXCEPTED	FHWA Series D2000EX	28
WHILE	FHWA Series D2000EX	28
CHARGING	FHWA Series D2000EX	28




Specifications: Aluminium Sign Red letters,numerals,arrow, annulus & slash,black letter P White ground	Size:	450 x 225	Date:	9/11/22
	Area:	0.1 sq.m	Scale:	1:5
	Border:	0 x 0	Drawn:	daviesm
	Cnr Rad:	30	Checked:	
	Patch CR:	NA	File:	r5-40-1n_r
	Path:	H:\Signs\TTT\DRAWINGS\REGULAT\TrasiCAD\EV Signs		
Prepared using TraSiCAD Product of QMR			R5-40-1n(L) (Example Only)	




Legend	Font Type	Font Size
EXCEPTED	FHWA Series D2000EX	28
WHILE	FHWA Series D2000EX	28
CHARGING	FHWA Series D2000EX	28



Specifications: Aluminium Sign Red letters,numerals,arrow, annulus & slash,black letter P White ground	Size:	450 x 225	Date:	9/11/22
	Area:	0.1 sq.m	Scale:	1:5
	Border:	0 x 0	Drawn:	daviesm
	Cnr Rad:	30	Checked:	
	Patch CR:	NA	File:	r5-40-1n_r
	Path:	H:\Signs\TTT\DRAWINGS\REGULAT\TrasiCAD\EV Signs		
Prepared using TraSiCAD Product of QMR		R5-40-1n(LR) (Example Only)		



Legend	Font Type	Font Size
EXCEPTED	FHWA Series D2000EX	28
WHILE	FHWA Series D2000EX	28
CHARGING	FHWA Series D2000EX	28



Specifications: Aluminium Sign Red letters,numerals,arrow, annulus & slash,black letter P White ground	Size:	450 x 225	Date:	9/11/22
	Area:	0.1 sq.m	Scale:	1:5
	Border:	0 x 0	Drawn:	daviesm
	Cnr Rad:	30	Checked:	
	Patch CR:	NA	File:	r5-40-1n_r
	Path:	H:\Signs\TTT\DRAWINGS\REGULAT\TrasiCAD\EV Signs		
Prepared using TraSiCAD Product of QMR		R5-40-1n(R) (Example Only)		