12 References

ABS (2012), Census Community Profiles, released 21/06/2012. Commonwealth of Australia.

ABS (2012), Census QuickStats (Place of usual residence), released 21/06/2012. Commonwealth of Australia.

Access: UTS 2007 & 2011. Inspection and structural assessment report for Windsor Bridge C10-69-000-A.

AS2670.2 1997. Evaluation of human exposure to whole body vibration. Australia.

AS/NZS 1158.1.3 1997. Road lighting part 1.3: vehicular traffic lighting (category V) – guide to design, installation, operation and maintenance.

AS 1428.1 2001. Design for access and mobility part 1: general requirements for access: new building work.

AS/NZS 1158.1.1 2005. Lighting for roads and public spaces, vehicular traffic (category V) lighting – performance and design requirements.

AS/NZS 1158.3.1 2005. Lighting for roads and public spaces, pedestrian area (Category P) lighting – performance and design requirements.

AS/NZS1158 (Set) 2007. Lighting for roads and public spaces set.

AS/NZS 31000 2009. Australian and New Zealand Standard for Risk Management.

ANZECC/ARMCANZ 2000. Australian and New Zealand Guidelines for Fresh and Marine Water Quality, October, 2000, Australia and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand.

Acid Sulphate Soils Management Advisory Committee (ASSMAC) 1998. Acid Sulphate Soils Assessment Guidelines. NSW.

Austral Archaeology 2009. Built Heritage & Archaeological Landscape Investigation: Windsor Bridge Options, Preliminary Environmental Investigation. Report prepared for the (then) Roads and Traffic Authority of NSW.

The Australian 7 December 1832.

Australian Bureau of Statistics (ABS) 2006. Census Community Profiles, released 25/10/2007. Australia.

Australian Bureau of Statistics (ABS) 2006. Census QuickStats (Place of usual residence), released 25/10/2007. Australia.

Australian Greenhouse Office (AGO) 2006. Climate Change Impacts and Risk Management – A guide for Business and Government Report. Canberra.

Australia International Council of Monuments and Sites (ICOMOS) Inc 1999. The Burra Charter – The Australia ICOMOS Charter for Places of Cultural Significance. Australia.

Austroads 2009. Guide to Bridge Technology Parts 1 to 7.

Austroads 2009. Guide to Road Design Parts 1 to 8 with the RTA Supplements to the Austroads - Guide to Road Design, Australia.

Austroads 2011. Cycling Aspects of Austroads Guides.

Bannerman, S.M. and Hazelton, P.A. 1990. Soil Landscapes of the Penrith 1:100 000 Sheet, Soil Conservation Service of NSW. Sydney.

Barkley, J. 1994. Venrubbin's People. In: Barkley, J. and Nichols, M. 1994. Hawkesbury 1794-1994 The First 200 years of the Second Colonisation. Hawkesbury City Council.

Barkley-Jack, J. 2012. The History of Thompson Square. Unpublished MSS.

Benson, D. and Howell, J. 1995. Taken for Granted: The Bushland of Sydney and its Suburbs. Kangaroo Press: Sydney.

Birch G, Shotter N, Steetsel P 1998. The Environmental Status of Hawkesbury River Sediments, Australian Geographical Studies Volume: 36(1).

BS7385 1993. Part 2 Evaluation and measurement of vibration in buildings. Britain.

CDS – Commercial Diving Solutions 2011. B 415 Windsor Bridge - Follow-up Inspection 15.6.2011

Christopher Hallam and Associates Pty Ltd 2011. Windsor Town Centre Traffic Study. Sydney, NSW.

CityPlan Heritage 2012. Heritage advice on noise reduction mitigation measures associated with Windsor Bridge replacement project.

CTI Consultants Pty Ltd 2011. Graphitisation Investigation Windsor Bridge C11231.DIN4150 1999. Part 3 – 1999 Effects of Vibration on Structures. Germany.

Department of Environment and Conservation (DEC) 2003. Key Habitats and Wildlife Corridors in North East New South Wales. NSW Department of Environment and Conservation. Accessed online at http://maps.nationalparks.nsw.gov.au/keyhabs/default.htm.

Department of Environment and Conservation (DEC) 2004. Threatened Biodiversity Survey and Assessment: Guidelines for Developments and Activities (Working Draft). Sydney, NSW.

Department of Environment and Conservation (DEC) and Department of Primary Industries (DPI) 2005. Draft Guidelines for threatened species assessment. Sydney, NSW.

Department of Environment and Conservation (DEC) 2005. Draft Guidelines for Aboriginal Cultural Heritage Impact Assessment and Community Consultation. Sydney.

Department of Environment and Conservation (DEC) 2005. Approved Methods and Guidance for the Modelling and Assessment of Air Pollutants in New South Wales. Sydney.

Department of Environment and Conservation (DEC) 2006. Assessing Vibration: A Technical Guideline. Sydney, NSW.

Department of Environment and Climate Change (DECC) 2007, Practical Consideration of Climate Change, Floodplain Risk Management Guideline. Sydney.

Department of Environment and Climate Change (DECC) (2007). Landscape selection process: key altitudinal, latitudinal and coastal corridors for response to climate change. Report prepared by the NSW Department of Environment and Climate Change for the Northern rivers Catchment Management Authority. Sydney, NSW.

Department of Environment and Climate Change (DECC) 2008. Managing Urban Stormwater - Soils and Construction Volume 2D: Main Road Construction. Sydney.

Department of Environment and Climate Change (DECC) 2009. Interim Construction Noise Guidelines, Sydney NSW.

Department of Environment and Climate Change (DECC) 2009. Hawkesbury-Nepean River Environmental Monitoring Program: Final Technical Report. Sydney.

Department of Environment, Climate Change and Water (DECCW) 2009. NSW Sea Level Rise Policy Statement. Sydney, NSW.

Department of Environment, Climate Change and Water (DECCW) 2010. Action for Air 2009. Sydney, NSW.

Department of Environment, Climate Change and Water (DECCW) 2010. Aboriginal cultural heritage consultation requirements for proponents 2010. Sydney, NSW.

Department of Environment, Climate Change and Water (DECCW) 2010. NSW Climate Impact Profile, Sydney, NSW.

Department of Environment, Climate Change and Water (DECCW) 2011. Road Noise Policy. Sydney, NSW.

Department of Environment, Climate Change and Water (DECCW) 2011. The Cumberland Plain Recovery Plan. Sydney.

DEHWA 2009.. Significant Impact Guidelines 1.1 Matters of National Environmental Significance. Department of Environment, Heritage, Water and the Arts. Canberra, ACT.

Department of Infrastructure, Planning and Natural Resources (DIPNR) 2005. NSW Floodplain Development Manual. Sydney.

Department of Planning 2005. Metropolitan Strategy: A City of Cities. NSW.

Department of Planning 2007. Draft North West Subregional Strategy. NSW.

Department of Premier and Cabinet 2011. NSW 2021 A Plan to Make NSW No 1. NSW.

Department of Primary Industries (DPI) 1999. NSW Policy and Guidelines for Aquatic Habitat Management and Fish Conservation. Sydney.

DSEWPac 2012. EPBC Act Protected Matters Search Tool.

Dharug and Lower Hawkesbury Historical Society 1987. The Ferry The Branch The Creek Aspects of Hawkesbury History.

Environmental Protection Authority (EPA) 2000. Contaminated Sites Guidelines for Consultants Reporting on Contaminated Sites. NSW.

GTA Consultants 2010. Hawkesbury Mobility Plan 2010, Bike Plan, and Pedestrian Access and Mobility Plan (PAMP). Prepared for Hawkesbury City Council.

Hassell 2011. Hawkesbury Residential Land Strategy. NSW.

Hawkesbury City Council 2006. Hawkesbury Cultural Plan 2006-2011. Sydney.

Hawkesbury City Council 2008. Hawkesbury Employment Lands Strategy. Prepared by SGS Economics & Planning for Hawkesbury City Council.

Hawkesbury City Council 2009. Plan of Management for the Windsor Foreshore Parks Incorporating the Great River Walk, prepared by Environmental Partnership (NSW) Pty Ltd for Hawkesbury City Counci. Sydney, NSW.

Hawkesbury City Council 2010. Hawkesbury Community Strategic Plan 2010-2030.

Hawkesbury City Council 2012. Draft Hawkesbury Floodplain Risk Management Study and Plan. Prepared by Bewsher Consulting for Hawkesbury City Council.HNCMA 2008. South Creek Sub catchment summary, Hawkesbury Nepean Catchment Management Authority (HNCMA).

http://www.hn.cma.nsw.gov.au/multiattachments/3385.html. Accessed 19 April 2012.

Heritage Office and DUAP 1996. NSW Heritage Manual. NSW Heritage Office and Department of Urban Affairs and Planning (DUAP).

HRA Series 1 Volume 10; 690-1.

NSW Infrastructure 2012. First things first – A 20 year State Infrastructure Strategy

Jack, I 2010. Macquarie's Towns. Heritage Council NSW. LPI.

Karskens, G. 2009. The Colony A History of Early Sydney. Allen and Unwin.

Lachlan Macquarie: Tours of NSW and VDL 1810-1822. 6 December 1810 31.

Lachlan Macquarie: Tour of NSW and VDL 1810-1822. 12 January 1811: 42-43.

Landcom 2004. Managing Urban Stormwater – Soils and Construction Volume 1. Sydney.

LPI, CT Volume 3512 Folio 239.

LPI, Register of Grants Series 2.

National Occupational Health and Safety Commission (NOHSC) 1988. Guide to the Control of Asbestos Hazards in Buildings and Structures. Canberra.

National Occupational Health and Safety Commission (NOHSC) 2002. Code of Practice for the Safe Removal of Asbestos. Canberra.

NPWS 2002. National Biodiversity Audit Biodiversity Strategy Case Study, Cumberland Plain Subregion, Sydney Basin Bioregion, New South Wales, SB8: Cumberland. A report to the National Land and Water Resources Audit. NSW National Parks & Wildlife Service (NPWS). Sydney.

NSW Government 2010a. Metropolitan Plan for Sydney 2036. NSW.

NSW Government 2010b. The NSW BikePlan, Sydney. NSW.

The NSW Greenhouse Office, The Cabinet Office of the Government of New South Wales 2005. The NSW Greenhouse Plan. NSW.

Office of Environment and Heritage (OEH) 2011. Office of Environment and Heritage Air Quality Data Base. Sydney, NSW, Australia. Accessed 12th April 2012: http://www.environment.nsw.gov.au/AQMS/search.htm.

Office of Environment and Heritage (OEH) 2011. Bionet data.

PIARC 2004. Vehicle emission factors from the World Road Association, referred to as PIARC (formerly the Permanent International Association of Road Congress.

Roads and Traffic Authority (RTA) no date. RMS Guideline for Construction Water Quality Monitoring. Sydney, NSW.

Roads and Traffic Authority (RTA) 1997. RMS Water Policy. Sydney.

Roads and Traffic Authority (RTA) 1999. RMS Code of Practice, Water Management. Sydney.

Roads and Traffic Authority (RTA) 2001. Environmental Noise Management Manual Practice Note vii. Sydney.

Roads and Traffic Authority (RTA) 2001. Environmental Noise Management Manual. Sydney, NSW.

Roads and Traffic Authority (RTA) 2003. RMS Procedure for Selecting Treatment Strategies to Control Road Runoff. Sydney, NSW.

Roads and Traffic Authority (RTA) 2003. Inspection and assessment report – Bridge over Hawkesbury River on Bridge St/ Wilberforce Road (MR182) at Windsor.

Roads and Traffic Authority (RTA) 2004. Bridge Aesthetics. Sydney.

Roads and Traffic Authority (RTA) 2005. RMS Guidelines for the Management of Acid Sulfate Materials: Acid Sulfate Soils, Acid Sulfate Rock and Monosulfidic Black Ooze. Sydney, NSW.

Roads and Traffic Authority (RTA) 2005. Rehabilitation of Bridge over Hawkesbury River at Windsor. Sydney.

Roads and Traffic Authority (RTA) 2008a. Landscape Guideline. Sydney.

Roads and Traffic Authority (RTA) 2008b. Environmental Impact Assessment Guidance Note: Guidelines for Landscape Character and Visual Impact Assessment. Sydney.

Roads and Traffic Authority (RTA) 2009a. Windsor Bridge - Over the Hawkesbury River- Report on community consultation RTA/Pub 09.504 ISBN 978-1-921692-55-0.

Roads and Traffic Authority (RTA) 2009b. Beyond the Pavement. Sydney.

Roads and Traffic Authority (RTA) 2011. Windsor Bridge over the Hawkesbury River Options Report. Sydney, NSW.

Roads and Traffic Authority (RTA) 2011. Procedure for Aboriginal Cultural Heritage Consultation and Investigation (PACHCI). Sydney.

Roads and Traffic Authority (RTA) 2011. Windsor Bridge over the Hawkesbury River Flora and fauna investigations. Prepared by LesryK Environmental Consultants. NSW.

Roads and Traffic Authority (RTA) 2011. Biodiversity Guidelines – Protecting and managing biodiversity on RTA projects. Sydney.

Roads and Traffic Authority (RTA) 2011. Windsor Bridge State Significant Infrastructure Application Report. Sydney, NSW.

Roads and Traffic Authority (RTA) 2011. Traffic Modelling and Evaluation of Options - Preliminary Report. Sydney.

Rosen, S. 1995. Losing Ground: An Environmental History of the Hawkesbury-Nepean Catchment.

SGS Economics and Planning (2010), Windsor Bridge Replacement Socio-Economic Impact Report, March 2010. Roads and Traffic Authority of NSW.

Sinclair Knight Merz (SKM) 2012a. Windsor Bridge – Bridge Form Alternatives Report. Sydney, NSW.

Sinclair Knight Merz (SKM) 2012b. Windsor Bridge Concept Design and EIS – Concept Design Report. Sydney, NSW.

Sinclair Knight Merz (SKM) 2012c. NSW Coastal Groundwater Dependent Ecosystem and Groundwater Quality Project - Summary Report for NWC. Sydney, NSW.

Sinclair Knight Merz (SKM) 2012d. Economic Analysis for Windsor Bridge Repalcement. Prepared for RMS

Serov P, Kuginis L, Williams J & Byrne G. 2012. Risk Assessment Guidelines for Groundwater Dependent Ecosystems, Volume 1 "The Conceptual Framework". Report prepared for National Water Commission. Report submitted to NSW Office of Water for publication.

Transport for NSW 2012. Draft NSW Long Term Transport Master Plan.

Webb McKeown and Associates 1994. Warragamba Flood Mitigation Dam Environmental Impact Statement Flood Study.

Windsor and Richmond Gazette 26 September 1896.

Windsor and Richmond Gazette 3 April 1897.

List of tables

Table 3-1 Assessment of the project against the relevant goals, targets and plans of NSW 2021 A Plan to Make NSW No 1 1	
Table 3-2 Assessment of the project against the relevant objectives of the Draft NSW Long	
Table 3-2 Assessment of the project against the relevant objectives of the Drait NSW Long	y 14
Table 3-3 Assessment of the project against the guidance principles of the State	
Infrastructure Strategy	
Table 3-4 Assessment of the project against directly relevant management objectives and	
actions from Plan of Management for the Windsor Foreshore Parks Incorporating the Great	
River Walk	
Table 3-5 Economic analysis results	
Table 4-1 Route options considered	
Table 4-2 Performance of the options against the project objectives	
Table 4-3 Relative performance of bridge structure options against key criteria	
Table 4-4 Urban design options for Thompson Square open space	
Table 5-1 Land acquisition - directly affected properties	
Table 5-2 Land to be transferred (returned) to Council	
Table 5-3 Proposed construction site compound facilities	
Table 5-4 Engineering design parameters for the bridge structure	
Table 5-5 Engineering design parameters for the road works	
Table 5-5 Engineering design parameters for the approach roads	
Table 5-7 Estimate of types and quantities of materials for construction	
Table 5-8 Standard working hours	121
Table 6-1 Consultation undertaken before EIS preparation (July 2009 - November 2011).	
Table 6-2 Details of key public consultation activities	
Table 6-3 Consultation undertaken during EIS preparation (November 2011 to September	
2012)	127
Table 6-4 Summary of issues raised - Local, State and Commonwealth government	
authorities	131
Table 6-5 Summary of issues raised - Specialist interest groups, utilities and service	
providers	
Table 6-6 Summary of issues raised – The public, including community groups and affecte	
landowners	
Table 7-1 Director General's requirements	
Table 7-2 NSW heritage assessment criteria (Burra Charter)	
Table 7-3 Grading of significance (NSW Heritage Council)	
Table 7-4 Heritage items subject to statutory and non-statutory heritage listings	
Table 7-5 Unlisted potential heritage items within the study area	
Table 7-6 Summary of assessments of heritage significance for directly impacted heritage	
items	183
Table 7-7 Potential heritage impacts on sites within the study area	189
Table 7-8 Director General requirements for Aboriginal heritage	205
Table 7-9 Aboriginal archaeological sites previously recorded on the AHIMS database and	ł
located within the project footprint	
Table 7-10 Environmental management measures for potentially impacted sites	217
Table 7-11 Director General's requirements	
Table 7-12 Level of Service criteria for intersections	
Table 7-13 Level of Service at existing intersections	226
Table 7-14 Estimate of types and quantities of materials for construction	232
Table 7-15 Growth rates of key roads (using 2011 as the base year)	
Table 7-16 Bridge Street ADT projections	
Table 7-17 Results of network modelling (AM Peak Hour) – 2026 traffic levels	
Table 7-18 Results of network modelling (PM Peak Hour) – 2026 traffic levels	
Table 7-19 Summary of predicted queuing results (AM peak) – 2026 traffic levels	
Table 7-20 Summary of predicted queuing results (PM peak) – 2016 and 2026 traffic levels	
Table 7-21 Comparison of the project to traffic and transport project objectives	
Table 7-22 Director General's requirements – visual impact, urban design and landscape 2	

Table 7-23 Landscape Character Zone 1 - Thompson Square Table 7-24 Landscape Character Zone 2 – Hawkesbury River and banks	
Table 7-24 Landscape Character Zone 2 – Hawkesbury River and Banks	
intersection	
Table 7-26 Urban design and landscape objectives and principles	
Table 7-27 Bridge design principles - Principles for siting and character	
Table 7-28 Bridge design principles – Bridge elements	
Table 7-29 Recommendations for the design of auxiliary features	
Table 7-30 Concept design measures for environmental impact management	
Table 7-31 Summary of landscape character impact assessment results	
Table 7-32 Key representative viewpoints and the potential visual impacts of the project.	
Table 7-33 Detailed design management measures	
Table 7-34 Director General's requirements - noise and vibration	
Table 7-35 Road traffic noise base criteria	
Table 7-36 NML time periods.	
Table 7-37 Non-residential noise management levels	
Table 7-37 Non-residential holes management levels	
Table 7-39 Predicted baseline noise levels for residential receivers (2016)	
Table 7-40 Noise management levels Table 7-41 Road traffic vibration data	
Table 7-42 Construction phases and major construction activities	
Table 7-43 Summary of noise management levels. Table 7-44 Detential works outside standard construction have a superior of the second standard second secon	. 309
Table 7-44 Potential works outside standard construction hours compared to noise	040
management levels	
Table 7-45 Works outside standard construction hours	
Table 7-46 Construction vibration levels and potential impacts on sensitive receivers	
Table 7-47 Predicted noise levels up to 2026	
Table 7-48 Director General's requirements for soil, sediments, water and waste	
Table 7-49 Potential sites and sources of contamination	
Table 7-50 Registered Natural Resources Atlas database boreholes	
Table 7-51 Groundwater observation levels during investigations	
Table 7-52 Type and management of waste materials generated during construction	
Table 7-53 Director General's requirements - hydrology	
Table 7-54 Modelled estimates of existing peak flood flows near Windsor bridge	
Table 7-55 Top 10 highest flood levels recorded at Windsor	352
Table 7-56 Existing conditions - Modelled estimates of peak water levels along the	
Hawkesbury River	
Table 7-57 Existing conditions - Estimate of number of lots inundated	354
Table 7-58 Existing conditions - Preliminary estimate of land use impacts	354
Table 7-59 Estimated depth of overfloor inundation for existing conditions	357
Table 7-60 Modelled estimates of changes in peak flow as a result of the project	. 359
Table 7-61 Change in peak flood level as a result of the project	360
Table 7-62 Potential impacts to average flood depths on properties between Richmond a	
Wilberforce – 5 year ARI event	361
Table 7-63 Increase to over floor inundation for buildings near Windsor Bridge	364
Table 7-64 Director General's requirements	
Table 7-65 Population growth 2006-2011	
Table 7-66 Predicted populations, 2006-2036	
Table 7-67 Land acquisition and use during construction	
Table 7-68 Director General's requirements – flora and fauna	
Table 7-69 Vegetation communities and conditions identified in the study area	
Table 7-70 Environmental management measures	
Table 7-71 Director General's requirements – air quality	
Table 7-72 EPA assessment criteria for key pollutants for road air quality assessments	
Table 7-73 Summary of existing and forecast traffic for 2016 and 2026	
Table 7-74 Background air quality compared against relevant EPA air quality criteria	
Table 7-75 Carbon monoxide levels at the kerb	
Table 7-76 Nitrogen dioxide levels at the kerb	
Table 7-77 Particulate levels at the kerb	
Table 8-1 Summary of greenhouse gas emissions (general) for construction stage	
Table of Tourninary of greenhouse gas enhissions (general) for construction stage	

Table 8-2 Emissions associated with operation	
Table 8-3 Total project greenhouse gas emissions over 50 years (2016 - 2066)	
Table 8-4 Major hazards and risks	
Table 8-5 Potential cumulative impacts	
Table 9-1 Director General's requirements – environmental risk	
Table 10-1 Environmental management measures	435
Table 11-1 Director General's requirements	
Table 11-2 Assessment of the preferred option (the project) against project object	ives and
criteria	458

(blank page)

List of figures

Figure 1-2 Overview of the key elements of the project. 3 Figure 1-2 Ocation and regional context of the project. 4 Figure 2-1 State significant infrastructure assessment and approval process. 8 Figure 4-1 Bridge and alignment alternatives. 39 Figure 4-2 Replacement bridge elevations for 60 and 50 kilometre per hour design speed 55 Figure 4-3 Example of an incrementally launched bridge (Corowa, NSW). 56 Figure 4-4 Example of an isn'to balanced cantilever bridge (Brunsvick, NSW). 57 Figure 4-4 Example of an arch bridge with arch under deck (Yelgun, NSW). 58 Figure 4-4 Example of a cast in-situ bridge (Emigrant Creek, Sydney). 60 Figure 4-17 Example of a cast in-situ bridge (Emigrant Creek, Sydney). 60 Figure 5-12 Example of a cast in-situ bridge (Emigrant Creek, Sydney). 62 Figure 5-2 Temporary construction and compound sites. 82 Figure 5-4 Exant of socur protection. 84 Figure 5-5 Pedestrian and cyclist paths and movements. 90 Figure 5-2 Temporary construction and compound sites. 82 Figure 5-4 Detail form George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (arcle shows approximate location of Thompson Square. 101 Figure 5-4 Detail form G	Figure 1-1 Photomontage of the project from the southern bank	
Figure 2-1 State significant infrastructure assessment and approval process		
Figure 4-1 Bridge and alignment alternatives. 39 Figure 4-2 Replacement bridge elevations for 60 and 50 kilometre per hour design speed Ilmits 51 Figure 4-3 Example of an incrementally launched bridge (Corow, NSW) 55 Figure 4-4 Example of an incrementally launched bridge (Corow, NSW) 56 Figure 4-5 Example of an Arch Bridge with arch under deck (Yelgun, NSW) 58 Figure 4-7 Example of an Arch Bridge with arch under deck (Yelgun, NSW) 58 Figure 4-1 Example of a cast in-situ bridge (Emigrant Creek, Sydney) 60 Figure 5-1 Key elements of the project 78 Figure 5-2 Temporary construction and compound sites 78 Figure 5-3 Bridge elevation 84 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-5 Extent of scour protection 96 Figure 5-6 Extent of scour protection 96 Figure 5-7 Details of scour protection 97 Figure 5-8 Extent of scour protection 97 Figure 5-7 Details of scour protection 96 Figure 7-8 Details for Mo		
Figure 4-2 Replacement bridge elevations for 60 and 50 kilometre per hour design speed limits		
 limits Strigure 4-3 Example of a precast concrete plank bridge (Adelong Bridge, NSW) S5 Figure 4-4 Example of an in situ balanced cantilever bridge (Brunswick, NSW) S6 Figure 4-5 Example of an arch Bridge with arch under deck (Coffs Harbour, NSW) S8 Figure 4-7 Example of an arch bridge with arch above deck (Coffs Harbour, NSW) S9 Figure 4-8 Example of a cable stayed bridge (ANZAC Bridge, Sydney) 60 Figure 4-9 Example of a cable stayed bridge (ANZAC Bridge, Sydney) 61 Figure 4-10 Example of a cast in-situ bridge (Emigrant Creek, Sydney) 62 Figure 4-11 Further development of option B 73 Figure 5-2 Temporary construction and compound sites 82 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-5 Pedestrian and cyclist paths and movements. 90 Figure 5-7 Details of scour protection 96 Figure 5-7 Details of scour protection 97 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing the stables on the eastern side of the store buildings (indicated by red arrow) 162 Figure 7-4 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-5 Hast virtue and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-1 Mompson Square in 1929 before the final changes were made to the roads (JHHS 2011 No 2: 21) 170 Figure 7-12 Kota heritage listing – Thompson Square Conservation Area 177 Figure 7-13 Location of listed and unilisted historic herita	Figure 4-1 Bridge and alignment alternatives	. 39
Figure 4-3 Example of a precast concrete plank bridge (Adelong Bridge, NSW). .55 Figure 4-4 Example of an in situ balanced cantilever bridge (Brunswick, NSW). .57 Figure 4-5 Example of an in situ balanced cantilever bridge (Brunswick, NSW). .58 Figure 4-4 Example of an Arch Bridge with arch under deck (Yelgun, NSW). .58 Figure 4-4 Example of a truss bridge (Iron Cove Bridge, Sydney). .60 Figure 4-1 Example of a cast in-situ bridge (Emigrant Creek, Sydney). .62 Figure 5-1 Key elements of the project. .73 Figure 5-2 Emporany construction and compound sites. .82 Figure 5-3 Bridge elevation. .84 Figure 5-4 Typical cross-section of bridge (two lane configuration). .85 Figure 5-5 Pedestrian and cyclist paths and movements. .90 Figure 5-4 Concept design of Thompson Square .101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the whaft and its associated access track (circle shows approximate location of Thompson Square). .62 Figure 7-5 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow). .62 </td <td></td> <td>51</td>		51
Figure 4-4 Example of an insitu balanced cantilever bridge (Brunswick, NSW)		
Figure 4-5 Example of an Arch Bridge with arch under deck (Yelgun, NSW) 57 Figure 4-6 Example of an arch bridge with arch above deck (Coffs Harbour, NSW) 58 Figure 4-7 Example of a truss bridge (Iron Cove Bridge, Sydney) 60 Figure 4-10 Example of a cast in-situ bridge (Emigrant Creek, Sydney) 61 Figure 4-10 Example of a cast in-situ bridge (Emigrant Creek, Sydney) 62 Figure 4-11 Further development of option B 73 Figure 5-2 Temporary construction and compound sites 82 Figure 5-3 Bridge elevation 84 Figure 5-4 Typical Cross-section of bridge (two lane configuration) 85 Figure 5-5 Pedetsito and cyclist paths and movements 90 Figure 5-4 Extent of scour protection 97 Figure 5-5 Dedisito for Drompson Square 91 Figure 7-1 Details of scour protection 97 Figure 7-2 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 61 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the ins and private p		
Figure 4-6 Example of an Arch Bridge with arch above deck (Cdfs Harbour, NSW)		
Figure 4-7 Example of a truss bridge (Iron Cove Bridge, Sydney) 60 Figure 4-8 Example of a cable stayed bridge (ANZAC Bridge, Sydney) 60 Figure 4-10 Example of a cable stayed bridge (ANZAC Bridge, Sydney) 62 Figure 4-10 Example of a cable stayed bridge (Emigrant Creek, Sydney) 62 Figure 5-1 Key elements of the project 78 Figure 5-2 Temporary construction and compound sites 82 Figure 5-3 Bridge elevation 84 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-5 Dedails of scour protection 90 Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-3 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 164		
Figure 4-8 Example of a cable stayed bridge (ANZAC Bridge, Sydney) 60 Figure 4-10 Example of a cable stayed bridge (ANZAC Bridge, Sydney) 61 Figure 4-11 Further development of option B 73 Figure 5-1 Key elements of the project 78 Figure 5-3 Bridge elevation 82 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-6 Extent of scour protection 90 Figure 5-7 Details of scour protection 97 Figure 7-1 Details of scour protection 96 Figure 7-2 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-3 Distorical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-5 Detail form George William Evans' 4809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-4 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-5 Detail form George William Evans' 4809 watercolour showing what are likely to be two of the store bu		
Figure 4-9 Example of a cable stayed bridge (ANZAČ Bridge, Šydney) 61 Figure 4-10 Example of a cast in-situ bridge (Emigrant Creek, Sydney) 62 Figure 5-1 Key elements of the project 73 Figure 5-2 Temporary construction and compound sites 82 Figure 5-3 Bridge elevation 84 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-5 Dedails of scour protection 90 Figure 5-6 Extent of scour protection 97 Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 162 Figure 7-5 Detail form George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western si		
Figure 4-10 Example of a cast in-situ bridge (Emigrant Creek, Sydney) 62 Figure 4-11 Further development of option B 73 Figure 5-2 Temporary construction and compound sites 82 Figure 5-3 Bridge elevation 84 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-6 Pedestrian and cyclist paths and movements. 90 Figure 5-7 Details of scour protection 96 Figure 5-8 Concept design of Thompson Square 01 Figure 5-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-3 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-4 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-5 Detail form George William Evans' 1809 watercolour showing the stables on the eastern side of the Square and the ins and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads (JHHS 2011 No 2: 21) 170 <tr< td=""><td></td><td></td></tr<>		
Figure 4-11 Further development of option B 73 Figure 5-1 Key elements of the project 78 Figure 5-2 Temporary construction and compound sites 82 Figure 5-3 Bridge elevation 84 Figure 5-5 Pedestrian and cyclis tpaths and movements 90 Figure 5-6 Extent of scour protection 96 Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the whaf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-4 1830 Masor Bridge and Thompson Square 177 <		
Figure 5-1 Key elements of the project 78 Figure 5-2 Temporary construction and compound sites 82 Figure 5-4a Typical cross-section of bridge (two lane configuration) 84 Figure 5-5 Pedestrian and cyclist paths and movements. 90 Figure 5-7 Details of scour protection 96 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-4 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-5 Detail for Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-1 Hastorial of Armstrong's plan of thoring on guare 170 Figure 7-2 Is88 Windsor Bridge and Thompson Square 179 Figure 7-3 Thompson Square in 1929 before the final changes were made to the roads (JHHS 2011 No 2: 21)		
Figure 5-2 Temporary construction and compound sites 82 Figure 5-3 Bridge elevation 84 Figure 5-4 Typical cross-section of bridge (two lane configuration) 85 Figure 5-6 Extent of scour protection 90 Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the coads 1169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 141HS 2011 No 2: 21) IfHS 2011 No 2: 21) 170 Figure 7-10 Abori		
Figure 5-3 Bridge elevation 84 Figure 5-4a Typical cross-section of bridge (two lane configuration) 85 Figure 5-5 Pedestrian and cyclist paths and movements 90 Figure 5-7 Details of scour protection 96 Figure 5-7 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail for Amstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square Conservation Area 170 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Not on filsted and unlisted historic heritage items within the project area 177 Figure 7-12 Bridge Street / Bridge Street intersection (looking south west)		
Figure 5-4a Typical cross-section of bridge (two lane configuration)		
Figure 5-5 Pedestrian and cyclist paths and movements. 90 Figure 5-6 Extent of scour protection 96 Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the whaf and its associated access track (circle shows approximate location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Abeot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 170 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads (JHHS 2011 No 2: 21) 170 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Key roads in study area 222 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-14 George Street / Bridge Street intersection 237 Figure 7-15 Hourly profile of vehicles in Bridge Street, split by diassi		
Figure 5-6 Extent of scour protection 96 Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meeban 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Key toads in study area 222 222 Figure 7-12 Bridge Street at Windsor bridge (looking south		
Figure 5-7 Details of scour protection 97 Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 169 side of the Square and the inns and private properties on the western side and the 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-10 Aborige sitesProject investigation areas 210 Figure 7-11 Key roads in study area 222 Figure 7-12 Bridge Street at Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 Geor		
Figure 5-8 Concept design of Thompson Square 101 Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate 161 focation of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Key roads in study area 222 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-14 George Street / Bridge Street		
Figure 7-1 Detail from George William Evans' 1809 watercolour showing a boat in front of what is likely to be the wharf and its associated access track (circle shows approximate location of Thompson Square)		
what is likely to be the wharf and its associated access track (circle shows approximate 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 George Street / Bridge Street intersection (looking south west) 2225 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 237 Figure 7-14 Hourly profile of vehicles in Bridge Street, split by direction 227 Figure 7-14 Hourly profile of vehicles in Bridge Street, split by direction </td <td></td> <td></td>		
location of Thompson Square) 161 Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be 162 two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 164 side of the Square and the inns and private properties on the western side and the 169 commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 Hourly profile of vehicles in Bridge Street, split by classification 227 Figure 7-15 Hourly profile of vehicles in Bridge Street, split by disection 227 Figure 7-16 Hourly profile of vehicles in Bridge Stre		
Figure 7-2 Detail from George William Evans' 1809 watercolour showing what are likely to be 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern 169 Side of the Square and the inns and private properties on the western side and the 169 commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Key roads in study area 222 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-14 George Street / Bridge Street intersection (looking south west) 225 Figure 7-17 Local cycle routes 230 Figure 7-20 Visual catchment zones and landscape view points 252 Figure 7-19 Impact grading matrix 250 Figure 7-21 New of the existing bridge and location of the replacement bridge from the 250 <		161
two of the store buildings (indicated by red arrow) 162 Figure 7-3 Historical overlay of Windsor (Meehan 1812) 163 Figure 7-4 Historical overlay of Windsor (Abbot 1831) 164 Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-9 State heritage listing – Thompson Square Conservation Area 178 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 George Street / Bridge Street intersection (looking south west) 225 Figure 7-15 Hourly profile of vehicles in Bridge Street, split by direction 227 Figure 7-14 George Street / Bridge Street/Bridge Street intersection <td></td> <td></td>		
Figure 7-4 Historical overlay of Windsor (Abbot 1831)		
Figure 7-5 Detail of Armstrong's plan of the town in 1842 showing the stables on the eastern side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010) 169 Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-9 State heritage listing – Thompson Square Conservation Area 210 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 George Street / Bridge Street intersection (looking south towards Windsor) 225 Figure 7-15 Hourly profile of vehicles in Bridge Street, split by classification 227 Figure 7-19 Impact grading matrix 230 Figure 7-20 Visual catchment zones and landscape view points 250 Figure 7-21 Wiew of the existing bridge and location of the replacement bridge from the 260 Poctors House 260 Figure 7-21 Key ada area in Thompson Square – existing conditions 277 Figure 7-22 Impression of the replacement b	Figure 7-3 Historical overlay of Windsor (Meehan 1812)1	163
side of the Square and the inns and private properties on the western side and the commercial precinct at the southern end Source: Jack (2010)		
commercial precinct at the southern end Source: Jack (2010)169Figure 7-61888 Windsor Bridge and Thompson Square169Figure 7-7Thompson Square in 1929 before the final changes were made to the roads170Figure 7-8Location of listed and unlisted historic heritage items within the project area177Figure 7-9State heritage listing – Thompson Square Conservation Area178Figure 7-10Aboriginal heritage sitesProject investigation areas210Figure 7-11Key roads in study area222Figure 7-12Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction230Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House260Figure 7-22Road area in Thompson Square – existing conditions277Figure 7-23Road area in Thompson Square – existing conditions277Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		rn
Figure 7-6 1888 Windsor Bridge and Thompson Square 169 Figure 7-7 Thompson Square in 1929 before the final changes were made to the roads 170 Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-9 State heritage listing – Thompson Square Conservation Area 178 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Key roads in study area 222 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 George Street / Bridge Street intersection (looking south west) 225 Figure 7-15 Hourly profile of vehicles in Bridge Street, split by classification 227 Figure 7-17 Local cycle routes 230 Figure 7-18 Configuration of new George Street/Bridge Street intersection 237 Figure 7-20 Visual catchment zones and landscape view points 252 Figure 7-21 View of the existing bridge and location of the replacement bridge from the 250 Doctors House 260 260 260 F	side of the Square and the inns and private properties on the western side and the	
Figure 7-7Thompson Square in 1929 before the final changes were made to the roads(JHHS 2011 No 2: 21)170Figure 7-8Location of listed and unlisted historic heritage items within the project areaFigure 7-9State heritage listing – Thompson Square Conservation AreaFigure 7-10Aboriginal heritage sitesProject investigation areasFigure 7-11Key roads in study area222Figure 7-12Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-18Configuration of new George Street/Bridge Street intersection230Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from theDoctors House260Figure 7-22Road area in Thompson Square – existing conditions276Figure 7-23Figure 7-24Road area in Thompson Square – existing conditions277Figure 7-25Cross section of the project near the George Street intersection		
(JHHS 2011 No 2: 21).170Figure 7-8 Location of listed and unlisted historic heritage items within the project area177Figure 7-9 State heritage listing – Thompson Square Conservation Area178Figure 7-10 Aboriginal heritage sitesProject investigation areas210Figure 7-11 Key roads in study area222Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14 George Street / Bridge Street intersection (looking south west)225Figure 7-15 Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16 Hourly profile of vehicles in Bridge Street, split by direction223Figure 7-17 Local cycle routes230Figure 7-19 Impact grading matrix250Figure 7-20 Visual catchment zones and landscape view points252Figure 7-21 View of the existing bridge and location of the replacement bridge from the260Figure 7-22 Impression of the replacement bridge from Doctors House260Figure 7-23 Road area in Thompson Square – existing conditions276Figure 7-24 Road area in Thompson Square – future conditions277Figure 7-25 Cross section of the project near the George Street intersection278		169
Figure 7-8 Location of listed and unlisted historic heritage items within the project area 177 Figure 7-9 State heritage listing – Thompson Square Conservation Area 178 Figure 7-10 Aboriginal heritage sitesProject investigation areas 210 Figure 7-11 Key roads in study area 222 Figure 7-12 Bridge Street at Windsor bridge (looking south towards Windsor) 223 Figure 7-13 Looking north along Freemans Reach Road from Wilberforce Road 224 Figure 7-14 George Street / Bridge Street intersection (looking south west) 225 Figure 7-15 Hourly profile of vehicles in Bridge Street, split by classification 227 Figure 7-16 Hourly profile of vehicles in Bridge Street, split by direction 227 Figure 7-17 Local cycle routes 230 Figure 7-18 Configuration of new George Street/Bridge Street intersection 237 Figure 7-20 Visual catchment zones and landscape view points 252 Figure 7-21 View of the existing bridge and location of the replacement bridge from the 260 Figure 7-22 Impression of the replacement bridge from Doctors House 260 Figure 7-23 Road area in Thompson Square – existing conditions 276		
Figure 7-9State heritage listing – Thompson Square Conservation Area178Figure 7-10Aboriginal heritage sitesProject investigation areas210Figure 7-11Key roads in study area222Figure 7-12Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House260267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection277		
Figure 7-10Aboriginal heritage sitesProject investigation areas210Figure 7-11Key roads in study area222Figure 7-12Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction223Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House260267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		
Figure 7-11Key roads in study area222Figure 7-12Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House260Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278	Figure 7-9 State heritage listing – Thompson Square Conservation Area	178
Figure 7-12Bridge Street at Windsor bridge (looking south towards Windsor)223Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road224Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		
Figure 7-13Looking north along Freemans Reach Road from Wilberforce Road	Figure 7-11 Key roads in study area	222
Figure 7-14George Street / Bridge Street intersection (looking south west)225Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		
Figure 7-15Hourly profile of vehicles in Bridge Street, split by classification227Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		
Figure 7-16Hourly profile of vehicles in Bridge Street, split by direction227Figure 7-17Local cycle routes230Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House260Figure 7-22Impression of the replacement bridge from Doctors House267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		
Figure 7-17 Local cycle routes 230 Figure 7-18 Configuration of new George Street/Bridge Street intersection 237 Figure 7-19 Impact grading matrix 250 Figure 7-20 Visual catchment zones and landscape view points 252 Figure 7-21 View of the existing bridge and location of the replacement bridge from the 260 Doctors House 260 Figure 7-22 Impression of the replacement bridge from Doctors House 267 Figure 7-23 Road area in Thompson Square – existing conditions 276 Figure 7-24 Road area in Thompson Square – future conditions 277 Figure 7-25 Cross section of the project near the George Street intersection 278		
Figure 7-18Configuration of new George Street/Bridge Street intersection237Figure 7-19Impact grading matrix250Figure 7-20Visual catchment zones and landscape view points252Figure 7-21View of the existing bridge and location of the replacement bridge from the260Doctors House260Figure 7-22Impression of the replacement bridge from Doctors House267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		
Figure 7-19 Impact grading matrix 250 Figure 7-20 Visual catchment zones and landscape view points 252 Figure 7-21 View of the existing bridge and location of the replacement bridge from the 260 Doctors House 260 Figure 7-22 Impression of the replacement bridge from Doctors House 267 Figure 7-23 Road area in Thompson Square – existing conditions 276 Figure 7-24 Road area in Thompson Square – future conditions 277 Figure 7-25 Cross section of the project near the George Street intersection 278	Figure 7-17 Local cycle routes	230
Figure 7-20 Visual catchment zones and landscape view points 252 Figure 7-21 View of the existing bridge and location of the replacement bridge from the 260 Doctors House 260 Figure 7-22 Impression of the replacement bridge from Doctors House 267 Figure 7-23 Road area in Thompson Square – existing conditions 276 Figure 7-24 Road area in Thompson Square – future conditions 277 Figure 7-25 Cross section of the project near the George Street intersection 278		
Figure 7-21 View of the existing bridge and location of the replacement bridge from the 260 Doctors House 260 Figure 7-22 Impression of the replacement bridge from Doctors House 267 Figure 7-23 Road area in Thompson Square – existing conditions 276 Figure 7-24 Road area in Thompson Square – future conditions 277 Figure 7-25 Cross section of the project near the George Street intersection 278		
Doctors House 260 Figure 7-22 Impression of the replacement bridge from Doctors House 267 Figure 7-23 Road area in Thompson Square – existing conditions 276 Figure 7-24 Road area in Thompson Square – future conditions 277 Figure 7-25 Cross section of the project near the George Street intersection 278		-02
Figure 7-22Impression of the replacement bridge from Doctors House267Figure 7-23Road area in Thompson Square – existing conditions276Figure 7-24Road area in Thompson Square – future conditions277Figure 7-25Cross section of the project near the George Street intersection278		090
Figure 7-23 Road area in Thompson Square – existing conditions 276 Figure 7-24 Road area in Thompson Square – future conditions 277 Figure 7-25 Cross section of the project near the George Street intersection 278		
Figure 7-24 Road area in Thompson Square – future conditions		
Figure 7-25 Cross section of the project near the George Street intersection		
	Figure 7-26 Cross section of the project at the southern approach road - midway	

Cross section of the project at the southern approach road - Doctors House .	280
Long section of the project along The Terrace	281
Overshadowing diagrams	295
Location of sensitive receivers	306
Day time noise levels with the project in 2026	320
Night time noise levels with the project in 2026	321
Noise levels in Thompson Square parkland "No build" in 2026	322
Noise levels in Thompson Square parkland with the project in 2026	323
Location of groundwater bores and geotechnical sites	334
Location of water quality treatment devices	347
Existing flooding	355
Commercial land use in Windsor town centre	373
Vegetation communities in the study area	391
Riparian Casuarina open forest in low condition in the study area (south east	of
bridge)	392
Modified riparian forest in low condition (north west of the existing bridge)	392
Threatened species and ecologically endangered vegetation communities	393
	Long section of the project along The Terrace. Overshadowing diagrams Location of sensitive receivers Day time noise levels with the project in 2026 Night time noise levels with the project in 2026 Noise levels in Thompson Square parkland "No build" in 2026 Noise levels in Thompson Square parkland with the project in 2026 Location of groundwater bores and geotechnical sites Location of water quality treatment devices Existing flooding Commercial land use in Windsor town centre. Vegetation communities in the study area Riparian Casuarina open forest in low condition in the study area (south east bridge) Modified riparian forest in low condition (north west of the existing bridge)