

Product Type Approval Certificate

Full / ~~Provisional~~ / ~~Restricted~~


This certificate is issued to:

Supplier name and address:	Pivot Electronics Pty Ltd 17/3 Apollo St, Warriewood NSW 2102
-----------------------------------	--

In respect of:

Manufacturer:	Pivot International Ltd
Place of manufacture:	Sydney, Australia
Product description:	Terminals for disconnection, fuse holder with busing for all electrical circuits including safety critical usage.
Use approved for:	Usage in accordance with TfNSW standards, manuals, and procedures as well as supplier documents and constraints. Conclusions about the suitability for use under any other circumstances are not made. Reliance on this approval by any other organisation is done so entirely at that organisation's own risk.
Conditions of approval:	<ol style="list-style-type: none">1. Install with the white test terminal on the left-hand side or top side of the DATT as standard practice.2. Fuse link holders are installed so that the fuse will disrupt power to the red test terminal.3. The supplier or manufacture must advise TfNSW AMB of any changes made to the product or system which may alter its identification, performance characteristics, form, fit, function or processes required for correct usage so that this approval can be revised or reviewed.
Limitations:	N/A

Evaluating rail transport operator

Name:	Andrew Gardner
Position:	Director Signals and Control Systems Engineering
Signature:	
Date:	14/12/2022

Annexure 1 – Schedule of associated items

Part Number	Description	Condition
DATT-002-1	DATT Disconnect and Test Terminal with black disconnect link for up to 6 mm ² wire.	<i>Normal use</i>
DATT-002-2	DATT Disconnect and Test Terminal with yellow disconnect link for up to 6 mm ² wire	<i>Special usage if required</i>
DATT-016-1	DATT Disconnect and Test Terminal with black disconnect link for up to 16 mm ² wire	
DATT-016-2	DATT Disconnect and Test Terminal with yellow disconnect link for up to 16 mm ² wire	
DATT-003-1	Black disconnect link	
DATT-003-2	Yellow disconnect link	<i>Special usage if required</i>
DATT-100	Flatt fuse link holder for 25 x 5 mm fuses	
DATT-101	Flatt fuse link holder for 32 x 6 mm fuses	Actual fuse is imperial sized 1 ¼ inch x ¼ inch (31.8x6.35mm)
DATT-402	Power jumper 2 way	
DATT-403	Power jumper 3 way	
DATT-404	Power jumper 4 way	
DATT-405	Power Jumper 5 Way	
DATT-410	Power Jumper 10 way	
DATT-202 to DATT-210	DATT Bussing combs – all types	
DATT-251 to DATT-260	Terminal marking system – all marking	
DATT-995	DATT Dummy Plug – orange	<i>Alterations and staged works use</i>
DATT-997	DATT Dummy Plug – blue	<i>Maintenance use</i>