



## NSW Site Auditor Scheme

# Site Audit Statement

A site audit statement summarises the findings of a site audit. For full details of the site auditor's findings, evaluations and conclusions, refer to the associated site audit report.

This form was approved under the *Contaminated Land Management Act 1997* on 12 October 2017.

For information about completing this form, go to Part IV.

### Part I: Site audit identification

Site audit statement no. 0503-2006-R

---

This site audit is a:

- statutory audit  
 non-statutory audit

within the meaning of the *Contaminated Land Management Act 1997*.

#### Site auditor details

(As accredited under the *Contaminated Land Management Act 1997*)

Name	Andrew Lau	
Company	JBS&G	
Address	Level 1, 50 Margaret St	
	Sydney	Postcode 2000
Phone	02 8245 0300	
Email	<a href="mailto:ALau@jbsg.com.au">ALau@jbsg.com.au</a>	

#### Site details

Address	Part of the Tarago Station Rail Corridor	
	Tarago NSW	Postcode 2580

#### Property description

(Attach a separate list if several properties are included in the site audit.)

**Part of Lot 22 DP1202608**

---

Local government area **Goulburn-Mulwaree Shire**

---

Area of site (include units, e.g. hectares) **7.7 ha**

---

Current zoning **RU2 Rural Landscape**

---

**Regulation and notification**

To the best of my knowledge:

**the site is** the subject of a declaration, order, agreement, proposal or notice under the *Contaminated Land Management Act 1997* or the *Environmentally Hazardous Chemicals Act 1985*, as follows: (provide the no. if applicable)

Declaration no. **20201103**

---

Order no.

---

Proposal no.

---

Notice no.

---

~~the site is not~~ the subject of a declaration, order, proposal or notice under the *Contaminated Land Management Act 1997* or the *Environmentally Hazardous Chemicals Act 1985*.

To the best of my knowledge:

the site **has** been notified to the EPA under section 60 of the *Contaminated Land Management Act 1997*

~~the site has not~~ been notified to the EPA under section 60 of the *Contaminated Land Management Act 1997*.

**Site audit commissioned by**

Name **Michael Hooper**

---

Company **John Holland Rail**

---

Address **Level 1, 20 Smith St**

---

**Parramatta NSW**

Postcode **2150**

---

Phone **0427 167 650**

---

Email [Michael.Hooper@jhq.com.au](mailto:Michael.Hooper@jhq.com.au)

---

**Contact details for contact person (if different from above)**

Name **Andrew Radley**

---

Phone **0409 836 787**

---

Email [andrew.radley@transport.nsw.gov.au](mailto:andrew.radley@transport.nsw.gov.au)

---

**Nature of statutory requirements** (not applicable for non-statutory audits)

- Requirements under the *Contaminated Land Management Act 1997* (e.g. management order; please specify, including date of issue)

**Voluntary Management Plan: Notice Number 20201711, Area 3455**

---

**dated: 25/5/2020**

---

- Requirements imposed by an environmental planning instrument (please specify, including date of issue)
- 
- 

- Development consent requirements under the *Environmental Planning and Assessment Act 1979* (please specify consent authority and date of issue)
- 
- 

- Requirements under other legislation (please specify, including date of issue)
- 
-

### Purpose of site audit

~~A1 To determine land use suitability~~

~~Intended uses of the land:~~ \_\_\_\_\_

OR

~~A2 To determine land use suitability subject to compliance with either an active or passive environmental management plan~~

~~Intended uses of the land:~~ \_\_\_\_\_

OR

(Tick all that apply)

~~B1 To determine the nature and extent of contamination~~

**B2 To determine the appropriateness of:**

~~an investigation plan~~

a remediation plan

~~a management plan~~

~~B3 To determine the appropriateness of a **site testing plan** to determine if groundwater is safe and suitable for its intended use as required by the *Temporary Water Restrictions Order for the Botany Sands Groundwater Resource 2017*~~

**B4 To determine the compliance with an approved:**

~~**voluntary management proposal** or~~

~~**management order** under the *Contaminated Land Management Act 1997*~~

~~B5 To determine if the land can be made suitable for a particular use (or uses) if the site is remediated or managed in accordance with a specified plan.~~

~~Intended uses of the land:~~ \_\_\_\_\_

### Information sources for site audit

Consultancies which conducted the site investigations and/or remediation:

Ramboll Australia Pty Ltd.

McMahon Earth Science Pty Ltd

Titles of reports reviewed:

- *Tarago Loop Extension, Preliminary Human Health Risk Assessment*, Ramboll, September 2019.
- *Tarago Rail Corridor and Tarago Area Detailed Site Investigation*, Ramboll, July 2020.

## Site Audit Statement

- *Advice on risks to human health and the environment: Boyd Street and publicly accessible areas, Tarago NSW, EnRisks, 1 December 2020.*
  - *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum, Ramboll, 12 February 2021*
  - *Remediation Action Plan, Ramboll, September 2021.*
  - *April 2021 Surface Water Monitoring, Tarago NSW, Ramboll, June 2021.*
- 
- 

Other information reviewed, including previous site audit reports and statements relating to the site:

- *Tarago Rail Siding Extension: Preliminary Contaminated Site Assessment, McMahon 2015*
  - *Surface Water Monitoring – Tarago Rail Loop Expansion, Ramboll August 2019*
  - *Tarago Loop Extension, Further Intrusive Assessment and Lead Management Plan, Ramboll, September 2019*
  - *Tarago Rail Corridor Environmental Site Assessment, Ramboll, October 2019*
  - *Tarago Loop Extension Remediation Action Plan, September 2019.*
  - *Tarago Lead Management Action Plan, Ramboll, July 2020*
  - *Tarago Air Quality Monitoring Report, Ramboll, July 2021*
- 

### Site audit report details

Title ***Site Audit Report, Tarago Rail Corridor, Tarago NSW***

---

Report no. **0503-2006**

Date 29 October 2021

---

## Part II: Auditor's findings

Please complete either Section A1, Section A2 or Section B, not more than one section. (Strike out the irrelevant sections.)

- Use **Section A1** where site investigation and/or remediation has been completed and a conclusion can be drawn on the suitability of land uses **without the implementation** of an environmental management plan.
- Use **Section A2** where site investigation and/or remediation has been completed and a conclusion can be drawn on the suitability of land uses **with the implementation** of an active or passive environmental management plan.
- Use **Section B** where the audit is to determine:
  - (B1) the nature and extent of contamination, and/or
  - (B2) the appropriateness of an investigation, remediation or management plan<sup>1</sup>, and/or
  - (B3) the appropriateness of a site testing plan in accordance with the *Temporary Water Restrictions Order for the Botany Sands Groundwater Source 2017*, and/or
  - (B4) whether the terms of the approved voluntary management proposal or management order have been complied with, and/or
  - (B5) whether the site can be made suitable for a specified land use (or uses) if the site is remediated or managed in accordance with the implementation of a specified plan.

---

<sup>1</sup> For simplicity, this statement uses the term 'plan' to refer to both plans and reports.

## Section A1

~~I certify that, in my opinion:~~

The ~~site is suitable~~ for the following uses:

~~(Tick all appropriate uses and strike out those not applicable.)~~

- ~~Residential, including substantial vegetable garden and poultry~~
  - ~~Residential, including substantial vegetable garden, excluding poultry~~
  - ~~Residential with accessible soil, including garden (minimal home-grown produce contributing less than 10% fruit and vegetable intake), excluding poultry~~
  - ~~Day care centre, preschool, primary school~~
  - ~~Residential with minimal opportunity for soil access, including units~~
  - ~~Secondary school~~
  - ~~Park, recreational open space, playing field~~
  - ~~Commercial/industrial~~
  - ~~Other (please specify):~~
- 

**OR**

- ~~I certify that, in my opinion, the **site is not suitable** for any use due to the risk of harm from contamination.~~

Overall comments:

---

---

---

---

---

---

---

## Section A2

### I certify that, in my opinion:

Subject to compliance with the ~~attached~~ environmental management plan<sup>2</sup> (EMP), the site is suitable for the following uses:

(Tick all appropriate uses and strike out those not applicable.)

- ~~Residential, including substantial vegetable garden and poultry~~
  - ~~Residential, including substantial vegetable garden, excluding poultry~~
  - ~~Residential with accessible soil, including garden (minimal home-grown produce contributing less than 10% fruit and vegetable intake), excluding poultry~~
  - ~~Day care centre, preschool, primary school~~
  - ~~Residential with minimal opportunity for soil access, including units~~
  - ~~Secondary school~~
  - ~~Park, recreational open space, playing field~~
  - ~~Commercial/industrial~~
  - ~~Other (please specify):~~
- 

### EMP details

Title

Author

Date

No. of pages

### EMP summary

This EMP (attached) is required to be implemented to address residual contamination on the site.

The EMP: (Tick appropriate box and strike out the other option.)

- ~~requires operation and/or maintenance of **active** control systems<sup>3</sup>~~
- ~~requires maintenance of **passive** control systems only<sup>3</sup>.~~

---

<sup>2</sup> Refer to Part IV for an explanation of an environmental management plan.

<sup>3</sup> Refer to Part IV for definitions of active and passive control systems.



Site Audit Statement

Purpose of the EMP:

---

---

---

---

---

---

Description of the nature of the residual contamination:

---

---

---

Summary of the actions required by the EMP:

---

---

---

How the EMP can reasonably be made to be legally enforceable:

---

---

---

How there will be appropriate public notification:

---

---

---

Overall comments:

---

---

---

---

## Section B

Purpose of the plan<sup>4</sup> which is the subject of this audit:

**The Remediation Action Plan (RAP) was prepared for the assessment and management of contamination identified along approx. one kilometre of the Goulburn – Bombala rail corridor at Tarago NSW, as shown on the attached map (Attachment A).**

**The RAP is attached as Attachment B.**

---

**I certify that, in my opinion:**

(B1)

- ~~The nature and extent of the contamination **has** been appropriately determined~~  
 The nature and extent of the contamination **has not** been appropriately determined

AND/OR (B2)

- The investigation, remediation or management plan **is** appropriate for the purpose stated above  
 ~~The investigation, remediation or management plan **is not** appropriate for the purpose stated above~~

AND/OR (B3)

- ~~The site testing plan:~~  
 ~~**is** appropriate to determine~~  
 ~~**is not** appropriate to determine~~  
~~if groundwater is safe and suitable for its intended use as required by the *Temporary Water Restrictions Order for the Botany Sands Groundwater Resource 2017*~~

AND/OR (B4)

- ~~The terms of the approved voluntary management proposal\* or management order\*\* (strike out as appropriate):~~  
 ~~**have** been complied with~~  
 ~~**have not** been complied with.~~  
~~\*voluntary management proposal~~  
~~\*\*management order no.~~
- 

AND/OR (B5)

- ~~The site **can be made suitable** for the following uses:~~  
~~(Tick all appropriate uses and strike out those not applicable.)~~  
 ~~Residential, including substantial vegetable garden and poultry~~

---

<sup>4</sup> For simplicity, this statement uses the term 'plan' to refer to both plans and reports.

Site Audit Statement

- Residential, including substantial vegetable garden, excluding poultry
- Residential with accessible soil, including garden (minimal home-grown produce contributing less than 10% fruit and vegetable intake), excluding poultry
- Day care centre, preschool, primary school
- Residential with minimal opportunity for soil access, including units
- Secondary school
- Park, recreational open space, playing field
- Commercial/industrial
- Other (please specify):

---

IF the site is remediated/managed\* in accordance with the following plan (attached):

\*Strike out as appropriate

Plan title

Plan author

Plan date

No. of pages

SUBJECT to compliance with the following condition(s):

---

---

---

---

---

Overall comments:

The remediation action plan (RAP) features onsite excavation of contaminated material and transport to an off site facility for segregation. One stream (<20 mm) will be subject to immobilisation, and the >20 mm stream will be returned to site.

The RAP notes that a specific immobilisation approval application was submitted to the NSW EPA and approval has been received since the RAP was finalised. The auditor has received a copy of the approval.

An application for consent and environmental protection licence amendments will need to be made for the receiving landfill where the immobilisation activities will take place.

The return of ballast to the site after screening will likely require a Specific Resource Recovery Exemption. Further correspondence with the EPA is recommended to define the appropriate planning pathway.

Confirmation will need to be sought as to whether the works are determined to be Category 1 under SEPP55 due to the heritage status of the railway station.

Site Audit Statement

The RAP describes controls that will be implemented during remediation with regards to surface water and dust monitoring.

---

The Stationmasters Cottage, 106 Goulburn St (Lot 1, DP816626) must not be used for residential purposes until it can be demonstrated as safe for such use and the management of the residence should be included in the EMP for the rail corridor site.

---

---

## Part III: Auditor's declaration

I am accredited as a site auditor by the NSW Environment Protection Authority (EPA) under the *Contaminated Land Management Act 1997*.

Accreditation no. **0503**

---

### I certify that:

- I have completed the site audit free of any conflicts of interest as defined in the *Contaminated Land Management Act 1997*, and
- with due regard to relevant laws and guidelines, I have examined and am familiar with the reports and information referred to in Part I of this site audit, and
- on the basis of inquiries I have made of those individuals immediately responsible for making those reports and obtaining the information referred to in this statement, those reports and that information are, to the best of my knowledge, true, accurate and complete, and
- this statement is, to the best of my knowledge, true, accurate and complete.

I am aware that there are penalties under the *Contaminated Land Management Act 1997* for wilfully making false or misleading statements.



---

Date            4 January 2022

---

## Part IV: Explanatory notes

To be complete, a site audit statement form must be issued with all four parts.

### How to complete this form

#### Part I

Part I identifies the auditor, the site, the purpose of the audit and the information used by the auditor in making the site audit findings.

#### Part II

Part II contains the auditor's opinion of the suitability of the site for specified uses or of the appropriateness of an investigation, or remediation plan or management plan which may enable a particular use. It sets out succinct and definitive information to assist decision-making about the use or uses of the site or a plan or proposal to manage or remediate the site.

The auditor is to complete either Section A1 or Section A2 or Section B of Part II, **not** more than one section.

#### Section A1

In Section A1 the auditor may conclude that the land is *suitable* for a specified use or uses OR *not suitable* for any beneficial use due to the risk of harm from contamination.

By certifying that the site is *suitable*, an auditor declares that, at the time of completion of the site audit, no further investigation or remediation or management of the site was needed to render the site fit for the specified use(s). **Conditions must not be** imposed on a Section A1 site audit statement. Auditors may include **comments** which are key observations in light of the audit which are not directly related to the suitability of the site for the use(s). These observations may cover aspects relating to the broader environmental context to aid decision-making in relation to the site.

#### Section A2

In Section A2 the auditor may conclude that the land is *suitable* for a specified use(s) subject to a condition for implementation of an environmental management plan (EMP).

##### *Environmental management plan*

Within the context of contaminated sites management, an EMP (sometimes also called a 'site management plan') means a plan which addresses the integration of environmental mitigation and monitoring measures for soil, groundwater and/or hazardous ground gases throughout an existing or proposed land use. An EMP succinctly describes the nature and location of contamination remaining on site and states what the objectives of the plan are, how contaminants will be managed, who will be responsible for the plan's implementation and over what time frame actions specified in the plan will take place.

By certifying that the site is suitable subject to implementation of an EMP, an auditor declares that, at the time of completion of the site audit, there was sufficient information satisfying guidelines made or approved under the *Contaminated Land Management Act 1997*

(CLM Act) to determine that implementation of the EMP was feasible and would enable the specified use(s) of the site and no further investigation or remediation of the site was needed to render the site fit for the specified use(s).

Implementation of an EMP is required to ensure the site remains suitable for the specified use(s). The plan should be legally enforceable: for example, a requirement of a notice under the CLM Act or a development consent condition issued by a planning authority. There should also be appropriate public notification of the plan, e.g. on a certificate issued under s.149 of the *Environmental Planning and Assessment Act 1979*.

#### *Active or passive control systems*

Auditors must specify whether the EMP requires operation and/or maintenance of active control systems or requires maintenance of passive control systems only. Active management systems usually incorporate mechanical components and/or require monitoring and, because of this, regular maintenance and inspection are necessary. Most active management systems are applied at sites where if the systems are not implemented an unacceptable risk may occur. Passive management systems usually require minimal management and maintenance and do not usually incorporate mechanical components.

#### *Auditor's comments*

Auditors may also include **comments** which are key observations in light of the audit which are not directly related to the suitability of the site for the use(s). These observations may cover aspects relating to the broader environmental context to aid decision-making in relation to the site.

## **Section B**

In Section B the auditor draws conclusions on the nature and extent of contamination, and/or suitability of plans relating to the investigation, remediation or management of the land, and/or the appropriateness of a site testing plan in accordance with the *Temporary Water Restrictions Order for the Botany Sands Groundwater Source 2017*, and/or whether the terms of an approved voluntary management proposal or management order made under the CLM Act have been complied with, and/or whether the site can be made suitable for a specified land use or uses if the site is remediated or managed in accordance with the implementation of a specified plan.

By certifying that a site *can be made suitable* for a use or uses if remediated or managed in accordance with a specified plan, the auditor declares that, at the time the audit was completed, there was sufficient information satisfying guidelines made or approved under the CLM Act to determine that implementation of the plan was feasible and would enable the specified use(s) of the site in the future.

For a site that *can be made suitable*, any **conditions** specified by the auditor in Section B should be limited to minor modifications or additions to the specified plan. However, if the auditor considers that further audits of the site (e.g. to validate remediation) are required, the auditor must note this as a condition in the site audit statement. The condition must not specify an individual auditor, only that further audits are required.

Auditors may also include **comments** which are observations in light of the audit which provide a more complete understanding of the environmental context to aid decision-making in relation to the site.

### **Part III**

In **Part III** the auditor certifies their standing as an accredited auditor under the CLM Act and makes other relevant declarations.

### **Where to send completed forms**

In addition to furnishing a copy of the audit statement to the person(s) who commissioned the site audit, statutory site audit statements must be sent to

- the **NSW Environment Protection Authority:**  
[nswauditors@epa.nsw.gov.au](mailto:nswauditors@epa.nsw.gov.au) or as specified by the EPA

AND

- the **local council** for the land which is the subject of the audit.





**Attachment B** *Remediation Action Plan*, Ramboll, September 2021.

Intended for  
**John Holland Rail**

Document type  
**Remedial Action Plan**

Date  
**September 2021**

# TARAGO RAIL CORRIDOR REMEDIAL ACTION PLAN

# TARAGO RAIL CORRIDOR REMEDIAL ACTION PLAN

Project name **Tarago Rail Loop Lead Management**  
Project no. **318000780**  
Recipient **Michael Hooper**  
Document type **Remedial Action Plan**  
Description **This document describes the Remedial Action Plan for heavy metal contamination at the Tarago Rail Loop at Tarago, NSW.**

Ramboll  
Level 2, Suite 18 Eastpoint  
50 Glebe Road  
PO Box 435  
The Junction  
NSW 2291  
Australia

T +61 2 4962 5444  
<https://ramboll.com>

Revision	Date	Prepared by	Checked by	Approved by
0	6/05/2021	Stephen Maxwell	Fiona Robinson	Fiona Robinson CEnvP (CS)
1	24/06/2021	Stephen Maxwell	Fiona Robinson	Fiona Robinson CEnvP (CS)
2	14/09/2021	Stephen Maxwell	Fiona Robinson	Fiona Robinson CEnvP (CS)



## CONTENTS

<b>ABBREVIATIONS</b>	<b>3</b>
<b>Executive Summary</b>	<b>4</b>
<b>1. Introduction</b>	<b>5</b>
1.1 Background	5
1.2 Objective	6
1.3 Scope of Work	6
<b>2. Regulatory Requirements</b>	<b>7</b>
2.1 Voluntary Management Proposal	7
<b>3. Site Description</b>	<b>8</b>
3.1 Site Identification	8
3.2 Land Use	8
<b>4. Site History</b>	<b>9</b>
<b>5. Geology and Hydrogeology</b>	<b>11</b>
<b>6. Previous Investigations</b>	<b>13</b>
6.1 Results Summary	14
6.2 Onsite Soil	14
6.2.2 Characterisation of Materials to be Generated During Remediation	17
6.2.3 Groundwater	19
6.3 Surface Water	22
6.4 Monitoring Events	22
6.4.1 Physico-Chemical Results	24
6.4.2 Analytical Results	26
6.5 Air Quality	31
6.6 Key Findings	32
<b>7. Interim Actions</b>	<b>33</b>
7.1 Additional delineation of site contamination	33
<b>8. Site Characterisation</b>	<b>34</b>
<b>9. Conceptual Site Model</b>	<b>34</b>
9.1 Sources of the Contaminant	34
9.2 Receptors	35
9.3 SPR Linkages	35
9.5 Additional Characterisation to Inform Remediation	38
<b>10. Remediation Criteria</b>	<b>38</b>
<b>11. Remedial Options Assessment</b>	<b>40</b>
11.1 Remedial Goal	40
11.2 Extent of Remediation Required	40
11.3 Remedial Options Assessment	40
11.3.1 Options Evaluation Metrics	41
11.4 Preferred Remedial Option	46
<b>12. Summary of Selected Remedial Option</b>	<b>47</b>
<b>13. Remedial Action Works Plan</b>	<b>48</b>
13.1 Key Personnel	48
13.2 Licenses and Approvals	48
13.3 Remediation Methodology	49
13.4 Preliminaries	51
13.5 Community Relations	51
13.6 Protection of Infrastructure, Heritage and Vegetation	51
13.7 Site Establishment	51
13.8 Management Plans	52

13.9	Noise Management Plan	52
13.10	Dust Management Plan	52
13.11	Material Tracking	54
13.12	Survey	54
13.13	Remediation Schedule	54
13.14	Hours of Operation	55
13.15	Contingency Plan	56
13.16	Long Term Environmental Management Plan	57
<b>14.</b>	<b>Validation Plan</b>	<b>58</b>
14.1	Validation Data Quality Objectives	58
14.1.1	Step 1: State the Problem	58
14.1.2	Step 2: Identify the Decisions	58
14.1.3	Step 3: Identify Inputs to the Decision	58
14.1.4	Step 4: Define the Study Boundary	59
14.1.5	Step 5: Development of Decision Rules	59
14.1.6	Step 6: Specify Performance Criteria	63
14.1.7	Step 7: Optimise the Design for Obtaining Data	67
<b>15.</b>	<b>Conclusions</b>	<b>70</b>
<b>16.</b>	<b>Limitations</b>	<b>71</b>
16.1	User Reliance	71
<b>17.</b>	<b>References</b>	<b>72</b>

## ABBREVIATIONS

Abbreviation	Description
%	per cent
°C	Degrees Celsius
µg/L	micrograms per Litre
µS/cm	Micro siemens per centimetre
m	metre(s)
bgl	below ground level
mg/kg	milligrams per Kilogram
mg/L	milligrams per Litre
mm	millimetre
ppm	parts per million
ADWG	Australian Drinking Water Guidelines
ANZECC	Australian and New Zealand Environment and Conservation Council
BTEXN	Benzene, Toluene, Ethylbenzene, Xylenes, Naphthalene (Monocyclic Aromatic Hydrocarbons)
CH	Chainage
CLM Act	NSW Contaminated Land Management Act 1997
CoC	Chain of Custody
DP	Deposited Plan
DQI	Data Quality Indicator
EIL	Ecological Investigation Level
EPA	Environment Protection Authority
fpXRF	Filed portable X-Ray Fluorescence metals analyser
HIL	Health Investigation Level
LOR	Limit of Reporting
Metals	As: Arsenic, Cd: Cadmium, Cr: Chromium, Cu: Copper, Fe: Iron, Ni: Nickel, Pb: Lead, Zn: Zinc, Hg: Mercury
NATA	National Association of Testing Authorities
ND	Not Detected
NEPM	National Environment Protection Measure
NHMRC	National Health and Medical Research Council
n	Number of Samples
OCPs	Organochlorine Pesticides
OPPs	Organophosphorus Pesticides
PCBs	Polychlorinated Biphenyls
pH	A measure of acidity, hydrogen ion activity
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RPD	Relative Percent Difference
RRE	Resource Recovery Exemption
SAQP	Sampling Analysis and Quality Plan
TDS	Total Dissolved Solids
UCL	Upper Confidence Limit
US EPA	United States Environmental Protection Agency
-	On tables is "not calculated", "no criteria" or "not applicable"

## EXECUTIVE SUMMARY

Ramboll Australia Pty Ltd (Ramboll) was retained by John Holland Rail (JHR) on behalf of Transport for NSW (TfNSW) to prepare a Remedial Action Plan (RAP) for contamination identified along approximately one kilometre of the Goulburn – Bombala rail corridor at Tarago, NSW (the site).

In November 2019 the site was notified to the NSW Environment Protection Authority (EPA) under Section 60 of the *Contaminated Land Management Act 1997* (CLM Act) and on 25 March 2020 the NSW EPA declared the site to be significantly contaminated under Section 11 of the CLM Act (Declaration Number: 20201103; Area Number 3455). The site was published on the EPA's list of notified sites as "contamination is regulated by the EPA under the CLM Act". The declaration defines the substance of concern in soil ("the Contaminant") to be lead.

A voluntary management proposal (VMP) was prepared to define how risks presented by the Contaminant would be managed and this was approved by the NSW EPA on 28 May 2020.

Site contamination appears limited to ballast in rail formations and surrounding soils to a maximum depth of approximately 0.5 meters below ground level. Contaminated rail formations include the redundant Woodlawn Siding (historically used to load ore concentrate for rail transport), the Tarago Yard Loop and the Goulburn – Bombala main line. Contaminated soils are generally limited to those adjacent the rail formation though include a vertically defined band beneath approximately one meter of uncontaminated clayey fill around the footprint of the former Ore Concentrate Loadout Complex buildings.

Contaminant migration from the site occurred in airborne dust and surface water. The Tarago Lead Management Action Plan was developed by Ramboll in 2020 to address associated exposure risks. This included removal of dust from affected houses and rainwater tanks, application of a polymer sealant to contaminated surfaces onsite and monitoring of surface water and air quality which are ongoing. Surface water and air quality monitoring completed to date indicates risks of exposure to site contamination in the surrounding environment are low and within this context remediation offsite is not considered necessary.

The objective of remediation is to address the risk to human health and the environment from contamination at the site.

The preferred remedial strategy comprises offsite disposal of ballast fines from the Woodlawn Siding and adjacent surface soils. Offsite disposal will include excavation and transport of soils to a compound established at a licensed waste facility. Ballast will be mechanically screened for reuse onsite following successful validation. Ballast fines will be chemically immobilised for disposal as General Solid Waste in accordance with a NSW EPA Specific Immobilisation Approval.

Contaminated ballast will remain within operational rail formations and at depth around the footprint of the former Ore Concentrate Loadout Complex buildings. Remnant contamination will be managed under a long term environmental management plan (LTEMP).

The former Station Masters Cottage adjacent the rail formation has been acquired by TfNSW. Contaminant exposure risks will be managed under the LTEMP prepared for other remnant contamination.

The effectiveness of remediation at mitigating exposure risks associated with site contamination in the receiving environment will be assessed through post remediation surface water and air quality monitoring.



# 1. INTRODUCTION

Ramboll Australia Pty Ltd (Ramboll) was retained by John Holland Rail (JHR) on behalf of Transport for NSW (TfNSW) to prepare a Remedial Action Plan (RAP) for contamination identified along approximately one kilometre of the Goulburn – Bombala rail corridor at Tarago, NSW. This area is presented on **Figure 1, Appendix 1** and is here-in referred to as the site.

## 1.1 Background

Ramboll has assisted JHR to date in the assessment and management of site contamination including assessment of risks to human health and ecological receptors within and surrounding the site. This previous assessment included identification of data gaps that limited capacity to assess potential risks to users of Tarago Station and sensitive offsite receptors.

In November 2019 the site was notified to the NSW Environment Protection Authority (EPA) under Section 60 of the *Contaminated Land Management Act 1997* (CLM Act) and on 25 March 2020 the NSW EPA declared the site to be significantly contaminated under Section 11 of the CLM Act (Declaration Number: 20201103; Area Number 3455). The site was published on the EPA's list of notified sites as "contamination is regulated by the EPA under the CLM Act". The declaration defines the substance of concern in soil ("the Contaminant") to be lead described as follows:

- Lead concentrations in soil within the rail corridor (Lot 22 DP1202608) exceed national guideline values for the protection of human health and the environment
- Lead contamination has impacted adjacent land at 106 Goulburn Street, Tarago (Lot 1 DP816626), with soil found to contain lead at concentrations exceeding national guideline values for the protection of human health and the environment
- There are complete exposure pathways to lead for occupants of 106 Goulburn Street, as well as potentially complete exposure pathways for persons working within the rail corridor and
- There are potentially complete exposure pathways for onsite and offsite ecological receptors.

A voluntary management proposal (VMP) was prepared to define how the Contaminant and associated risks would be managed and this was approved by the NSW EPA on 28 May 2020. Principal features of the VMP include:

- P1. Collate and review data from third parties in relation to lead in soil and water in the Tarago area
- P2. Complete delineation of lead impacts within the corridor through investigation footprint of the former Woodlawn Ore Concentrate Load-Out Complex
- P3. Install seven groundwater monitoring wells within the rail corridor and on public land to the east between the rail corridor and the Mulwaree River to assess impacts to groundwater
- P4. Assess vertical distribution of lead concentrations through the soil profile at monitoring well locations described above
- P5. Assess concentrations of lead in surface waters and sediments downstream of the site
- P6. Preparation of a Detailed Site Investigation (Ramboll 2020a)
- P7. Preparation and implementation of an Action Plan (Ramboll 2020b) including interim management measures and verification monitoring to be implemented until completion of remediation.
- P8. Assess remedial options to address site contamination
- P9. Select a preferred remedial option integrating consultation with the community and other stakeholders
- P10. Prepare a RAP(s) to define how the selected remedial option will be implemented and validated

P11. Obtain a Section B Site Audit Statement from an Auditor accredited under the NSW EPA Site Auditor Scheme confirming:

- The assessment adequately characterises the degree and extent of site contamination
- The RAP(s) are suitable to address risks associated with site contamination

P12. Implement the RAP(s)

P13. Compile a validation report that describes and provides evidence of the activities taken to effect remediation and concludes on the success of remediation

P14. Obtain a Site Audit Statement from an Auditor accredited under the NSW EPA Site Auditor Scheme confirming remediation has occurred in accordance with the RAP and objectives of this VMP are met, i.e. a Section B4 Site Audit.

Principal features P1 – P6 have been addressed. The Action Plan described under P7 has been prepared and continues to be implemented.

### **1.2 Objective**

The objective of this RAP is to define a remedial strategy to address the risk to human health and the environment from contamination at the site. This includes addressing VMP principal features P8 – P10 and will underpin progression through P11 – P14.

### **1.3 Scope of Work**

The scope of this Remedial Action Plan is to define the requirements for implementation of the preferred remedial strategy and associated validation to be undertaken at the site to achieve the remediation objective.

## 2. REGULATORY REQUIREMENTS

This Remedial Action Plan has been prepared in general accordance with the following guidance documents:

- National Environment Protection Council (NEPC), National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended 2013 (NEPM, 2013)
- NSW EPA, Contaminated Land – Consultants Reporting on Contaminated Land (NSW EPA, 2020)
- NSW EPA, Sampling Design Guidelines (EPA, 1995)
- NSW EPA, Guidelines for the Site Auditor Scheme (3rd Edition) (NSW EPA, 2017)
- NSW EPA, Waste Classification Guidelines, Part 1: Classifying Waste (NSW EPA, 2014)
- State Environmental Planning Policy 55 – Remediation of Land

### 2.1 Voluntary Management Proposal

In March 2020, the NSW EPA declared the site to be significantly contaminated under Section 11 of the CLM Act (Declaration Number: 20201103; Area Number 3455). The site was published on the EPA's list of notified sites as "contamination is regulated by the EPA under the CLM Act".

The site is now regulated under VMP (Notice Number: 20201711, dated 25 May 2020) which defines the requirements for management and remediation of the Contaminant, as well as a performance schedule for the management works. The performance schedule defines the relative timeline for completion of the staged management. The requirements for the preparation of this RAP are defined in the VMP including:

P8. Assess remedial options to address site contamination

P9. Select a preferred remedial option integrating consultation with the community and other stakeholders

P10. Prepare a RAP(s) to define how the selected remedial option will be implemented and validated

### 3. SITE DESCRIPTION

#### 3.1 Site Identification

The site particulars are presented in **Table 3-1**.

**Table 3-1: Site Particulars**

Information	Description
Street Address:	Accessed from Stewart Street and Goulburn Street Tarago NSW
Identifier:	Part Lot 22 DP1202608 and Lot 1 DP816626
Site Area:	Approximately 7.5 ha
Local Government:	Goulburn Mulwaree Shire
Owner:	Transport for NSW
Current Site Use:	Forms part of the Goulburn to Bombala rail line and the Country Regional rail Network (CRN)

A site Locality Plan is presented as **Figure 1, Appendix 1**. Site features plans are presented as **Figures 2a – 2e, Appendix 1**.

#### 3.2 Land Use

The site forms part of the Goulburn – Bombala rail corridor. Review of satellite imagery and site inspection identified land use within the surrounding environment including:

- Tarago Station (onsite).
- A former residence adjacent (east of) the site and adjacent (north of) Tarago Station, defined as 106 Goulburn Street Tarago (Lot 1 DP816626 - the Station Masters Cottage). The Station Masters Cottage is known to be impacted by the Contaminant and has been purchased by TfNSW to be reintegrated within the rail corridor and is no longer used as a residence. The future use of the Station Masters Cottage is not known however will not include residential land use until demonstrated suitable for this purpose.
- A farm with a dam that receives waters from the site (during surface water flow), located adjacent (east of) the northern end of site.
- Tarago Public School approximately 120 m east of the northern end of site.
- Residences approximately 70 m west of the south end of site and east of Goulburn Street.
- Tarago Recreation Area approximately 300 m east of site.

## 4. SITE HISTORY

Site history previously presented in the *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a) is summarised in **Table 4-1**.

**Table 4-1: Site History Summary**

Site	Description
Zoning	<p>The site is currently zoned RU2 Rural Landscape under the Goulburn Mulwaree Local Environmental Plan (LEP).</p> <p>Council held records identified as relevant to the former loadout complex were limited to the Woodlawn Project Environmental Impact Statement (Jododex Australia, 1976). The following excerpts from the EIS (Section 8.11 Transport of Concentrates) are considered relevant to the type and distribution of contamination associated with the former loadout complex:</p> <p><i>The Woodlawn project will market four products. These are a zinc concentrate, a lead concentrate and two different copper concentrates, one from the 'complex ore' and one from the 'footwall copper ore'.</i></p> <p><i>The zinc concentrate consists mainly of sphalerite (zinc sulphide), the lead concentrate of galena (lead sulphide) and both copper concentrates of chalcopyrite (copper iron sulphide). Each of the concentrates contain various proportions of the other base metal sulphides and pyrite (iron sulphide) as the main contaminants...</i></p> <p><i>Separate storages for the various types of concentrates would be provided in the shed and a passageway between concentrate stockpiles and the railway spur line will allow trucks to enter and depart from opposite ends of the building. The tipped concentrates will be pushed up by front end loader to make best possible use of the available storage space. The amount of storage capacity provided at Tarago will not be large as it is anticipated that there will be frequent dispatches of concentrates by rail from Tarago. The average quantity of material involved will be about 775 wet tonnes per day, requiring about 35 truck movements.</i></p>
Council Records	
Mine Owner (Heron Resources Limited) Records	<p>Review of records accessible from the website of Heron Resources Limited (the mine owner) (SRK, 2015) indicate the Woodlawn deposit was discovered in 1970 and mined by open-pit and underground methods between 1978 and 1998. Additionally, the SRK report references a rail siding in Tarago that was historically used to rail concentrates to smelters in Newcastle and Port Kembla and to a concentrate berth at Port Kembla.</p>
Dangerous Goods	<p>A search of the SafeWork NSW Dangerous Goods register has not been completed as previous inspection of the site indicates all infrastructure associated with the former loadout complex (except the rail formation) has been removed.</p>
Licenses, Permits and Approvals	<p>A search of the NSW Environment Protection Authority (EPA) Public Register (<a href="http://www.epa.nsw.gov.au/prpoeoapp">www.epa.nsw.gov.au/prpoeoapp</a>) was undertaken on 13 January 2020 and identified JHR operate the CRN under EPL 13421. <u>EPL 13421 includes environmental limits for pollution of waters, noise, blasting, odour and dust as well as requirements for notification of environmental harm.</u></p>
EPA Records	<p>The site was notified to the NSW EPA under section 60 of the Contaminated Land Management Act in November 2018.</p>
Historical Aerial Photographs	<p>Historical aerial photographs were obtained and reviewed for the years 1960, 1976, 1985, 1991, 1997 and 2005. Review indicates the loadout complex was located approximately 20 m north of Tarago Station adjacent/over the west side of the rail formation. Loadout complex infrastructure appears to have included a</p>

Site	Description
<p>Interview of loadout complex employee</p> <p>Historical Title Search</p>	<p>loop road for truck access from the south, a truck dumping station, a conveyor from the dumping station to a larger square building and an undercover rail loading point extending over part of the rail formation (the former Woodlawn siding). The loadout complex appears to have been constructed between 1976 and 1985 with demolition between 1997 and 2005. Evidence of the loadout complex in satellite imagery after demolition appears limited to remnants of the haul road for truck access from the south. The loadout complex is identified as the main potential source of site contamination.</p> <p>Key points from interview of a former employee of the loadout complex (and long term resident of Tarago) are summarised below:</p> <ul style="list-style-type: none"> <li>• The load-out complex floor elevation was approximately the same elevation as the remnant Woodlawn Siding. The current elevation across the area of the load-complex footprint is approximately one meter higher. This is a result of soil that was imported to cap the area after demolition of the buildings.</li> <li>• During operation, ore was transported to the loadout complex by truck, tipped at a dump station, transported via conveyor into the main building and loaded onto rail cars using a front-end loader</li> <li>• The tail gates of trucks used to haul ore from the mine to the corridor used to bang all the way down Stewart Street as they drove off and the road was green from the ore.</li> <li>• Movement of sediment from the former ore concentrate load-out complex occurred during high rainfall weather events. A flood occurred in the early 1980s which washed through the load-out complex and knocked over the fences to the station masters cottage. Sediment was transported down Wallace Street and possibly across Boyd Street through the tennis courts to the River.</li> </ul> <p>A historical title search was not completed based on the longstanding use of the site as a rail corridor.</p>

## 5. GEOLOGY AND HYDROGEOLOGY

A summary of the site geology and hydrogeology is detailed in **Table 5-1**.

**Table 5-1: Summary of Geology and Hydrogeology**

Site	Details
Geology	<p>Review of the Australian Geoscience Information Network (AUSGIN) portal (<a href="http://portal.geoscience.gov.au/">http://portal.geoscience.gov.au/</a> accessed 8/1/2020) identified regional geology including channel and flood plain alluvium (gravel, sand and clay) locally formed as calcrete overlying quaternary sedimentary rock (including some of low metamorphic grade).</p>
Excavation Logs	<p>Excavation logs reviewed to assess site geology included a registered onsite groundwater well, one test pit west of the rail formation opposite Tarago Station, and nine test pits through the rail formation.</p> <p>The bore log from the registered bore identified fill from surface to 0.6 mbgl overlying clay to 7 mbgl overlying sand to 12.2 mbgl (depth of bore).</p> <p>The test pit west of the rail formation identified silty gravel fill to 0.4 mbgl overlying clay to 0.8 mg/l (depth of test pit)</p> <p>The nine test pits within the rail formation identified a profile consistent with expected layers of ballast, capping and base formation materials. These included silty gravel (ballast) from surface generally to 0.5 mbgl overlying black gravelly clay (capping) and grey / brown gravelly clay to depth of test pits (generally 0.7 mbgl).</p>
Location and Extent of Fill	<p>Fill was identified progressively through site assessments broadly across the site including in the area of the former loadout complex, the rail formation and adjacent the eastern side of the rail formation. At the loadout complex a maximum of approximately one meter of fill (battered to the road to the west, rail to the east and stormwater drain to the north) was observed during targeted test pitting (described within this report) consistent with anecdotal account of application of clay 'capping' following demolition of buildings. Localised stockpiles were identified east and west of the rail formation and north of Tarago Station. The identification of these stockpiles on an historic survey plan indicates presence before loop extension works. Stockpiles of contaminated spoil (approx. 750m<sup>3</sup> of fouled ballast and approx. 50m<sup>3</sup> of timber sleepers) were also created during construction west of the rail formation and opposite Tarago Station.</p>
Onsite Wells	<p>One groundwater well is present onsite. Review of the NSW Department of Planning Industry Environment MinView portal identified well ref: GW053976) was installed in 1984 to a depth of 12.2 mbgl with a water bearing zone in sands from 7 mbgl. No other wells were identified onsite. Records indicate the well was constructed using 0.15m diameter steel casing with 2 mm wide vertical screen slots.</p>
Groundwater Bore Search	<p>Review of the NSW Department of Planning Industry Environment MinView portal (<a href="https://minview.geoscience.nsw.gov.au/">https://minview.geoscience.nsw.gov.au/</a>) identified 12 wells within a 500 m radius from the site.</p>
Depth to Groundwater Flow	<p>Review of drilling and construction details for registered wells indicates the shallowest regional aquifer is present in gravel layers from 5.5 – 18.6 mbgl with deeper aquifers present in fractures of underlying shale, siltstone and limestone from 50 – 74 mbgl.</p>
Groundwater Usage	<p>Assessment of groundwater usage has occurred including:</p> <ul style="list-style-type: none"> <li>• A search for registered groundwater bores (described above)</li> </ul>

Site	Details
	<ul style="list-style-type: none"> <li>• A groundwater usage survey delivered by JHR to 94 letter boxes in Tarago. A total of 17 responses were received.</li> <li>• Discussion with 43 private property owners during assessments of discrete properties</li> </ul> <p>Integrated findings of the groundwater usage survey and discussions with property owners included:</p> <ul style="list-style-type: none"> <li>• 20 properties were identified where groundwater bores had been installed.</li> <li>• At all properties, groundwater use included (or was assumed to include) watering gardens</li> <li>• At three properties groundwater was reported to include drinking and washing</li> <li>• At two properties groundwater use was reported for agriculture</li> <li>• At one property groundwater was reported to be used for filling a pool</li> <li>• At two properties groundwater use remained unclear</li> </ul>
Direction and Rate of Groundwater Flow	<p>It is considered likely that the shallower aquifer flows toward the Mulwaree River approximately 550 m east of site.</p>
Direction of Surface Water Runoff	<p>Regional surface water runoff is expected to flow toward the Mulwaree River approximately 500 m east of site.</p>
Surface Water Usage	<p>Surface water usage within the downstream receiving environment has been conservatively assessed as including recreational use and agriculture (irrigation and stock watering).</p>
Background Groundwater Quality	<p>Review of drilling and construction details indicates groundwater salinity is low.</p>
Preferential Water Courses	<p>Review of satellite imagery identified the Mulwaree river as the main water course close to site. Three culverts direct surface water beneath the rail formation onsite and then offsite to the east. Each culvert receives water from contaminated areas of site via cess drains on the west side of and running parallel to the rail line as described below:</p> <ul style="list-style-type: none"> <li>• The southernmost culvert is located at CH 262.660 and directs a local water course through the rail corridor. This water course is an unnamed tributary to the Mulwaree River. Water discharging from site flows (after high rainfall events only) under the Goulburn Street bridge and through agricultural land before discharging to the River.</li> <li>• The middle culvert is located at CH 262.354 and directs water to a shallow pond within the corridor and then offsite through a causeway on Boyd Street. From the Boyd Street causeway surface water is partly directed into a drain along the eastern side of Boyd Street and partly discharges into an adjacent paddock.</li> <li>• The northern culvert is located at CH 262.040 and directs water along an informal flow path to a dam on an adjacent agricultural property.</li> </ul>



## 6. PREVIOUS INVESTIGATIONS

Assessment and management measures for site contamination at Tarago is described within the following documents:

- *Tarago – Rail Siding Extension, Preliminary Contaminated Site Assessment* (McMahon 2015).
- *August 2019 Surface Water Monitoring - Tarago Loop Extension* (Ramboll 2019a)
- *Tarago Loop Extension Further Intrusive Assessment and Lead Management Plan* (Ramboll 2019b)
- *Tarago Crossing Loop Extension Short-Term Lead Management Plan* (Ramboll 2019c)
- *Tarago Loop Extension Preliminary Human Health Risk Assessment* (Ramboll 2019d)
- *Tarago Rail Corridor Environmental Site Assessment* (Ramboll 2019e)
- *Tarago Loop Extension: Interim Lead Management Plan* (Ramboll 2019f)
- *Tarago Rail Corridor Environmental Data Gap Assessment* (Ramboll 2020a)
- *Rail Sleeper Waste Classification, Tarago Loop Extension* (Ramboll 2020b)
- *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020c)
- *Tarago Lead Management Action Plan* (Ramboll 2020d)
- *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum* (Ramboll 2020e)
- *Tarago Air Quality Monitoring Reports April 2020 – February 2021* (Ramboll 2020f – 2021b)
- *April 2021 Surface Water Monitoring Tarago NSW* (Ramboll 2021c)

Assessments were additionally completed at 44 discrete land parcels surrounding the site along with the following site specific risk assessments:

- *Advice on risks from metals in soil: Agricultural property at 2135 Braidwood Road, Tarago NSW* (EnRiskS 2020)
- *Advice on risks to human health and the environment: Boyd Street and publicly accessible areas, Tarago NSW* (EnRiskS 2021a)
- *Advice on risks from metals in soil: property P40, Tarago, NSW* (EnRiskS 2021b)

Cumulatively assessments included:

- Assessment of contaminant concentrations in soil onsite including:
  - Measurement of metals in surface soil / sediment at over 200 locations onsite
  - Measurement of TRH, BTEXN, PAH, asbestos in shallow soil at 30 locations onsite
  - Measurement of OCP, OPP and PCB in surface soil / sediment at 11 locations onsite
  - Measurement of metals at progressively increasing depth to vertically delineate metals concentrations at over 15 locations
- Assessment of lead in public road reserves surrounding the site and along the haul route from the mine to the site by field portable x-ray fluorescence (XRF) metals analyser at over 200 locations
- Assessment of offsite contaminant migration in surface water and sediment. This work included co-located sampling of surface water and sediment onsite and within the receiving environment at 11 locations. Analyses initially included TRH, BTEX, metals (dissolved and total) and inorganics though this was later refined to focus on metals (dissolved and total). Monitoring occurred during construction of the Loop Line and then on quarterly intervals since April 2020
- Assessment of offsite contaminant migration in groundwater through installation of seven groundwater monitoring wells targeting the site and surrounding environment. Groundwater from these wells was sampled and analysed for filtered metals
- Assessment of air quality monitoring surrounding the site over 11 months during implementation of the Action Plan (Ramboll 2020d). This has included installation and operation of a high-volume air sampler, real time air sampler and dust deposition gauge adjacent the site and dust deposition gauges at three other locations in the surrounding

community. Air quality monitoring was established in April 2020 and decommissioned in July 2021.

- Assessment of lead at 44 discrete private properties integrating assessment of shallow soils, tank water, tank sediment, internal dust and groundwater based on structures present at each site. These assessments were completed at community request though captured the downstream receiving environment
- Development of Site Specific Trigger Levels (SSTLs) for potential human health, ecological and agricultural receptors of site contamination within the surrounding environment

### 6.1 Results Summary

Analytical results are compared to criteria selected to assess risk to identified receptors in the investigative reports referred to above. Tabulated summaries and summary interpretations are described in the sub-sections below. Sampling locations are presented on **Figure 2a 2e** and **Figure 3, Appendix 1**.

### 6.2 Onsite Soil

Data from previous investigations relied upon to assess the type and extent of onsite contamination is presented on figures as **Appendix 1**, in **Tables 1 – 9** in **Appendix 2** and in **Table 6-1** below.

**Table 6-1: A summary of soil analyses for the type and extent of contaminants onsite**

Contaminant of Potential Concern	Count	Min	Max	Average	No > Human Health Guideline
<b>Asbestos</b>					
Asbestos Detected	30	Nil	Nil	--	0
<b>Metals</b>					
Arsenic	30	<2	150	20	0
Cadmium	30	<0.4	14	3	0
Chromium	30	<5	57	13	0
Copper	30	<5	990	185	<b>11</b>
Lead	191	<5	184000	4200	<b>41</b>
Nickel	30	<5	17	5	0
Zinc	30	12	1600	410	<b>8</b>
<b>Mercury</b>					
Mercury	30	<0.1	0.6	0.1	0
<b>PAH</b>					
Naphthalene	30	<0.5	<0.5	<0.5	0
Benzo(a)pyrene	30	<0.5	0.7	0.3	0
Sum of polycyclic aromatic hydrocarbons	30	<0.5	6	0.7	0
Benzo(a)pyrene TEQ (LOR)	30	1.2	1.4	1.2	0
<b>TRH</b>					
C6 - C10 Fraction	30	<20	10	10	0
C6 - C10 Fraction minus BTEX (F1)	30	<20	10	10	0
>C10 - C16 Fraction	30	<50	92	28	0

Contaminant of Potential Concern	Count	Min	Max	Average	No > Human Health Guideline
>C16 - C34 Fraction (F3)	30	<50	310	110	0
>C34 - C40 Fraction (F4)	30	<100	140	60	0
>C10 - C40 Fraction (sum)	30	<100	506	130	---
>C10 - C16 Fraction minus Naphthalene (F2)	30	<50	92	28	0
<b>BTEXN</b>					
Benzene	30	<0.1	<0.1	<0.1	0
Toluene	30	<0.1	<0.1	<0.1	0
Ethylbenzene	30	<0.1	<0.1	<0.1	0
meta- & para-Xylene	30	<0.2	<0.2	<0.2	---
ortho-Xylene	30	<0.1	<0.1	<0.1	---
Total Xylenes	30	<0.3	<0.3	<0.3	0
Naphthalene	30	<0.5	<0.5	<0.5	---
<b>Organochlorine Pesticides</b>					
<i>Aldrin and Dieldrin (Total)*</i>	11	<0.05	<0.05	<0.05	0
<i>Chlordanes - Total</i>	11	0.05	0.05	0.05	0
<i>DDT + DDE + DDD (Total)*</i>	11	<0.05	<0.05	<0.05	0
<i>Endosulfan sulphate</i>	11	<0.05	<0.05	<0.05	0
<i>Endrin</i>	11	<0.05	<0.05	<0.05	0
<i>Heptachlor</i>	11	<0.05	<0.05	<0.05	0
<i>Methoxychlor</i>	11	<0.2	<0.2	<0.2	0
<b>Organophosphorus Pesticides</b>	11	<0.2	<0.2	<0.2	0
<b>Polychlorinated Biphenyls</b>					
Total PCB	11	<0.1	<1	0.2	0

All units are in mg/kg unless stated otherwise, --- - no guideline

**Table 6-2: Lead in soil leachate**

	TCLP	ASLP
<b>Number of Samples (n)</b>	3	3
<b>Detections</b>	3	2
<b>Minimum (mg/L)</b>	4.3	<0.01
<b>Maximum (mg/L)</b>	32	1.1

**6.2.1.1 The Former Loadout Complex**

Test pitting targeting contaminant delineation around the former Loadout Complex was completed in April on a systematic grid in April 2020 (Ramboll 2020c) and August 2020 (Ramboll 2020c and 2020e). A total of 20 test pits were advanced in August 2020 on a systematic grid pattern west of the Woodlawn Siding integrating the former loadout complex and surroundings. Lead concentrations are presented in **Table 6, Appendix 2**, and in summary as **Table 6-3** below.

**Table 6-3: Summary of Loadout Complex Soil Lead Analytical Results from April 2020**

<b>Number of Samples (n)</b>	64
<b>Detections</b>	63
<b>Minimum (mg/kg)</b>	<5
<b>Maximum (mg/kg)</b>	1,200
<b>Mean (mg/kg)</b>	130
<b>n &gt; Site specific human health guideline (2,200 mg/kg)</b>	0
<b>n &gt; Site specific ecological guideline (1,800 mg/kg)</b>	0

Further assessment of soils within the footprint of the former Load Out Complex was completed on 19 August 2020 and comprised the advancement of a further six test pits (LO\_TP01 to LO\_TP06). Lead concentrations are presented in **Table 6, Appendix 2**, and in summary as **Table 6-4** below.

Lead concentrations were reported above human health and ecological guideline values at three locations as follows:

- LO\_TP02 at 1.1 m bgl (5,700 ppm) and 1.3 m bgl (6,900 ppm)
- LO\_TP03 at 1.6 m bgl (3,662 ppm)
- MW2\_1.0 at 1.0 m bgl (3,600 mg/kg), sampling completed by Ramboll 18 May 2020

**Table 6-4 Summary of Loadout Complex Soil Lead Analytical Results from August 2020**

Depth (m)	Analyte	No. of Samples	No. of Detects	Minimum	Maximum	Average	No > HIL D	No > EIL
0.0 - 0.5	Lead	17	16	ND	380	95	0	0
0.5 - 1.0		13	12	< 5	3,600	620	1	1
1.0 - 1.5		12	12	8	6,900	1,400	2	2
1.5 - 2.0		4	4	29	3,662	960	1	1
>2.0		3	3	42	200	130	0	0

Results indicated that lead contamination was present at depth beneath a clay capping layer approximately 1 m thick. During test pitting completed in August 2020, foreign material (i.e. plastic, metal, wire and glass) was noted at LO\_TP03 and LO\_TP05 at depths consistent with elevated lead concentrations. The highest lead concentration was reported at LO\_TP02 at 1.3 m bgl.

**6.2.1.2 Additional Assessment of Site Surface Soils**

Evidence of ore concentrate was visually observed at the north of the former Loadout Complex adjacent a drainage channel upstream of the middle rail culvert. Results from field portable XRF are presented in **Table 6-5** below.

**Table 6-5: XRF Results from Additional Assessment of Site Surface Soils**

SAMPLE	As	Cu	Pb	Ni	Zn
WLB1_262.5	81.36	1172.52	5322.19	<LOD	3915.66
PIA-1	11.68	37.73	49.34	<LOD	133.27
PIA-2	842.35	2804.36	9404.2	236.66	3015.17
PIA-2_0.1	24.02	54.47	123.58	81.6	125.53
PIA-3	<LOD	56.72	215.66	<LOD	122.68
PIA-4	1576.36	5107.27	15510.1	224.52	3745.53
PIA-4_0.1	9.09	34.68	33.66	36.69	51.5
PIA-5	26.76	236.15	830.68	<LOD	1204.63
PIA-5_0.1	11.47	84.93	206.45	38.55	455.06
PIA-6	304.32	753.34	7040.33	146.81	1259.26
PIA-7	<LOD	140.34	396.68	69.73	296.26

<LOD – below the limit of detection.

**6.2.2 Characterisation of Materials to be Generated During Remediation**

During August 2020, twenty composite samples were collected from materials located within the rail corridor to facilitate application of a Resource Recovery Exception (RRE). The RRE application was negated however data obtained during the investigation is considered suitable for informing remedial options more generally and a summary of results is provided in **Table 6-6**.

**Table 6-6 Onsite Soil Analytical Results Summary**

Analyte	No. of Samples	No. of Detects	Minimum	Maximum	Average	No > HIL D	No > EIL
<b>Inorganics</b>							
Conductivity	20	20	29	1100	470	--	--
pH	20	20	4	8.3	5.4	--	--
Sulphur	20	20	79	16000	4900	--	--
Total Organic Carbon	20	19	< 0.1	6.5	1.5	--	--
<b>Total Metals</b>							
Antimony	20	14	< 10	55	25	--	--
Arsenic	20	20	14	190	84	0	<b>3</b>
Beryllium	20	0	< 2	0	--	0	--
Boron	20	0	< 20	0	--	0	--
Cadmium	20	20	1.8	170	15	0	--
Chromium	20	20	12	130	49	0	0
Cobalt	20	13	< 5	30	12	0	--
Copper	20	20	240	4,100	1,210	0	<b>20</b>
Lead <sup>1</sup>	20	20	230	19,000	5,050	<b>14</b>	<b>14</b>
Manganese	20	20	70	1,100	500	0	--
Mercury	20	19	< 0.1	2.9	0.7	0	--
Molybdenum	20	14	< 5	20	9.0	--	--
Nickel	20	19	< 5	85	30	0	0
Selenium	20	17	< 2	27	13	0	--
Tin	20	18	< 10	400	70	--	--
Vanadium	20	20	30	93	63	--	--
Zinc	20	20	550	12,000	1,780	0	<b>20</b>

<sup>1</sup> indicates site-specific guideline value adopted from HHRA (Ramboll 2019c)

## 6.2.3 Groundwater

### 6.2.3.1 Groundwater Gauging Data

Seven groundwater monitoring wells were gauged on 15 April 2020. Groundwater well locations are presented on **Figure 4 – 5, Appendix 1**. A summary of the groundwater gauging data is presented in **Table 6-7**.

**Table 6-7: Groundwater level observations**

Well ID	Coordinates MGA Zone 56S		Top of Casing Elevation	Standing Water Level		Depth of Well
	Easting	Northing	mAHD	mbtoc	mAHD	mbtoc
MW1	741504.21	6115627.04	690.59	6.15	684.44	10.79
MW2	741756.36	6116009.7	689.16	6.955	682.205	12.69
MW3	741875.76	6116215.04	688.33	6.1	682.23	9.48
MW4	741813.67	6116016.97	686.47	4.38	681.835	7.09
MW5	741938.29	6116212.86	688.27	6.435	682.09	12.25
MW6	741917.66	6116051.99	685.89	3.99	681.9	8.46
MW7	742268.21	6115965.68	682.35	1.21	681.14	8.51

*mAHD – metres above Australian Height Datum*

*mbtoc – metres below top of casing*

Groundwater level contours were developed using Surfer software and are presented in **Figure 5, Appendix 1**. The groundwater was inferred to flow to the east, towards the Mulwaree River.

### 6.2.3.2 Groundwater Quality Parameters

Groundwater quality parameters were measured in the field prior to sampling to ensure collection of water that is representative of the groundwater conditions. The groundwater quality parameters are presented in **Table 6-8**.

**Table 6-8: Field physico-chemical groundwater quality parameters**

Well ID	Date	Temp	Spec. Cond.	pH	Dissolved Oxygen	Redox Potential	Total Dissolved Solids	Comments
		°C	µS/cm	pH units	mg/L	mV	mg/L	
<b>MW1</b>	2/04/2020	17.26	682	7.55	6.12	114	446	Light brown, medium turbidity, no odour
<b>MW2</b>	2/04/2020	17.24	504	6.94	1.84	-72	322	Brown, low turbidity, no odour
<b>MW3</b>	2/04/2020	16.46	1,020	6.81	0.00	-154	655	Light brown, med-high turbidity, no odour
<b>MW4</b>	27/03/2020	16.60	615	7.04	2.97	125	393	Light brown, low turbidity, no odour
<b>MW5</b>	2/04/2020	18.1	601	6.86	1.07	112.9	390	
<b>MW6</b>	27/03/2020	17.0	643	7.06	1.14	114.5	416.0	Difficult to filter, cloudy
<b>MW7</b>	27/03/2020	16.0	475.5	6.77	0.75	-70.8	308.75	Difficult to filter
<b>GW053976<sup>1</sup></b>	2/04/2020	16.63	260	7.57	2.19	126	169	Clear, no turbidity, no odour

<sup>1</sup> GW053976 is an old well located within the rail corridor located to the north of MW5. As the well depth and construction details are unknown, the well is excluded from the discussion below.

- pH was generally neutral, with measurements ranging from pH6.77 at MW7, closest to the Mulwaree River, to pH7.55 at MW1, located furthest from Mulwaree River.
- EC measurements ranged from 475.5  $\mu\text{S}/\text{cm}$  at MW7 to 1,020  $\mu\text{S}/\text{cm}$  at MW3, indicating fresh groundwater conditions.
- DO ranged from 0.0 mg/L (MW3) to 6.94 mg/L (MW1), with an average of 2.0 mg/L across the investigation area.
- Redox potential measurements varied between -154 mV at MW3 (reducing conditions) to 114.5 mV (oxidising conditions).
- TDS concentrations ranged from 308.75 ppm (MW7) to 655 ppm (MW3), indicating fresh groundwater.

### **6.2.3.3 Analytical Results**

Soil lead analytical results from samples collected during the installation of the groundwater monitoring wells are summarised in **Table 6-9**.



**Table 6-9: Summary of Groundwater Monitoring Well Soil Lead Analytical Results**

<b>Number of Samples (n)</b>		46
<b>Detections</b>		466
<b>Minimum (mg/kg)</b>		13
<b>Maximum (mg/kg)</b>		3,600
<b>Mean (mg/kg)</b>		164
<b>HILs</b>	<b>n &gt; Site specific human health guideline (2,200 mg/kg)</b>	1
	<b>n &gt; Public open space (HIL C)</b>	0
<b>EILs</b>	<b>n &gt; Site specific ecological guideline (1,800 mg/kg)</b>	1
	<b>n &gt; Urban residential and public open space</b>	0

**Notes:** Site specific HIL and EIL adopted for monitoring wells MW-MW4 located within the rail corridor. HIL C and EIL for urban residential and public open space adopted for monitoring wells MW5-MW6 located outside of the rail corridor.

Groundwater analytical results are summarised in **Table 6-10** and tabulated in **Table 9, Appendix 2.**

**Table 6-10: Summary of Groundwater Monitoring Well Results**

Analyte / Grouping	Number of samples (n)	n = 'detects'	Maximum (mg/L)	Guidelines			
				n > 95% fresh water species protection	n > livestock use	n > irrigation use	n > drinking water
<b>Filtered metal(loid)s</b>							
Aluminium	5	0	<0.05	-	0	0	-
Arsenic	8	2	0.005	0	0	0	0
Barium	5	5	0.16	-	-	-	0
Beryllium	8	0	<0.001	0	-	0	0
Boron	3	0	<0.05	-	0	0	0
Cadmium	8	2	0.003	<b>1(MW5)</b>	0	0	0
Chromium	8	1	0.002	<b>1 (MW4)</b>	0	0	-
Cobalt	8	6	0.029	<b>5 (MW1, MW2, MW3, MW4 &amp; MW7)</b>	0	0	0
Copper	8	2	0.003	<b>1 (GW053976)</b>	0	0	0
Lead	8	2	0.005	<b>1 (GW053976)</b>	-	0	0
Manganese	8	8	2	<b>1 (MW3)</b>	0	0	0
Mercury	8	0	<0.0001	0	0	0	0
Nickel	8	6	0.004	0	0	0	-
Selenium	3	0	<0.001	-	0	0	-
Zinc	8	7	0.27	<b>6 (MW1-MW5, GW053976)</b>	0	0	0

### 6.3 Surface Water

#### 6.4 Monitoring Events

A total of eight monitoring events have been completed between August 2019 and April 2021. Surface water monitoring events were completed after a period of rainfall (when possible) as this is the only occasion where surface water is present in the drainage channels. Sampling locations are presented on **Figure 6, Appendix 1**. Results for all surface water monitoring at each location are presented in the April 2021 surface water monitoring report (Ramboll 2021 A summary of monitoring events is outlined in **Table 6-11**).

**Table 6-11** includes information on rainfall conditions precedent to each monitoring event. The table includes comparison of the rainfall falling over the 48 hour period preceding the sampling event to the design rainfall events for the Mulwaree catchment (Wollondilly and Mulwaree Rivers Flood Study WMA Water 2016) in order to provide an indication of the significance of the rainfall event. Average monthly rainfall data compared to actual monthly rainfall data is also included to indicate the general climate conditions in the month of sampling.

**Table 6-11: Indicative Summary of Rainfall Preceding Sampling Events**

Event	Max Rainfall over 48hr Critical Duration (mm)	Rainfall in 48 hrs preceding monitoring events (mm)							
		13-Aug-19	24-Sep-19	29-Jan-20	1-Apr-20	11-Aug-20	13-Oct-20	28-Jan-21	14-Apr-21
>10% AEP	< 126	0	0	0	0	-	0	0	0
10% AEP	126	-	-	-	-	-	-	-	-
5% AEP	147	-	-	-	-	-	-	-	-
2% AEP	175	-	-	-	-	163	-	-	-
1% AEP	197	-	-	-	-	-	-	-	-
Monthly Rainfall Observed (mm)		19	41.2	22	79.2*	157.8	94.4	64	2.4
Average Monthly Rainfall (mm)		42.9	44	49	40.4*	42.9	44	63.9	25.9
Comment		Dry month, dry conditions precedent	Average rainfall month, dry conditions precedent	Dry month, dry conditions precedent	Wet month, dry conditions precedent	Wet month, high rainfall event precedent	Wet month. Dry conditions precedent	Average rainfall month, dry conditions precedent	Dry month, dry conditions precedent

Notes: All rainfall data was sourced from the Australian Bureau of Meteorology. Daily rainfall was sourced from the closest weather station with rainfall records preceding each monitoring event (Lake Bathurst, Windellama and Goulburn Airport). Monthly averages and records were sourced from the closest weather station with a complete record (Goulburn Airport). Monthly observations and averages are for rainfall in the calendar month in which each monitoring event occurred except for the 1 April 2020 event for which March data is presented. Based on this the monthly data is not a direct representation of rainfall preceding monitoring though is considered as an indicator of general conditions around each monitoring event.

AEP – Annual Exceedance Probability

Rainfall measured in August 2019, September 2019 and January 2020 was lower than the monthly average though rainfall measured in April, August and October 2020 exceeded the monthly averages. This indicates that monitoring has occurred across a dry period at the end of 2019 and a wet period from April 2020 onward. Further, average monthly rainfalls are based on a 25-year data set and so integrates effects of longer weather cycles such as El Nino. The monitoring data is considered representative of the effects of potential rainfall totals. Rainfall preceding the August 2020 monitoring event (163.4 mm Windellama) fell between Design Rainfalls for 5% and 2% Annual Exceedance Probability events. That is there is a 2 – 5% chance that the critical duration event preceding the August 2020 monitoring will be repeated any given year. The monitoring data is considered representative of the effects of high and low rainfall events.

It is considered that the effects of seasonal variability, total rainfall and high rainfall events on contaminant migration in surface water from the Site are adequately represented. Within this context the surface water monitoring data is considered adequately representative of the effects of potential meteorology to inform assessment of associated risks to human health and the environment.

The monitoring data presented in **Table 6-12** includes quarterly events 2019 to 2021 and is considered representative of the effects of recent seasonal variability.

#### **6.4.1 Physico-Chemical Results**

Surface water physico-chemical parameters were measured in the field during the majority of sampling rounds. The surface water parameters are summarised in **Table 6-12**.

**Table 6-12: Summary of Surface Water Physico-Chemical Parameters**

Sample ID	No. of Recordings		Temperature	SPC	pH	DO	ORP	TDS	Comments
			°C	µS/cm	pH units	mg/L	mV	mg/L	
<b>Onsite</b>									
SW1	5	Minimum	7.8	206.1	6.35	0.04	23.6	133.9	Dry during January 2020.
		Maximum	17.4	684	7.7	11	175.8	434	
		Average	12.9	552.2	7.3	5.9	121.8	332.9	
SW1-UP	5	Minimum	8	205.6	7.05	0.1	-41.4	133.25	Dry during January 2020. Parameters not recorded during September 2019.
		Maximum	19.94	704	7.43	10.86	186.9	431	
		Average	14.1	550.7	7.3	5.8	112.8	328.5	
SW2	6	Minimum	7.3	213.3	6.54	0.12	48.3	137.8	Dry during January 2020. Parameters not recorded during September 2019.
		Maximum	17.54	677	8.27	10.59	185.9	416	
		Average	12.6	519.6	7.7	5.6	140.9	314.3	
SW3	4	Minimum	8.9	142.5	6.23	4.84	64.8	92.3	Dry during January 2020 and January 2021. Parameters not recorded during September 2019.
		Maximum	21.75	245	7.96	9.43	178	159	
		Average	13.2	214.7	7.2	6.9	138.6	133.4	
SW4	7	Minimum	7.4	128.2	5.75	1.12	70	99.45	Dry during January 2020. Parameters not recorded during September 2019.
		Maximum	20.33	388.3	8.8	10.42	263.1	251.82	
		Average	13.0	247.5	7.5	6.5	171.4	177.9	
SW5	3	Minimum	11.2	117.9	6.85	4.06	-3	76.7	Dry during January and April 2020 and January 2021.
		Maximum	11.95	251.2	8.35	8.75	163.2	121	
		Average	11.6	185.4	7.5	6.9	78.4	98.9	
SW6	1	---	8.3	168.3	7.47	9.61	187	109.2	Dry during January, April and October 2020, and January and April 2021. Parameters for August 2020 presented.
<b>Offsite</b>									
SW7	6	Minimum	11.5	94.7	6.57	1.8	56	61.75	---
		Maximum	23.1	2342	8.92	8.76	168	396.6	
		Average	17.5	584.5	7.5	6.1	103.0	163.5	
SW8	6	Minimum	9.1	170.5	7.2	3.1	84.0	107.9	---
		Maximum	23.6	1007.0	8.5	9.3	124.0	656.5	
		Average	17.2	648.7	7.7	6.4	111.2	410.1	
SW9	6	Minimum	8.9	125.3	7.5	0.3	83.0	115.7	---
		Maximum	25.0	852.0	8.4	16.8	227.7	812.5	

Sample ID	No. of Recordings		Temperature	SPC	pH	DO	ORP	TDS	Comments
			°C	µS/cm	pH units	mg/L	mV	mg/L	
		Average	17.5	499.4	7.8	9.1	137.2	449.1	
SW10	3	Minimum	12.9	682.0	7.2	3.6	3.8	454.4	---
		Maximum	18.2	881.0	7.4	8.2	103.5	564.0	
		Average	15.7	757.7	7.3	5.3	62.1	509.2	

SPC – Specific Conductivity

DO – Dissolved Oxygen

ORP – Oxidation-Reduction Potential

TDS – Total Dissolved Solids

#### 6.4.2 Analytical Results

A summary of the surface water analytical results for monitoring events from August 2019 to April 2021 is presented in Table 6-13 for on and near site and Table 6-14 for the Mulwaree River sampling locations.

**Table 6-13: Summary of Onsite and Near Site Surface Water Analytical Results (SW1\_UP, SW1, SW2, SW3, SW4, SW5, SW6, SW7)**

Analyte	No. of Samples	No. of Detects	Min.	Max	Avg	No above site-specific criteria		No above Tier 1 criteria			
						Human Health	Ecology	ANZECC Fresh Water Guidelines - Irrigation	ANZECC Fresh Water Guidelines - Stock Water	Health-based Screening Criteria (Recreational Waters)	Eco Scening Criteria (ANZG 95% Protection) Fresh Water
Aluminium	35	26	<0.05	11	1.0	-	-	-	-	<b>1</b>	-
Arsenic	36	21	<0.001	0.016	0.004	0	-	-	-	0	-
Barium	35	35	0.03	0.36	0.09	-	-	-	-	0	-
Beryllium	36	0	<0.0001	<0.0001	-	-	-	-	-	0	-
Cadmium	36	25	<0.0003	0.04	0.006	0	-	-	-	<b>2</b>	-
Chromium	35	20	<0.001	0.011	0.002	-	-	-	-	0	-
Cobalt	36	17	<0.001	0.014	0.004	-	-	-	-	-	-
Copper	36	31	<0.001	0.31	0.05	-	-	-	-	0	-
Iron	35	34	<0.05	8.9	1.6	-	-	-	-	<b>5</b>	-
Lead	41	34	<0.001	0.17	0.03	0	-	-	-	<b>2</b>	-
Manganese	36	36	0.012	1.1	0.2	0	-	-	-	0	-
Mercury	36	0	<0.0001	0	-	-	-	-	-	0	-
Nickel	36	26	<0.001	0.451	0.03	0	-	-	-	<b>1</b>	-
Zinc	36	35	<0.005	7	0.7	-	-	-	-	0	-
Dissolved Aluminium	33	21	<0.05	3.2	0.6	-	0	0	0	-	<b>20</b>
Dissolved Arsenic	34	21	<0.001	0.011	0.003	-	0	0	0	-	0
Dissolved Barium	33	33	0.04	0.12	0.07	-	-	-	-	-	-
Dissolved Beryllium	34	0	<0.0001	0	-	-	-	-	0	-	0
Dissolved Cadmium	34	21	<0.0003	0.018	0.003	-	<b>2</b>	<b>2</b>	0	-	<b>20</b>
Dissolved Chromium	33	11	<0.001	0.003	0.001	-	-	0	0	-	<b>3</b>
Dissolved Cobalt	34	9	<0.001	0.005	0.002	-	-	0	0	-	<b>5</b>
Dissolved Copper	34	28	<0.001	0.2	0.04	-	0	0	<b>3</b>	-	<b>28</b>

Analyte	No. of Samples	No. of Detects	Min.	Max	Avg	No above site-specific criteria		No above Tier 1 criteria			
						Human Health	Ecology	ANZECC Fresh Water Guidelines - Irrigation	ANZECC Fresh Water Guidelines - Stock Water	Health-based Screening Criteria (Recreational Waters)	Eco Scening Criteria (ANZG 95% Protection) Fresh Water
Dissolved Iron	33	22	<0.05	2.4	0.8	-	-	-	0	-	<b>18</b>
Dissolved Lead	34	22	<0.001	0.033	0.011	-	0	0	0	-	<b>19</b>
Dissolved Manganese	34	33	<0.005	1	0.1	-	-	0	0	-	0
Dissolved Mercury	34	0	<0.0001	0	-	-	-	0	0	-	0
Dissolved Nickel	34	22	<0.001	0.421	0.027	-	0	0	0	-	<b>6</b>
Dissolved Zinc	34	30	<0.005	2.6	0.4	-	0	0	0	-	<b>27</b>



**Table 6-14: Summary of Mulwaree River Surface Water Analytical Results (SW8, SW9, SW10)**

Analyte	No. of Samples	No. of Detects	Min.	Max.	Average	Health-based Screening Criteria (Recreational Waters)	Ecological Screening Criteria (ANZG 95% Protection) Fresh Water	ANZECC Fresh Water Guidelines - Irrigation	ANZECC Fresh Water Guidelines - Stock Water
Aluminium	14	3	<0.05	0.72	0.4	0	NA	-	-
Arsenic	15	6	<0.001	0.002	0.001	0	NA	-	-
Barium	14	13	0.02	0.12	0.08	0	NA	-	-
Beryllium	15	0	<0.0001	0	-	0	NA	-	-
Cadmium	15	2	<0.0003	0.0004	0.0003	0	NA	-	-
Chromium	14	2	<0.001	0.002	0.002	0	NA	-	-
Cobalt	15	1	<0.001	0.003	0.002	-	NA	-	-
Copper	15	6	<0.001	0.01	0.00	0	NA	-	-
Iron	14	13	0.15	3.2	0.6	<b>1</b>	NA	-	-
Lead	15	5	<0.001	0.002	0.00	0	NA	-	-
Manganese	15	15	0.03	1.9	0.3	0	NA	-	-
Mercury	15	0	<0.0001	<0.0001		0	NA	-	-
Nickel	15	13	<0.001	0.002	0.001	0	NA	-	-
Zinc	15	12	<0.005	0.16	0.08	0	NA	-	-
Dissolved Aluminium	12	2	<0.05	0.41	0.4	-	<b>2</b>	0	0
Dissolved Arsenic	13	3	<0.001	0.003	0.003	-	0	0	0
Dissolved Barium	12	11	0.02	0.12	0.08	-	-	-	-
Dissolved Beryllium	13	0	<0.001	<0.001		-	0	-	0
Dissolved Cadmium	13	2	<0.0002	0.0004	0.0002	-	<b>1</b>	0	0
Dissolved Chromium	12	1	<0.001	0.001	0.001	-	0	0	0
Dissolved Cobalt	13	0	<0.001	<0.001		-	0	0	0
Dissolved Copper	13	5	<0.001	0.008	0.00	-	<b>5</b>	0	0

Analyte	No. of Samples	No. of Detects	Min.	Max.	Average	Health-based Screening Criteria (Recreational Waters)	Ecological Screening Criteria (ANZG 95% Protection) Fresh Water	ANZECC Fresh Water Guidelines - Irrigation	ANZECC Fresh Water Guidelines - Stock Water
Dissolved Iron	12	9	<0.05	0.8	0.2	-	<b>2</b>	-	0
Dissolved Lead	13	0	<0.05			-	0	0	0
Dissolved Manganese	13	13	0.012	0.33	0.1	-	0	0	0
Dissolved Mercury	13	0	<0.0001	<0.0001		-	0	0	0
Dissolved Nickel	13	8	<0.001	0.002	0.002	-	0	0	0
Dissolved Zinc	13	8	<0.005	0.14	0.0	-	<b>4</b>	0	0

## 6.5 Air Quality

The focus of the air quality monitoring program has been lead in particulate form, both for ambient airborne fractions and deposited dust. This program was commissioned during early April 2020.

**Table 6-15: Measured lead content in deposited dust and deposited dust at four properties around Tarago, NSW**

Month	DDG1, Stewart St		DDG2, Station Masters Cottage		DDG3, Boyd St		DDG4, Mulwaree St	
	Lead (µg)	Insoluble solids (g/m <sup>2</sup> /month)	Lead (µg)	Insoluble solids (g/m <sup>2</sup> /month)	Lead (µg)	Insoluble solids (g/m <sup>2</sup> /month)	Lead (µg)	Insoluble solids (g/m <sup>2</sup> /month)
April (1-4-2020 to 30-4-2020)	<0.01	1.0	<0.01	0.7	<0.01	0.6	<0.01	0.4
May (30-4-2020 to 1-6-2020)	<1	0.9	<1	0.4	<1	0.4	<1	0.3
June (1-6-2020 to 1-7-2020)	<1	0.9	<1	0.5	<1	1.3	<1	0.3
July (1-7-2020 to 13-08-2020)	<1	1.9	<1	0.8	<1	0.2	<1	0.7
August (13-08-2020 to 1-09-2020)	<1	0.5	<1	0.2	<1	0.2	<1	0.2
September (1-09-2020 to 30-09-2020)	<1	2.1	<1	1.2	<1	7.2 <sup>1</sup>	<1	0.8
October (30-09-2020 to 30-10-2020)	<1	3.0	<1	3.9	<1	1.4	<1	1.2
November (30-10-2020 to 1-12-2020)	<1	0.9	<1	1.4	<1	1.2	<1	0.6
December (1-12-2020 to 29-12-2020)	<1	2.3	<1	1.0	<1	4.0	<1	1.0
January (29-12-2020 to 28-01-2021)	<1	1.8	<1	<b>4.3</b>	<1	4.2 <sup>2</sup>	<1	1.5
February (28-01-2021 to 26-02-2021)	<1	1	<1	1.8	<1	<b>8.8</b>	<1	0.7
March (26-02-2021 to 29-03-2021)	<1	1.2	<1	1.2	<1	1.5	<1	0.2
<b>Rolling annual average</b>	<b>&lt;1</b>	<b>1.5</b>	<b>&lt;1</b>	<b>1.5</b>	<b>&lt;1</b>	<b>2.0</b>	<b>&lt;1</b>	<b>0.7</b>

Limit of reporting = 0.01 µg during April and 1 µg from May forward following change in laboratory facility completing analysis

<sup>1</sup> Sample invalidated – DDG3 September 2020 sample contaminated with animal faeces

<sup>2</sup> Sample invalidated – DDG3 January 2021 sample contaminated with spiders and insects

Lead has not been measured above the detection limit (1 µg) across the monitoring network at any point. All locations measured deposited dust (insoluble solids) below the annual average criteria of 4 g/m<sup>2</sup>/month and the rolling annual average for each location remains under criteria.

## 6.6 Key Findings

Key findings were:

- The Contaminant has been delineated onsite within the rail formation, adjacent shallow soils and drainage lines. Investigation within the footprint of the former Loadout Complex identified the Contaminant at depth though this is considered unlikely to present a risk to human health or the environment. The extent of lead concentrations exceeding the SSTL in soil onsite is presented on **Figures 2a – 2e** and **Figure 3, Appendix 1**
- The Contaminant has not impacted groundwater offsite. All contaminant concentrations measured in groundwater at all locations tested were reported below the Australian Drinking Water Guidelines and guidelines relevant for potable use. Some metals in groundwater exceed criteria relevant to protection of ecology. Impacts to groundwater from site contamination are considered to be low and acceptable and no further investigation is warranted
- Offsite migration of the Contaminant and other metals has occurred via surface water. Deposition of elevated metal concentrations in surficial soils appears to have occurred in land immediately east of the site and across Boyd Street onto other nearby properties. Further site specific risk assessments (EnRiskS 2020, 2021a – b) concluded that risks from site contamination within the surrounding environment were acceptable
- Surface water impacts from the site to the Mulwaree River are not evident
- Offsite migration of the Contaminant has occurred in airborne dust. Elevated concentrations of lead in rainwater tank sediment and internal dust were identified in close proximity of the site indicating limited offsite migration of contaminants in air borne dust has occurred. Dust monitoring is ongoing however early data suggests migration of lead in dust from the site has been low and acceptable throughout implementation of the Action Plan (2020d)
- All contaminant concentrations measured in rainwater tank water at all locations tested were below the Australian Drinking Water Guidelines and guidelines relevant for all potable use. Based on risks from metals, rainwater tank water is considered suitable for all potable uses and unimpacted by contamination from the site
- High metal concentrations were identified in local public road reserves and (with the exception of Boyd Street) appear to be unrelated to the rail corridor

## 7. INTERIM ACTIONS

The *Tarago Lead Management Action Plan* (Ramboll 2020e) was prepared to minimise exposure pathways to human health and ecology to contamination at or originating from the site until such time as permanent remediation works are completed. Measures to minimise exposure included:

- Removal of rainwater tank sediment from tanks considered likely to have been affected by site contamination
- Removal of internal dust from properties considered likely to have been affected by site contamination
- Application of a polymer sealant to contaminated areas onsite to reduce potential for contaminant migration in airborne dust and/or via surface water
- Demarcation of contaminated areas with signage advising of the presence of contamination and requirement for induction to the Action Plan
- Controls for disturbance of contaminated materials onsite including notification to SafeWork NSW of Lead Risk Work
- Inspection and monitoring requirements to assess the adequacy of control measures including inspection of the polymer sealant, quarterly surface water monitoring and ongoing air quality monitoring.

Additionally, residents of 106 Goulburn Street, adjacent the site were relocated after potentially complete exposure pathways to site contamination were identified. TfNSW has since purchased this property and is incorporating this property in the CRN through amendment to the applicable Operation and Maintenance Deed and EPL. Measures to mitigate contaminant exposure risks associated with future use of 106 Goulburn Street will be defined under the LTEMP to be prepared for other areas of the site.

### 7.1 Additional delineation of site contamination

Assessment of the extent of contamination at the northern end of site east of the Goulburn – Bombala main line was refined through additional sampling on 2 March 2021. This included collection of two soil samples (SS202 and SS203) at locations presented on **Figures 2a 2b, Appendix 1**. SS203 was collected from surficial soils however localised application of imported clay appeared to have occurred around SS202 during rail loop extension. Clay was observed to be approximately 0.2 m thick and SS202 was collected from the historic site surface (ie: approximately 0.2 mbgl). SS202 and SS203 were submitted for laboratory analyses and lead concentrations were reported at 350 and 28 mg/kg respectively. The laboratory report (ref: 778274-S) are included in **Appendix 3**. Lead concentrations at SS202 and SS203 are below site assessment criteria and supported refinement of the extent of the lead impacted area at this location.

## 8. SITE CHARACTERISATION

A detailed site characterisation is presented in the Tarago Rail Corridor and Tarago Area Detailed Site Investigation and Addendum (Ramboll 2020a, 2020e). In summary, the primary source of the Contaminant was identified as the ore concentrate from the former Loadout Complex that has been deposited within the rail formation and adjacent shallow soils. Dust accumulated within buildings and as sediment in rainwater tanks close to the site and surface water (including offsite migration) were identified as secondary sources. Further risk assessment targeting the receiving environment concluded that risks within the downstream receiving environment were acceptable (EnRiskS 2021a).

## 9. CONCEPTUAL SITE MODEL

A Conceptual Site Model (CSM) is a site-specific qualitative description of the source(s) of contamination, the pathway(s) by which contaminants may migrate through the environment and the populations (human or ecological) that may potentially be exposed. This relationship is commonly known as a Source-Pathway-Receptor ("SPR") linkage. Where one or more elements of the SPR linkage are missing, the exposure pathway is considered to be incomplete and no further assessment is required. Where this linkage is found to be complete, it does not indicate that health or environmental risk is present, but rather triggers either a more detailed investigation or exposure controls. The findings of all assessments referenced here-in are considered in the exposure pathway assessment presented below.

CSM figures are presented **Sections A1 – A2** and **B1 – B2, Appendix 1** and support the following discussion of SPR linkages.

### 9.1 Sources of the Contaminant

The primary source of the Contaminant was identified as the ore concentrate from the former Loadout Complex that has been deposited within the rail formation and adjacent shallow soils.

Secondary sources were identified as:

- Surface water and sediment in drainage lines onsite and in the local offsite receiving environment; and
- Dust that has accumulated within buildings and as sediment in rainwater tanks close to the site.

Sources considered within this CSM are those clearly related to the Contaminant as defined above.

Lead contamination that has been identified but which is not related to the site (i.e.: is not the Contaminant) includes impacts on the haul route between the mine and the rail corridor and on Mulwaree Street. Additionally, several instances of localised lead contamination that were geographically separated from the site were identified on private properties. At some of these properties lead based paint was identified in poor condition and lead is generally known to be a cheap and useful metal found frequently in the environment and older homes (NSW EPA 2020). Lead contamination that has been identified but which is not related to the site should be considered further by the polluters, property owners and relevant regulatory stakeholders. Where it is reasonable to conclude that contamination is not the Contaminant at the site or related to the migration of the Contaminant from the site that contamination has been excluded from further consideration.

## 9.2 Receptors

The receptors identified in this CSM were based on a current and future use of the site and surrounding land, which currently includes residential and a range of community uses.

The human receptors identified were:

- Onsite workers (including intrusive maintenance and construction workers)
- Users of Tarago Train Station
- Local residents
- A range of community facilities including the Public School, Preschool and Townhall
- Workers in adjacent public road reserves.

The ecological receptors identified were:

- Onsite ecology
- Offsite ecology including crops and livestock
- Ecological receptors in the Mulwaree River.

## 9.3 SPR Linkages

An assessment of the SPR linkages for the Contaminant onsite (including the former loadout complex) is summarised in **Table 9-1**.

**Table 9-1: Exposure Assessment Summary**

Exposure Route	Potentially Complete SPR? (Y / N / P)							Justification
	Onsite Workers	Onsite Ecology	Residents	Community Activities	Offsite Workers	Offsite Ecology	Irrigation and Livestock	
<b>Soil and Sediment</b>								
Direct Contact	P <sup>1</sup>	P	N	N	N	N	N	Concentrations in soils exceed onsite assessment criteria however management measures have been defined to mitigate risks to onsite workers (Ramboll 2020e). Potential remains for impacts to onsite ecology. Concentrations in sediment / soil offsite fall below Tier 2 human health and ecological criteria(EnRiskS 2020, 2021a – b).
Inhalation	P <sup>1</sup>	P	N	N	N	N	N	
Incidental Ingestion	P <sup>1</sup>	P	N	N	N	N	N	
Root Uptake	N/A	P	N/A	N/A	N/A	N/A	N/A	
<b>Surface Water</b>								
Direct Contact	N	N	N	N	N	N	N	Concentrations of copper, lead and zinc in the Mulwaree River are consistent upstream and downstream of site discharge points and indicate site contamination has not impacted the River.
Incidental Ingestion	N	N	N	N	N	N	N	
Root Uptake	N/A	N	N/A	N/A	N/A	N	N/A	Contaminant concentrations in surface water between the site and the Mulwaree River are below adopted assessment criteria indicating risks from site contamination in these areas are acceptable.
Migration to groundwater	N	N	N	N	N	N	N	
<b>Groundwater</b>								
Potable use including drinking	N	N/A	N	N	N	N/A	N/A	Concentrations in groundwater reported below human health criteria. Some metals exceed ecological criteria onsite though not defined offsite and do not appear to discharge to the receiving Mulwaree River so
Direct Contact	N	N	N	N	N	N	N	
Incidental Ingestion	N	N	N	N	N	N	N	
Root Uptake	N/A	N	N/A	N/A	N/A	N	N	



Exposure Route	Potentially Complete SPR? (Y / N / P)							Justification
	Onsite Workers	Onsite Ecology	Residents	Community Activities	Offsite Workers	Offsite Ecology	Irrigation and Livestock	
								ecological exposure considered unlikely.
<b>Dust</b>								
Direct Contact	P <sup>1</sup>	N/A	N	N	N	N/A	N/A	Contaminant migration via airborne dust has occurred to several local houses and lead exceeds assessment criteria however (with one exception) dust has been removed from houses where elevated concentrations were observed. Air quality monitoring indicates levels of airborne lead from the site have been low since dust removal occurred.
Inhalation	P <sup>1</sup>	N/A	N	N	N	N/A	N/A	
Incidental Ingestion	P <sup>1</sup>	N/A	N	N	N	N/A	N/A	
<b>Rain Tank Water</b>								
Potable use including drinking	N/A	N/A	N	N	N/A	N	N	Rain tank water reported below criteria.
Direct Contact	N/A	N/A	N	N	N/A	N	N	
Incidental Ingestion	N/A	N/A	N	N	N/A	N	N	
Root Uptake	N/A	N/A	N	N	N/A	N	N	
<b>Rain Tank Sediment</b>								
Direct Contact	N/A	N/A	N	N	N/A	N	N	Contaminant migration via airborne dust has occurred and concentrations in tank sediment exceeded criteria for soil at some houses. Sediment from these tanks was removed and SPR linkages are not considered to exist.
Inhalation	N/A	N/A	N	N	N/A	N	N	
Incidental Ingestion	N/A	N/A	N	N	N/A	N	N	

<sup>1</sup>A complete SPR linkage for onsite workers to dust is not considered to exist because of the Action Plan. If not implemented correctly worker exposure could be expected.

Potential source-pathway-receptor linkages and associated potential exposure risks were identified for onsite workers and onsite ecology. Interim mitigation measures for onsite ecological and worker exposure risks are defined under the Action Plan (Ramboll 2020d).

### 9.5 Additional Characterisation to Inform Remediation

Further assessment of contaminant distribution by particle size within Woodlawn Siding ballast was completed to refine consideration of remedial requirements. This included:

- Collection of five bulk samples (approx. 20 kg)
- Particle Size Distribution (PSD) analyses presented in **Appendix 4**
- Crushing and analyses of the >19 mm fraction for lead
- Analyses of total lead in ballast (excluding fines) as described below.

Total lead was analysed in 18 sub-samples collected from eight bulk samples. Bulk samples were collected to provide targeted assessment of ballast (excluding fines) within the Woodlawn Siding around the historic loader and systematic assessment of ballast (excluding fines) within the remainder of the Woodlawn Siding. Sampling locations (TP3a, TP5a, TP6a and BAL\_01 – BAL\_05) are presented on **Figures 2a – 2e**. Laboratory reports are presented as **Appendix 5**. Assessment of lead concentrations against the SSTL, 95% UCL calculations and laboratory reports are presented in **Appendix 6**. A summary assessment is presented as **Table 9-2**.

**Table 9-2: Lead in Woodlawn Siding Ballast (excluding fines)**

No. of Samples	Minimum	Maximum	No. > criteria <sup>1</sup>	Average	St Dev	95% UCL
18	13	2,800	1	546	756	1,041

<sup>1</sup>The site specific criterion for lead protective of human health (2200 mg/kg) was adopted.

Guidance endorsed by the NSW EPA makes provision for contaminant risks to be assessed through calculation of the 95% upper confidence limit (95% UCL) of the mean concentration. The 95% UCL is a value that, when calculated repeatedly for randomly drawn subsets of site data, equals or exceeds the true mean 95 percent of the time. The 95% UCL is only relevant where:

- The standard deviation of the results should be less than 50% of the relevant investigation or screening level, and
- No single value should exceed 250% of the relevant investigation or screening level.

The maximum lead concentration in Woodlawn Siding ballast (excluding fines) was 2,800 mg/kg (< 250% of the guideline) and the standard deviation was 756 mg/kg (< 50% of the guideline). The 95% UCL was therefore considered relevant and was calculated at 1,041 mg/kg and below the adopted guideline.

Assessment of lead in Woodlawn Siding ballast (excluding fines) indicates this material would be suitable for reuse onsite following separation of fines. A specific resource recovery exemption from the EPA would be required to allow return of these materials to site.

The arithmetic mean percentage of >20 mm and <20 mm fractions were calculated at 54% and 46% respectively and support volume estimates for material types projected for remediation (see waste volume projections presented in **Table 11-1**).<sup>1</sup>

## 10. REMEDIATION CRITERIA

The proposed remediation criterion is the human health SSTL for lead of 2,200 mg/kg (Ramboll 2019d). This is less than the site specific ecological criteria of 11,000 mg/kg developed for terrestrial ecosystems in the road verges surrounding the site (EnRiskS 2021a) and so is

<sup>1</sup> Projections of ballast and fines proportions are based on limited data and presented to provide an indication of potential volumes only.

considered protective of human health and ecology. Validation criteria including criteria for monitoring of surface water and air quality within the receiving environment are presented in **Section 14.1.5.**

Criteria for remediation waste streams are defined in the NSW EPA Waste Classification Guidelines (2014). Rationale for excluding total lead concentrations from waste classification will be presented in an SIA application to the NSW EPA.

## 11. REMEDIAL OPTIONS ASSESSMENT

### 11.1 Remedial Goal

The remedial goal is to address the following commitments made under the VMP:

- P1. Assess remedial options to address risks from the Contaminant on, or originating from, the Site.
- P2. Select a preferred remedial option integrating consultation with the community and other stakeholders.
- P3. Prepare a RAP(s) to define how the selected remedial option will be implemented and validated.

Remedial options have been considered to address risks resulting from potential SPR linkages defined in the CSM in **Section 9**.

### 11.2 Extent of Remediation Required

Concentrations of the Contaminant were identified as a driver for remediation onsite across approximately 22,000 m<sup>2</sup> as presented on **Figures 2a – 2e, Appendix 1**. The depth of contamination was estimated at 0.5 mbgl within the ballast layer of the Woodlawn Siding and 0.3 mbgl in adjacent soils. This area includes approximately 9,000 m<sup>2</sup> of operational rail formation where excavation is not considered practical and where remedial options other than excavation are considered appropriate (See **Section 11.3**). The resultant area of ballast and soil that could practically be excavated during remediation was estimated at 13,000 m<sup>2</sup> and the volume of contaminated material that could be excavated was estimated at 4,850 m<sup>3</sup> (integrating 750 m<sup>3</sup> already stockpiled from Loop extension through the northern portion of the Woodlawn Siding). Additionally, rail sleepers remain within the Woodlawn Siding with a cumulative estimated volume of approximately 100 m<sup>3</sup>. Concentrations of lead in rail sleepers are not consistently above the SSTL, however the sleepers are no longer required on site and are not suitable for reuse off site.

Estimate volumes of materials requiring excavation are shown in **Table 11-1**.

**Table 11-1: Volume projections for remediation materials**

Material Type	Volume (m <sup>3</sup> )
>20 mm fraction – onsite reuse	1450
<20 mm fraction – ballast fines requiring immobilisation	1300
Soil adjacent the rail formation – requiring immobilisation	2,100
Railway sleepers – GSW <sup>1</sup>	100
Total	4,950

<sup>1</sup>Lead concentrations in rail sleepers do not consistently exceed site assessment criteria however offsite disposal was adopted during previous works and aesthetics may drive offsite disposal again.

### 11.3 Remedial Options Assessment

A hierarchy of remedial options was adopted from the NEPM (NEPC, 2013) and is presented as follows:

- Onsite treatment of the contaminant so that it is destroyed, or the associated risk is reduced to an acceptable level; and

- Offsite treatment of excavated soil, so that the contamination is destroyed, or the associated risk is reduced to an acceptable level, after which soil is returned to the site; or,

if the above are not practicable,

- Consolidation and isolation of the soil onsite by containment with a properly designed barrier; and
- Removal of contaminated material to an approved site or facility, followed, where necessary, by replacement with appropriate material.

or,

- Where the assessment indicates remediation would have no net environmental benefit or would have a net adverse environmental effect, implementation of an appropriate management strategy.

Remedial options for the site were considered consistent with this options hierarchy.

Remedial options not considered included:

- Options that disturb impacted soils can potentially result in dust emissions from the site. Options that include excessive manual handling of impacted soils, such as screening or onsite chemical treatment have been excluded. The proximity of the residential areas and added difficulty in maintaining dust controls through excessive manual handling of impacted soils made these options less preferable than other remedial options. Even so the options that are considered each include excavation of readily accessible contaminated materials and dust mitigation will remain critical to successful remediation.
- Any option to remove impacted soils from within the operational rail formation. Contaminant concentrations within the main Goulburn - Bombala line and the Tarago Loop line (the operational formation) are lower than in the former Woodlawn Siding and it is feasible that contaminant risks could be adequately reduced without removing contaminants from operational rail lines. The option of retaining contaminated materials beneath operational lines would remain subject to validation that active management measures are not required to mitigate contaminant risks during normal operation of the rail corridor. Remnant contamination within operational lines could be managed under a LTEMP describing controls such as identification of future excavation within active rail formations as lead risk work.
- Any option to transport waste across cadastral boundaries for temporary storage or long term management unless to an appropriately licensed waste receiving facility or under a resource recovery exemption (RRE).

A dust management plan must be prepared by the remediation contractor to prevent contaminant migration offsite. Essential elements of the dust management plan applicable to the remedial strategy is applied to the site are described under **Section 13.10**.

**Figures 2a – 2e, Appendix 1** present the total area requiring remediation, the operational rail formation where disturbance is not proposed, the Woodlawn Siding (including rail sleepers which remain in-situ) and adjacent soils.

### 11.3.1 Options Evaluation Metrics

The sustainability (environmental, economic and social) of each option has been considered in terms of achieving an appropriate balance between the benefits and effects of undertaking each option. A semi-quantitative approach has been adopted through numeric ranking of the environmental and social elements scoring between 1 (best) and 5 (worst) and numeric scoring of economic sustainability based on 1 point per million dollars (or part thereof) in projected cost. The environmental and social rankings and economic scores are summed for each option and preferred remedial options are defined by the lowest sum.

Figure 11.1: Remedial Options Assessment

Option	Description	Environmental Sustainability	Ranking	Economic Sustainability <sup>1</sup>	Ranking	Social Sustainability	Ranking	Overall Ranking
<b>Option 1 - Return of ore impacted materials from the site to Woodlawn Mine</b>	Return of ore impacted materials to the mine could occur for beneficial reuse including ore recovery through hydraulic mining and tailings dam stabilisation works. This would include: 1. Confirmation with Heron Resources that it will receive ore impacted materials and any limitations associated with receipt (e.g.: chemical or geotechnical properties) 2. Application for a Resource Recovery Exemption and Order to be submitted to the NSW EPA 3. Excavation and cartage of ore impacted materials to the Woodlawn Mine 4. Beneficial reuse	Return of ore impacted materials to the Woodlawn Mine would consolidate contaminated materials in an area where similar contaminant concentrations occur. Extraction of ore through hydraulic mining processes already implemented at the mine represents the most favourable environmental outcome identified. Remnant materials could be beneficially reused in stabilisation of the tailings dam at the mine contributing to a positive environmental outcome at this location. Beneficial reuse at the mine is identified as a higher order remedial outcome than those considered under the hierarchy of remedial options recommended under the NEPM (NEPC 2013). Sustainability as measured by carbon footprint and landfill space consumption is favourable compared with other options.	1	The cost of progressing excavation and cartage to the mine is estimated at \$250 – 500k (ex GST).	1	Intergenerational equity is achieved through this option as the contaminant is adequately managed with like materials in perpetuity.	1	<b>3</b>
<b>Option 2 - Onsite containment<sup>t2</sup></b>	The onsite containment option considered includes: 1. Location of a cell onsite to mitigate potential risks to human health or the environment in the event of disturbance to the containment system. Onsite containment could occur opposite Tarago Train Station across an area of approximately 6000 m2. Clay fill	Containment systems can provide durable long-term management options however environmental risks remain in the event of containment system failure. Future remediation may therefore be required, and this could place a burden on future generations. Environmental effects as measured by carbon footprint and landfill space consumption is favourable compared with other options.	3	The cost of progressing this option is estimated at \$500 – 700k (ex GST) as an immediate investment. Costs for insitu would be less if maintained in-situ due to no requirement to excavate however these would be negated somewhat by the larger cap surface and the need to win clay.  Additionally, a financial assurance value has been modelled based on a 100 year containment system	2	A need to manage the contaminated soils in the future may impact future generations.	3	<b>8</b>

Option	Description	Environmental Sustainability	Ranking	Economic Sustainability <sup>1</sup>	Ranking	Social Sustainability	Ranking	Overall Ranking
	<p>historically applied across the footprint of the former Loadout Complex could be excavated to the former site surface level and then reused as capping material for the containment cell.</p> <p>2. Welded 2 mm thick High-Density Polyethylene (HDPE) geomembrane at the base and sides with a 750gm geofabric cushion layer inside the HDPE</p> <p>3. Vegetation to mitigate erosion of capping or application of a durable surface layer</p> <p>4. A 100-year design life is projected as a required parameter for engineering design. An insitu option is also considered and would involve retention of impact soils in situ, Soils would be capped with imported clay material of 0.5m thickness following placement of a marker layer over the area. The site surface would be shaped to promote drainage and vegetated. A 100 year design life may not be possible for this option.</p>			<p>design life and estimated at \$550,000 (ex GST) net present value. This integrates costs projected for annual monitoring and replacement of topsoil every 10 years<sup>3</sup>. Costs for the financial assurance are likely to be more if maintained in situ due to the cap only containment, and the larger cap area.</p> <p>The cumulative investment is estimated at \$1.05M - \$1.25M (ex GST) and could be expected to be reset after 100 years.</p>				
			5		5		2	<b>12</b>

Option	Description	Environmental Sustainability	Ranking	Economic Sustainability <sup>1</sup>	Ranking	Social Sustainability	Ranking	Overall Ranking
<b>Option 3 - Offsite treatment and disposal<sup>4</sup></b>	<p>A NSW waste facility capable of receiving the volume and type of material proposed to be generated during onsite remediation has not yet been identified. A pathway for offsite disposal exists however through amendment to the Environment Protection license (EPL) of the local landfill (Woodlawn Veolia) to allow treatment (where lead concentrations warrant treatment) as a precursor to disposal as General Solid Waste. This pathway would include:</p> <ol style="list-style-type: none"> <li>1. A treatability trial to confirm an optimal treatment process</li> <li>2. Application for an immobilisation approval for disposal of treated waste as GSW</li> <li>3. Sieving to remove &gt;20 mm fraction<sup>5</sup></li> <li>4. Reuse of &gt;20 mm fraction onsite<sup>6</sup></li> <li>4. Chemical immobilisation of &lt;20 mm fraction prior to offsite disposal as GSW</li> </ol>	<p>Chemical immobilisation could be expected to reduce potential for migration of the Contaminant however the Contaminant in surficial soils has been present on site for decades and only localised migration has been identified. Additionally, oversize materials sieved out before treatment would represent a significant secondary waste stream. This indicates the environmental benefit of chemical immobilisation may be limited.</p> <p>Offsite disposal would eliminate contaminant risks from a large part of the site. Further, the chemical immobilisation of contaminated materials as a preliminary stage of this option would reduce risks to an acceptable level before disposal to landfill. Environmental effects as measured by carbon footprint and landfill space consumption is unfavourable compared with other options.</p>		<p>The cost of progressing this option is estimated at \$1.9M – 2.9M (ex GST).</p>		<p>Intergenerational equity is however achieved as the contaminant is adequately managed within an appropriate management structure in perpetuity.</p>		



Option	Description	Environmental Sustainability	Ranking	Economic Sustainability <sup>1</sup>	Ranking	Social Sustainability	Ranking	Overall Ranking
<b>Option 4 – continue current management option</b>	Onsite management of soils impacted with lead through a management plan that limits activity in this area, continues with dust suppression and outlines how any works in this area are to be undertaken	Short term environmental sustainable however longer term may see low level impacts to the environment and ultimately remediation requirements with one of the above options	5	Option is a low cost solution in the short term however long term costs are expected to increase as ultimately remediation of the area is likely to be required. Interim costs include dust suppression and continued periodic monitoring. Each work campaign in this area would require appropriate PPE, air and water management.	5	Low as the community have indicated preference to remediate the site and low intergenerational equity as this option does not provide a long term solution.	5	<b>15</b>

Notes:

1. Cost estimates have been developed for the purpose of comparing remedial options and are based on provision of limited information to potential remedial contractors. Further consultation with remedial contractors should occur to confirm costs and assumptions. Costs are based on 4100 m<sup>3</sup> or 7380T of material requiring remediation. Remedial cost calculations are presented for each option as **Appendix 7** and are based on preliminary assessment of industry rates in 2020.
2. Onsite containment options were identified within the CRN based on a multi-criteria constraints assessment (Ramboll 2020c).
3. The financial assurance model applied integrates an interest rate of 3%, inflation of 2%, annual inspection and reporting once established, \$40k every 10 years for topsoil / capping surface reinstatement. No provision is made for acute damage to the containment system (e.g.: accidental penetration or potential damage from flooding) or for the management of contaminated materials after the 100 year design life. Assumptions adopted in the financial assurance calculation are presented in **Appendix 8**.
4. Offsite disposal options integrate consideration of two local landfills (Hi Quality - Minda landfill, Windellama and Veolia Woodlawn Waste Facility, Woodlawn). The disposal fee adopted for Minda was \$115/t. The disposal fee adopted for Woodlawn was \$225/t.
5. A nominal particle size upper limit of 20 mm was adopted for optimal operation of immobilization equipment. Particle sizes greater than 20 mm can be effectively immobilized though increase risk of equipment damage.
6. A laboratory scale screening trial of materials from the Woodlawn Siding was completed and included analyses of total and TCLP lead in >20 mm fraction. Significant volumes of >20 mm fraction were qualitatively observed to be limited to the Woodlawn Siding (i.e.: generally not present in adjacent soils). Targeted assessment of the Woodlawn Siding was adopted as a conservative approach to estimating lead concentrations that could be applied to >20 mm fraction in adjacent soils if observed as lead was most concentrated in the siding. Tabulated assessment of lead concentration against site criteria following laboratory scale screening is presented as **Appendix 5** and indicates the >20 mm fraction would be suitable for onsite reuse.

#### **11.4 Preferred Remedial Option**

Return of contaminated material to Woodlawn Mine was identified as the most sustainable option and based on preliminary communication with Heron Resources planning for this option was progressed. Woodlawn Mine activities subsequently shifted from Operational to Care and Maintenance modes and Heron Resources has advised that return of contaminated material to the mine is no longer feasible.

Containment of impacted soils within the rail corridor was identified as the second most sustainable option however containment within the Tarago rail yard was considered unsuitable based on limitations to future development / functionality of this area. Alternate locations within the CRN were also considered though considered unsuitable due to complexities in associated environmental planning pathways.

Within this context the remedial strategy that was selected was offsite treatment and disposal. All options considered include in-situ retention of contamination within operational rail formations and so management of remnant contamination will be required under an LTEMP.

TfNSW will implement a structured process of consultation with the community and other stakeholders that will focus on implementation of the preferred remedial option.

## 12. SUMMARY OF SELECTED REMEDIAL OPTION

The proposed remedial strategy comprises:

- Planning including:
  - A treatability trial to demonstrate a viable process for chemical immobilisation. See attached as **Appendix 12**.
  - Procurement of a waste receiving facility licensed for receipt of GSW including provision to lease a space for screening and immobilisation of site won materials
  - Application for and receipt of a Specific Immobilisation Approval (SIA) from the NSW EPA. See attached as **Appendix 12**.
  - Co-ordination of amendments to the EPL and/or development consent conditions for the nominated receiving facility including provisions for a screening and immobilisation area at the receiving facility.
- Establishment of the screening and immobilisation area including:
  - Heavy vehicle access and a temporary stockpile area for site won materials
  - A mechanical vibratory screen
  - Temporary stockpile areas for oversize material (rail ballast) and screen fines
  - A pugmill to facilitate full scale immobilisation
  - Temporary stockpile areas for validation of immobilised materials
  - Heavy vehicle access to enable excavation and transport of waste streams for placement in the landfill
- Excavation of the non-operational Woodlawn Siding and surrounding contaminated soils and transport by road to the screening and immobilisation area
- Mechanical screening to remove rail ballast and returned to site for beneficial reuse under a Specific Resource Recovery Exemption.
- Design and implementation of an appropriate validation program
- Disposal of immobilised materials as GSW.

Contaminated soils within the active rail formation and at depth around the former loadout complex building and on the eastern side of the rail formation will remain in-situ. These materials will be managed under a long term EMP for the site described further under **Section 13.16**.

## 13. REMEDIAL ACTION WORKS PLAN

### 13.1 Key Personnel

All site personnel (including JHR and its contractors) have the responsibility of protecting human health and the environment. Key personnel and their roles and responsibilities are outlined in **Table 13-1**.

**Table 13-1: Key Personnel roles and Responsibilities**

Personnel	Name and Contact Details	Role / Responsibility
<b>Land Owner</b>	TfNSW	Responsible for addressing the VMP.
<b>Principal</b>	JHR	Current custodian of the CRN and responsible for all works carried out at the site. Responsible for engaging / contracting all other parties.
<b>Principals Environmental Representative</b>	TBA	Personnel employed by JHR or sub-contracted to JHR to oversee / provide technical advice on remediation works and ensure works are completed in accordance with relevant guidelines.
<b>Remediation Contractor</b>	TBA	Company contracted to undertake remediation works. Responsible for supplying all plant and personnel to conduct the works as outlined in this RAP and as required under local, state and federal legislation.
<b>Remediation Supervisor or Project Manager</b>	TBA	Responsible person appointed by contractor to supervise / coordinate all aspects of remedial works on behalf of the contractor. The primary point of contact for the project.
<b>Contaminated Land Auditor</b>	TBA	A Part B4 Contaminated Land Audit will be prepared for the site in accordance with the Contaminated Land Management Act 1997. Approval of remedial plans prior to commencement of works

### 13.2 Licenses and Approvals

SEPP 55 defines a framework for management of contamination in NSW. It defines requirements for engagement with consent authorities and local councils according to whether remediation is considered Category 1 (requiring development consent) or Category 2 (requiring notification 30 days before remediation). Ramboll consider the long-term management of contamination associated with the Tarago Loop to be Category 2 remediation. Category 2 remediation work is deemed remediation work that is not Category 1 remediation as described in Clause 9 of SEPP 55.

The proposed remediation works do not trigger the criteria in clause 9 (a) – (f) and the proposed remediation works are not ancillary to any other current development requiring Development Consent. Based upon the above information and criteria the remediation works are deemed to be Category 2 works under SEPP55. Refer Notification Letter included in **Appendix 9** which must be provided to Goulburn Mulwaree Council a minimum of 30 days before commencement of remediation. However, modifications to SEPP 55 are currently being made and, once ratified, will require any retention of contamination on sites to be Category 1 remediation. Depending on the timing for remediation this would therefore require development consent for the long-term management of contamination associated with Tarago Loop.

The return of ballast to the site after screening will likely require a Specific Resource Recovery Exemption. Further correspondence with the EPA is recommended to define the appropriate planning pathway.

The proposed chemical immobilisation will require a Specific Immobilisation Approval from the NSW EPA. A treatability trial and immobilization application are presented as **Appendix 12**. The proposed offsite chemical immobilisation and disposal of immobilised waste can only occur at a waste facility with specific development consent and environment protection license conditions allowing for these activities. It is preferred that these activities occur at a waste facility close to the site however preliminary review indicates local waste facilities do not have required consent and licensing. As a result additional planning will likely be required for the waste facility including assessment of environmental impacts associated with immobilization and applications to modify development consent and EPL conditions.

### 13.3 Remediation Methodology

The proposed remedial methodology comprises the following key steps:

- Acquire necessary approvals for the selected remedial option including:
  - A Specific Immobilisation Approval (SIA) for lead in waste streams not suitable for disposal as GSW
  - Amendment to development consent conditions and the EPL for the nominated receiving facility<sup>2</sup>
  - Apply for a specific resource recovery exemption from the NSW EPA for return of ballast to site.
- Prepare a Remedial Works Plan that details the remediation actions and addresses all consent requirements.
- Contractor to prepare ancillary plans to complete the works. Plans required as a minimum are included in **Sections 13.7 to 13.9**. Plans are required to address consent requirements.
- Remove remnant rails for recycling and sleeper for disposal as GSW. A waste classification for sleepers is presented as **Appendix 10**
- Establish a work zone at the nominated receiving facility for temporary storage, mechanical screening and immobilisation of material excavated from the Woodlawn Siding and adjacent soils
- Excavate and transport materials from the Woodlawn Siding and adjacent soils to the work zone at the receiving facility. Materials will be excavated until lead concentrations at the remnant site surface (as measured by fpXRF) are lower than the site assessment criteria (2200 mg/kg)
- Mechanically screen materials excavated from the Woodlawn Siding and adjacent soils into <20 mm and >20 mm fractions<sup>3</sup>
- Validate suitability of >20 mm fraction for beneficial reuse onsite under a specific resource recovery exemption. Validation of ballast must occur before immobilisation to enable mixing with the >20 mm fraction to allow for contingency actions if characterisation fails, refer to **Section 13.14**.
- Immobilise the <20 mm fraction in accordance with the SIA (TBC)

Dispose of immobilised materials as GSW at the nominated facility

A process diagram for screening and immobilisation is presented as **Figure 2** below.

<sup>2</sup> Screening and immobilization could occur at a location other than the waste receival facility however such a facility would need to have development consent as a contaminated soil treatment facility and hold an appropriate license.

<sup>3</sup> A nominal particle size upper limit of 20 mm was adopted for optimal operation of immobilization equipment. Particle sizes greater than 20 mm can be effectively immobilized though increase risk of equipment damage.




Figure 2: Screening and Immobilisation Process Diagram

### 13.4 Preliminaries

Environmental impact assessment, co-ordination of a SIA, amendment to receiving facility EPL and/or development consent conditions are key preliminary elements of the remedial strategy. Concurrent with these planning elements, the Remediation Contractor will provide a detailed methodology to JHR and Ramboll for written approval. The methodology is to describe:

- Safety controls that minimise disturbance to the operational Goulburn – Bombala main and Tarago Yard Loop lines. A project specific health and safety plan must be prepared by the Remediation Contractor that satisfies all requirements of the JHR CRN integrated management system. The Principal will retain responsibility for health and safety throughout remediation
- Methods of excavation and materials tracking including specification of environmental control procedures to address relevant provisions within the Action Plan (Ramboll 2020c)
- A detailed description of proposed immobilisation procedures and a plan for the screening and immobilisation compound to be established within the nominated receiving facility. This will address each element of the process as described here-in and include environmental controls to mitigate potential for contamination to migrate from the screening and immobilisation compound

The Remediation Contractor's methodology will include schedule allowances for validation as described in **Section 14** and allowance for earthworks to ensure free drainage across the site in accordance with a final landform design to be provided by the Principal.

### 13.5 Community Relations

TfNSW has managed community relations through assessment and interim management of contamination at Tarago. TfNSW will continue to manage community relations through remediation according to a formalised community relations plan.

### 13.6 Protection of Infrastructure, Heritage and Vegetation

The Remediation Contractor's methodology will include measures to ensure the protection of operational infrastructure (including but not limited to rail formations, the railway station, underground and above ground services), heritage (including structures associated with the Tarago Rail Precinct heritage item) and vegetation immediately surrounding the southern rail culvert (refer to **Figure 3, Appendix 1**).

The Principal will provide current service plans covering proposed areas of excavation. The Remediation Contractor will make provision for onsite location of services and measures to ensure services are not disturbed.

Excavation that may disturb operational infrastructure, heritage or vegetation around the southern rail culvert (**Figure 2**) is explicitly excluded from the scope of remediation.

### 13.7 Site Establishment

The required personnel and plant are required to mobilise to site, set up boundaries for the remedial works and implement current lead work controls per the Action Plan (Ramboll 2020c) including notification to WorkSafe NSW.

The Principal's Environmental Representative will refine excavation extents through fpXRF measurement of surface lead concentrations in/around proposed excavation areas and work with the Remediation Contractor to mark-out excavation areas onsite.

### 13.8 Management Plans

Prior to commencing works at the site management plans are required to be developed and approved by the Site Auditor. Management plans required, at a minimum are as follows.

1. A Remedial Works Plan providing specific detail on the remediation requirements.
2. A Construction Environmental Management Plan that details the controls proposed by the contractor to minimise impacts on the community and the environment during the works. This plan is to include the following subplans as a minimum the plans outlined in Section 13.8 to 13.10.
3. A worker health and safety plan that includes the specific details for working with these materials.

Plans are to be reviewed and approved by the Auditor prior to the commencement of remedial works.

- Stormwater Soil and Water Management Plan

The Remediation Contractor will prepare a Soil and Water management plan to manage soil and water during the works. The Remediation Contractor must define and implement controls to prevent offsite contaminant migration above criteria protective of the receiving environment. Preliminary guidance provided in the Action Plan (Ramboll 2020c) must be addressed.

### 13.9 Noise Management Plan

The remediation contractor will prepare a noise management plan to manage noise during the works. The Noise Management Plan shall comply with the noise management requirements for the CRN and include monitoring to demonstrate effective implementation of the plan during the works. The following noise control measures should be considered:

- Construction vehicles and machinery would be selected with consideration of noise emissions. Equipment should be fitted with appropriate silencers (where applicable) and be maintained in accordance with manufacturer's requirements. Machines found to produce excessive noise compared to typical noise levels should be removed and replaced or repaired or modified prior to recommencing works
- Where possible construction vehicles and machinery would be turned off or throttled down when not in use
- All site personnel would be informed of their obligations to minimise potential noise impacts on residents during the site induction and need to take reasonable and practical measures to minimise noise

### 13.10 Dust Management Plan

The remediation contractor will prepare a dust management plan to manage dust during the works. The Dust Management Plan shall comply with the dust management requirements for the CRN and include monitoring to demonstrate effective implementation of the plan during the works. The Remediation Contractor must define and implement dust controls to prevent offsite contaminant migration above criteria protective of the receiving environment. Controls will prevent offsite migration of dust. The following dust control measures should be considered:

- Regularly water vehicle routes and work areas with a watercart.
- Maintain and sweep roads where deposited dust or spillage is visible.
- Avoid unnecessary use of and access to unsealed surfaces.
- Limit vehicle and mobile plant speeds within the work area e.g. 10 km/h.
- Modify or cease operations during adverse meteorological or dust generating conditions.
- Consider use of wind breaks or shielding around material and/or stockpiles.



- Maintain stockpiles at defined height, where the lowest practicable height is preferable.
- Avoid double-handling of material and optimise transfers to limit time stockpiled or handled.
- Visually observe dust levels to adapt operations.
- Cover all loads when transporting material.
- Identify and allocate sufficient resources to manage dust risks.
- Facilitate training and tool-box-talks addressing air quality management objectives, hazards, risks, controls, behaviours and consequences for inappropriate behaviour.

The Dust Management Plan should include onsite air quality monitoring specific to the Remediation Contractor's methodology. There is no available method of measure deposited dust or lead in TSP in real-time so monitoring will include sampling of airborne dust at the site boundaries. The monitoring equipment should be capable of measuring TSP, PM<sub>10</sub> and PM<sub>2.5</sub> continuously. The equipment should be capable of alerting to trigger values through telemetry and software that allows alerting at averaged set-points to email and/or SMS. The instrumentation should be maintained in accordance with the manufacturers specifications and hold a current factory calibration certificate.

A three-level air quality alert system is proposed. The trigger levels have been derived based on real-time monitoring from the Station Masters Cottage collected prior to remediation. The values presented below are based on 98%, 99.9% and 100% of the 15-minute averages measured from April 2020 to January 2021 (28,412 15-minute averages). These values are considered appropriate when considering what is acceptable in the community, the low airborne lead measured in absence of remediation and when considered against the air quality criteria at longer averaging periods. Trigger values should be reviewed following the first month of data and potentially revised with consideration of the air quality criteria, monitoring technique and positioning of monitors.

#### 1. Alert Level

- a. Elevated levels of dust measured for one 15-minute averaging period.
- b. Initial trigger values set at 10 µg/m<sup>3</sup> for PM<sub>2.5</sub>, 24 µg/m<sup>3</sup> PM<sub>10</sub> and 29 µg/m<sup>3</sup> TSP (98 percentile 15-minute average in absence of remediation)
- c. Observe the operation to identify dust generating activities. Consider further action to minimise dust generation or continue to observe closely.

#### 2. Action Level 1

- a. Elevated levels of dust measured for two consecutive 15-minute averaging periods.
- b. Initial trigger values set at 25 µg/m<sup>3</sup> for PM<sub>2.5</sub>, 44 µg/m<sup>3</sup> PM<sub>10</sub> and 50 µg/m<sup>3</sup> TSP (99.9 percentile 15-minute average in absence of remediation)
- c. Immediately action additional dust mitigation measures and communicate requirement to reduce dust levels to all operational staff.

#### 3. Action Level 2

- a. Elevated levels of dust measured for three consecutive 15-minute averaging periods.
- b. Initial trigger values set at 82 µg/m<sup>3</sup> for PM<sub>2.5</sub>, 303 µg/m<sup>3</sup> PM<sub>10</sub> and 330 µg/m<sup>3</sup> TSP (100 percentile 15-minute average in absence of remediation)
- c. Cease operation and prioritise dust mitigation measures. Operation can recommence once subsequent alert levels are at Action Level 1 or below.

The Dust Management Plan is to consider historical remediation activities completed in the Tarago area and the sensitivities of neighbouring properties to impacts from dust.

### **13.11 Material Tracking**

All material handled during excavation of lead impacted materials is to be tracked to verify appropriate movement and handling. The system will track materials from cradle-to-grave, and will provide detailed information on the origin, quantity and fate of all materials excavated during remediation. Records will be maintained by Remediation Contractor site personnel defining chainage of origin, material types loaded, and material fate (temporary stockpile ID). These records shall be consolidated digitally according to the tracking spreadsheet attached as **Appendix 11**.

### **13.12 Survey**

The Remediation Contractor will co-ordinate survey to ensure all excavation areas and remnant contamination is accurately defined.

This survey forms part of the validation requirements described in **Table 14-6**.

### **13.13 Remediation Schedule**

The final remediation schedule will be discussed with the Remediation Contractor. A proposed indicative schedule up to the completion of a draft validation report is outlined in **Table 13-2**.

**Table 13-2: Remediation Schedule**

<b>Task</b>	<b>Estimated Duration</b>
<b>Planning, engagement of Remediation Contractor and receiving facility</b>	3 – 6 months
<b>Establishment of Site and Screening + Immobilisation Compound</b>	2 weeks
<b>Excavation, immobilisation and return of screened ballast</b>	4 – 6 weeks
<b>Total Duration</b>	19 – 32 weeks

### **13.14 Hours of Operation**

The Remediation Contractor shall only undertake works associated with validation works that may generate an audible noise at the closest residential receptor (20 Stewart Street and 17 Wallace Street) during the following hours, unless under direction from relevant authority for safety reasons or in the event of an emergency:

- 7:00 am to 6:00 pm Monday to Friday
- 7:00 am to 1:00 pm Saturdays
- At no time on Sundays or public holidays

Works may also be undertaken outside of these hours if in accordance with EPL 13421.

### 13.15 Contingency Plan

The contingencies presented in **Table 13-3** are to be implemented where unexpected site conditions or circumstances occur.

**Table 13-3: Contingency Plan**

Contingency Event	Contingency Action	Personnel Responsible
<b>Receival of a dust complaint</b>	<p>Stop Work</p> <p>Identify dust source and review control measures.</p> <p>Assess requirements for additional monitoring or investigation of impact.</p> <p>Review trigger alert system to determine if unacceptable impact measured at site boundary.</p>	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Exceedance of dust trigger levels (defined in Section 13.10)</b>	<p>Alert level trigger received – observe the operation to identify dust generating activities. Consider further action to minimise dust generation or continue to observe closely.</p> <p>Action Level 1 – Immediately action additional dust mitigation measures and communicate requirement to reduce dust levels to all operational staff.</p> <p>Action Level 2 - Cease operation and prioritise dust mitigation measures. Operation can recommence once subsequent alert levels are at Action Level 1 or below.</p>	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Validation sampling indicates screened ballast is unsuitable for onsite reuse</b>	Further removal of contaminated fines or immobilisation and disposal	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Validation sampling of immobilised material indicates not suitable for disposal as immobilised GSW</b>	Further immobilisation will occur	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Validation sampling of screened ballast indicates concentrations unsuitable to return to site, or a specific RRE cannot be obtained</b>	Characterise ballast for disposal to landfill or mix with <20 mm soils and immobilise for disposal to landfill	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Surface water or air quality monitoring post remediation (defined in Section 14) indicates unacceptable offsite risk</b>	<p>Monitor air quality and surface water post remediation to determine unacceptable offsite risk</p> <p>Consider further remediation of remnant contamination</p>	Principal and Principal's Environmental Representative
<b>Discovery of unexpected materials</b>	Contact the Principal's representative, sort materials into a segregated stockpile and discuss possible disposal options with the	Principal, following notification from the Remediation Contractor

	Principal or the Principal's Representative	
<b>Receival of a noise complaint</b>	Identify noise source and implement noise control measures	Remediation Contractor

**13.16 Long Term Environmental Management Plan**

A Long-Term Environmental Management Plan (LTEMP) will be required to provide guidance for ongoing maintenance of remnant contamination. The LTEMP will include survey of excavation areas and areas of remnant contamination. A legal requirement to implement the LTEMP should be defined through a covenant to the land title.

## 14. VALIDATION PLAN

The following is the validation Sampling and Analysis Quality plan (SAQP) to be implemented to validate the remedial objective has been achieved for the site.

### 14.1 Validation Data Quality Objectives

Specific Data Quality Objectives (DQOs) have been developed for the validation of field and analytical data obtained during the remediation. The DQO process is a systemic, seven step process that defines the criteria that the validation sampling should satisfy in accordance with the requirements of NSW EPA (2017) *Guidelines for the NSW Site Auditor Scheme* (3<sup>rd</sup> Edition). The DQOs are as follows:

#### 14.1.1 Step 1: State the Problem

Lead impacted soil exists at the site. Remediation is required to mitigate potential exposure risks into the future.

#### 14.1.2 Step 2: Identify the Decisions

The validation SAQP is to ensure that excavation of the Woodlawn Siding and surrounding soils (described in further detail on **Figures 2a – 2e**) occurs such that remnant lead concentrations are below remediation criteria described in **Section 10**.

Excavation areas will be surveyed after validation as the basis of documenting where contamination remains.

The site will be considered remediated when the remediation and validation program has been carried out successfully.

#### 14.1.3 Step 3: Identify Inputs to the Decision

The following inputs into the decision-making process are required:

- fpXRF measurement of lead concentrations to refine excavation areas onsite before excavation commences
- Documented materials tracking of all material movements including source excavation, transport. Screening and immobilisation, return of ballast to site and disposal of immobilised GSW
- fpXRF measurement of lead during remediation to define vertical and horizontal excavation limits onsite
- Validation sampling of screened ballast and analyses for total lead to confirm suitability for reuse onsite
- Validation sampling of immobilised ballast fines for TCLP lead to confirm suitability for disposal as immobilised GSW
- fpXRF measurement of lead in the screening and immobilisation compound before establishment of the compound and at completion of remediation
- Survey of validation excavations to define contaminated areas remaining onsite
- Completion of surface water and air quality monitoring in the receiving environment. One round of surface water monitoring will occur after >10 mm rainfall in a 24 hour period post remediation. Three months of air quality monitoring will occur post remediation.

#### **14.1.4 Step 4: Define the Study Boundary**

The study boundary includes proposed excavation areas onsite (the Woodlawn Siding and surrounding soils as defined on **Figures 2a – 2e**) and the screening and immobilisation compound.

#### **14.1.5 Step 5: Development of Decision Rules**

Data will be considered reliable if it satisfies the limits of decision error defined in **Section 14.1.6**.

Excavation will be considered sufficient when lead concentrations in remnant soils onsite are below the nominated remediation criteria of 2,200 mg/kg or excavation must be limited to preserve the structural integrity of operational lines.

Screened ballast will be considered suitable for reuse if the 95% UCL of lead concentrations in screened ballast after remediation is less than the nominated remediation criteria of 2,200 mg/kg.

Ballast fines will be considered suitable for disposal as immobilised GSW if the 95% UCL of lead leachate (TCLP) is less than the limit for lead leachate in GSW defined in the NSW EPA Waste Classification Guidelines (TCLP1 – 5 mg/L).

Clean-up of the screening and immobilisation compound after remediation will be considered complete when the 95% UCL of lead concentrations in remnant surface soils is below either the Tier 1 health investigation level for lead industrial land or the 95% UCL of lead concentrations in remnant surface soils before establishing the compound.

Potential for offsite contaminant migration after remediation will be considered to be satisfactorily low if contaminant concentrations in surface water and air quality monitoring are reported below validation criteria. Surface water validation criteria are presented in **Table 14-3**.

##### **14.1.5.1 Environmental Monitoring**

The effectiveness of remediation at mitigating exposure risks associated with site contamination in the receiving environment will be assessed through post remediation surface water and air quality monitoring. Existing monitoring data indicates exposure risks within the receiving environment are low. A polymer sealant was applied over areas of contamination onsite to limit potential contaminant migration offsite and while continued polymer application is not proposed post remediation, potential for offsite contaminant migration post remediation (integrating removal of the Woodlawn Siding) is likely to be low. Within this context one round of surface water monitoring after >10 mm rainfall in a 24hr period and 3 months of continuous air quality monitoring will be completed. This monitoring program is detailed further in **Section 14**.

### Surface Water Criteria

The criteria adopted for the assessment of surface water contamination are sourced from the following references:

- National Environment Protection Council (NEPC), National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended 2013 (NEPM, 2013)
- National Health and Medical Research Council (NHMRC) (2001) National Resource Management Ministerial Council (NRMMC) Australian Drinking Water Guidelines 6, Version 3.6 updated March 2021, (ADWG 2011)
- National Health and Medical Research Council (NHMRC), National Resource Management Ministerial Council (NRMMC) Guidelines for Managing Risks in Recreational Water (NHMRC, 2008)
- Department of Environment and Conservation (DEC) Guidelines for the Assessment and Management of Groundwater Contamination (DEC, 2007)
- Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZG 2018) (available at [www.waterquality.gov.au/anz-guidelines](http://www.waterquality.gov.au/anz-guidelines))
- Australian and New Zealand Environment and Conservation Council (ANZECC) & Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ) Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZECC, 2000)
- Advice on risks to human health and the environment: Boyd Street and publicly accessible areas, Tarago NSW, Site specific criteria – Protection of human health and terrestrial and/or aquatic ecosystems (EnRiskS, 2020)

### **Rationale for Application of Surface Water Guidelines**

The relevance of guidelines was determined based on iterative screening from the broadest and most sensitive water usage scenario which occurs in the Mulwaree River back through agricultural land and public roads to the least sensitive scenario which occurs at site.

All results from Mulwaree River samples (SW8 – SW10) have been screened against Tier 1 / screening guidelines relevant to human health (incidental ingestion), freshwater ecology, irrigation and stock watering as each of these receptors occur within the receiving waters (the Mulwaree River). Should results exceed screening guidelines and indicate site contamination may be the source, it would be appropriate to apply the guidelines that were exceeded to sampling locations upstream as this would inform further assessment of the site as the potential source. Previous monitoring results do not indicate site contamination is adversely affecting the Mulwaree River and site specific guidelines were developed for As, Cd, Pb, Mn, Ni (EnRiskS 2020) that integrate the ephemeral nature of surface water features between the Mulwaree River and the site and in these areas that results have been applied to samples from drainage features onsite (SW1 – SW6) and immediately downstream (SW7) have been applied to the exclusion of Tier 1 criteria.

Additionally, several technical refinements were identified and are relevant to guideline application. These were:

- ADWG Section 6.3.1 (2011) states that guideline values refer to the total amount of the substance present, regardless of its form (e.g. in solution or attached to suspended matter) and so analytical results from unfiltered samples should be assessed against human health criteria
- ANZG (2018) guidelines for metals in freshwater are adopted from the Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZECC 2000) which states the major toxic effect of metals comes from the dissolved fraction, so it is valid to filter samples (e.g. to 0.45 µm) and compare the filtered concentration against the trigger values



- Water hardness is identified as a physical parameter with a quantifiable effects correction factors are defined in the guidelines to address the effect of water hardness on the bioavailability of cadmium, chromium, lead, nickel and zinc.

To define appropriate hardness correction factors, water was conservatively presumed to be moderately hard based on the Goulburn Mulwaree Regional State of the Environment Report 2004-2009 (Goulburn Mulwaree Council 2009). Hardness correction factors were adopted from Table 3.4.4 of the Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZECC 2000) to develop refine Tier 1 criteria as described in **Table 14-1** below.

**Table 14-1: Hardness Corrections for Tier 1 Freshwater Ecology Guidelines**

	Original guideline value (mg/L)	Hardness Correction Factor	Corrected guideline value (mg/L)
Cadmium	0.0002	2.7	0.00054
Chromium	0.001	2.5	0.0025
Lead	0.0034	4	0.0136
Nickel	0.011	2.5	0.0275
Zinc	0.008	2.5	0.02

Application of guidelines at each sampling point is summarised in **Table 14-2**.

**Table 14-2: Guidelines Applied to Sampling Points**

Sampling Point	Location	Human Health - Site Specific <sup>A</sup>	Ecology - Site Specific <sup>A</sup>	Human Health - Recreational Scening <sup>B</sup>	Ecology - Screening <sup>C</sup>	Irrigation - Screening <sup>D</sup>	Stock Water - Screening <sup>E</sup>
SW1-UP	Upstream of Southern Culvert (offsite)	✓	✓	✓	✓	-	-
SW1	Upstream of Southern Culvert	✓	✓	✓	✓	-	-
SW2	Downstream of Southern Culvert	✓	✓	✓	✓	-	-
SW3	Upstream of Middle Culvert	✓	✓	✓	✓	-	-
SW4	Downstream of Middle Culvert	✓	✓	✓	✓	-	-
SW5	Upstream of Northern Culvert	✓	✓	✓	✓	-	-
SW6	Downstream of Northern Culvert	✓	✓	✓	✓	-	-
SW7	Dam on farm downstream of Northern Culvert (offsite)	-	-	✓	✓	✓	✓
SW8	Mulwaree River upstream of Middle and Northern Culvert Discharge	-	-	✓	✓	✓	✓
SW9	Mulwaree River upstream of Southern Culvert Discharge	-	-	✓	✓	✓	✓
SW10	Mulwaree River downstream of Middle and Northern Culvert Discharge	-	-	✓	✓	✓	✓

Assessment criteria adopted under each guideline are presented in **Table 14-3**.

**Table 14-3: Guideline Criteria (mg/L)**

Contaminant	Human Health - Site Specific Criteria	Human Health - Recreation Screening	Ecology - Site Specific Criteria	95% Fresh water (ANZG 2018)	Irrigation - Screening	Stock Water - Screening
<b>Total Metals</b>						
Aluminium	-	2	NA	NA	NA	NA
Arsenic	7	0.1	NA	NA	NA	NA
Barium	-	2	NA	NA	NA	NA
Beryllium	-	0.6	NA	NA	NA	NA
Cadmium	1.4	0.002	NA	NA	NA	NA
Chromium	-	0.5	NA	NA	NA	NA
Cobalt	-	-	NA	NA	NA	NA
Copper	-	20	NA	NA	NA	NA
Iron	-	3	NA	NA	NA	NA
Lead	7	0.1	NA	NA	NA	NA
Manganese	350	5	NA	NA	NA	NA
Mercury	-	0.01	NA	NA	NA	NA
Nickel	14	0.2	NA	NA	NA	NA
Zinc	-	30	NA	NA	NA	NA
<b>Dissolved Metals</b>						
Aluminium	NA	NA	-	0.055 <sup>a</sup>	20	5
Arsenic	NA	NA	0.5	0.024 <sup>b</sup>	2	0.5-5
Barium	NA	NA	-	-	-	-
Beryllium	NA	NA	-	-	0.5	-
Cadmium	NA	NA	10	0.00054 <sup>g</sup>	0.05	0.01
Chromium	NA	NA	-	0.002.5 <sup>g</sup>	1	1
Cobalt	NA	NA	-	0.0014	0.1	1
Copper	NA	NA	0.5	0.0014	5	0.4-5
Iron	NA	NA	-	-	10	not sufficiently toxic
Lead	NA	NA	0.1	0.0034	5	0.1
Manganese	NA	NA	-	1.9	10	not sufficiently toxic
Mercury	NA	NA	-	0.00006 <sup>d, e</sup>	0.002	0.002
Nickel	NA	NA	1	0.0275 <sup>g</sup>	2	1
Zinc	NA	NA	20	0.02 <sup>g</sup>	5	20

blank cell denoted with – indicates no criterion available.

<sup>a</sup> Aluminium guidelines for pH > 6.5, based on the pH of groundwater measured at the Site and surrounding area. This is an aesthetic criteria only based on post flocculation problems,

<sup>b</sup> Guideline value for arsenic (III).

<sup>c</sup> Guideline value for chromium (VI).

<sup>d</sup> Guideline value for inorganic mercury.

<sup>e</sup> 99% species protection level DGV has been adopted to account for the bioaccumulating nature of this contaminant.

<sup>f</sup> Guideline value for m-xylene. Guideline values also exist for both o-xylene and p-xylene as per ANZG (2018). The default guideline value for m-xylene guideline has been adopted as it is the most conservative

<sup>g</sup> Hardness correction factor applied to the threshold value as detailed in **Table 14-1**.

Air Quality Criteria Air quality criteria are defined in **Table 14-4**.

**Table 14-4: Air Quality Criteria**

Pollutant	Averaging period	Criteria	Source
Lead	Annual	0.5 µg/m <sup>3</sup>	NEPC (1998)
TSP	Annual	90 µg/m <sup>3</sup>	NHMRC (1996)
PM <sub>2.5</sub>	24 hours	25 µg/m <sup>3</sup>	DoE (2016)
	Annual	8 µg/m <sup>3</sup>	DoE (2016)
PM <sub>10</sub>	24 hours	50 µg/m <sup>3</sup>	DoE (2016)
	Annual	25 µg/m <sup>3</sup>	DoE (2016)
Deposited dust	Annual	4 g/m <sup>2</sup> /month	NERDDC (1988)

A post remediation air quality monitoring program shall include monitoring of lead in TSP, with consideration to measure airborne dust and deposited matter.

**14.1.6 Step 6: Specify Performance Criteria**

Validation performance criteria are defined to assess potential for a false positive or false negative in validation data. Performance criteria for fpXRF measurements of lead in soil, and sampling for laboratory analyses of surface water and airborne dust are presented in **Table 14-5** below.

**Table 14-5 Performance Criteria for Validation Sampling**

Category		Performance Criteria		
	fpXRF Measurements	Sampling of Screened Ballast and Immobilised Ballast Fines	Surface Water Sampling	Air Quality Monitoring
Accuracy: Accuracy in the collection of field data will be controlled by:	Appropriate sampling methodologies utilised and complied with. Works to be completed in accordance with US EPA 2007, <i>Method 6200, Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment</i> .	Soil sampling for laboratory analyses will occur in general accordance with <i>AS 4482.1-2005 Guide to the investigation and sampling of sites with potentially contaminated soil - Non-volatile and semi-volatile compounds</i> and <i>AS 1141.3.1 - 2012 Methods for Sampling and Testing Aggregates, Method 3.1: Sampling - Aggregates</i>	<ul style="list-style-type: none"> <li>• Calibrated measurement equipment used. The water quality meter will be calibrated by the technical rental company prior to use.</li> <li>• Appropriate sampling methodologies utilised and complied with. Works to be completed with regard for <i>AS NZS 5667.6-1998 Water quality - Sampling - Guidance on sampling of rivers and streams</i>.</li> <li>• Collection of one intra-laboratory duplicate for surface water and one intra-laboratory duplicate for sediment.</li> <li>• Rinsate samples are not proposed to be collected due to surface water samples being collected directly into dedicated sampling containers (or field filtered using single use syringes and filters) using disposable nitrile gloves. Sediment samples will be collected using plastic tubing (bailers) cut down to act as disposable sediment core samplers.</li> </ul>	<p>Dust deposition will be measured in accordance with <i>AS/NZS 3580.10.1 Determination of Particulate Matter - Deposited Matter - Gravimetric method</i>.</p> <p>Suspended particulates will be measured in accordance with <i>AS/NZS.9.15 Determination of suspended particulate matter - Particulate metals high or low volume sampler gravimetric collection - Inductively coupled plasma (ICP) spectrometric method</i>.</p> <p>Continuous airborne dust monitoring will occur using a particle counter (QAMS DMP 7000) configured to measure PM10 and PM2.5 at 5-minute intervals over the course of the program.</p>
Precision: The degree to which data generated from replicate or repetitive measurements differ from one another due to random errors. Precision of field data will be maintained by:	<ul style="list-style-type: none"> <li>• XRF readings will be collected by a experienced scientist holding a NSW EPA license required for field based XRF testing</li> <li>• XRF readings will be collected from soil in-situ and measurements will be taken by placing the XRF directly on the ground surface.</li> <li>• the soil surface to be measured will be cleared of debris and</li> </ul>	<p>In the field, precision will be maintained by:</p> <ul style="list-style-type: none"> <li>• Using standard operating procedures for the collection of soil samples.</li> <li>• Collection of soil samples by suitably experienced environmental scientists.</li> <li>• Use of disposable nitrile rubber gloves between sampling locations.</li> </ul>	<ul style="list-style-type: none"> <li>• Surface water sampling will be completed by experienced scientists</li> <li>• A new pair of disposable nitrile gloves to handle each sample.</li> <li>• Samples will be placed immediately into laboratory supplied and appropriately preserved sampling vessels</li> <li>• Samples will be stored in chilled, insulated containers with ice for transportation to the laboratory</li> </ul>	<p>In the field, precision will be maintained by:</p> <ul style="list-style-type: none"> <li>• Using standard operating procedures for air quality monitoring.</li> <li>• Completion of air quality monitoring by suitably experienced environmental scientists.</li> <li>• Recording of sample identification and analytical</li> </ul>

Category		Performance Criteria		
fpXRF Measurements	Sampling of Screened Ballast and Immobilised Ballast Fines	Surface Water Sampling	Air Quality Monitoring	
<p>grass prior to taking the measurement to ensure that there is no obstruction, that the analyser window is protected and that contact with the sample surface is maintained during measurements.</p> <ul style="list-style-type: none"> <li>As moisture is known to affect measured concentrations, visually dry surfaces will be chosen for measurement.</li> <li>Soil sampling for confirmatory laboratory analyses will occur in general accordance with <i>AS 4482.1-2005 Guide to the investigation and sampling of sites with potentially contaminated soil - Non-volatile and semi-volatile compounds</i>. This will include: <ul style="list-style-type: none"> <li>Collection of samples by a suitably experienced environmental scientist</li> <li>Use of disposable nitrile rubber gloves between locations</li> <li>Soil samples will be placed immediately into laboratory supplied and appropriately preserved sampling vessels.</li> <li>Sample numbers, preservation and analytical requirements are to be recorded on chain of custody documents.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Placement of samples directly into designated single use sampling containers.</li> <li>Collection of intra-laboratory and inter-laboratory duplicate samples at a rate of 1 in 20 primary samples.</li> <li>Collection of one rinsate sample on reusable sampling equipment at the end of each day.</li> <li>Recording of sample identification and analytical requirements on chain of custody documents.</li> <li>Samples transported to the laboratory under chain of custody conditions to a laboratory with NATA accreditation for the analytical methods prescribed.</li> <li>XRF readings collected by an experienced scientist holding a NSW EPA license required for field based XRF testing.</li> <li>In the laboratory, precision will be assessed using blind duplicate samples and split duplicates.</li> </ul>	<ul style="list-style-type: none"> <li>Sample numbers, preservation and analytical requirements will be recorded on chain of custody documents.</li> <li>5. Samples will be transported to the laboratory under chain of custody conditions.</li> </ul>	<ul style="list-style-type: none"> <li>requirements on chain of custody documents.</li> <li>Samples transported to the laboratory under chain of custody conditions to a laboratory with NATA accreditation for the analytical methods prescribed.</li> </ul>	

Category	Performance Criteria			
	fpXRF Measurements	Sampling of Screened Ballast and Immobilised Ballast Fines	Surface Water Sampling	Air Quality Monitoring
	<ul style="list-style-type: none"> <li>Samples are to be transported to the laboratory under chain of custody conditions to a laboratory with NATA accreditation for COPCs.</li> </ul>			
<p>Completeness: The completeness of the data set shall be judged by:</p>	<ul style="list-style-type: none"> <li>All locations sampled as outlined in <b>Section 14.1.7</b>.</li> <li>Sampling completed by experienced personnel</li> <li>Field documentation completed correctly</li> </ul>	<ul style="list-style-type: none"> <li>All locations sampled as outlined in <b>Section 14.1.7</b>.</li> <li>Sampling completed by experienced personnel</li> <li>Field documentation completed correctly</li> </ul>	<ul style="list-style-type: none"> <li>All locations sampled as outlined in <b>Section 14.1.7</b>.</li> <li>Sampling completed by experienced personnel</li> <li>Field documentation completed correctly</li> </ul>	<ul style="list-style-type: none"> <li>All locations sampled as outlined in <b>Section 14.1.7</b>.</li> <li>Sampling completed by experienced personnel</li> <li>Field documentation completed correctly</li> </ul>
<p>Representativeness: The representativeness of the field data will be judged by:</p>	<ul style="list-style-type: none"> <li>Non-disposable sampling equipment, such as the hand auger, will be thoroughly decontaminated between locations using Decon 90 solution and deionised rinsate water.</li> <li>At each location, a pair of disposable nitrile gloves will be worn while sampling and handling the sample; gloves will be replaced between each successive sample.</li> <li>Soil analytical samples will be collected directly into the sampling vessels.</li> </ul>	<ul style="list-style-type: none"> <li>Non-disposable sampling equipment, such as the hand auger, will be thoroughly decontaminated between locations using Decon@90 solution and deionised rinsate water.</li> <li>At each location, a pair of disposable nitrile gloves will be worn while sampling and handling the sample; gloves will be replaced between each successive sample.</li> <li>Soil analytical samples will be collected directly into the sampling containers following size reduction and splitting.</li> </ul>	<ul style="list-style-type: none"> <li>Non-disposable sampling equipment, such as the grab sampler and water quality meter, will be thoroughly decontaminated between locations using Decon 90 solution and deionised rinsate water.</li> <li>At each location, a pair of disposable nitrile gloves will be worn while sampling and handling the sample; gloves will be replaced between each successive sample.</li> <li>Surface water analytical samples will be collected directly into the sampling vessels using an extendable pole sampler where appropriate.</li> </ul>	<ul style="list-style-type: none"> <li>Dust deposition gauge bottles will be sourced from a NATA accredited laboratory</li> <li>At each location, a pair of disposable nitrile gloves will be worn while sampling and handling the sample; gloves will be replaced between each successive sample</li> <li>Dust HV filters will be transported in disposable zip-lock bags</li> </ul>
<p>Comparability: Comparability to existing field data will be maintained by:</p>	<ul style="list-style-type: none"> <li>Use of the same appropriate sampling methodologies</li> <li>Same sampling depths will be used (i.e.: 0-0.05 mbgl)</li> <li>Analytical samples will be collected for submission to the laboratory</li> <li>Photographs will be taken of sampling location conditions at the time of sampling.</li> </ul>	<ul style="list-style-type: none"> <li>Use of the same appropriate sampling methodologies</li> <li>Same sampling depths will be used (where practical)</li> <li>Analytical samples will be collected for submission to the laboratory</li> <li>Photographs will be taken of sampling location conditions at the time of sampling.</li> </ul>	<ul style="list-style-type: none"> <li>Use of the same appropriate sampling methodologies</li> <li>Same sampling depths for surface water (where practical)</li> <li>Visual and olfactory observations will also be recorded on the field sheet.</li> <li>Photographs will be taken of sampling location conditions at the time of sampling.</li> </ul>	<ul style="list-style-type: none"> <li>Use of the same appropriate sampling methodologies</li> <li>Same sampling locations will be used</li> <li>Analytical samples will be collected for submission to the laboratory</li> <li>Photographs will be taken of sampling location conditions at the time of sampling.</li> </ul>

Performance criteria for analyses of soil duplicates, surface water samples and air quality samples are defined as follows:

- Data will be analysed adopting RPD control limits of +/- 30%.  
Where concentration levels are less than two times the PQL, the Absolute Difference (AD) shall be calculated. Data will be considered acceptable if the:  $AD < 2.5$  times the PQL.  
Any data which does not conform to these acceptance criteria will be examined for determination of suitability.
- Blank samples will be submitted with the analytical samples and analysed for the contaminants of concern: One Field Blank will be collected each day.
- The laboratory will additionally undertake a method blank with each analytical batch of samples. Laboratory method blank analyses are to be below the PQLs. Results shall be examined, and any positive results shall be examined. Positive blank results may not be subtracted from sample results.

Positive results may be acceptable if sample analyte concentrations are significantly greater than the amount reported in the blank (ten times for laboratory reagents such as methylene chloride, chloroform, and acetone etc., and five times for all other analytes). Alternatively, the laboratory PQL may be raised to accommodate blank anomalies provided that regulatory guidelines are not compromised by any adjustment made to the PQL.

#### ***Decision Error Protocol***

If the data received is not in accordance with the defined acceptable limits outlined in Steps 5 and 6, it may be considered to be an estimate or be rejected. Determination of whether this data may be used or if re-sampling is required will be based on the following considerations:

- Closeness of the result to the guideline concentrations
- Specific contaminant of concern (e.g. response to carcinogens may be more conservative)
- The area of site and the potential lateral and vertical extent of questionable information
- Whether the uncertainty can be effectively incorporated into site management controls

#### ***Rectifying Non-conformances***

If any of the validation procedures or criteria identified are not followed or met, this will constitute a non-conformance. The significance of the non-conformance will determine if rectification is required after discussion with the site auditor. In order to address any non-conformances, the Principal's Environmental Representative must assess the significance of each non-conformance and put their conclusion and recommendation to the auditor for approval.

#### **14.1.7 Step 7: Optimise the Design for Obtaining Data**

All validation samples are to be collected in accordance with the DQOs outlined in this Section.

Validation samples, frequency of collection, the analysis required, and justification is presented in **Table 14-6**.

**Table 14-6: Validation Plan**

Validation Method	Validation Requirements	Measurement / Analyses
<p><b>Validation of remnant soils</b></p>	<p>fpXRF measurements onsite demonstrating lead in excavation surface soils is &lt; 2200 mg/kg.</p> <p>fpXRF measurements at the immobilisation compound demonstrating the 95% UCL of lead concentrations in remnant surface soils is below either the Tier 1 health investigation level for lead industrial land or the 95% UCL of lead concentrations in remnant surface soils before establishing the compound.</p> <p>Measurements will occur to achieve a density of 1/100 m<sup>2</sup> across the base of excavation areas on 10 meter increments along excavation walls. Measurements will occur to achieve a density of 1/100 m<sup>2</sup> across the immobilisation compound.</p> <p>Validation sampling has occurred in areas where excavation of lead impacted soils occurred during loop extension. Analytical results will be provided in the validation report though were observed to fall below site assessment criteria. Excavation for rail loop construction was followed by importation and placement of rail construction materials. Further validation is not considered warranted though would also not be feasible without disturbing active rail formation.</p> <p>Review of material tracking demonstrating appropriate and controlled movement of lead impacted materials.</p> <p>Lead impacted soils will remain onsite following remediation and will be managed under a long term EMP.</p>	<p>fpXRF measurements of lead supplemented by laboratory QC samples and existing primary laboratory analyses.</p>
<p><b>Validation of screened ballast and immobilised fines</b></p>	<p>Screened ballast will be considered suitable for reuse if the 95% UCL of lead concentrations in screened ballast after remediation is less than the Industrial Health Investigation Level for lead of 1,500 mg/kg (NEPC 2013).</p> <p>Ballast fines will be considered suitable for disposal as immobilised GSW if the 95% UCL of lead leachate (TCLP) is less than the limit for lead leachate in GSW defined in the NSW EPA Waste Classification Guidelines (TCLP1 – 5 mg/L).</p> <p>Validation sampling of screened ballast and immobilised fines stockpiles will be completed by the Principals environmental representative.</p> <p>Sampling will occur to achieve a density of 1/25 m<sup>3</sup> with a minimum of three samples.</p>	<p>Laboratory analyses of screened ballast for total lead and immobilised fines for lead leachate (TCLP).</p>



<p><b>Surface water monitoring</b></p>	<p>One round of surface water monitoring is proposed post remediation. Risks from site contamination within the downstream receiving environment will be considered acceptable when metals concentrations from surface water samples collected at locations presented on <b>Figure 3, Appendix 1</b> are below criteria nominated in <b>Section 14.1.6</b> or where contaminant concentrations upstream and downstream are comparable.</p>	<p>Laboratory analyses of total and dissolved metals (Al, As, Ba, Be, Cd, Cr, Cu, Fe, Pb, Mg, Hg, Ni, Zn)</p>
<p><b>Air quality monitoring</b></p>	<p>Three months of air quality monitoring are proposed post remediation. Risks from site contamination in airborne dust within the surrounding environment will be considered acceptable when lead in samples from airborne and/or deposited dust collected at locations presented on <b>Figure 3, Appendix 1</b> are below criteria nominated in <b>Section 14.1.6</b>.</p>	<p>Laboratory analyses for lead, TSP and deposited dust.</p>

#### 14.1.7.1 Validation Reporting

A validation Report will be prepared in general accordance with the relevant sections of NSW OEH (2020) *Guidelines for Consultants Reporting on Contaminated Land* and the NSW EPA *Guidelines for the NSW Site Auditor Scheme 3rd Edition* (NSW EPA 2017). The Validation Report will include:

- Executive summary
- Scope of work
- Site Description
- Summary of site history and previous investigations
- Remediation activities undertaken, including the extent of the excavation works (survey information) and observations made during excavation works
- Supporting factual evidence of the remediation work including photographic and field records and materials tracking data
- Validation sampling and analysis results
- Quality assurance/ quality control (QA/QC) protocols for field work and laboratory analysis and
- A statement indicating the adequacy of the remediation completed, degree to which lead impacts have been removed and if / where impacts remain.

#### 14.1.7.2 Long Term Environmental Management Plan

A long term EMP will be prepared to define the location of remnant contamination and management measures required to mitigate risks associated with future disturbance of these areas. The Long Term EMP will be prepared in accordance with *Consultants Reporting on Contaminated Land – Contaminated Land Guidelines* (NSW EPA 2020) and will include:

- Purpose
- Background
- Definition of remnant contamination integrating survey data presented on site plans
- Management activities
- Monitoring and inspection requirements
- Triggers for review of the LTEMP
- Mechanism for enforceability

## 15. CONCLUSIONS

The preferred remedial strategy includes offsite disposal of ballast fines from the Woodlawn Siding and adjacent surface soils. Ballast will be mechanically screened for reuse onsite. Impacted soils will be excavated. Ballast fines and soils will be transported off site to a compound established at a licensed waste facility and chemically immobilised for disposal as General Solid Waste in accordance with a NSW EPA Specific Immobilisation Approval.

Contaminated ballast will remain within operational rail formations and at depth around the footprint of the former Ore Concentrate Loadout Complex buildings. Remnant contamination will be managed under a long term environmental management plan (LTEMP).

The effectiveness of remediation at mitigating exposure risks associated with site contamination in the receiving environment will be assessed through post remediation surface water and air quality monitoring.

It is anticipated that the proposed remedial strategy will appropriately mitigate risks associated with site contamination and that the LTEMP will effectively manage risk from residual contamination.

## 16. LIMITATIONS

Ramboll Australia Pty Ltd (Ramboll) prepared this report in accordance with its engagement with John Holland Rail and in accordance with our understanding and interpretation of current regulatory standards.

A representative program of sampling and laboratory analyses was undertaken to assess site contamination, based on past and present known uses of the site. While every care has been taken, concentrations of contaminants measured may not be representative of conditions between the locations sampled and investigated. We cannot therefore preclude the presence of materials that may be hazardous. Site conditions may change over time. This report is based on conditions encountered at the Site at the time of the report and Ramboll disclaims responsibility for any changes that may have occurred after this time.

The conclusions presented in this report represent Ramboll's professional judgment based on information made available during the course of this assignment and are true and correct to the best of Ramboll's knowledge as at the date of the assessment.

Ramboll did not independently verify all of the written or oral information provided to Ramboll during the course of this investigation. While Ramboll has no reason to doubt the accuracy of the information provided to it, the report is complete and accurate only to the extent that the information provided to Ramboll was itself complete and accurate.

This report does not purport to give legal advice. This advice can only be given by qualified legal advisors.

### 16.1 User Reliance

This report has been prepared exclusively for John Holland Rail and may not be relied upon by any other person or entity without Ramboll's express written permission.

## 17. REFERENCES


- ANZECC. (2000). *Australia and New Zealand Environment and Conservation Council, Guidelines for Fresh and Marine Water Quality.*
- ANZG. (2018). *Australian and New Zealand Guidelines for Fresh and Marine Water Quality.*
- Australian Geoscience Information Network (AUSGIN) portal (<http://portal.geoscience.gov.au/> accessed 8/1/2020)
- BOM. (2018). *Australian Groundwater Explorer.*
- DEC. (2007). *Department of Environment and Conservation NSW, Guidelines for the Assessment and Management of Groundwater Contamination.*
- Department of Environment and Heritage Protection. (2012). *Guidelines for Contaminated Land Professionals.*
- EnRiskS (2020). *Advice on risks from metals in soil: Agricultural property at 2135 Braidwood Road, Tarago NSW (EnRiskS 2020)*
- EnRiskS (2021a). *Advice on risks to human health and the environment: Boyd Street and publicly accessible areas, Tarago NSW.*
- EnRiskS (2021b). *Advice on risks from metals in soil: property P40, Tarago, NSW.*
- Jododex Australia (1976). *Woodlawn Project: Addendum to Environmental Impact Statement.*
- NEPC. (2013). *National Environment Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1).* NEPC.
- NEPC. (2013). *National Environment Protection Council (NEPC), National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended 2013.*
- NHMRC. (2008). *National Health and Medical Research Council Guidelines for Managing Risk in Recreational Waters.*
- NHMRC. (2008). *National Health and Medical Research Council Guidelines for Managing Risks in Recreational Waters.*
- NHMRC. (2018). *National Health and Medical Research Council, Australian Drinking Water Guidelines.*
- NSW Department of Planning Industry Environment MinView portal (<https://minview.geoscience.nsw.gov.au/>)
- NSW EPA. (1995). *Sampling Design Guidelines.*
- NSW EPA. (2014). *Waste Classification Guidelines, Part 1: Classifying Waste.*
- NSW EPA. (2017). *Guidelines for the Site Auditor Scheme (3rd Edition).*
- OEH. (2011). *Office of Environment and Heritage, Contaminated Sites: Guidelines for Consultants reporting on Contaminated Sites.*
- Ramboll (2019a) *August 2019 Surface Water Monitoring - Tarago Loop Extension*
- Ramboll (2019b) *Tarago Loop Extension Further Intrusive Assessment and Lead Management Plan*
- Ramboll (2019c) *Tarago Crossing Loop Extension Short-Term Lead Management Plan*
- Ramboll (2019d) *Tarago Loop Extension Preliminary Human Health Risk Assessment*
- Ramboll (2019e) *Tarago Rail Corridor Environmental Site Assessment*
- Ramboll (2019f) *Tarago Loop Extension: Interim Lead Management Plan*
- Ramboll (2020a) *Tarago Rail Corridor and Tarago Area Detailed Site Investigation*
- Ramboll (2020b) *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum*
- Ramboll (2020c) *Containment Cell Area Selection Tarago Rail Corridor Remediation Project*
- Ramboll (2020d) *Tarago Lead Management Action Plan*
- Ramboll (2020e) *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum*
- Ramboll (2020f - 2021b) *Tarago Air Quality Monitoring Reports April 2020 – February 2021*
- Ramboll (2021c) *April 2021 Surface Water Monitoring Tarago NSW*
- SRK (2015) *Woodlawn Retreatment Project 2015 Mineral Resources Technical Report (NI 43-101)*

US EPA (1989) *Risk Assessment Guidance for Superfund Volume 1, Human Health Evaluation Manual (Part A)*

US EPA (2007) *Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment*

WHO. (2008). *World Health Organisation (WHO) Guidelines for Drinking-water Quality, third edition.*

## **APPENDIX 1 FIGURES**



- Legend**
- Site boundary
  - Rail corridor
  - Rail corridor fence

A4  
1:10,000





Figure 1 | Locality Plan



**Legend**


- Site boundary
- Rail corridor fence
- 0.1km chainage point
- Signal trench (approximate)
- Surface water flow (indicative)
- Survey lines
- Rail track
- Top of bank
- Bottom of bank
- Other elements
- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Previous sampling location (McMahon)
- Shallow soil (Ramboll 2019)
- Hand auger (Ramboll 2019)
- 1200 Lead concentration for XRF sample (mg/kg)
- Validation sample (Ramboll 2019)
- Lead impacted area to remain
- Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 mbgl
- Area of excavation during loop extension (no further excavation proposed)

A4  
1:1,000



Figure 2a | Site Plan





RAMBOLL AUSTRALIA - GIS MAP file : 318000780 GIS p018 T22 RAPs 02 RAP RailCorridor - F002 RemediationAreas\_V05 | 23/06/2021

- Legend**
- Site boundary
  - Rail corridor fence
  - 0.1km chainage point
  - Signal trench (approximate)
  - Surface water flow (indicative)
  - Former loadout road (approximate)

- Survey lines**
- Rail track
  - Top of bank
  - Bottom of bank
  - Other elements

- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Shallow soil (Ramboll 2019)
- Test pit (Ramboll 2019)
- Hand auger (Ramboll 2019)
- Lead concentration for XRF sample (mg/kg)
- Validation sample (Ramboll 2019)
- Groundwater monitoring location
- Test pit (loadout complex)

- Lead impacted area to remain
- Redundant Woodlawn siding - proposed excavation depth 0.5 mbgl
- Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 mbgl
- Area of excavation during loop extension (no further excavation proposed)





Figure 2b | Site Plan



**Legend**

- Site boundary
- Rail corridor fence
- 0.1km chainage point
- Signal trench (approximate)
- Surface water flow (indicative)
- Former loadout road (approximate)
- Former loadout complex building footprint

**Survey lines**

- Rail track
- Top of bank
- Bottom of bank
- Other elements

- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Shallow soil (Ramboll 2019)
- Test pit (Ramboll 2019)
- Hand auger (Ramboll 2019)
- Lead concentration for XRF sample (mg/kg)
- Groundwater monitoring location
- Test pit (loadout complex)

- Lead impacted area to remain
- Redundant Woodlawn siding - proposed excavation depth 0.5 m bgl
- Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 m bgl
- Haul route





Figure 2c | Site Plan



RAMBOLL AUSTRALIA - GIS MAP file: 318000790\_GIS\_P018\_T22\_RAPs\_02\_RAP\_RailCenter | F005\_TPs\_Loadout\_V01 | 24/06/2021

**Legend**

- Former loadout complex building footprint
- Former loadout road (approximate)
- Site boundary
- Surface water flow (indicative)
- Lead impacted area

- + Loadout complex testpit (March 2020)
- + Loadout complex testpit (August 2020)
- Groundwater monitoring location

**Lead exceedance criteria**

Sample depth (m)	Site Specific Human Health	EIL Commercial/Ind. (NEPM 2013)
	>2200 mg/kg	>1800 mg/kg

A4  
1:600





Figure 2ci | Loadout complex sampling locations



- Legend**
- Site boundary
  - Rail corridor fence
  - 0.1km chainage point
  - Signal trench (approximate)
  - Surface water flow (indicative)
  - Survey lines
  - Rail track
  - Top of bank
  - Bottom of bank
  - Other elements
  - X-Ray fluorescence sampling (Ramboll 2019, 2020)
  - Shallow soil (Ramboll 2019)
  - Test pit (Ramboll 2019)
  - Lead concentration for XRF sample (mg/kg)
  - Lead impacted area to remain
  - Redundant Woodlawn siding - proposed excavation depth 0.5 mbgl
  - Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 mbgl
  - Haul route





Figure 2d | Site Plan



RAMBOLL AUSTRALIA - GIS MAP file : 318000780 GIS PD 18 T22 RAPs 02 RAP RailCorridor F002 RemediationAreas V05 23/06/2021

**Legend**

- Site boundary
- Rail corridor fence
- 0.1km chainage point
- Goulburn Street level crossing
- Signal trench (approximate)
- Surface water flow (indicative)
- Survey lines
- Rail track
- Top of bank
- Bottom of bank
- Other elements
- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Shallow soil (Ramboll 2019)
- Test pit (Ramboll 2019)
- 1200 Lead concentration for XRF sample (mg/kg)
- Groundwater monitoring location
- Lead impacted area to remain
- Haul route





Figure 2e | Site Plan



RAMBOLL AUSTRALIA - GIS MAP file : 318000780\_GIS\_P018\_T22\_RAPs\_02\_RAP\_RailCorridor | E006\_Compositesamples\_V01 | 24/06/2021

**Legend**

- Site boundary
- Rail corridor
- Rail corridor fence
- Lead impacted area
- Stockpile (JHR)

**Composite sampling (Ramboll 2020)**

- Stockpile sample
- Test pit
- Lead (mg/kg)

A4  
1:5,000



Figure 3 | Soil Sampling for the Resource Recovery Exemption



**Legend**

- ◆ Groundwater monitoring location
- Site boundary
- Rail corridor
- Rail corridor fence
- Lead impacted area

- Groundwater contours
- 1m contour
  - 0.25m contour
  - 0.05m contour

*Note: MW1 has been excluded from contouring as groundwater is likely to be influenced by the nearby tributary to the Mulwaree River.*

A4  
1:5,000





Figure 4 | Groundwater contours



P:\MROLLAUSTRALIA - GIS MAP file : 318000780\_GIS\_P018\_172\_TARAGO\_02\_TAP\_RailCorridor | F008\_MW\_V01 | 24/06/2021

**Legend**

- ◆ Groundwater monitoring location
- ◆ Groundwater monitoring location (registered, approximate location)
- Site boundary
- Rail corridor
- Rail corridor fence
- Lead impacted area

**Exceedances**

Contaminant (mg/L)	> ANZG 2018 Freshwater Ecosystems
Cadmium (filtered)	0.0002
Chromium (filtered)	0.001
Cobalt (filtered)	0.0014
Lead (filtered)	0.0034
Zinc (filtered)	0.008

A4  
1:5,000




Figure 5 | Groundwater monitoring well locations





RAMBOLL AUSTRALIA - GIS MAP file : 318000780\_GIS\_P01.8\_T22\_PAPs\_02\_PAP\_RailCorridor | F003\_SurfaceWaterSamples\_V03 | 24/06/2021

**Legend**

- Surface water sampling location
- Rail corridor
- Rail corridor fence
- Lead impacted area
- Indicative surface water flow path (ie: not ephemeral)
- Indicative ephemeral surface water flow path

A4  
1:10,000




Figure 6 | Surface Water Monitoring



RAMBOLL AUSTRALIA - GIS MAP file : 318000780\_GIS\_P018\_T2.2\_RAPS\_02\_RAP\_RailCorridor - F004\_AQMLocality\_V03 | 24/06/2021  
 Imagery: Maxar

**Legend**

- Site boundary
- Rail corridor
- Rail corridor fence
- Lead impacted area

**Sampling locations**

- Deposited dust and lead (from dust deposition gauge)
- TSP and lead (from high volume air sampler)
- Continuous PM10 and PM2.5 (from particle counter)
- Regional meteorological monitoring from DPIE Air quality monitoring station (see location inset)




Figure 7 | Air quality monitoring locations

## **APPENDIX 2 HISTORIC RESULTS REMEDIAL OPTION COST ASSESSMENT**

		<b>SS94</b>	<b>SS95</b>	<b>SS101</b>	<b>SS112</b>	<b>D03_230919</b>	<b>Average</b>
	<b>Units</b>						
Cation exchange capacity	cmol/kg	15	15	10	15	9	12.8
pH (calcium chloride method)	pH Units	5.9	5.4	5.2	4.7	4.9	5.22
Organic carbon content	%	2.2	2.5	0.8	1.3	2.1	1.78
Iron content (aqua regia method)	%	1.1	0.76	0.88	1.4	1.1	1.048
% clay	%	13	13	8.5	18	7.5	12
<b>Measured background concentration</b>							
Copper	mg/kg	-	-	6.9	-	-	-
Nickel	mg/kg	-	-	<u>2.5</u>	-	-	-
Chromium	mg/kg	-	-	7.2	-	-	-
Zinc	mg/kg	-	-	31	-	-	-

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Underlined values were reported <LOR and have been halved to allow for comparison of data.

SS101 selected for background due to low concentrations.

	NEPM 2013 HIL D Commercial / Industrial	NEPM 2013 ESLCommercial / Industrial <sup>a</sup>	NEPM 2013 Management Limits Commercial / Industrial <sup>c</sup>	CRC CARE 2011 Direct Contact <sup>b</sup> HSL D	CRC CARE 2011 Direct Contact <sup>b</sup> HSL for Intrusive Maintenance Workers	CRC CARE 2011 Vapour Intrusion HSL for Intrusive Maintenance Workers Sand 0-<2m <sup>a</sup>	NEPC EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil		
								ALS Sample number:	S19-J139840	S19-J139841	S19-J139842	S19-J139843	S19-J139844	S19-J139845	S19-J139846	S19-J139847	S19-J139848	S19-J139849	S19-J139850	S19-J139851	S19-Se36992	S19-Se36993	S19-Se36994	S19-Se36995		
								Sample date:	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	22-09-19	22-09-19	22-09-19	22-09-19		
								Sample ID:	TP4 0.1-0.3	TP5 0.1-0.45	TP6 0.1-0.4	TP7 0.1-0.4	TP8 0.1-0.3	TP9 0.1-0.3	TP10 0.2	TP11 0.1	TP12 0.1	TP13 0.1	TP14 0.1	TP16 0.1	SS52	SS53	SS54	SS55		
								Project Name:	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop Lead Management	Tarago Loop Lead Management	Tarago Loop Lead Management	Tarago Loop Lead Management		
								Sampling Method:	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit		
								Sample Description																		
<b>Analyte grouping/Analyte</b>																										
<b>Units</b>																										
<b>LOR</b>																										
<b>EA055: Moisture Content</b>																										
Moisture Content (dried @ 103°C)																										
								%	--	3	3.7	2.4	< 1	1.1	21	9.1	10	9.4	11	2.3	7.3	8	2.5	14	17	
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>																										
Asbestos Detected																										
								g/kg	0.1	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	
Asbestos Type																										
								--	--	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Sample weight (dry)																										
								g	0.1	594	540	65	247	430	259	59	53	68	51	66	751	853	1120	937	574	
Description																										
								--	--	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil, rocks and bituminous material	Brown coarse-grained soil, rocks and bituminous material	Brown coarse-grained soil, rocks and organic debris		
<b>EG005: Total Metals by ICP-AES</b>																										
Arsenic																										
	3000					160		mg/kg	2	47	13	11	5.8	23	8.6	6.1	6.6	1	9.6	1	2.1	25	150	19	32	
Cadmium																										
	900							mg/kg	0.4	3.3	1.1	1	0.7	1.6	1	0.2	0.2	0.2	2.1	0.2	0.2	5.6	8.1	0.2	1.2	
Chromium																										
	3600		710					mg/kg	5	25	7.4	7.6	2.5	11	6.8	2.5	29	2.5	8.7	2.5	2.5	12	15	9	13	
Copper																										
	240000		160					mg/kg	5	990	180	190	62	190	91	2.5	9.9	2.5	21	2.5	2.5	220	660	95	320	
Lead																										
	2200 <sup>a</sup>		1800					mg/kg	5	38,000	3,100	6,000	3,300	2800	730	18	43	11	39	6.4	10	540	3100	370	1800	
Nickel																										
	6000		340					mg/kg	5	8.8	2.5	2.5	2.5	5.7	2.5	2.5	5.9	2.5	2.5	2.5	2.5	11	11	2.5	6.6	
Zinc																										
	400000		370					mg/kg	5	940	320	350	130	320	200	17	81	15	300	14	12	770	1300	47	1500	
<b>EG035: Total Recoverable Mercury by FIMS</b>																										
Mercury																										
	730							mg/kg	0.1	0.4	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.3	0.05	0.05	0.05	0.05	0.6	0.05	0.2	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>																										
Naphthalene																										
			11000	29000	NL	370		mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Acenaphthylene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Acenaphthene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Fluorene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Phenanthrene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Anthracene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Fluoranthene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.6	
Pyrene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.5	
Benz(a)anthracene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.6	
Chrysene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Benzo(b)fluoranthene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Benzo(k)fluoranthene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Benzo(a)pyrene																										
		172						mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.6	
Indeno(1,2,3-cd)pyrene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.6	
Dibenz(a,h)anthracene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Benzo(g,h,i)perylene																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.5	
Sum of polycyclic aromatic hydrocarbons																										
	4000							mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	3.3	1.7	0.25	3.4	
Benzo(a)pyrene TEQ (zero)																										
								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.8	0.7	0.25	0.7	
Benzo(a)pyrene TEQ (half LOR)																										
								mg/kg	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1.1	1	0.6	1	
Benzo(a)pyrene TEQ (LOR)																										
	40							mg/kg	0.5	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.4	1.3	1.2	1.3		
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>																										
C6 - C10 Fraction																										
		700	26000	82000	NL			mg/kg	20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
C6 - C10 Fraction minus BTEX (F1)																										
	215							mg/kg	20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
>C10 - C16 Fraction																										
		1000	20000	62000	NL			mg/kg	50	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
>C16 - C34 Fraction (F3)																										
	1700	3500	27000	85000				mg/kg	100	50	140	50	220	50	50	50	50	50	150	50	130	300	50	50	220	
>C34 - C40 Fraction (F4)																										
	3300	10000	38000	120000				mg/kg	100	50	50	120	50	50	50	50	50	50	50	50	50	130	50	50	50	
>C10 - C40 Fraction (sum)																										
								mg/kg	100	50	140	50	432	50	50	50	50	50	150	50	130	430	50	50	220	
>C10 - C16 Fraction minus Naphthalene (F2)																										
	170							mg/kg	50	25	25	25	92	25	25	25	25	25	25	25	25	25	25	25	25	
<b>EP080: BTEXN</b>																										
Benzene																										
	75		430	1100	77			mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
Toluene																										
	135		99000	120000	NL			mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
Ethylbenzene																										
	165																									

	NEPM 2013 HIL D Commercial / Industrial	NEPM 2013 ESCommerc al / Industrial	NEPM 2013 Management Limits Commercial / Industrial	CRC CARE 2011 Direct Contact <sup>5</sup> HSL D	CRC CARE 2011 Direct Contact <sup>5</sup> HSL for Intrusive Maintenance Workers	CRC CARE 2011 Vapour Intrusion HSL for Intrusive Maintenance Workers Sand 0-<2m <sup>4</sup>	NEPC EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil		
ALS Sample number:								S19-Se37002	S19-Se37007	S19-Se37010	S19-Se37012	S19-Se37016	S19-Se37018	S19-Se37036	S19-Se37039	S19-Se37043	S19-Se37046	S19-Se37049	S19-Se37051	S19-Se37052	S19-Se37054		
Sample date:								22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19		
Sample ID:								SS58	SS63	SS66	SS68	SS72	SS74	SS92	SS95	SS99	SS102	SS105	SS107	SS108	SS110		
Project Name:	Tarago Loop Lead Management																						
Sampling Method:																							
Sample Description:																							
<b>Analyte grouping/Analyte</b>																							
<b>Units</b>																							
<b>LOR</b>																							
<b>EA055: Moisture Content</b>																							
Moisture Content (dried @ 103°C)								%	--	7.1	9.4	15	12	6.7	11	8.7	14	11	3.5	13	24	9.4	11
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>																							
Asbestos Detected								g/kg	0.1	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil
Asbestos Type								--	--	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sample weight (dry)								g	0.1	735	652	690	701	892	742	776	649	823	1006	892	588	673	521
Description								--	--	Brown coarse-grained soil, rocks and organic debris	Brown coarse-grained soil, rocks and bituminous material	Brown coarse-grained soil, rocks and organic debris	Brown coarse-grained soil, rocks and plaster-like material	Brown coarse-grained soil, rocks and cement fragments	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks
<b>EG005T: Total Metals by ICP-AES</b>																							
Arsenic	3000					160	mg/kg	2	3.7	5.4	20	12	15	15	2.9	2.4	3.1	6.2	65	11	4.9	13	
Cadmium	900						mg/kg	0.4	0.8	1.6	14	7.4	2.3	6.6	0.8	0.7	0.2	0.2	4.3	3.2	0.9	0.2	
Chromium	3600					710	mg/kg	5	7.2	2.5	57	8.2	22	14	8.6	8.3	7.3	9.3	27	13	11	36	
Copper	240000					160	mg/kg	5	26	44	700	240	85	76	16	20	8.9	11	790	480	20	14	
Lead	2200*					1800	mg/kg	5	66	75	1100	440	480	300	49	45	22	24	3900	530	52	30	
Nickel	6000					340	mg/kg	5	2.5	2.5	17	5.4	5.3	8.9	8.4	2.5	2.5	2.5	9.2	6.4	2.5	5.9	
Zinc	400000					370	mg/kg	5	210	180	1500	650	320	1300	130	120	38	42	780	350	170	27	
<b>EG035T: Total Recoverable Mercury by FIMS</b>																							
Mercury	730						mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.6	0.05	0.05	0.05	0.05	0.05	0.2	0.05	0.05	0.05
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>																							
Naphthalene				11000	29000	NL	370	mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Acenaphthylene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Acenaphthene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Fluorene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Phenanthrene								mg/kg	0.5	0.25	0.25	0.25	0.25	1.3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Anthracene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Fluoranthene								mg/kg	0.5	0.25	0.25	0.25	0.25	1.2	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Pyrene								mg/kg	0.5	0.25	0.25	0.25	0.25	1	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benz(a)anthracene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.7	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Chrysene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benzo(b+g)fluoranthene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benzo(k)fluoranthene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benzo(a)pyrene		172						mg/kg	0.5	0.25	0.25	0.25	0.25	0.7	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Indeno(1,2,3-cd)pyrene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.6	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Dibenz(a,h)anthracene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benzo(g,h,i)perylene								mg/kg	0.5	0.25	0.25	0.25	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Sum of polycyclic aromatic hydrocarbons	4000							mg/kg	0.5	0.25	0.25	0.25	0.25	6	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benzo(a)pyrene TEQ (zero)								mg/kg	0.5	0.25	0.25	0.25	0.25	0.8	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Benzo(a)pyrene TEQ (half LOR)								mg/kg	0.5	0.6	0.6	0.6	0.6	1.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (LOR)	40							mg/kg	0.5	1.2	1.2	1.2	1.2	1.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>																							
C6 - C10 Fraction		700	26000	82000	NL			mg/kg	20	10	10	10	10	10	10	10	10	10	10	10	10	10	10
C6 - C10 Fraction minus BTEX (F1)	215							mg/kg	20	10	10	10	10	10	10	10	10	10	10	10	10	10	10
>C10 - C16 Fraction		1000	20000	62000	NL			mg/kg	50	25	25	25	25	25	25	25	25	25	25	25	25	25	25
>C16 - C34 Fraction (F3)	1700	3500	27000	85000				mg/kg	100	50	50	50	50	50	50	50	50	50	50	50	50	50	50
>C34 - C40 Fraction (F4)	3300	10000	38000	120000				mg/kg	100	50	50	50	50	50	50	50	50	50	50	50	50	50	50
>C10 - C40 Fraction (sum)								mg/kg	100	50	50	50	50	140	50	50	50	50	50	50	50	50	50
>C10 - C16 Fraction minus Naphthalene (F2)	170							mg/kg	50	25	25	25	25	25	25	25	25	25	25	25	25	56	25
<b>EP080: BTEXN</b>																							
Benzene	75		430	1100	77			mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Toluene	135		99000	120000	NL			mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Ethylbenzene	165		27000	85000	NL			mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
meta- & para-Xylene								mg/kg	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
ortho-Xylene								mg/kg	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Total Xylenes	95		81000	130000	NL			mg/kg	0.3	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
Naphthalene			11000	29000	NL	370		mg/kg	1	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a).  
 Blank Cell indicates no criterion available  
 LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).  
 CRC Care Technical Report no.10, Health Screening Levels for petroleum hydrocarbons in soil and groundwater September 2011  
<sup>4</sup> For soil texture classification undertaken in accord with AS 1726, the classifications of sand, silt and clay may be applied as coarse, fine with liquid limit <50% and fine with liquid limit >50% respectively, as the underlying properties to develop the HSLs may reasonably be selected to be similar. Where there is uncertainty, either a conservative approach may be adopted or laboratory analysis should be carried out. Generally SAND has been adopted in these scenarios.  
<sup>5</sup> The most conservative ESL guideline value has been adopted for all analytes  
<sup>6</sup> Management limits are applied after consideration of relevant ESLs and HSLs. Separate management limits for BTEX and naphthalene are not available hence these should not be subtracted from the relevant fractions to obtain F1 and F2.  
<sup>7</sup> Direct Contact are applied to surface soils or soils that could result in immediate contact.  
<sup>8</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)  
 Nil = Non Limiting. No HSL is presented for these chemicals as a soil vapour source concentration for a petroleum mixture could not exceed a level that would result in the maximum allowable vapour risk for the given scenario.  
 Health Investigation Levels for chromium based on chromium (VI)  
 Chromium (III) EIL, based on a low clay content (% clay) of 1%  
 Nickel EIL, based on CEC of 5cmol/kg  
 Copper EIL, based on CEC of 5cmol/kg  
 Zinc EIL, based on slightly acidic soil pH of 4.0 and CEC of 5cmol/kg  
 To obtain F1 subtract the sum of BTEX concentrations from the C6-C10 fraction.  
 To obtain F2 subtract naphthalene from the >C10-C16 fraction.  
 Benzo(a)pyrene derived ecological guideline (95% confidence limits) based on CRC CARE Technical Report no. 39 Risk-based remediation and management guidance for benzo(a)pyrene developed using a species sensitivity distribution (SSD) for eco-toxicity data from five independent studies involving one soil bacteria, three soil invertebrate taxa and four plant taxa (13 endpoints) in preference to NEPM low reliability data.  
 Concentration in red font and grey box exceed the adopted HIL/ESL 'D' for Commercial/Industrial  
 Concentration in orange font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use  
 Concentrations in box exceed the screening value >2.5 times  
 Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted  
 Underlined values were reported <LDR and have been halved to allow for comparison of data.

Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Sediment	Sediment	Sediment	Sediment
NEPM 2013 HIL D Commercial Industrial	Lab Sample number:	S20-Jn50651	S20-Jn50652	S20-Jn50653	S20-Jn50654	S20-Jn50655	S20-Jn50656	S20-Jn50657	S20-Jn50658	S20-Jn50647	S20-Jn50648	S20-Jn50649	S20-Jn50650	
	Sample date:	29-06-20	29-06-20	29-06-20	29-06-20	18-03-20	19-03-20	19-03-20	01-04-20	01-04-20	01-04-20	01-04-20	01-04-20	
	Project ID:	TP3A	TP4A	TP5A	TP6A	MW2_0-0.05	MW4_0-0.05	MW5_0-0.05	SED2	SED3	SED4	SED6		
	Project Name:	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	
	Sampling Method:	Direct	Direct	Direct	Direct	Auger	Auger	Auger	Push Tube	Push Tube	Push Tube	Push Tube		
Analyte grouping/Analyte	Units	LOR												
<b>Organochlorine Pesticides</b>														
4,4'-DDD	mg/kg	0.05	< 0.05	< 0.05	< 0.05	o	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
4,4'-DDE	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
4,4'-DDT	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
a-BHC	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Aldrin	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Aldrin and Dieldrin (Total)*	45	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
b-BHC	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Chlordanes - Total	530	mg/kg	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	
<i>β</i> -BHC	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
DDT + DDE + DDD (Total)*	3600	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Dieldrin	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Endosulfan I	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Endosulfan II	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Endosulfan sulphate	2000	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Endrin	100	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Endrin aldehyde	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Endrin ketone	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
g-BHC (Lindane)	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Heptachlor	50	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Heptachlor epoxide	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Hexachlorobenzene	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	
Methoxychlor	2500	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.05	< 0.05	< 0.05	< 0.2	< 0.2	< 0.2	
Toxaphene	mg/kg	0.1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Vic EPA IWRG 621 OCP (Total)*	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.1	< 0.1	< 0.1	< 0.2	< 0.2	< 0.2	
Vic EPA IWRG 621 Other OCP (Total)*	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.1	< 0.1	< 0.1	< 0.2	< 0.2	< 0.2	
<b>Organophosphorus Pesticides</b>														
Azinphos-methyl	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Bosstar	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Chlorfenvinphos	2000	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Chlorpyrifos	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Chlorpyrifos-methyl	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Coumaphos	2	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Demeton-O	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Demeton-S	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Diazinon	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Dichlorvos	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Dimethoate	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Disulfoton	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
EPN	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Ethion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Ethionoprop	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Ethyl parathion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Fenitrothion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Fensulfathion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Fenthion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Malathion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Merphos	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Methyl parathion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Mevinphos	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Monocrotophos	mg/kg	2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
Naled	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Omethoate	mg/kg	2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
Phorate	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Phiniphos-methyl	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Pyrazophos	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Ronnel	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Terbufos	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Tetrachlorvinphos	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Tokuthion	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Trichloronate	mg/kg	0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
<b>Polychlorinated Biphenyls</b>														
Aroclor-1016	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	
Aroclor-1221	mg/kg	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	
Aroclor-1232	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	
Aroclor-1242	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	
Aroclor-1248	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	
Aroclor-1254	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	
Aroclor-1260	mg/kg	0.5	< 0.5	< 1	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	
Total PCB*	mg/kg	0.5	< 0.5	< 1	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (2020b)

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

\*For soil texture classification undertaken in accord with AS 1726, the classifications of sand, silt and clay may be applied as coarse, fine with liquid limit <50% and fine with liquid limit >50% respectively, as the underlying properties to develop the HSLs may reasonably be selected to be similar. Where there is uncertainty, either a conservative approach may be adopted or laboratory analysis should be carried out. Health Investigation Levels for chromium based on chromium (VI)

Concentrations in *italics* have been moisture adjusted

Concentrations in **green box** exceed the adopted EIL 'C' for Urban Residential and Open Public Space

Concentration in **bold red font** exceed the adopted HIL/HSL 'C' for Open Space and Recreational Land Use



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	<b>4,400</b>	10	<b>3,500</b>	110	16	<b>18,500</b>	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)





Analyte grouping/Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	<b>29,000</b>	74	13	<b>184,000</b>	<b>38,000</b>	70

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	<b>29,000</b>	<b>3,100</b>	150	47	<b>6,000</b>	20

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



	HHRA (Ramboll 2019d)	NEPM 2013 EIL Commercial / Industrial	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	
Laboratory Sample number			S19-JI39906	S19-JI39907	S19-JI39908	S19-JI39909	S19-JI39910	S19-JI39911		
Sample date:			26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19		
Sample ID:			TP6 0.5-0.7	TP7 0.1-0.4	TP7 0.4-0.5	TP7 0.5-0.7	TP8 0.1-0.3	TP8 0.3-0.5		
Site:			Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop		
Sampling Method:			Test pit	Test pit	Test pit	Test pit	Test pit	Test pit		
Analyte grouping/Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	7	<b>3,300</b>	76	7	<b>2,800</b>	24

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	22	730	<u>2.50</u>	8	18	43	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	11	39	6.4	27	26	10	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	39	110	130	120	43	110	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



	HHRA (Ramboll 2019d)	NEPM 2013 EIL Commercial / Industrial	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	
Laboratory Sample number			S19-JI39926	S19-JI39927	S19-JI39928	S19-JI39929	S19-JI39930	Report 67385		
Sample date:			26/07/19	26/07/19	26/07/19	26/07/19	26/07/19	26/07/19		
Sample ID:			SS7 0.0-0.1	SS8 0.0-0.1	SS9 0.0-0.1	SS10 0.0-0.1	SS11 0.0-0.1	SS12 0.0-0.1		
Site:			Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop		
Sampling Method:			Test pit	Test pit	Test pit	Test pit	Test pit	Test pit		
Analyte grouping/Analyte			Units	LOR						
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	<b>4,100</b>	340	140	780	<b>2,200</b>	<b>48,000</b>

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	<b>2,600</b>	31	350	<b>15,000</b>	25	34

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)





	HHRA (Ramboll 2019d)	NEPM 2013 EIL Commercial / Industrial	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	
			Laboratory Sample number	S19-JI39999	Report 67385	S19-JI40001	S19-JI40002	S19-Au17274	S19-Au17275	
			Sample date:	26/07/19	26/07/19	26/07/19	26/07/19	12-08-19	12-08-19	
			Sample ID:	SS19_0.0-0.1	SS20_0.0-0.1	SS21	SS22	SS23	SS24	
			Site:	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	
			Sampling Method:	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	
Analyte grouping/Analyte			Units	LOR						
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	26,000	41,000	610	540	350	3,000

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping /Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	<b>11,000</b>	33	<b>6,700</b>	<b>15000*</b>	<b>7,500</b>	570*	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping /Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	710	<b>2800*</b>	800	850	900	<b>2,100</b>	

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



	HHRA (Ramboll 2019d)	NEPM 2013 EIL Commercial / Industrial	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	
			Laboratory Sample number	S19-Au39082	S19-Au39083	S19-Au39084	S19-Au39085	S19-Au39086	S19-Au39087	
			Sample date:	27-08-19	27-08-19	27-08-19	27-08-19	27-08-19	27-08-19	
			Sample ID:	SS37	SS38	SS39	SS40	SS41	SS42	
			Site:	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	Tarago Loop	
			Sampling Method:	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	
Analyte grouping/Analyte			Units	LOR						
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	1,600	9,900	2,900	2,600	11,000	240

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	<b>31,000</b>	140	<b>4,000</b>	210	<b>3,900</b>	<b>1,800</b>

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	1,400	1,400	190	540	<b>3,100</b>	370

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



	HHRA (Ramboll 2019d)	NEPM 2013 EIL Commercial / Industrial	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	
			Laboratory Sample number	S19-Se36995	S19-Se36998	S19-Se37001	S19-Se37002	S19-Se37003	S19-Se37004	
			Sample date:	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	22-09-19	
			Sample ID:	SS55	SS56_0.1g	SS57_0.1g	SS58	SS59	SS60	
			Site:	Tarago Rail Corridor	Tarago Rail Corridor	Tarago Rail Corridor	Tarago Rail Corridor	Tarago Rail Corridor	Tarago Rail Corridor	
			Sampling Method:	Discrete	Discrete	Discrete	Discrete	Discrete	Discrete	
Analyte grouping/Analyte			Units	LOR						
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	1,800	40,000	83,000	66	130	19

Sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping /Analyte	Units	LOR								
<b>EG005T: Total Metals by ICP-AES</b>										
Lead	2,200	1,800	mg/kg	5	5,000	330	75	300	400	1,100

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)





Analyte grouping /Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	210	440	580	150	1,200	480	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	460	300	1,600	1,000	500	530	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	98	200	120	230	530	460	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	330	28	32	660	200	28	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	110	49	32	100	45	79	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR									
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	35	38	22	870	17	24	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte			Units	LOR							
<b>EG005T: Total Metals by ICP-AES</b>											
Lead	2,200	1,800	mg/kg	5	35	620	<b>3,900</b>	1,400	530	52	

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Analyte grouping/Analyte	Units	LOR						
<b>EG005T: Total Metals by ICP-AES</b>								
Lead	2,200	1,800	mg/kg	5	76	30	38	27

Sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation* (Ramboll 2020a).

Blank Cell indicates no criterion available

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Concentration in **orange** font and grey box exceed the adopted EIL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

\* indicates higher duplicate value adopted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Concentrations at TP3a, TP4a, TP5a, SS12, SS20 and SS29 are reported based on 250um fractions separated and analysed to inform bio-accessibility analyses completed as part of HHRA (Ramboll 2019c)



Sample Type:	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate
Sample number:	S19-J150740	S19-J150741	S19-J150742	S19-J150743	S19-J150744	S19-J150745
Sample date:	26-Jul-19	26-Jul-19	26-Jul-19	26-Jul-19	26-Jul-19	26-Jul-19
Sample ID:	TP1 0.1-0.5	TP5 0.1-0.45	TP7 0.1-0.4	TP3 0.1-0.5	SS20 0.0.1	TP4 0.1-0.3
Project Name:	John Holland	John Holland	John Holland	John Holland	John Holland	John Holland
Compound:						
Site:	US Leachate	US Leachate	US Leachate	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Sampling Method:	NA	NA	NA	NA	NA	NA
Sample Description	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate

Analyte grouping/Analyte	Units	LOR
--------------------------	-------	-----

Metals TCLP								
Arsenic	mg/L	0.1	--	--	--	--	--	--
Cadmium	mg/L	0.05	--	--	--	--	--	--
Chromium (VI)	mg/L	0.1	--	--	--	--	--	--
Copper	mg/L	0.1	--	--	--	--	--	--
Lead	mg/L	0.1	4.3	32	8.2	1.1	0.03	<0.01
Nickel	mg/L	0.1	--	--	--	--	--	--
Zinc	mg/L	0.1	--	--	--	--	--	--
Mercury	mg/L	0.001	--	--	--	--	--	--

Blank Cell indicates no criterion available  
 LOR = Limit of Reporting  
 PFOs/PFOA values adopted from Addendum to the Waste Classification Guidelines (2014) - Part 1: classifying waste, October 2016 (NSW EPA). Noting these values have been based on the enhealth TDI values  
 Blank cell indicates no screening criterion available  
 For Limit of Reporting (LOR) refer to laboratory certificates of analysis  
 --- Indicates sample not analysed  
 Concentrations below the LOR noted as <value

Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil			
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor		
Lab Sample number:			S20-Ap02695	S20-Ap02696	S20-Ap02697	S20-Ap02698	S20-Ap02699	S20-Ap02700	S20-Ap02701	S20-Ap02702	S20-Ap02703	S20-Ap02704				
Sample date:			31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20				
Sample ID:			TP1_0.0-0.1	TP1_0.2-0.3	TP1_1.0-1.1	TP1_1.8-1.9	TP2_0.0-0.1	TP2_0.5-0.6	TP2_1.0-1.1	TP3_0.0-0.1	TP3_0.5-0.6	TP3_0.6-0.7				
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI				
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator				
Analyte grouping/Analyte			Units	LOR												
LTM-GEN-7080 Moisture																
Moisture Content (dried @ 103°C)			%	--	12	8.1	10	12	8.3	5.9	5.9	7.6	4.2	9.5		
LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS																
Lead			2200 <sup>a</sup>	1800	mg/kg	5	290	490	42	28	140	38	16	29	1100	< 5

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
Lab Sample number:			S20-Ap44310	S20-Ap44311	S20-Ap44312	S20-Ap44313	S20-Ap02705	S20-Ap02706	S20-Ap02707	S20-Ap02708	S20-Ap02709	S20-Ap02710	S20-Ap02710	S20-Ap02710
Sample date:			31-05-20	31-05-20	31-05-20	31-05-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20
Sample ID:			TP4_0.0-0.1	TP4_0.5-0.6	TP4_1.0-1.1	TP4_1.9-2.0	TP5_0.0-0.1	TP5_0.6-0.7	TP5_1.0-1.1	TP5_1.9-2.0	TP6_0.0-0.1	TP6_0.5-0.6	TP6_0.5-0.6	TP6_0.5-0.6
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator
Analyte grouping/Analyte	Units		LOR											
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--	9.7	8.8	7.3	8	6.5	11	10	14	4.2	17
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	380	170	90	29	51	160	28	18	33	16

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
Lab Sample number:			S20-Ap02711	S20-Ap02712	S20-Ap02713	S20-Ap02714	S20-Ap02715	S20-Ap02716	S20-Ap02717	S20-Ap02718	S20-Ap02719	S20-Ap02720		
Sample date:			31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20		
Sample ID:			TP6_1.9-2.0	TP7_0.0-0.1	TP7_0.5-0.6	TP7_1.9-2.0	TP8_0.0-0.1	TP8_0.5-0.6	TP8_1.1-1.2	TP8_1.9-2.0	TP9_0.0-0.1	TP9_0.5-0.6		
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI		
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator		
Analyte grouping/Analyte		Units	LOR											
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--	13	6.4	19	13	6.9	7.7	7.4	6.6	8.8	7.6
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	15	13	22	16	37	83	210	220	40	140

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
Lab Sample number:			S20-Ap02721	S20-Ap02722	S20-Ap02723	S20-Ap02724	S20-Ap02725	S20-Ap02726	S20-Ap02727	S20-Ap02728	S20-Ap02729	S20-Ap02730		
Sample date:			31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20		
Sample ID:			TP9_1.2-1.3	TP10_0.05-0.15	TP10_0.5-0.6	TP10_1.5-1.6	TP11_0.0-0.1	TP11_0.5-0.6	TP12_0.0-0.1	TP12_0.5-0.6	TP13_0.0-0.1	TP13_0.5-0.6		
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI		
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator		
Analyte grouping/Analyte			Units	LOR										
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--	7.3	8.8	12	9.3	9.8	19	15	18	6.7	7.1
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	1200	25	140	17	550	23	810	130	17	18

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results



	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
Lab Sample number:			S20-Ap02731	S20-Ap02732	S20-Ap02733	S20-Ap02734	S20-Ap02735	S20-Ap02736	S20-Ap06337	S20-Ap06338	S20-Ap06339	S20-Ap06340		
Sample date:			31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	31-03-20	01-04-20	01-04-20	01-04-20	01-04-20		
Sample ID:			TP13_1.2-1.3	TP13_1.9-2.0	TP14_0.0-0.1	TP14_0.5-0.6	TP14_0.8-0.9	TP14_1.9-2.0	TP15_0.0-0.1	TP15_0.5-0.6	TP15_1.9-2.0	TP16_0.0-0.1		
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI		
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator		
Analyte grouping/Analyte	Units		LOR											
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--	7.4	11	7	8.1	5.9	8.1	7.1	8.4	5.6	13
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	7.9	18	23	29	72	52	49	17	21	31

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
Lab Sample number:			S20-Ap06341	S20-Ap06342	S20-Ap06343	S20-Ap06344	S20-Ap06345	S20-Ap06346	S20-Ap06347	S20-Ap06348	S20-Ap06349	S20-Ap06350		
Sample date:			01-04-20	01-04-20	01-04-20	01-04-20	01-04-20	01-04-20	01-04-20	01-04-20	01-04-20	01-04-20		
Sample ID:			TP16_0.5-0.6	TP16_1.5-1.6	TP17_0.0-0.1	TP17_0.5-0.6	TP18_0.0-0.1	TP18_0.5-0.6	TP18_1.0-1.1	TP19_0.0-0.1	TP19_0.3-0.4	TP19_1.0-1.1		
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI		
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator	Excavator		
Analyte grouping/Analyte			Units	LOR										
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--	8.6	19	9.5	5.1	18	15	12	17	11	12
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	31	24	49	18	210	23	46	180	25	33

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	
Lab Sample number:			S20-Ap06351	S20-Ap06352	S20-Ap06353	S20-Ap44309	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Sample date:			01-04-20	01-04-20	01-04-20	31-05-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	
Sample ID:			TP20_0.0-0.1	TP20_0.5-0.6	TP20_1.2-1.3	TP3_1.5-1.6	LO_TP01_0.0	LO_TP01_0.5	LO_TP01_1.0	LO_TP01_1.3	LO_TP02_0.0	LO_TP02_0.5		
Project Name:			Community DSI	Community DSI	Community DSI	Community DSI	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum		
Sampling Method:			Excavator	Excavator	Excavator	Excavator	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit		
Analyte grouping/Analyte			Units	LOR										
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--	7.6	15	13	10						
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	62	95	28	44	31	96	50	58	176	16

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)



Table 6:  
 Loadout Complex Soil Results

	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
			Site:	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint
			Lab Sample number:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			Sample date:	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20
			Sample ID:	LO_TP02_0.9	LO_TP02_1.1	LO_TP02_1.3	LO_TP02_1.35	LO_TP02_1.4	LO_TP03_0.2	LO_TP03_0.9	LO_TP03_1.5	LO_TP03_1.6	LO_TP03_1.7	
			Project Name:	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	
			Sampling Method:	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	
<b>Analyte grouping/Analyte</b>			<b>Units</b>	<b>LOR</b>										
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--										
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	11	5700	6900	85	83		158	1748	3662	117

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).  
 Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use  
 Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use  
 Concentrations in box exceed the screening value >2.5 times  
 Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted  
<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results



	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
			Site:	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint	Load Out Footprint
			Lab Sample number:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			Sample date:	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20
			Sample ID:	LO_TP04_0.25	LO_TP04_0.7	LO_TP05_0.3	LO_TP05_0.7	LO_TP05_0.85	LO_TP05_1.1	LO_TP05_1.4	LO_TP06_0.05	LO_TP06_0.5	LO_TP06_0.7	
			Project Name:	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum
			Sampling Method:	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit
<b>Analyte grouping/Analyte</b>			<b>Units</b>	<b>LOR</b>										
<b>LTM-GEN-7080 Moisture</b>														
Moisture Content (dried @ 103°C)			%	--										
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Lead	2200 <sup>a</sup>	1800	mg/kg	5	18	199	90	883	605	150	8	14	ND	273

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).  
 Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use  
 Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use  
 Concentrations in box exceed the screening value >2.5 times  
 Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted  
<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Table 6:  
 Loadout Complex Soil Results



		Sample Type:	Soil		
		Site:	Load Out Footprint		
		Lab Sample number:	N/A		
		Sample date:	19-08-20		
		Sample ID:	LO_TP06_1.2		
		Project Name:	DSI Addendum		
		Sampling Method:	Test Pit		
Analyte grouping/Analyte		Units	LOR		
<b>LTM-GEN-7080 Moisture</b>					
Moisture Content (dried @ 103°C)		%	--		
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>					
Lead	2200 <sup>a</sup>	1800	mg/kg	5	31

LOR = Limit of Reporting  
 National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL for Commercial/Industrial use

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

<sup>a</sup> Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

	NEPM 2013 HIL D Commercial Industral	NEPM 2013 EIL Commercial Industrial	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Site:			Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	
Lab Sample number:			S20-Au35780	S20-Au35781	S20-Au35782	S20-Au35783	S20-Au35784	S20-Au35785	S20-Au35786	S20-Au35787	
Sample date:			19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	
Sample ID:			RRE_SP01	RRE_SP02	RRE_SP03	RRE_SP04	RRE_SP05	RRE_SP06	RRE_SP07	RRE_SP08	
Project Name:			DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	
Sampling Method:			Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	

Analyte grouping/Analyte	Units	LOR									
--------------------------	-------	-----	--	--	--	--	--	--	--	--	--

<b>LTM-GEN-7080 Moisture</b>												
Moisture Content (dried @ 103°C)			%	1	6.4	7.1	7	6.1	5.3	6.3	8.1	9
Conductivity (1:5 aqueous extract at 25°C as rec.)			uS/cm	10	170	540	91	970	620	1100	970	1100
pH (1:5 Aqueous extract at 25°C as rec.)			pH Units	0.1	7.4	4.3	8.3	6.4	4.4	4.4	5.3	4
Sulphur			mg/kg	5	910	4300	460	14000	3900	11000	8600	16000
Total Organic Carbon			%	0.1	0.5	0.6	1.8	1.2	1.5	0.5	2.3	0.7

<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>												
Antimony			mg/kg	10	< 10	19	24	23	31	23	25	39
Arsenic	3000	160	mg/kg	2	21	70	48	130	190	150	130	190
Beryllium	500		mg/kg	2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
Boron	300000		mg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Cadmium	900		mg/kg	0.4	2.9	7	1.8	10	8.2	25	10	6
Chromium	3600	710	mg/kg	5	25	59	24	60	58	130	79	81
Cobalt	4000		mg/kg	5	7.4	14	30	8.3	11	14	12	12
Copper	240000	160	mg/kg	5	510	960	450	2100	1700	2200	1900	1600
Lead	2200*	1800	mg/kg	5	2600	5900	1300	5300	7000	5200	6800	19000
Manganese	19000		mg/kg	5	340	640	520	550	630	970	680	710
Mercury	730		mg/kg	0.1	0.2	0.5	0.2	0.7	1.2	1.2	1.1	1.6
Molybdenum			mg/kg	5	< 5	< 5	< 5	6.7	8.5	5.8	6.4	7.3
Nickel	6000	340	mg/kg	5	10	29	18	32	22	45	75	40
Selenium	10000		mg/kg	2	4.3	9.5	< 2	19	23	18	17	27
Tin			mg/kg	10	15	30	23	49	190	140	120	80
Vanadium			mg/kg	10	52	64	58	64	78	77	69	89
Zinc	400000	370	mg/kg	5	550	1700	2100	1400	1500	2800	1500	1400

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

^ For soil texture classification undertaken in accord with AS 1726, the classifications of sand, silt and clay may be applied as coarse, fine with liquid limit <50% and fine with liquid limit >50% respectively, as the underlying properties to develop the HSLs may reasonably be selected to be similar. Where there is uncertainty, either a conservative approach may be adopted or laboratory Health Investigation Levels for chromium based on chromium (VI)

Concentrations in *italics* have been moisture adjusted

Concentrations in green box exceed the adopted EIL 'C' for Urban Residential and Open Public Space

Concentration in **bold red font** exceed the adopted HIL/HSL 'C' for Open Space and Recreational Land Use

Table 7:  
 Resource Recovery Exemption Soil Sampling

Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
S20-Au35788	S20-Au35789	S20-Au35790	S20-Au35791	S20-Au35792	S20-Au35793	S20-Au35794	S20-Au35795	S20-Au35796	S20-Au35797	S20-Au35798	S20-Au35799
19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20	19-08-20
RRE_SP09	RRE_SP10	RRE_TP01	RRE_TP02	RRE_TP03	RRE_TP04	RRE_TP05	RRE_TP06	RRE_TP07	RRE_TP08	RRE_TP09	RRE_TP10
DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum
Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample

7.9	9.5	4.3	6.1	14	7.6	10	9.3	11	14	13	9.3
410	730	33	53	220	250	620	300	74	1000	29	38
4.4	4.2	6.7	6.1	4.9	5.2	4.2	6.5	5.7	5.1	5	5
5900	4100	79	260	2200	1700	3600	450	2900	12000	3400	2000
< 0.1	0.5	0.3	0.3	1.4	1.5	2.2	0.4	2.7	6.5	1.9	2

10	32	< 10	< 10	18	< 10	11	< 10	< 10	55	14	18
49	170	15	14	130	25	77	31	40	79	52	66
< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3.3	4.6	5.5	7.3	9.6	5.5	3.5	8	4	170	2.4	2.5
37	71	31	12	24	15	34	12	52	130	19	19
8.4	11	7.5	< 5	< 5	< 5	< 5	< 5	8.2	18	< 5	< 5
700	1200	490	280	1200	670	830	240	580	4100	1200	1300
4100	7300	570	820	8700	1600	4000	230	1600	9200	4400	5300
540	1100	420	530	150	150	230	70	690	720	170	220
0.4	0.6	0.2	0.1	2.9	0.5	0.3	< 0.1	0.2	0.9	0.4	0.4
5.4	< 5	< 5	5.3	12	10	12	20	< 5	5.6	9.5	11
18	28	12	22	85	11	11	< 5	19	79	8.9	8.1
8.1	15	< 2	< 2	23	3.9	7.7	2.9	2.8	16	12	14
28	47	< 10	11	400	24	13	< 10	10	54	34	38
34	93	76	30	58	43	69	53	45	67	50	72
1100	1300	810	770	1500	1100	600	1100	1300	12000	570	580

Client: John Holland Rail  
 Job No: 318000780  
 Project Name: Tarago Lead Management  
 22-06-21

Table 7:  
 Resource Recovery Exemption Soil Sampling

20 4.3 14 8.6  
 20 29 1100 465.9  
 20 4 8.3 5.4  
 20 79 16000 4888.0  
 19 0.3 6.5 1.5

count	min	max	average	> HIL	
14	10	55	24.4		
20	14	190	83.9	0	3 160
0	0	0	#DIV/0!	0	
0	0	0	#DIV/0!	0	
20	1.8	170	14.9	0	
20	12	130	48.6	0	0 710
13	7.4	30	12.4	0	
20	240	4100	1210.5	0	20 160
20	230	19000	5046.0	14	14 1800
20	70	1100	501.5	0	
19	0.1	2.9	0.7	0	
14	5.3	20	9.0		
19	8.1	85	30.2	0	0 340
17	2.8	27	13.1	0	
18	10	400	72.6		
20	30	93	62.1		
20	550	12000	1784.0	0	20 370

Analyte	Unit	Count	Min	Max	Average
Antimony	mg/kg	14	10	55	24.42857143
Arsenic	mg/kg	20	14	190	83.85
Beryllium	mg/kg	0	0	0	#DIV/0!
Boron	mg/kg	0	0	0	#DIV/0!
Cadmium	mg/kg	20	1.8	170	14.855
Chromium	mg/kg	20	12	130	48.6
Cobalt	mg/kg	13	7.4	30	12.44615385
Copper	mg/kg	20	240	4100	1210.5
Lead	mg/kg	20	230	19000	5046
Manganese	mg/kg	20	70	1100	501.5
Mercury	mg/kg	19	0.1	2.9	0.715789474
Molybdenum	mg/kg	14	5.3	20	8.964285714
Nickel	mg/kg	19	8.1	85	30.15789474
Selenium	mg/kg	17	2.8	27	13.12941176
Tin	mg/kg	18	10	400	72.55555556
Vanadium	mg/kg	20	30	93	62.05
Zinc	mg/kg	20	550	12000	1784

Table 8:  
 Waste Classification Total Contaminant Concentrations

		Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
		ALS Sample number:	S19-JI39840	S19-JI39841	S19-JI39842	S19-JI39843	S19-JI39844	S19-JI39845	S19-Au17281	S19-Au39076		
		Sample date:	26-07-2019	26-07-2019	26-07-2019	26-07-2019	26-07-2019	26-07-2019	12-08-2019	27-08-2019		
		Sample ID:	TP4 0.1-0.3	TP5 0.1-0.45	TP6 0.1-0.4	TP7 0.1-0.4	TP8 0.1-0.3	TP9 0.1-0.3	SS30	SS31		
		Project Name:	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management		
		Sampling Method:	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Test Pit	Shallow Soil	Shallow Soil		
		Sample Description										
Analyte grouping/Analyte		Units	LOR									
<b>EA055: Moisture Content</b>												
Moisture Content (dried @ 103°C)		%	--	3	3.7	2.4	0.5	1.1	21	---	---	
Conductivity (1:5 aqueous extract at 25°C as rec.)		uS/cm	10	---	---	---	---	---	---	---	---	
pH (1:5 Aqueous extract at 25°C as rec.)		pH Units	0.1	---	---	---	---	---	---	---	---	
Sulphur		mg/kg	5	---	---	---	---	---	---	---	---	
Total Organic Carbon		%	0.1	---	---	---	---	---	---	---	---	
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>												
Asbestos Detected		g/kg	0.1	Nil	Nil	Nil	Nil	Nil	Nil	Nil	---	---
Asbestos Type		--	--	N/A	N/A	N/A	N/A	N/A	N/A	N/A	---	---
Sample weight (dry)		g	0.1	594	540	65	247	430	259	---	---	
Description		--	--	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	Brown fine-grained soil and rocks	---	---
<b>EG005T: Total Metals by ICP-AES</b>												
Antimony		mg/kg	10	---	---	---	---	---	---	---	---	---
Arsenic	100	400	mg/kg	2	47	13	11	5.8	23	8.6	---	---
Beryllium			mg/kg	2	---	---	---	---	---	---	---	---
Boron			mg/kg	10	---	---	---	---	---	---	---	---
Cadmium	20	80	mg/kg	0.4	3.3	1.1	1	0.7	1.6	1	7.4	2.2
Chromium	100	400	mg/kg	5	25	7.4	7.6	2.5	11	6.8	---	---
Cobalt			mg/kg	5	---	---	---	---	---	---	---	---
Copper			mg/kg	5	990	180	190	62	190	91	---	---
Lead	100	400	mg/kg	5	38,000	3,100	6,000	3,300	2800	730	570*	710
Manganese			mg/kg	5	---	---	---	---	---	---	---	---
Mercury	4	16	mg/kg	0.1	0.4	0.1	0.05	0.05	0.05	0.05	---	---
Molybdenum	100	400	mg/kg	5	---	---	---	---	---	---	---	---
Nickel	40	160	mg/kg	5	8.8	2.5	2.5	2.5	5.7	2.5	---	---
Selenium	20	80	mg/kg	2	---	---	---	---	---	---	---	---
Tin			mg/kg	10	---	---	---	---	---	---	---	---
Vanadium			mg/kg	10	---	---	---	---	---	---	---	---
Zinc			mg/kg	5	940	320	350	130	320	200	---	---
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>												
Naphthalene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Acenaphthylene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Acenaphthene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Fluorene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Phenanthrene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Anthracene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Fluoranthene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Pyrene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Benz(a)anthracene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Chrysene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Benzo(b+j)fluoranthene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Benzo(k)fluoranthene			mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---
Benzo(a)pyrene	0.8	3.2	mg/kg	0.5	0.25	0.25	0.25	0.25	0.25	0.25	---	---

Table 8:  
 Waste Classification Total Contaminant Concentrations

		Sample Type:	Soil		Soil		Soil		Soil		Soil	
		ALS Sample number:	S19-JI39840		S19-JI39841		S19-JI39842		S19-JI39843		S19-JI39844	
		Sample date:	26-07-2019		26-07-2019		26-07-2019		26-07-2019		26-07-2019	
		Sample ID:	TP4 0.1-0.3		TP5 0.1-0.45		TP6 0.1-0.4		TP7 0.1-0.4		TP8 0.1-0.3	
		Project Name:	Tarago Lead Management		Tarago Lead Management		Tarago Lead Management		Tarago Lead Management		Tarago Lead Management	
		Sampling Method:	Test Pit		Test Pit		Test Pit		Test Pit		Test Pit	
		Sample Description										
Indeno(1.2.3.cd)pyrene			mg/kg	0.5	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---
Dibenz(a,h)anthracene			mg/kg	0.5	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---
Benzo(g,h,i)perylene			mg/kg	0.5	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---
Sum of polycyclic aromatic hydrocarbons	200	800	mg/kg	0.5	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---
Benzo(a)pyrene TEQ (zero)			mg/kg	0.5	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---
Benzo(a)pyrene TEQ (half LOR)			mg/kg	0.5	0.6	0.6	0.6	0.6	0.6	0.6	---	---
Benzo(a)pyrene TEQ (LOR)			mg/kg	0.5	1.2	1.2	1.2	1.2	1.2	1.2	---	---
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>												
C6 - C10 Fraction			mg/kg	20	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	---	---
C6 - C10 Fraction minus BTEX (F1)			mg/kg	20	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	---	---
>C10 - C16 Fraction			mg/kg	50	<u>25</u>	<u>25</u>	<u>25</u>	92	<u>25</u>	<u>25</u>	---	---
>C16 - C34 Fraction (F3)			mg/kg	100	<u>50</u>	140	<u>50</u>	220	<u>50</u>	<u>50</u>	---	---
>C34 - C40 Fraction (F4)			mg/kg	100	<u>50</u>	<u>50</u>	<u>50</u>	120	<u>50</u>	<u>50</u>	---	---
>C10 - C40 Fraction (sum)			mg/kg	100	<u>50</u>	140	<u>50</u>	432	<u>50</u>	<u>50</u>	---	---
>C10 - C16 Fraction minus Naphthalene (F2)			mg/kg	50	<u>25</u>	<u>25</u>	<u>25</u>	92	<u>25</u>	<u>25</u>	---	---
<b>EP080: BTEXN</b>												
Benzene	10	40	mg/kg	0.1	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---
Toluene	288	1152	mg/kg	0.1	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---
Ethylbenzene	600	2400	mg/kg	0.1	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---
meta- & para-Xylene			mg/kg	0.2	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	---	---
ortho-Xylene			mg/kg	0.1	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---
Total Xylenes	1000	4000	mg/kg	0.3	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	---	---
Naphthalene			mg/kg	1	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---

2019 - 2020 analytical data sourced from Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a) and the Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Ramboll 2020e). 2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.

<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification without TCLP

<sup>2</sup> Assumed chromium VI

LOR = Limit of Reporting

Concentrations below the LOR noted as <value

Concentrations in a grey box exceed CT1 screening criteria

Concentrations in **red font** exceed CT2 screening

Underlined values were reported <LOR and have been halved to allow for comparison of data.



Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
			S19-Au39077	S19-Au39078	S19-Au39079	S19-Au39080	S19-Au39075	S19-Au39082	S19-Au39083	S19-Au39084	S19-Au39085	S19-De30523	
			27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	18-12-2019
			SS32	SS33	SS34	SS35	SS36	SS37	SS38	SS39	SS40	HA01_0.1	
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	
			Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Hand Auger
<b>Analyte grouping/Analyte</b>													
<b>EA055: Moisture Content</b>													
Moisture Content (dried @ 103°C)			---	---	---	---	---	---	---	---	---	---	
Conductivity (1:5 aqueous extract at 25°C as rec.)			---	---	---	---	---	---	---	---	---	---	
pH (1:5 Aqueous extract at 25°C as rec.)			---	---	---	---	---	---	---	---	---	---	
Sulphur			---	---	---	---	---	---	---	---	---	---	
Total Organic Carbon			---	---	---	---	---	---	---	---	---	---	
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>													
Asbestos Detected			---	---	---	---	---	---	---	---	---	---	
Asbestos Type			---	---	---	---	---	---	---	---	---	---	
Sample weight (dry)			---	---	---	---	---	---	---	---	---	---	
Description			---	---	---	---	---	---	---	---	---	---	
<b>EG005T: Total Metals by ICP-AES</b>													
Antimony			---	---	---	---	---	---	---	---	---	---	
Arsenic	100	400	---	---	---	---	---	---	---	---	---	---	
Beryllium			---	---	---	---	---	---	---	---	---	---	
Boron			---	---	---	---	---	---	---	---	---	---	
Cadmium	20	80	2.2	4.2	3.4	2.1	7.2	4.2	14	5.9	8.7	4.2	
Chromium	100	400	---	---	---	---	---	---	---	---	---	---	
Cobalt			---	---	---	---	---	---	---	---	---	---	
Copper			---	---	---	---	---	---	---	---	---	---	
Lead	100	400	2800*	800	850	900	2100	1600	9900	2900	2600	720	
Manganese			---	---	---	---	---	---	---	---	---	---	
Mercury	4	16	---	---	---	---	---	---	---	---	---	---	
Molybdenum	100	400	---	---	---	---	---	---	---	---	---	---	
Nickel	40	160	---	---	---	---	---	---	---	---	---	---	
Selenium	20	80	---	---	---	---	---	---	---	---	---	---	
Tin			---	---	---	---	---	---	---	---	---	---	
Vanadium			---	---	---	---	---	---	---	---	---	---	
Zinc			---	---	---	---	---	---	---	---	---	---	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>													
Naphthalene			---	---	---	---	---	---	---	---	---	---	
Acenaphthylene			---	---	---	---	---	---	---	---	---	---	
Acenaphthene			---	---	---	---	---	---	---	---	---	---	
Fluorene			---	---	---	---	---	---	---	---	---	---	
Phenanthrene			---	---	---	---	---	---	---	---	---	---	
Anthracene			---	---	---	---	---	---	---	---	---	---	
Fluoranthene			---	---	---	---	---	---	---	---	---	---	
Pyrene			---	---	---	---	---	---	---	---	---	---	
Benz(a)anthracene			---	---	---	---	---	---	---	---	---	---	
Chrysene			---	---	---	---	---	---	---	---	---	---	
Benzo(b+j)fluoranthene			---	---	---	---	---	---	---	---	---	---	
Benzo(k)fluoranthene			---	---	---	---	---	---	---	---	---	---	
Benzo(a)pyrene	0.8	3.2	---	---	---	---	---	---	---	---	---	---	

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			S19-Au39077	S19-Au39078	S19-Au39079	S19-Au39080	S19-Au39075	S19-Au39082	S19-Au39083	S19-Au39084	S19-Au39085	S19-De30523
			27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	27-08-2019	18-12-2019
			SS32	SS33	SS34	SS35	SS36	SS37	SS38	SS39	SS40	HA01_0.1
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Shallow Soil	Hand Auger
Indeno(1.2.3.cd)pyrene			---	---	---	---	---	---	---	---	---	---
Dibenz(a,h)anthracene			---	---	---	---	---	---	---	---	---	---
Benzo(g,h,i)perylene			---	---	---	---	---	---	---	---	---	---
Sum of polycyclic aromatic hydrocarbons	200	800	---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (zero)			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (half LOR)			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (LOR)			---	---	---	---	---	---	---	---	---	---
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 F</b>												
C6 - C10 Fraction			---	---	---	---	---	---	---	---	---	---
C6 - C10 Fraction minus BTEX (F1)			---	---	---	---	---	---	---	---	---	---
>C10 - C16 Fraction			---	---	---	---	---	---	---	---	---	---
>C16 - C34 Fraction (F3)			---	---	---	---	---	---	---	---	---	---
>C34 - C40 Fraction (F4)			---	---	---	---	---	---	---	---	---	---
>C10 - C40 Fraction (sum)			---	---	---	---	---	---	---	---	---	---
>C10 - C16 Fraction minus Naphthalene (F2)			---	---	---	---	---	---	---	---	---	---
<b>EP080: BTEXN</b>												
Benzene	10	40	---	---	---	---	---	---	---	---	---	---
Toluene	288	1152	---	---	---	---	---	---	---	---	---	---
Ethylbenzene	600	2400	---	---	---	---	---	---	---	---	---	---
meta- & para-Xylene			---	---	---	---	---	---	---	---	---	---
ortho-Xylene			---	---	---	---	---	---	---	---	---	---
Total Xylenes	1000	4000	---	---	---	---	---	---	---	---	---	---
Naphthalene			---	---	---	---	---	---	---	---	---	---

2019 - 2020 analytical data sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a)* and the *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Ramboll 2020e)*. 2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification  
<sup>2</sup> Assumed chromium VI  
 LOR = Limit of Reporting  
 Concentrations below the LOR noted as <value  
 Concentrations in a grey box exceed CT1 screening criteria  
 Concentrations in **red font** exceed CT2 screening  
Underlined values were reported <LOR and have been halved to allow for c

Table 8:  
 Waste Classification Total Contaminant Concentrations

			Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	S19-De30524	S19-Se36992	S19-Se36993	S19-Se36995	S19-Se37049	S19-Se37052	S20-Au35780	S20-Au35781	S20-Au35782	S20-Au35783	
			18-12-2019	22-09-2019	22-09-2019	22-09-2019	22-09-2019	22-09-2019	22-09-2019	19-08-2020	19-08-2020	19-08-2020	19-08-2020
			HA01_0.25	SS52	SS53	SS55	SS105	SS108	RRE_SP01	RRE_SP02	RRE_SP03	RRE_SP04	
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			Hand Auger							DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum
										Composite Sample	Composite Sample	Composite Sample	Composite Sample
<b>Analyte grouping/Analyte</b>													
<b>EA055: Moisture Content</b>													
Moisture Content (dried @ 103°C)			---	8	2.5	17	13	9.4	6.4	7.1	7	6.1	
Conductivity (1:5 aqueous extract at 25°C as rec.)			---	---	---	---	---	---	170	540	91	970	
pH (1:5 Aqueous extract at 25°C as rec.)			---	---	---	---	---	---	7.4	4.3	8.3	6.4	
Sulphur			---	---	---	---	---	---	910	4300	460	14000	
Total Organic Carbon			---	---	---	---	---	---	0.5	0.6	1.8	1.2	
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>													
Asbestos Detected			---	Nil	Nil	Nil	Nil	Nil	---	---	---	---	
Asbestos Type			---	N/A	N/A	N/A	N/A	N/A	---	---	---	---	
Sample weight (dry)			---	853	1120	574	892	673	---	---	---	---	
Description			---	Brown coarse-grained soil and rocks	Brown coarse-grained soil, rocks and bituminous material	Brown coarse-grained soil, rocks and organic debris	Brown coarse-grained soil and rocks	Brown coarse-grained soil and rocks	---	---	---	---	
<b>EG005T: Total Metals by ICP-AES</b>													
Antimony			---	---	---	---	---	---	5	19	24	23	
Arsenic	100	400	---	25	150	32	65	4.9	21	70	48	130	
Beryllium			---	---	---	---	---	---	1	1	1	1	
Boron			---	---	---	---	---	---	5	5	5	5	
Cadmium	20	80	1.9	5.6	8.1	12	4.3	0.9	2.9	7	1.8	10	
Chromium	100	400	---	12	15	13	27	11	25	59	24	60	
Cobalt			---	---	---	---	---	---	7.4	14	30	8.3	
Copper			---	220	660	320	790	20	510	960	450	2100	
Lead	100	400	820	540	3100	1800	3900	52	2600	5900	1300	5300	
Manganese			---	---	---	---	---	---	340	640	520	550	
Mercury	4	16	---	0.05	0.6	0.2	0.2	0.05	0.2	0.5	0.2	0.7	
Molybdenum	100	400	---	---	---	---	---	---	2.5	2.5	2.5	6.7	
Nickel	40	160	---	2.5	11	6.6	9.2	2.5	10	29	18	32	
Selenium	20	80	---	---	---	---	---	---	4.3	9.5	1	19	
Tin			---	---	---	---	---	---	15	30	23	49	
Vanadium			---	---	---	---	---	---	52	64	58	64	
Zinc			---	770	1300	1500	780	170	550	1700	2100	1400	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>													
Naphthalene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Acenaphthylene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Acenaphthene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Fluorene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Phenanthrene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Anthracene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Fluoranthene			---	0.25	0.25	0.6	0.25	0.25	---	---	---	---	
Pyrene			---	0.7	0.5	0.5	0.25	0.25	---	---	---	---	
Benz(a)anthracene			---	0.7	0.6	0.6	0.25	0.25	---	---	---	---	
Chrysene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Benzo(b+j)fluoranthene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Benzo(k)fluoranthene			---	0.25	0.25	0.25	0.25	0.25	---	---	---	---	
Benzo(a)pyrene	0.8	3.2	---	0.7	0.6	0.6	0.25	0.25	---	---	---	---	

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			S19-De30524	S19-Se36992	S19-Se36993	S19-Se36995	S19-Se37049	S19-Se37052	S20-Au35780	S20-Au35781	S20-Au35782	S20-Au35783
			18-12-2019	22-09-2019	22-09-2019	22-09-2019	22-09-2019	22-09-2019	19-08-2020	19-08-2020	19-08-2020	19-08-2020
			HA01_0.25	SS52	SS53	SS55	SS105	SS108	RRE_SP01	RRE_SP02	RRE_SP03	RRE_SP04
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			Hand Auger						DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum
							Composite Sample	Composite Sample	Composite Sample	Composite Sample		
Indeno(1.2.3.cd)pyrene			---	0.6	<u>0.25</u>	0.6	<u>0.25</u>	<u>0.25</u>	---	---	---	---
Dibenz(a,h)anthracene			---	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---	---	---
Benzo(g,h,i)perylene				0.6	<u>0.25</u>	0.5	<u>0.25</u>	<u>0.25</u>	---	---	---	---
Sum of polycyclic aromatic hydrocarbons	200	800	---	3.3	1.7	3.4	<u>0.25</u>	<u>0.25</u>	---	---	---	---
Benzo(a)pyrene TEQ (zero)			---	0.8	0.7	0.7	<u>0.25</u>	<u>0.25</u>	---	---	---	---
Benzo(a)pyrene TEQ (half LOR)			---	1.1	1	1	0.6	0.6	---	---	---	---
Benzo(a)pyrene TEQ (LOR)			---	1.4	1.3	1.3	1.2	1.2	---	---	---	---
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 F</b>												
C6 - C10 Fraction			---	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	---	---	---	---
C6 - C10 Fraction minus BTEX (F1)			---	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	---	---	---	---
>C10 - C16 Fraction			---	<u>25</u>	<u>25</u>	<u>25</u>	<u>25</u>	<u>25</u>	---	---	---	---
>C16 - C34 Fraction (F3)			---	130	300	220	<u>50</u>	<u>50</u>	---	---	---	---
>C34 - C40 Fraction (F4)			---	<u>50</u>	130	<u>50</u>	<u>50</u>	<u>50</u>	---	---	---	---
>C10 - C40 Fraction (sum)			---	130	430	220	<u>50</u>	<u>50</u>	---	---	---	---
>C10 - C16 Fraction minus Naphthalene (F2)			---	<u>25</u>	<u>25</u>	<u>25</u>	<u>25</u>	<u>25</u>	---	---	---	---
<b>EP080: BTEXN</b>												
Benzene	10	40	---	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---	---	---
Toluene	288	1152	---	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---	---	---
Ethylbenzene	600	2400	---	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---	---	---
meta- & para-Xylene			---	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	---	---	---	---
ortho-Xylene			---	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	<u>0.05</u>	---	---	---	---
Total Xylenes	1000	4000	---	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	<u>0.15</u>	---	---	---	---
Naphthalene			---	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	<u>0.25</u>	---	---	---	---

2019 - 2020 analytical data sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a)* and the *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Ramboll 2020e)*. 2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification  
<sup>2</sup> Assumed chromium VI  
 LOR = Limit of Reporting  
 Concentrations below the LOR noted as <value  
 Concentrations in a grey box exceed CT1 screening criteria  
 Concentrations in **red font** exceed CT2 screening  
 Underlined values were reported <LOR and have been halved to allow for c

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			S20-Au35784	S20-Au35785	S20-Au35786	S20-Au35787	S20-Au35788	S20-Au35789	S20-Au35790	S20-Au35791	S20-Au35792	S20-Au35793
			19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020
			RRE_SP05	RRE_SP06	RRE_SP07	RRE_SP08	RRE_SP09	RRE_SP10	RRE_TP01	RRE_TP02	RRE_TP03	RRE_TP04
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum
	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample		
<b>Analyte grouping/Analyte</b>												
<b>EA055: Moisture Content</b>												
Moisture Content (dried @ 103°C)			5.3	6.3	8.1	9	7.9	9.5	4.3	6.1	14	7.6
Conductivity (1:5 aqueous extract at 25°C as rec.)			620	1100	970	1100	410	730	33	53	220	250
pH (1:5 Aqueous extract at 25°C as rec.)			4.4	4.4	5.3	4	4.4	4.2	6.7	6.1	4.9	5.2
Sulphur			3900	11000	8600	16000	5900	4100	79	260	2200	1700
Total Organic Carbon			1.5	0.5	2.3	0.7	0.05	0.5	0.3	0.3	1.4	1.5
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>												
Asbestos Detected			---	---	---	---	---	---	---	---	---	---
Asbestos Type			---	---	---	---	---	---	---	---	---	---
Sample weight (dry)			---	---	---	---	---	---	---	---	---	---
Description			---	---	---	---	---	---	---	---	---	---
<b>EG005T: Total Metals by ICP-AES</b>												
Antimony			31	23	25	39	10	32	5	5	18	5
Arsenic	100	400	190	150	130	190	49	170	15	14	130	25
Beryllium			1	1	1	1	1	1	1	1	1	1
Boron			5	5	5	5	5	5	5	5	5	5
Cadmium	20	80	8.2	25	10	6	3.3	4.6	5.5	7.3	9.6	5.5
Chromium	100	400	58	130	79	81	37	71	31	12	24	15
Cobalt			11	14	12	12	8.4	11	7.5	2.5	2.5	2.5
Copper			1700	2200	1900	1600	700	1200	490	280	1200	670
Lead	100	400	7000	5200	6800	19000	4100	7300	570	820	8700	1600
Manganese			630	970	680	710	540	1100	420	530	150	150
Mercury	4	16	1.2	1.2	1.1	1.6	0.4	0.6	0.2	0.1	2.9	0.5
Molybdenum	100	400	8.5	5.8	6.4	7.3	5.4	2.5	2.5	5.3	12	10
Nickel	40	160	22	45	75	40	18	28	12	22	85	11
Selenium	20	80	23	18	17	27	8.1	15	1	1	23	3.9
Tin			190	140	120	80	28	47	5	11	400	24
Vanadium			78	77	69	89	34	93	76	30	58	43
Zinc			1500	2800	1500	1400	1100	1300	810	770	1500	1100
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>												
Naphthalene			---	---	---	---	---	---	---	---	---	---
Acenaphthylene			---	---	---	---	---	---	---	---	---	---
Acenaphthene			---	---	---	---	---	---	---	---	---	---
Fluorene			---	---	---	---	---	---	---	---	---	---
Phenanthrene			---	---	---	---	---	---	---	---	---	---
Anthracene			---	---	---	---	---	---	---	---	---	---
Fluoranthene			---	---	---	---	---	---	---	---	---	---
Pyrene			---	---	---	---	---	---	---	---	---	---
Benzo(a)anthracene			---	---	---	---	---	---	---	---	---	---
Chrysene			---	---	---	---	---	---	---	---	---	---
Benzo(b+j)fluoranthene			---	---	---	---	---	---	---	---	---	---
Benzo(k)fluoranthene			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene	0.8	3.2	---	---	---	---	---	---	---	---	---	---

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			S20-Au35784	S20-Au35785	S20-Au35786	S20-Au35787	S20-Au35788	S20-Au35789	S20-Au35790	S20-Au35791	S20-Au35792	S20-Au35793
			19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020
			RRE_SP05	RRE_SP06	RRE_SP07	RRE_SP08	RRE_SP09	RRE_SP10	RRE_TP01	RRE_TP02	RRE_TP03	RRE_TP04
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum
	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	
Indeno(1.2.3.cd)pyrene			---	---	---	---	---	---	---	---	---	---
Dibenz(a,h)anthracene			---	---	---	---	---	---	---	---	---	---
Benzo(g,h,i)perylene			---	---	---	---	---	---	---	---	---	---
Sum of polycyclic aromatic hydrocarbons	200	800	---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (zero)			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (half LOR)			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (LOR)			---	---	---	---	---	---	---	---	---	---
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 F</b>												
C6 - C10 Fraction			---	---	---	---	---	---	---	---	---	---
C6 - C10 Fraction minus BTEX (F1)			---	---	---	---	---	---	---	---	---	---
>C10 - C16 Fraction			---	---	---	---	---	---	---	---	---	---
>C16 - C34 Fraction (F3)			---	---	---	---	---	---	---	---	---	---
>C34 - C40 Fraction (F4)			---	---	---	---	---	---	---	---	---	---
>C10 - C40 Fraction (sum)			---	---	---	---	---	---	---	---	---	---
>C10 - C16 Fraction minus Naphthalene (F2)			---	---	---	---	---	---	---	---	---	---
<b>EP080: BTEXN</b>												
Benzene	10	40	---	---	---	---	---	---	---	---	---	---
Toluene	288	1152	---	---	---	---	---	---	---	---	---	---
Ethylbenzene	600	2400	---	---	---	---	---	---	---	---	---	---
meta- & para-Xylene			---	---	---	---	---	---	---	---	---	---
ortho-Xylene			---	---	---	---	---	---	---	---	---	---
Total Xylenes	1000	4000	---	---	---	---	---	---	---	---	---	---
Naphthalene			---	---	---	---	---	---	---	---	---	---

2019 - 2020 analytical data sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a)* and the *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Ramboll 2020e)*. 2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification  
<sup>2</sup> Assumed chromium VI  
 LOR = Limit of Reporting  
 Concentrations below the LOR noted as <value  
 Concentrations in a grey box exceed CT1 screening criteria  
 Concentrations in **red font** exceed CT2 screening  
Underlined values were reported <LOR and have been halved to allow for c

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			S20-Au35794	S20-Au35795	S20-Au35796	S20-Au35797	S20-Au35798	S20-Au35799	S20-Au35801	S20-Au35802	N21-Jn00912	N21-Jn00913
			19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-20	19-08-20	01-06-21	01-06-21
			RRE_TP05	RRE_TP06	RRE_TP07	RRE_TP08	RRE_TP09	RRE_TP10	RRE_DUP1	RRE_DUP2	TP3a_01	TP3a_02
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum			Sub-sampling from bulk sample	Sub-sampling from bulk sample
	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample						
<b>Analyte grouping/Analyte</b>												
<b>EA055: Moisture Content</b>												
Moisture Content (dried @ 103°C)			10	9.3	11	14	13	9.3	10	18	---	---
Conductivity (1:5 aqueous extract at 25°C as rec.)			620	300	74	1000	29	38	1000	1200	---	---
pH (1:5 Aqueous extract at 25°C as rec.)			4.2	6.5	5.7	5.1	5	5	4	5.1	---	---
Sulphur			3600	450	2900	12000	3400	2000	12000	4200	---	---
Total Organic Carbon			2.2	0.4	2.7	6.5	1.9	2	0.5	3.2	---	---
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>												
Asbestos Detected			---	---	---	---	---	---	---	---	---	---
Asbestos Type			---	---	---	---	---	---	---	---	---	---
Sample weight (dry)			---	---	---	---	---	---	---	---	---	---
Description			---	---	---	---	---	---	---	---	---	---
<b>EG005T: Total Metals by ICP-AES</b>												
Antimony			11	5	5	55	14	18	28	29	---	---
Arsenic	100	400	77	31	40	79	52	66	130	60	---	---
Beryllium			1	1	1	1	1	1	1	1	---	---
Boron			5	5	5	5	5	5	5	5	---	---
Cadmium	20	80	3.5	8	4	170	2.4	2.5	5.6	140	51	30
Chromium	100	400	34	12	52	130	19	19	81	120	---	---
Cobalt			2.5	2.5	8.2	18	2.5	2.5	12	9.6	---	---
Copper			830	240	580	4100	1200	1300	1300	3400	---	---
Lead	100	400	4000	230	1600	9200	4400	5300	9100	9000	---	---
Manganese			230	70	690	720	170	220	660	520	---	---
Mercury	4	16	0.3	0.05	0.2	0.9	0.4	0.4	1	0.9	---	---
Molybdenum	100	400	12	20	2.5	5.6	9.5	11	5.2	5.6	---	---
Nickel	40	160	11	2.5	19	79	8.9	8.1	37	61	---	---
Selenium	20	80	7.7	2.9	2.8	16	12	14	18	16	---	---
Tin			13	5	10	54	34	38	62	53	---	---
Vanadium			69	53	45	67	50	72	76	48	---	---
Zinc			600	1100	1300	12000	570	580	1400	8600	---	---
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>												
Naphthalene			---	---	---	---	---	---	---	---	---	---
Acenaphthylene			---	---	---	---	---	---	---	---	---	---
Acenaphthene			---	---	---	---	---	---	---	---	---	---
Fluorene			---	---	---	---	---	---	---	---	---	---
Phenanthrene			---	---	---	---	---	---	---	---	---	---
Anthracene			---	---	---	---	---	---	---	---	---	---
Fluoranthene			---	---	---	---	---	---	---	---	---	---
Pyrene			---	---	---	---	---	---	---	---	---	---
Benz(a)anthracene			---	---	---	---	---	---	---	---	---	---
Chrysene			---	---	---	---	---	---	---	---	---	---
Benzo(b+j)fluoranthene			---	---	---	---	---	---	---	---	---	---
Benzo(k)fluoranthene			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene	0.8	3.2	---	---	---	---	---	---	---	---	---	---

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil		
			S20-Au35794	S20-Au35795	S20-Au35796	S20-Au35797	S20-Au35798	S20-Au35799	S20-Au35801	S20-Au35802	N21-Jn00912	N21-Jn00913		
			19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-2020	19-08-20	19-08-20	01-06-21	01-06-21		
			RRE_TP05	RRE_TP06	RRE_TP07	RRE_TP08	RRE_TP09	RRE_TP10	RRE_DUP1	RRE_DUP2	TP3a_01	TP3a_02		
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum	DSI Addendum			Sub-sampling from bulk sample	Sub-sampling from bulk sample		
			Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample	Composite Sample						
Indeno(1.2.3.cd)pyrene			---	---	---	---	---	---	---	---	---	---		
Dibenz(a,h)anthracene			---	---	---	---	---	---	---	---	---	---		
Benzo(g,h,i)perylene			---	---	---	---	---	---	---	---	---	---		
Sum of polycyclic aromatic hydrocarbons	200	800	---	---	---	---	---	---	---	---	---	---		
Benzo(a)pyrene TEQ (zero)			---	---	---	---	---	---	---	---	---	---		
Benzo(a)pyrene TEQ (half LOR)			---	---	---	---	---	---	---	---	---	---		
Benzo(a)pyrene TEQ (LOR)			---	---	---	---	---	---	---	---	---	---		
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 F</b>														
C6 - C10 Fraction			---	---	---	---	---	---	---	---	---	---		
C6 - C10 Fraction minus BTEX (F1)			---	---	---	---	---	---	---	---	---	---		
>C10 - C16 Fraction			---	---	---	---	---	---	---	---	---	---		
>C16 - C34 Fraction (F3)			---	---	---	---	---	---	---	---	---	---		
>C34 - C40 Fraction (F4)			---	---	---	---	---	---	---	---	---	---		
>C10 - C40 Fraction (sum)			---	---	---	---	---	---	---	---	---	---		
>C10 - C16 Fraction minus Naphthalene (F2)			---	---	---	---	---	---	---	---	---	---		
<b>EP080: BTEXN</b>														
Benzene	10	40	---	---	---	---	---	---	---	---	---	---		
Toluene	288	1152	---	---	---	---	---	---	---	---	---	---		
Ethylbenzene	600	2400	---	---	---	---	---	---	---	---	---	---		
meta- & para-Xylene			---	---	---	---	---	---	---	---	---	---		
ortho-Xylene			---	---	---	---	---	---	---	---	---	---		
Total Xylenes	1000	4000	---	---	---	---	---	---	---	---	---	---		
Naphthalene			---	---	---	---	---	---	---	---	---	---		

2019 - 2020 analytical data sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a)* and the *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Ramboll 2020e)*. 2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification  
<sup>2</sup> Assumed chromium VI  
 LOR = Limit of Reporting  
 Concentrations below the LOR noted as <value  
 Concentrations in a grey box exceed CT1 screening criteria  
 Concentrations in **red font** exceed CT2 screening  
Underlined values were reported <LOR and have been halved to allow for c



Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
			N21-Jn00914	N21-Jn00915	N21-Jn00916	N21-Jn00917	N21-Jn00918	N21-Jn00919	N21-Jn00920	N21-Jn00921	N21-Jn00922	N21-Jn00923
			01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21
			TP3a_03	TP4a_01	TP4a_02	TP4a_03	TP5a_01	TP5a_02	TP5a_03	TP6a_01	TP6a_02	TP6a_03
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample
<b>Analyte grouping/Analyte</b>												
<b>EA055: Moisture Content</b>												
Moisture Content (dried @ 103°C)			---	---	---	---	---	---	---	---	---	---
Conductivity (1:5 aqueous extract at 25°C as rec.)			---	---	---	---	---	---	---	---	---	---
pH (1:5 Aqueous extract at 25°C as rec.)			---	---	---	---	---	---	---	---	---	---
Sulphur			---	---	---	---	---	---	---	---	---	---
Total Organic Carbon			---	---	---	---	---	---	---	---	---	---
<b>EA200: AS 4964 - 2004 Identification of Asbestos in Soils</b>												
Asbestos Detected			---	---	---	---	---	---	---	---	---	---
Asbestos Type			---	---	---	---	---	---	---	---	---	---
Sample weight (dry)			---	---	---	---	---	---	---	---	---	---
Description			---	---	---	---	---	---	---	---	---	---
<b>EG005T: Total Metals by ICP-AES</b>												
Antimony			---	---	---	---	---	---	---	---	---	---
Arsenic	100	400	---	---	---	---	---	---	---	---	---	---
Beryllium			---	---	---	---	---	---	---	---	---	---
Boron			---	---	---	---	---	---	---	---	---	---
Cadmium	20	80	27	190	130	170	430	270	440	12	9.6	7.1
Chromium	100	400	---	---	---	---	---	---	---	---	---	---
Cobalt			---	---	---	---	---	---	---	---	---	---
Copper			---	---	---	---	---	---	---	---	---	---
Lead	100	400	---	---	---	---	---	---	---	---	---	---
Manganese			---	---	---	---	---	---	---	---	---	---
Mercury	4	16	---	---	---	---	---	---	---	---	---	---
Molybdenum	100	400	---	---	---	---	---	---	---	---	---	---
Nickel	40	160	---	---	---	---	---	---	---	---	---	---
Selenium	20	80	---	---	---	---	---	---	---	---	---	---
Tin			---	---	---	---	---	---	---	---	---	---
Vanadium			---	---	---	---	---	---	---	---	---	---
Zinc			---	---	---	---	---	---	---	---	---	---
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>												
Naphthalene			---	---	---	---	---	---	---	---	---	---
Acenaphthylene			---	---	---	---	---	---	---	---	---	---
Acenaphthene			---	---	---	---	---	---	---	---	---	---
Fluorene			---	---	---	---	---	---	---	---	---	---
Phenanthrene			---	---	---	---	---	---	---	---	---	---
Anthracene			---	---	---	---	---	---	---	---	---	---
Fluoranthene			---	---	---	---	---	---	---	---	---	---
Pyrene			---	---	---	---	---	---	---	---	---	---
Benz(a)anthracene			---	---	---	---	---	---	---	---	---	---
Chrysene			---	---	---	---	---	---	---	---	---	---
Benzo(b+j)fluoranthene			---	---	---	---	---	---	---	---	---	---
Benzo(k)fluoranthene			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene	0.8	3.2	---	---	---	---	---	---	---	---	---	---

Table 8:  
 Waste Classification Total Contaminant Concentrations

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>1</sup>	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
N21-Jn00914			N21-Jn00915	N21-Jn00916	N21-Jn00917	N21-Jn00918	N21-Jn00919	N21-Jn00920	N21-Jn00921	N21-Jn00922	N21-Jn00923	
			01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21
			TP3a_03	TP4a_01	TP4a_02	TP4a_03	TP5a_01	TP5a_02	TP5a_03	TP6a_01	TP6a_02	TP6a_03
			Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management
			Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample
Indeno(1.2.3.cd)pyrene			---	---	---	---	---	---	---	---	---	---
Dibenz(a,h)anthracene			---	---	---	---	---	---	---	---	---	---
Benzo(g,h,i)perylene			---	---	---	---	---	---	---	---	---	---
Sum of polycyclic aromatic hydrocarbons	200	800	---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (zero)			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (half LOR)			---	---	---	---	---	---	---	---	---	---
Benzo(a)pyrene TEQ (LOR)			---	---	---	---	---	---	---	---	---	---
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 F</b>												
C6 - C10 Fraction			---	---	---	---	---	---	---	---	---	---
C6 - C10 Fraction minus BTEX (F1)			---	---	---	---	---	---	---	---	---	---
>C10 - C16 Fraction			---	---	---	---	---	---	---	---	---	---
>C16 - C34 Fraction (F3)			---	---	---	---	---	---	---	---	---	---
>C34 - C40 Fraction (F4)			---	---	---	---	---	---	---	---	---	---
>C10 - C40 Fraction (sum)			---	---	---	---	---	---	---	---	---	---
>C10 - C16 Fraction minus Naphthalene (F2)			---	---	---	---	---	---	---	---	---	---
<b>EP080: BTEXN</b>												
Benzene	10	40	---	---	---	---	---	---	---	---	---	---
Toluene	288	1152	---	---	---	---	---	---	---	---	---	---
Ethylbenzene	600	2400	---	---	---	---	---	---	---	---	---	---
meta- & para-Xylene			---	---	---	---	---	---	---	---	---	---
ortho-Xylene			---	---	---	---	---	---	---	---	---	---
Total Xylenes	1000	4000	---	---	---	---	---	---	---	---	---	---
Naphthalene			---	---	---	---	---	---	---	---	---	---

2019 - 2020 analytical data sourced from *Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020a)* and the *Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Ramboll 2020e)*. 2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification  
<sup>2</sup> Assumed chromium VI  
 LOR = Limit of Reporting  
 Concentrations below the LOR noted as <value  
 Concentrations in a grey box exceed CT1 screening criteria  
 Concentrations in **red font** exceed CT2 screening  
Underlined values were reported <LOR and have been halved to allow for c

Client: John Holland Rail  
 Job No: 318000780  
 Project Name: Tarago Lead Management  
 22-06-21

Table 9:  
 Cadmium Leachate

	<b>TCLP1 - General Solid Waste<sup>1</sup></b>	<b>Sample Type:</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	
		<b>Lab Sample number:</b>	N21-Jn00956	N21-Jn00957	N21-Jn00958	N21-Jn00959	N21-Jn00960	N21-Jn00961	
		<b>Sample date:</b>	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	
		<b>Sample ID:</b>	TP3a_01	TP3a_02	TP3a_03	TP4a_01	TP4a_02	TP4a_03	
		<b>Project Name:</b>	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	
		<b>Sampling Method:</b>	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	
		<b>Sample Description</b>							
<b>Analyte grouping/Analyte</b>		<b>Units</b>	<b>LOR</b>						
<b>EG005T: Total Metals by ICP-AES</b>									
Cadmium	20	mg/kg	0.4	0.63	0.58	0.44	1.2	0.92	0.91

2021 data sourced by sub-sampling bulk samples collected in 2020 and held by Ramboll.

<sup>1</sup> Maximum TCLP contaminant concentration for GSW

LOR = Limit of Reporting

Concentrations below the LOR noted as <value

Concentrations in a grey box

Table 9:  
 Cadmium Leachate

	<b>TCLP1 - General Solid Waste<sup>1</sup></b>	<b>Sample Type:</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	<b>Soil Leachate</b>	
		<b>Lab Sample number:</b>	N21-Jn00962	N21-Jn00963	N21-Jn00964	N21-Jn00965	N21-Jn00966	N21-Jn00967	
		<b>Sample date:</b>	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	01-06-21	
		<b>Sample ID:</b>	TP5a_01	TP5a_02	TP5a_03	TP6a_01	TP6a_02	TP6a_03	
		<b>Project Name:</b>	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	Tarago Lead Management	
		<b>Sampling Method:</b>	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	Sub-sampling from bulk sample	
		<b>Sample Description</b>							
<b>Analyte grouping/Analyte                      Units                      LOR</b>									
<b>EG005T: Total Metals by ICP-AES</b>									
Cadmium	20	mg/kg	0.4	0.33	0.35	0.36	0.22	0.19	0.19

2021 data sourced by sub-sampling bulk samples collected in  
<sup>1</sup> Maximum TCLP contaminant concentration for GSW  
 LOR = Limit of Reporting  
 Concentrations below the LOR noted as <value  
 Concentrations in a grey box

<b>NEPM 2013 HIL D Commercial / Industrial</b>	<b>Sample Type:</b>	<b>Primary</b>	<b>Primary</b>	<b>Primary</b>	<b>Primary</b>	<b>Duplicate</b>
	<b>Sample number:</b>	S20-Ma28575	S20-Ma28576	S20-Ma28577	S20-Ma28578	S20-Ma28579
	<b>Sample date:</b>	18-Mar-20	18-Mar-20	18-Mar-20	18-Mar-20	18-Mar-20
	<b>Sample ID:</b>	SLE01	SLE02	SLE03	SLE04	DD1_180320
	<b>Project Name:</b>	John Holland	John Holland	John Holland	John Holland	John Holland
	<b>Compound:</b>					
	<b>Site:</b>	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop
	<b>Sampling Method:</b>	NA	NA	NA	NA	NA
<b>Sample Description</b>	Woodchips	Woodchips	Woodchips	Woodchips	Woodchips	

Analyte grouping/Analyte	Units	LOR
<b>Total Metals</b>		
Arsenic	3000 mg/kg	5 < 2 6.9 6.5 < 2 4.6
Cadmium	900 mg/kg	1 15 11 7.6 11 11
Chromium (VI)	3600 mg/kg	2 < 5 11 14 < 5 < 5
Copper	240000 mg/kg	5 140 430 1700 230 590
Lead	2200* mg/kg	5 240 1300 1300 560 2700
Mercury	6000 mg/kg	0.1 < 0.1 < 0.1 0.2 < 0.1 < 0.1
Nickel	400000 mg/kg	2 < 5 11 11 5.7 < 5
Zinc	mg/kg	5 2800 1200 1300 1100 1300

<b>Organophosphorus Pesticides (OP)</b>		Units	LOR
Azinphos-methyl		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Bolstar		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Chlorfenvinphos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Chlorpyrifos	2000	mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Chlorpyrifos-methyl		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Coumaphos		mg/kg	< 2 < 2 < 2 < 2 < 2
Demeton-O		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Demeton-S		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Diazinon		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Dichlorvos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Dimethoate		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Disulfoton		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
EPN		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Ethion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Ethoprop		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Ethyl parathion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Fenitrothion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Fensulfotion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Fenthion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Malathion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Merphos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Methyl parathion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Mevinphos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Monocrotophos		mg/kg	< 2 < 2 < 2 < 2 < 2
Naled		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Omethoate		mg/kg	< 2 < 2 < 2 < 2 < 2
Phorate		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Pririmiphos-methyl		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Pyrazophos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Rommel		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Terbufos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Tetrachlorvinphos		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Tokuthion		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2
Trichloronate		mg/kg	< 0.2 < 0.2 < 0.2 < 0.2 < 0.2

<b>Polynuclear Aromatic Hydrocarbons</b>		Units	LOR
Acenaphthene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Acenaphthylene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Anthracene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Benzo(a)anthracene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Benzo(a)pyrene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Benzo(a)pyrene TEQ (lower bound) *	40	mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Benzo(a)pyrene TEQ (medium bound) *		mg/kg	< 0.6 0.6 0.6 0.6 0.6
Benzo(a)pyrene TEQ (upper bound) *		mg/kg	< 0.7 1.2 1.2 1.2 1.2
Benzo(b)fluoranthene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Benzo(g,h,i)perylene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Benzo(k)fluoranthene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Chrysene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Dibenz(a,h)anthracene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Fluoranthene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Fluorene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Indeno(1,2,3-cd)pyrene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Naphthalene		mg/kg	< 0.6 1.7 1.1 0.5 < 0.5
Phenanthrene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Pyrene		mg/kg	< 0.5 < 0.5 < 0.5 < 0.5 < 0.5
Total PAH*	4000	mg/kg	< 0.6 1.7 1.1 0.5 < 0.5

<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>		Units	LOR
TRH C10-C14 (after silica gel clean-up)		mg/kg	< 100 < 100 < 100 < 100 220 < 100
TRH C10-C36 (Total) (after silica gel clean-up)	10000	mg/kg	< 250 1200 < 250 750 < 250 2110
TRH C15-C28 (after silica gel clean-up)		mg/kg	< 250 300 < 250 320 < 250 510
TRH C29-C36 (after silica gel clean-up)		mg/kg	< 250 900 < 250 430 < 250 1600

<b>Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>		Units	LOR
TRH >C10-C16 (after silica gel clean-up)		mg/kg	< 250 < 250 < 250 < 250 < 250 < 250
TRH >C16-C34 (after silica gel clean-up)		mg/kg	< 500 1100 < 500 650 < 500 1700
TRH >C34-C40 (after silica gel clean-up)		mg/kg	< 500 < 500 < 500 < 500 < 500 840

Blank Cell indicates no criterion available  
 LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM),  
 CRC Care Technical Report no.10, Health Screening Levels for petroleum hydrocarbons in soil and groundwater September 2011

\* Human Health Guideline for Lead adopted from the Human Health Risk Assessment (Ramboll 2019d)

Health Investigation Levels for chromium based on chromium (VI)

Chromium (III) EIL, based on a low clay content (% clay) of 1%

Table 11:  
 Groundwater Monitoring Well Soil Results



	NEPM 2013 HIL D Commercial / Industrial	NEPM EIL Commercial / Industrial (site specific)	NEPM 2013 HIL C Open Space	NEPM 2013 EIL Residential / public Open Space	Sample Type:	Soil	Soil	Soil	Soil	Soil	Soil	Soil	
					Site:	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	
					Lab Sample number:	M20-Ma43430	M20-Ma43431	M20-Ma43432	M20-Ma43433	M20-Ma43434	M20-Ma43435	M20-Ma43436	
					Sample date:	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	
					Sample ID:	MW01_0.5	MW01_1.5	MW01_2.5	MW01_3.5	MW01_4.5	MW2_0-0.05	MW2_1.0	
					Project Name:	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	
					Sampling Method:	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	
Analyte grouping/Analyte					Units	LOR							
LTM-GEN-7080 Moisture													
Moisture Content (dried @ 103°C)					%	--	14	12	8.7	7.8	14	< 1	5.5
LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS													
Lead	2200 <sup>e</sup>	1800	600	1100	mg/kg	5	13	16	15	26	24	51	3600

LOR = Limit of Reporting

National Environment Protection Council (2013) National Environmental Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM).

Concentration in **red** font and grey box exceed the adopted HIL/HSL 'D' for Commercial/Industrial use (Applicable for MW01, MW02, MW03 and MW04)

Concentration in **orange** font and grey box exceed the adopted EIL/ESL 'D' for Commercial/Industrial use (Applicable for MW01, MW02, MW03 and MW04)

Concentration in **blue** font and grey box exceed the adopted HIL/HSL 'C' for Open Space and Recreational Land Use (Applicable for MW5, MW6 and MW7)

Concentration in **green** font and grey box exceed the adopted EIL/ESL 'C' for Residential and Open Space and Recreational Land Use (Applicable for MW5, MW6 and MW7)

Concentrations in box exceed the screening value >2.5 times

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

Underlined values were reported <LOR and have been halved to allow for comparison of data.

Table 11:  
 Groundwater Monitoring Well Soil Results



Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
M20-Ma43437	M20-Ma43438	M20-Ma43439	M20-Ma43440	M20-Ma43441	M20-Ma43442	M20-Ma43443	M20-Ma43444	M20-Ma43445	M20-Ma43583	M20-Ma43584	M20-Ma43446	M20-Ma43447	M20-Ma43448
18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	18-03-20	19-03-20	19-03-20	19-03-20
MW2_1.5	MW2_2.5	MW2_3.5	MW2_4.5	MW3_0.5	MW3_1.0	MW3_1.5	MW3_2.5	MW3_3.5	MW3_4.5	MW2_0.5	MW4_0-0.05	MW4_0.5	MW4_1.0
Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI
Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig
4.9	4.4	7	7.9	9.3	8.4	10	9.1	12	15	5.5	3.1	6.5	3.6
540	200	140	42	25	18	16	15	15	22	27	1200	390	31

Table 11:  
 Groundwater Monitoring Well Soil Results



Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
M20-Ma43449	M20-Ma43450	M20-Ma43451	M20-Ma43452	M20-Ma43453	M20-Ma43454	M20-Ma43455	M20-Ma43456	M20-Ma43457	M20-Ma43458	M20-Ma43459	M20-Ma43460	M20-Ma43461	M20-Ma43462
19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20	19-03-20
MW4_1.5	MW4_2.5	MW4_3.5	MW4_4.5	MW5_0.05	MW5_0.5	MW5_1.0	MW5_1.5	MW5_3.5	MW5_4.5	MW6_0.05	MW6_0.5	MW6_1.0	MW6_1.5
Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI
Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig
8.3	14	6.6	12	5.1	8.1	3.2	4.4	6.2	5.3	14	9	2.9	6.6
19	21	30	27	120	190	13	20	22	28	57	25	21	18



Table 11:  
 Groundwater Monitoring Well Soil Results



Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor
M20-Ma43463	M20-Ma43464	M20-Ma43465	M20-Ma43585	M20-Ma43466	M20-Ma43467	M20-Ma43468	M20-Ma43469	M20-Ma43470	M20-Ma43471	M20-Ma43472
19-03-20	19-03-20	19-03-20	19-03-20	20-03-20	20-03-20	20-03-20	20-03-20	20-03-20	20-03-20	20-03-20
MW6_2.5	MW6_3.5	MW6_4.5	MW5_2.5	MW7_0.05	MW7_0.5	MW7_1.0	MW7_1.5	MW7_2.5	MW7_3.5	MW7_4.5
Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI
Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig	Drill Rig
4.1	7.5	5.8	5.5	7.6	8.9	7.2	9.9	17	13	< 1
14	19	28	21	210	43	52	18	43	44	20

Table 12:  
 Groundwater Monitoring Well Results

	NHMRC Australian Drinking Water Guidelines <sup>A</sup>	ANZECC Fresh Water Guidelines - 95% Species Protection <sup>B</sup>	ANZECC Fresh Water Guidelines - Irrigation <sup>B</sup>	ANZECC Fresh Water Guidelines - Stock Water <sup>B</sup>	Sample Type:	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	
Site:					Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Rail Corridor	Goulburn Street	Wallace Street	Wallace Street		
Lab Sample number:					S20-Ap16796	S20-Ap16797	S20-Ap16798	S20-Ap16799	S20-Ap16800	S20-Ma43288	S20-Ma43289	S20-Ma43290		
Sample date:					02-04-20	02-04-20	02-04-20	02-04-20	02-04-20	27-03-20	27-03-20	27-03-20		
Sample ID:					MW1	MW2	MW3	MW4	GW053976	MW05	MW06	MW07		
Project Name:					Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI	Community DSI		
Sampling Method:	Peristaltic	Peristaltic	Peristaltic	Peristaltic	Peristaltic	Peristaltic	Peristaltic	Peristaltic						
Analyte grouping / Analyte					Units	LOR								
<b>LTM-MET-3040 Metals in Waters, Soils &amp; Sediments by ICP-MS</b>														
Aluminium (filtered)	0.01	0.055	20	5	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	--	--	--
Arsenic (filtered)	0.01	0.024	2	0.5	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.005	< 0.001	< 0.001	0.003
Barium (filtered)	2				mg/L	0.02	0.14	0.16	0.08	0.11	0.05	--	--	--
Beryllium (filtered)	0.06		0.5		mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Boron (filtered)	4				mg/L	0.05	--	--	--	--	--	< 0.05	< 0.05	< 0.05
Cadmium (filtered)	0.002	0.0002	0.002	0.01	mg/L	0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	0.0002	<b>0.0003</b>	< 0.0002	< 0.0002
Chromium (filtered)	0.05	0.001	0.05	1	mg/L	0.001	< 0.001	< 0.001	< 0.001	<b>0.002</b>	< 0.001	< 0.001	< 0.001	< 0.001
Cobalt (filtered)		0.0014	0.1	1	mg/L	0.001	<b>0.004</b>	<b>0.006</b>	<b>0.029</b>	<b>0.006</b>	< 0.001	0.001	< 0.001	<b>0.006</b>
Copper (filtered)	2	0.0014	5	0.4	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	<b>0.003</b>	0.001	< 0.001	< 0.001
Lead (filtered)	0.01	0.0034	5	0.1	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	<b>0.005</b>	0.002	< 0.001	< 0.001
Manganese (filtered)	0.5	1.9	10		mg/L	0.005	0.77	0.6	<b>2</b>	0.71	0.02	0.085	0.026	1.4
Mercury (filtered)	0.001	0.00006	0.002	0.002	mg/L	0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
Nickel (filtered)	0.02	0.011	2	1	mg/L	0.001	0.003	0.003	0.003	0.004	< 0.001	0.001	< 0.001	0.002
Selenium (filtered)	0.01				mg/L	0.001	--	--	--	--	--	< 0.001	< 0.001	< 0.001
Zinc (filtered)		0.008	5	20	mg/L	0.005	<b>0.01</b>	<b>0.011</b>	<b>0.022</b>	<b>0.011</b>	<b>0.27</b>	<b>0.044</b>	0.007	< 0.005

LOR = Limit of Reporting

Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZG 2018)

Australia and New Zealand Environment and Conservation Council (2000) Australian and New Zealand Guidelines for Fresh and Marine Water Quality.

<sup>A</sup>NRMCC (2011 updated 2018) Australian Drinking Water Guidelines (ADWG) Paper 6 National Water Quality Management Strategy.

National Health and Medical Research Council.

Concentration in **green bold** font exceed the ANZG 2018 95% Species Protection

Where one or more guideline value is exceeded, the highest guideline exceeded will be highlighted

## **APPENDIX 3 LABORATORY REPORT FOR ADDITIONAL DELINEATION SAMPLING**

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 4, 2021 12:18 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	778274	<b>Due:</b>	Mar 11, 2021
<b>Project Name:</b>	SOIL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780-A	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217						X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
Mayfield Laboratory							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	SS202	Mar 02, 2021		Soil	S21-Ma10625	X	X
2	SS203	Mar 02, 2021		Soil	S21-Ma10626	X	X
<b>Test Counts</b>						2	2

**Ramboll Environ Australia Pty Ltd**  
**Level 3/100 Pacific Highway**  
**North Sydney**  
**NSW 2060**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **778274-S**  
 Project name **SOIL**  
 Project ID **318000780-A**  
 Received Date **Mar 04, 2021**

Client Sample ID			SS202	SS203
Sample Matrix			Soil	Soil
Eurofins Sample No.			S21-Ma10625	S21-Ma10626
Date Sampled			Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	5	mg/kg	350	28
% Moisture	1	%	5.9	< 1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Mar 07, 2021

Mar 04, 2021

**Holding Time**

180 Days

14 Days

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 4, 2021 12:18 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	778274	<b>Due:</b>	Mar 11, 2021
<b>Project Name:</b>	SOIL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780-A	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217						X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
Mayfield Laboratory							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	SS202	Mar 02, 2021		Soil	S21-Ma10625	X	X
2	SS203	Mar 02, 2021		Soil	S21-Ma10626	X	X
<b>Test Counts</b>						2	2

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	102		80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma07313	NCP	%	105	75-125	Pass		
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S21-Ma10593	NCP	%	15	14	9.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma10626	CP	mg/kg	28	37	29	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

## **APPENDIX 4 PSD ANALYSES OF WOODLAWN SIDING BALLAST**



# Particle Size Distribution

## - Australian Standard sieves

Sample Drop Off: 16 Chilvers Road  
Thornleigh NSW 2120

Mailing Address: PO Box 357  
Pennant Hills NSW 1715

Tel: 1300 30 40 80  
Fax: 1300 64 46 89  
Em: info@sesl.com.au  
Web: www.sesl.com.au

Batch N°: 59642	Sample N°: 1	Date Received: 10/3/21	Report Status: Final
-----------------	--------------	------------------------	----------------------

Client Name: Eurofins Environment Testing Australia Pty Ltd - VIC	Project Name: Ref: 778817
Client Contact: Harry Bacalis	SESL Quote N°:
Client Order N°: 21-434-1176-778817	Sample Name: BAL_01 / 21-Ma15043
Address: 6 Monterey Road Dandenong South VIC 3175	Description: Soil
	Test Type: SIEVE_AS_Dry

SUMMARY	D VALUES	PERFORMANCE FACTORS
Analysed by SESL Australia Pty Ltd, NATA # 15633.	D <sub>95</sub> : 35.7	Gradation Index (D <sub>90</sub> /D <sub>10</sub> ): 31.00
Results only requested.	D <sub>90</sub> : 33.9	Coefficient of Uniformity: 17.00
Recommendations by SESL Australia not requested.	D <sub>85</sub> : 32.1	(D <sub>60</sub> /D <sub>10</sub> )
	D <sub>60</sub> : 18.9	
	D <sub>50</sub> : 16.9	
	D <sub>15</sub> : 4.7	
	D <sub>10</sub> : 1.09	
	D <sub>5</sub> : 0.259	

PARTICLE SIZE DISTRIBUTION GRAPH	PARTICLE SIZE ANALYSIS																																																																																																												
<p><b>PERCENT RETAINED</b></p> <table border="1"> <caption>Percent Retained Data</caption> <thead> <tr> <th>Sieve Size (mm)</th> <th>Percent Retained</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>0%</td></tr> <tr><td>63.0</td><td>0%</td></tr> <tr><td>37.5</td><td>0%</td></tr> <tr><td>26.5</td><td>30.6%</td></tr> <tr><td>19.0</td><td>8.8%</td></tr> <tr><td>13.2</td><td>29.7%</td></tr> <tr><td>9.5</td><td>11.2%</td></tr> <tr><td>6.7</td><td>3.4%</td></tr> <tr><td>4.75</td><td>1.4%</td></tr> <tr><td>2.36</td><td>2.4%</td></tr> <tr><td>1.18</td><td>2.3%</td></tr> <tr><td>0.8</td><td>2.2%</td></tr> <tr><td>0.425</td><td>1.1%</td></tr> <tr><td>0.3</td><td>1.4%</td></tr> <tr><td>0.15</td><td>2.5%</td></tr> <tr><td>0.075</td><td>1%</td></tr> <tr><td>0.075</td><td>2.2%</td></tr> </tbody> </table>	Sieve Size (mm)	Percent Retained	75.0	0%	63.0	0%	37.5	0%	26.5	30.6%	19.0	8.8%	13.2	29.7%	9.5	11.2%	6.7	3.4%	4.75	1.4%	2.36	2.4%	1.18	2.3%	0.8	2.2%	0.425	1.1%	0.3	1.4%	0.15	2.5%	0.075	1%	0.075	2.2%	<table border="1"> <thead> <tr> <th>Sieve (mm)</th> <th>Fraction</th> <th>% Retained by mass</th> <th>% Passing by mass</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>Cobbles</td><td>0</td><td>100</td></tr> <tr><td>63.0</td><td>Very Coarse Gravel</td><td>0</td><td>100</td></tr> <tr><td>37.5</td><td>Coarse Gravel</td><td>0</td><td>100</td></tr> <tr><td>26.5</td><td>Coarse Gravel</td><td>30.57</td><td>69.43</td></tr> <tr><td>19.0</td><td>Medium Gravel</td><td>8.77</td><td>60.65</td></tr> <tr><td>13.2</td><td>Medium Gravel</td><td>29.71</td><td>30.94</td></tr> <tr><td>9.5</td><td>Medium Gravel</td><td>11.15</td><td>19.79</td></tr> <tr><td>6.7</td><td>Fine Gravel</td><td>3.35</td><td>16.43</td></tr> <tr><td>4.75</td><td>Fine Gravel</td><td>1.38</td><td>15.05</td></tr> <tr><td>2.36</td><td>Fine Gravel</td><td>2.44</td><td>12.61</td></tr> <tr><td>1.18</td><td>Very Coarse Sand</td><td>2.29</td><td>10.32</td></tr> <tr><td>0.6</td><td>Medium Sand</td><td>2.16</td><td>8.16</td></tr> <tr><td>0.425</td><td>Medium Sand</td><td>1.13</td><td>7.03</td></tr> <tr><td>0.3</td><td>Medium Sand</td><td>1.35</td><td>5.68</td></tr> <tr><td>0.15</td><td>Fine Sand</td><td>2.47</td><td>3.21</td></tr> <tr><td>0.075</td><td>Fine Sand</td><td>1.04</td><td>2.17</td></tr> <tr><td>&lt;0.075</td><td>Fine Particles</td><td>2.17</td><td>N/A</td></tr> </tbody> </table>	Sieve (mm)	Fraction	% Retained by mass	% Passing by mass	75.0	Cobbles	0	100	63.0	Very Coarse Gravel	0	100	37.5	Coarse Gravel	0	100	26.5	Coarse Gravel	30.57	69.43	19.0	Medium Gravel	8.77	60.65	13.2	Medium Gravel	29.71	30.94	9.5	Medium Gravel	11.15	19.79	6.7	Fine Gravel	3.35	16.43	4.75	Fine Gravel	1.38	15.05	2.36	Fine Gravel	2.44	12.61	1.18	Very Coarse Sand	2.29	10.32	0.6	Medium Sand	2.16	8.16	0.425	Medium Sand	1.13	7.03	0.3	Medium Sand	1.35	5.68	0.15	Fine Sand	2.47	3.21	0.075	Fine Sand	1.04	2.17	<0.075	Fine Particles	2.17	N/A
Sieve Size (mm)	Percent Retained																																																																																																												
75.0	0%																																																																																																												
63.0	0%																																																																																																												
37.5	0%																																																																																																												
26.5	30.6%																																																																																																												
19.0	8.8%																																																																																																												
13.2	29.7%																																																																																																												
9.5	11.2%																																																																																																												
6.7	3.4%																																																																																																												
4.75	1.4%																																																																																																												
2.36	2.4%																																																																																																												
1.18	2.3%																																																																																																												
0.8	2.2%																																																																																																												
0.425	1.1%																																																																																																												
0.3	1.4%																																																																																																												
0.15	2.5%																																																																																																												
0.075	1%																																																																																																												
0.075	2.2%																																																																																																												
Sieve (mm)	Fraction	% Retained by mass	% Passing by mass																																																																																																										
75.0	Cobbles	0	100																																																																																																										
63.0	Very Coarse Gravel	0	100																																																																																																										
37.5	Coarse Gravel	0	100																																																																																																										
26.5	Coarse Gravel	30.57	69.43																																																																																																										
19.0	Medium Gravel	8.77	60.65																																																																																																										
13.2	Medium Gravel	29.71	30.94																																																																																																										
9.5	Medium Gravel	11.15	19.79																																																																																																										
6.7	Fine Gravel	3.35	16.43																																																																																																										
4.75	Fine Gravel	1.38	15.05																																																																																																										
2.36	Fine Gravel	2.44	12.61																																																																																																										
1.18	Very Coarse Sand	2.29	10.32																																																																																																										
0.6	Medium Sand	2.16	8.16																																																																																																										
0.425	Medium Sand	1.13	7.03																																																																																																										
0.3	Medium Sand	1.35	5.68																																																																																																										
0.15	Fine Sand	2.47	3.21																																																																																																										
0.075	Fine Sand	1.04	2.17																																																																																																										
<0.075	Fine Particles	2.17	N/A																																																																																																										
<p><b>Cumulative Percent Passing</b></p> <table border="1"> <caption>Cumulative Percent Passing Data</caption> <thead> <tr> <th>Sieve Size (mm)</th> <th>Cumulative Percent Passing</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>100%</td></tr> <tr><td>63.0</td><td>100%</td></tr> <tr><td>37.5</td><td>100%</td></tr> <tr><td>26.5</td><td>69.4%</td></tr> <tr><td>19.0</td><td>60.7%</td></tr> <tr><td>13.2</td><td>30.9%</td></tr> <tr><td>9.5</td><td>19.8%</td></tr> <tr><td>6.7</td><td>16.4%</td></tr> <tr><td>4.75</td><td>15.1%</td></tr> <tr><td>2.36</td><td>12.6%</td></tr> <tr><td>1.18</td><td>10.3%</td></tr> <tr><td>0.8</td><td>8.2%</td></tr> <tr><td>0.425</td><td>7%</td></tr> <tr><td>0.3</td><td>5.7%</td></tr> <tr><td>0.15</td><td>3.2%</td></tr> <tr><td>0.075</td><td>2.2%</td></tr> <tr><td>0.075</td><td>0%</td></tr> </tbody> </table>	Sieve Size (mm)	Cumulative Percent Passing	75.0	100%	63.0	100%	37.5	100%	26.5	69.4%	19.0	60.7%	13.2	30.9%	9.5	19.8%	6.7	16.4%	4.75	15.1%	2.36	12.6%	1.18	10.3%	0.8	8.2%	0.425	7%	0.3	5.7%	0.15	3.2%	0.075	2.2%	0.075	0%																																																																									
Sieve Size (mm)	Cumulative Percent Passing																																																																																																												
75.0	100%																																																																																																												
63.0	100%																																																																																																												
37.5	100%																																																																																																												
26.5	69.4%																																																																																																												
19.0	60.7%																																																																																																												
13.2	30.9%																																																																																																												
9.5	19.8%																																																																																																												
6.7	16.4%																																																																																																												
4.75	15.1%																																																																																																												
2.36	12.6%																																																																																																												
1.18	10.3%																																																																																																												
0.8	8.2%																																																																																																												
0.425	7%																																																																																																												
0.3	5.7%																																																																																																												
0.15	3.2%																																																																																																												
0.075	2.2%																																																																																																												
0.075	0%																																																																																																												

Consultant: Neena Goundar

Authorised Signatory: Simon Leake

Date Report Generated 17/03/2021



# Particle Size Distribution

## - Australian Standard sieves

Sample Drop Off: 16 Chilvers Road  
Thornleigh NSW 2120

Mailing Address: PO Box 357  
Pennant Hills NSW 1715

Tel: 1300 30 40 80  
Fax: 1300 64 46 89  
Em: info@sesl.com.au  
Web: www.sesl.com.au

Batch N°: 59642	Sample N°: 2	Date Received: 10/3/21	Report Status: Final
-----------------	--------------	------------------------	----------------------

Client Name: Eurofins Environment Testing Australia Pty Ltd - VIC	Project Name: Ref: 778817
Client Contact: Harry Bacalis	SESL Quote N°:
Client Order N°: 21-434-1176-778817	Sample Name: BAL_02 / 21-Ma15044
Address: 6 Monterey Road Dandenong South VIC 3175	Description: Soil
	Test Type: SIEVE_AS_Dry

SUMMARY	D VALUES	PERFORMANCE FACTORS
Analysed by SESL Australia Pty Ltd, NATA # 15633.	D <sub>95</sub> : 34.4	Gradation Index (D <sub>90</sub> /D <sub>10</sub> ): 75.00
Results only requested.	D <sub>90</sub> : 31.2	Coefficient of Uniformity: 40.00
Recommendations by SESL Australia not requested.	D <sub>85</sub> : 28.1	(D <sub>60</sub> /D <sub>10</sub> )
	D <sub>60</sub> : 16.8	
	D <sub>50</sub> : 14.9	
	D <sub>15</sub> : 2.25	
	D <sub>10</sub> : 0.415	
	D <sub>5</sub> : 0.238	

PARTICLE SIZE DISTRIBUTION GRAPH	PARTICLE SIZE ANALYSIS			
<p><b>PERCENT RETAINED</b></p> <p>Sieve Sizes (mm)</p>	Sieve (mm)	Fraction	% Retained by mass	% Passing by mass
<p><b>Cumulative Percent Passing</b></p> <p>Sieve Sizes (mm)</p>	75.0	Cobbles	0	100
	63.0	Very Coarse Gravel	0	100
	37.5	Coarse Gravel	0	100
	26.5	Coarse Gravel	17.54	82.46
	19.0	Medium Gravel	10.2	72.26
	13.2	Medium Gravel	31.78	40.48
	9.5	Medium Gravel	15.03	25.45
	6.7	Fine Gravel	4.84	20.61
	4.75	Fine Gravel	3.3	17.31
	2.36	Fine Gravel	2.18	15.13
	1.18	Very Coarse Sand	1.4	13.73
	0.6	Medium Sand	1.63	12.1
	0.425	Medium Sand	1.83	10.28
	0.3	Medium Sand	3.56	6.72
	0.15	Fine Sand	4.16	2.56
	0.075	Fine Sand	1.07	1.48
	<0.075	Fine Particles	1.48	N/A

Consultant: Neena Goundar

Authorised Signatory: Simon Leake

Date Report Generated 17/03/2021



# Particle Size Distribution

## - Australian Standard sieves

Sample Drop Off: 16 Chilvers Road  
Thornleigh NSW 2120

Mailing Address: PO Box 357  
Pennant Hills NSW 1715

Tel: 1300 30 40 80  
Fax: 1300 64 46 89  
Em: info@sesl.com.au  
Web: www.sesl.com.au

Batch N°: 59642	Sample N°: 3	Date Received: 10/3/21	Report Status: Final
-----------------	--------------	------------------------	----------------------

Client Name: Eurofins Environment Testing Australia Pty Ltd - VIC	Project Name: Ref: 778817
Client Contact: Harry Bacalis	SESL Quote N°:
Client Order N°: 21-434-1176-778817	Sample Name: BAL_03 / 21-Ma15045
Address: 6 Monterey Road Dandenong South VIC 3175	Description: Soil
	Test Type: SIEVE_AS_Dry

SUMMARY	D VALUES	PERFORMANCE FACTORS
Analysed by SESL Australia Pty Ltd, NATA # 15633.	D <sub>95</sub> : 57.8	Gradation Index (D <sub>90</sub> /D <sub>10</sub> ): 3.70
Results only requested.	D <sub>90</sub> : 52.7	Coefficient of Uniformity: 2.20
Recommendations by SESL Australia not requested.	D <sub>85</sub> : 47.5	(D <sub>60</sub> /D <sub>10</sub> )
	D <sub>60</sub> : 31.8	
	D <sub>50</sub> : 28.1	
	D <sub>15</sub> : 16.3	
	D <sub>10</sub> : 14.4	
	D <sub>5</sub> : 11.9	

PARTICLE SIZE DISTRIBUTION GRAPH	PARTICLE SIZE ANALYSIS																																																																								
<p><b>PERCENT RETAINED</b></p> <p>Sieve Sizes (mm): 75.0, 63.0, 37.5, 26.5, 19.0, 13.2, 9.5, 6.7, 4.75, 2.36, 1.18, 0.6, 0.425, 0.3, 0.15, 0.075, 0.075</p> <p>% by Mass: 24.7%, 29.7%, 23.6%, 15%, 5.7%, 0.3%, 0.1%, 0.1%, 0.1%, 0.1%, 0.3%, 0.2%, 0.4%</p>	<table border="1"> <thead> <tr> <th>Sieve (mm)</th> <th>Fraction</th> <th>% Retained by mass</th> <th>% Passing by mass</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>Cobbles</td><td>0</td><td>100</td></tr> <tr><td>63.0</td><td>Very Coarse Gravel</td><td>0</td><td>100</td></tr> <tr><td>37.5</td><td>Coarse Gravel</td><td>24.65</td><td>75.35</td></tr> <tr><td>26.5</td><td>Coarse Gravel</td><td>29.74</td><td>45.62</td></tr> <tr><td>19.0</td><td>Medium Gravel</td><td>23.61</td><td>22.01</td></tr> <tr><td>13.2</td><td>Medium Gravel</td><td>14.99</td><td>7.02</td></tr> <tr><td>9.5</td><td>Medium Gravel</td><td>5.65</td><td>1.36</td></tr> <tr><td>6.7</td><td>Fine Gravel</td><td>0.25</td><td>1.11</td></tr> <tr><td>4.75</td><td>Fine Gravel</td><td>0.03</td><td>1.09</td></tr> <tr><td>2.36</td><td>Fine Gravel</td><td>0.02</td><td>1.07</td></tr> <tr><td>1.18</td><td>Very Coarse Sand</td><td>0.07</td><td>1</td></tr> <tr><td>0.6</td><td>Medium Sand</td><td>0.06</td><td>0.94</td></tr> <tr><td>0.425</td><td>Medium Sand</td><td>0.05</td><td>0.89</td></tr> <tr><td>0.3</td><td>Medium Sand</td><td>0.08</td><td>0.81</td></tr> <tr><td>0.15</td><td>Fine Sand</td><td>0.26</td><td>0.55</td></tr> <tr><td>0.075</td><td>Fine Sand</td><td>0.16</td><td>0.39</td></tr> <tr><td>&lt;0.075</td><td>Fine Particles</td><td>0.39</td><td>N/A</td></tr> </tbody> </table>	Sieve (mm)	Fraction	% Retained by mass	% Passing by mass	75.0	Cobbles	0	100	63.0	Very Coarse Gravel	0	100	37.5	Coarse Gravel	24.65	75.35	26.5	Coarse Gravel	29.74	45.62	19.0	Medium Gravel	23.61	22.01	13.2	Medium Gravel	14.99	7.02	9.5	Medium Gravel	5.65	1.36	6.7	Fine Gravel	0.25	1.11	4.75	Fine Gravel	0.03	1.09	2.36	Fine Gravel	0.02	1.07	1.18	Very Coarse Sand	0.07	1	0.6	Medium Sand	0.06	0.94	0.425	Medium Sand	0.05	0.89	0.3	Medium Sand	0.08	0.81	0.15	Fine Sand	0.26	0.55	0.075	Fine Sand	0.16	0.39	<0.075	Fine Particles	0.39	N/A
Sieve (mm)	Fraction	% Retained by mass	% Passing by mass																																																																						
75.0	Cobbles	0	100																																																																						
63.0	Very Coarse Gravel	0	100																																																																						
37.5	Coarse Gravel	24.65	75.35																																																																						
26.5	Coarse Gravel	29.74	45.62																																																																						
19.0	Medium Gravel	23.61	22.01																																																																						
13.2	Medium Gravel	14.99	7.02																																																																						
9.5	Medium Gravel	5.65	1.36																																																																						
6.7	Fine Gravel	0.25	1.11																																																																						
4.75	Fine Gravel	0.03	1.09																																																																						
2.36	Fine Gravel	0.02	1.07																																																																						
1.18	Very Coarse Sand	0.07	1																																																																						
0.6	Medium Sand	0.06	0.94																																																																						
0.425	Medium Sand	0.05	0.89																																																																						
0.3	Medium Sand	0.08	0.81																																																																						
0.15	Fine Sand	0.26	0.55																																																																						
0.075	Fine Sand	0.16	0.39																																																																						
<0.075	Fine Particles	0.39	N/A																																																																						
<p><b>Cumulative Percent Passing</b></p> <p>Sieve Sizes (mm): 75.0, 63.0, 37.5, 26.5, 19.0, 13.2, 9.5, 6.7, 4.75, 2.36, 1.18, 0.6, 0.425, 0.3, 0.15, 0.075, 0.075</p> <p>Cumulative % by Mass: 100%, 100%, 75.4%, 45.6%, 22%, 7%, 1.4%, 1.1%, 1.1%, 1.1%, 1%, 0.9%, 0.9%, 0.8%, 0.6%, 0.4%, 0%</p>																																																																									

Consultant: Neena Goundar

Authorised Signatory: Simon Leake

Date Report Generated 17/03/2021



# Particle Size Distribution

## - Australian Standard sieves

Sample Drop Off: 16 Chilvers Road  
Thornleigh NSW 2120

Mailing Address: PO Box 357  
Pennant Hills NSW 1715

Tel: 1300 30 40 80  
Fax: 1300 64 46 89  
Em: info@sesl.com.au  
Web: www.sesl.com.au

Batch N°: 59642	Sample N°: 4	Date Received: 10/3/21	Report Status: Final
-----------------	--------------	------------------------	----------------------

Client Name: Eurofins Environment Testing Australia Pty Ltd - VIC	Project Name: Ref: 778817
Client Contact: Harry Bacalis	SESL Quote N°:
Client Order N°: 21-434-1176-778817	Sample Name: BAL_04 / 21-Ma15046
Address: 6 Monterey Road Dandenong South VIC 3175	Description: Soil
	Test Type: SIEVE_AS_Dry

SUMMARY	D VALUES	PERFORMANCE FACTORS
Analysed by SESL Australia Pty Ltd, NATA # 15633.	D <sub>95</sub> : 55.6	Gradation Index (D <sub>90</sub> /D <sub>10</sub> ): 4.10
Results only requested.	D <sub>90</sub> : 48.2	Coefficient of Uniformity: 2.00
Recommendations by SESL Australia not requested.	D <sub>85</sub> : 40.8	(D <sub>60</sub> /D <sub>10</sub> )
	D <sub>60</sub> : 23.6	
	D <sub>50</sub> : 21.8	
	D <sub>15</sub> : 13.5	
	D <sub>10</sub> : 11.7	
	D <sub>5</sub> : 9.78	

PARTICLE SIZE DISTRIBUTION GRAPH	PARTICLE SIZE ANALYSIS																																																																																																										
<p><b>PERCENT RETAINED</b></p> <table border="1"> <caption>Percent Retained Data</caption> <thead> <tr> <th>Sieve Size (mm)</th> <th>% Retained</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>0%</td></tr> <tr><td>63.0</td><td>0%</td></tr> <tr><td>37.5</td><td>17.2%</td></tr> <tr><td>26.5</td><td>6.6%</td></tr> <tr><td>19.0</td><td>41.3%</td></tr> <tr><td>13.2</td><td>20.8%</td></tr> <tr><td>9.5</td><td>9.8%</td></tr> <tr><td>6.7</td><td>2.7%</td></tr> <tr><td>4.75</td><td>0.5%</td></tr> <tr><td>2.36</td><td>0.1%</td></tr> <tr><td>1.18</td><td>0.1%</td></tr> <tr><td>0.6</td><td>0.1%</td></tr> <tr><td>0.425</td><td>0.1%</td></tr> <tr><td>0.3</td><td>0.2%</td></tr> <tr><td>0.15</td><td>0.3%</td></tr> <tr><td>0.075</td><td>0.3%</td></tr> </tbody> </table>	Sieve Size (mm)	% Retained	75.0	0%	63.0	0%	37.5	17.2%	26.5	6.6%	19.0	41.3%	13.2	20.8%	9.5	9.8%	6.7	2.7%	4.75	0.5%	2.36	0.1%	1.18	0.1%	0.6	0.1%	0.425	0.1%	0.3	0.2%	0.15	0.3%	0.075	0.3%	<table border="1"> <thead> <tr> <th>Sieve (mm)</th> <th>Fraction</th> <th>% Retained by mass</th> <th>% Passing by mass</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>Cobbles</td><td>0</td><td>100</td></tr> <tr><td>63.0</td><td>Very Coarse Gravel</td><td>0</td><td>100</td></tr> <tr><td>37.5</td><td>Coarse Gravel</td><td>17.23</td><td>82.77</td></tr> <tr><td>26.5</td><td>Coarse Gravel</td><td>6.64</td><td>76.13</td></tr> <tr><td>19.0</td><td>Medium Gravel</td><td>41.27</td><td>34.86</td></tr> <tr><td>13.2</td><td>Medium Gravel</td><td>20.81</td><td>14.05</td></tr> <tr><td>9.5</td><td>Medium Gravel</td><td>9.78</td><td>4.27</td></tr> <tr><td>6.7</td><td>Fine Gravel</td><td>2.69</td><td>1.58</td></tr> <tr><td>4.75</td><td>Fine Gravel</td><td>0.28</td><td>1.29</td></tr> <tr><td>2.36</td><td>Fine Gravel</td><td>0.1</td><td>1.19</td></tr> <tr><td>1.18</td><td>Very Coarse Sand</td><td>0.12</td><td>1.07</td></tr> <tr><td>0.6</td><td>Medium Sand</td><td>0.09</td><td>0.98</td></tr> <tr><td>0.425</td><td>Medium Sand</td><td>0.07</td><td>0.9</td></tr> <tr><td>0.3</td><td>Medium Sand</td><td>0.15</td><td>0.75</td></tr> <tr><td>0.15</td><td>Fine Sand</td><td>0.26</td><td>0.49</td></tr> <tr><td>0.075</td><td>Fine Sand</td><td>0.15</td><td>0.34</td></tr> <tr><td>&lt;0.075</td><td>Fine Particles</td><td>0.34</td><td>N/A</td></tr> </tbody> </table>	Sieve (mm)	Fraction	% Retained by mass	% Passing by mass	75.0	Cobbles	0	100	63.0	Very Coarse Gravel	0	100	37.5	Coarse Gravel	17.23	82.77	26.5	Coarse Gravel	6.64	76.13	19.0	Medium Gravel	41.27	34.86	13.2	Medium Gravel	20.81	14.05	9.5	Medium Gravel	9.78	4.27	6.7	Fine Gravel	2.69	1.58	4.75	Fine Gravel	0.28	1.29	2.36	Fine Gravel	0.1	1.19	1.18	Very Coarse Sand	0.12	1.07	0.6	Medium Sand	0.09	0.98	0.425	Medium Sand	0.07	0.9	0.3	Medium Sand	0.15	0.75	0.15	Fine Sand	0.26	0.49	0.075	Fine Sand	0.15	0.34	<0.075	Fine Particles	0.34	N/A
Sieve Size (mm)	% Retained																																																																																																										
75.0	0%																																																																																																										
63.0	0%																																																																																																										
37.5	17.2%																																																																																																										
26.5	6.6%																																																																																																										
19.0	41.3%																																																																																																										
13.2	20.8%																																																																																																										
9.5	9.8%																																																																																																										
6.7	2.7%																																																																																																										
4.75	0.5%																																																																																																										
2.36	0.1%																																																																																																										
1.18	0.1%																																																																																																										
0.6	0.1%																																																																																																										
0.425	0.1%																																																																																																										
0.3	0.2%																																																																																																										
0.15	0.3%																																																																																																										
0.075	0.3%																																																																																																										
Sieve (mm)	Fraction	% Retained by mass	% Passing by mass																																																																																																								
75.0	Cobbles	0	100																																																																																																								
63.0	Very Coarse Gravel	0	100																																																																																																								
37.5	Coarse Gravel	17.23	82.77																																																																																																								
26.5	Coarse Gravel	6.64	76.13																																																																																																								
19.0	Medium Gravel	41.27	34.86																																																																																																								
13.2	Medium Gravel	20.81	14.05																																																																																																								
9.5	Medium Gravel	9.78	4.27																																																																																																								
6.7	Fine Gravel	2.69	1.58																																																																																																								
4.75	Fine Gravel	0.28	1.29																																																																																																								
2.36	Fine Gravel	0.1	1.19																																																																																																								
1.18	Very Coarse Sand	0.12	1.07																																																																																																								
0.6	Medium Sand	0.09	0.98																																																																																																								
0.425	Medium Sand	0.07	0.9																																																																																																								
0.3	Medium Sand	0.15	0.75																																																																																																								
0.15	Fine Sand	0.26	0.49																																																																																																								
0.075	Fine Sand	0.15	0.34																																																																																																								
<0.075	Fine Particles	0.34	N/A																																																																																																								
<p><b>Cumulative Percent Passing</b></p> <table border="1"> <caption>Cumulative Percent Passing Data</caption> <thead> <tr> <th>Sieve Size (mm)</th> <th>Cumulative % Passing</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>100%</td></tr> <tr><td>63.0</td><td>100%</td></tr> <tr><td>37.5</td><td>82.8%</td></tr> <tr><td>26.5</td><td>76.1%</td></tr> <tr><td>19.0</td><td>34.9%</td></tr> <tr><td>13.2</td><td>14.1%</td></tr> <tr><td>9.5</td><td>4.3%</td></tr> <tr><td>6.7</td><td>1.6%</td></tr> <tr><td>4.75</td><td>1.3%</td></tr> <tr><td>2.36</td><td>1.2%</td></tr> <tr><td>1.18</td><td>1.1%</td></tr> <tr><td>0.6</td><td>1%</td></tr> <tr><td>0.425</td><td>0.9%</td></tr> <tr><td>0.3</td><td>0.8%</td></tr> <tr><td>0.15</td><td>0.5%</td></tr> <tr><td>0.075</td><td>0.3%</td></tr> <tr><td>&lt;0.075</td><td>0%</td></tr> </tbody> </table>	Sieve Size (mm)	Cumulative % Passing	75.0	100%	63.0	100%	37.5	82.8%	26.5	76.1%	19.0	34.9%	13.2	14.1%	9.5	4.3%	6.7	1.6%	4.75	1.3%	2.36	1.2%	1.18	1.1%	0.6	1%	0.425	0.9%	0.3	0.8%	0.15	0.5%	0.075	0.3%	<0.075	0%																																																																							
Sieve Size (mm)	Cumulative % Passing																																																																																																										
75.0	100%																																																																																																										
63.0	100%																																																																																																										
37.5	82.8%																																																																																																										
26.5	76.1%																																																																																																										
19.0	34.9%																																																																																																										
13.2	14.1%																																																																																																										
9.5	4.3%																																																																																																										
6.7	1.6%																																																																																																										
4.75	1.3%																																																																																																										
2.36	1.2%																																																																																																										
1.18	1.1%																																																																																																										
0.6	1%																																																																																																										
0.425	0.9%																																																																																																										
0.3	0.8%																																																																																																										
0.15	0.5%																																																																																																										
0.075	0.3%																																																																																																										
<0.075	0%																																																																																																										

Consultant: *Neena Goundar*  
Neena Goundar

Authorised Signatory: *Simon Leake*  
Simon Leake

Date Report Generated  
17/03/2021



# Particle Size Distribution

## - Australian Standard sieves

Sample Drop Off: 16 Chilvers Road  
Thornleigh NSW 2120

Mailing Address: PO Box 357  
Pennant Hills NSW 1715

Tel: 1300 30 40 80  
Fax: 1300 64 46 89  
Em: info@sesl.com.au  
Web: www.sesl.com.au

Batch N°: 59642	Sample N°: 5	Date Received: 10/3/21	Report Status: Final
-----------------	--------------	------------------------	----------------------

Client Name: Eurofins Environment Testing Australia Pty Ltd - VIC	Project Name: Ref: 778817
Client Contact: Harry Bacalis	SESL Quote N°:
Client Order N°: 21-434-1176-778817	Sample Name: BAL_05 / 21-Ma15047
Address: 6 Monterey Road Dandenong South VIC 3175	Description: Soil
	Test Type: SIEVE_AS_Dry

SUMMARY	D VALUES	PERFORMANCE FACTORS
Analysed by SESL Australia Pty Ltd, NATA # 15633.	D <sub>95</sub> : 34.9	Gradation Index (D <sub>90</sub> /D <sub>10</sub> ): 2.50
Results only requested.	D <sub>90</sub> : 32.2	Coefficient of Uniformity: 1.80
Recommendations by SESL Australia not requested.	D <sub>85</sub> : 29.6	(D <sub>60</sub> /D <sub>10</sub> )
	D <sub>60</sub> : 22.9	
	D <sub>50</sub> : 21	
	D <sub>15</sub> : 14.1	
	D <sub>10</sub> : 12.9	
	D <sub>5</sub> : 10.5	

PARTICLE SIZE DISTRIBUTION GRAPH	PARTICLE SIZE ANALYSIS																																																																								
<p><b>PERCENT RETAINED</b></p> <p>Sieve Sizes (mm)</p>	<table border="1"> <thead> <tr> <th>Sieve (mm)</th> <th>Fraction</th> <th>% Retained by mass</th> <th>% Passing by mass</th> </tr> </thead> <tbody> <tr><td>75.0</td><td>Cobbles</td><td>0</td><td>100</td></tr> <tr><td>63.0</td><td>Very Coarse Gravel</td><td>0</td><td>100</td></tr> <tr><td>37.5</td><td>Coarse Gravel</td><td>0</td><td>100</td></tr> <tr><td>26.5</td><td>Coarse Gravel</td><td>20.81</td><td>79.19</td></tr> <tr><td>19.0</td><td>Medium Gravel</td><td>40.08</td><td>39.11</td></tr> <tr><td>13.2</td><td>Medium Gravel</td><td>28.43</td><td>10.68</td></tr> <tr><td>9.5</td><td>Medium Gravel</td><td>7.64</td><td>3.03</td></tr> <tr><td>6.7</td><td>Fine Gravel</td><td>2.01</td><td>1.02</td></tr> <tr><td>4.75</td><td>Fine Gravel</td><td>0.32</td><td>0.7</td></tr> <tr><td>2.36</td><td>Fine Gravel</td><td>0</td><td>0.7</td></tr> <tr><td>1.18</td><td>Very Coarse Sand</td><td>0.04</td><td>0.65</td></tr> <tr><td>0.6</td><td>Medium Sand</td><td>0.05</td><td>0.6</td></tr> <tr><td>0.425</td><td>Medium Sand</td><td>0.03</td><td>0.57</td></tr> <tr><td>0.3</td><td>Medium Sand</td><td>0.05</td><td>0.52</td></tr> <tr><td>0.15</td><td>Fine Sand</td><td>0.13</td><td>0.39</td></tr> <tr><td>0.075</td><td>Fine Sand</td><td>0.15</td><td>0.24</td></tr> <tr><td>&lt;0.075</td><td>Fine Particles</td><td>0.24</td><td>N/A</td></tr> </tbody> </table>	Sieve (mm)	Fraction	% Retained by mass	% Passing by mass	75.0	Cobbles	0	100	63.0	Very Coarse Gravel	0	100	37.5	Coarse Gravel	0	100	26.5	Coarse Gravel	20.81	79.19	19.0	Medium Gravel	40.08	39.11	13.2	Medium Gravel	28.43	10.68	9.5	Medium Gravel	7.64	3.03	6.7	Fine Gravel	2.01	1.02	4.75	Fine Gravel	0.32	0.7	2.36	Fine Gravel	0	0.7	1.18	Very Coarse Sand	0.04	0.65	0.6	Medium Sand	0.05	0.6	0.425	Medium Sand	0.03	0.57	0.3	Medium Sand	0.05	0.52	0.15	Fine Sand	0.13	0.39	0.075	Fine Sand	0.15	0.24	<0.075	Fine Particles	0.24	N/A
Sieve (mm)	Fraction	% Retained by mass	% Passing by mass																																																																						
75.0	Cobbles	0	100																																																																						
63.0	Very Coarse Gravel	0	100																																																																						
37.5	Coarse Gravel	0	100																																																																						
26.5	Coarse Gravel	20.81	79.19																																																																						
19.0	Medium Gravel	40.08	39.11																																																																						
13.2	Medium Gravel	28.43	10.68																																																																						
9.5	Medium Gravel	7.64	3.03																																																																						
6.7	Fine Gravel	2.01	1.02																																																																						
4.75	Fine Gravel	0.32	0.7																																																																						
2.36	Fine Gravel	0	0.7																																																																						
1.18	Very Coarse Sand	0.04	0.65																																																																						
0.6	Medium Sand	0.05	0.6																																																																						
0.425	Medium Sand	0.03	0.57																																																																						
0.3	Medium Sand	0.05	0.52																																																																						
0.15	Fine Sand	0.13	0.39																																																																						
0.075	Fine Sand	0.15	0.24																																																																						
<0.075	Fine Particles	0.24	N/A																																																																						
<p><b>Cumulative Percent Passing</b></p> <p>Sieve Sizes (mm)</p>																																																																									

Consultant: Neena Goundar

Authorised Signatory: Simon Leake

Date Report Generated 17/03/2021



Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060

Attention: **Stephen Maxwell**

Report **778817-S**  
 Project name **TARAGO BALLAST SAMPLING**  
 Project ID **31800780**  
 Received Date **Mar 05, 2021**

<b>Client Sample ID</b>			<b>BAL_01</b>	<b>BAL_02</b>	<b>BAL_03</b>	<b>BAL_04</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma15043</b>	<b>S21-Ma15044</b>	<b>S21-Ma15045</b>	<b>S21-Ma15046</b>
<b>Date Sampled</b>			<b>Mar 02, 2021</b>	<b>Mar 02, 2021</b>	<b>Mar 02, 2021</b>	<b>Mar 02, 2021</b>
Test/Reference	LOR	Unit				
Particle Size Distribution by Sieve and Hydrometer						
			See attached	See attached	See attached	See attached

<b>Client Sample ID</b>			<b>BAL_05</b>
<b>Sample Matrix</b>			<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma15047</b>
<b>Date Sampled</b>			<b>Mar 02, 2021</b>
Test/Reference	LOR	Unit	
Particle Size Distribution by Sieve and Hydrometer			
			See attached

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description****Testing Site****Extracted****Holding Time**

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	31800780	<b>Received:</b>	Mar 5, 2021 1:35 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	778817	<b>Due:</b>	Mar 12, 2021
<b>Project Name:</b>	TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

<b>Sample Detail</b>						Particle Size Distribution by Sieve and Hydrometer
Melbourne Laboratory - NATA Site # 1254 & 14271						
Sydney Laboratory - NATA Site # 18217						
Brisbane Laboratory - NATA Site # 20794						
Perth Laboratory - NATA Site # 23736						
Mayfield Laboratory						
External Laboratory						X
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
1	BAL_01	Mar 02, 2021		Soil	S21-Ma15043	X
2	BAL_02	Mar 02, 2021		Soil	S21-Ma15044	X
3	BAL_03	Mar 02, 2021		Soil	S21-Ma15045	X
4	BAL_04	Mar 02, 2021		Soil	S21-Ma15046	X
5	BAL_05	Mar 02, 2021		Soil	S21-Ma15047	X
<b>Test Counts</b>						5

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
9. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Comments**

Particle Size Distribution analysed by SESL, report reference 59642.

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	Yes

**Authorised by:**

Ursula Long

Analytical Services Manager



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

**APPENDIX 5  
ADDITIONAL LABORATORY ANALYSES: LEAD CONCENTRATION BY  
PARTICLE SIZE, CADMIUM AND CADMIUM LEACHATE**

Client: John Holland Rail  
 Job No: 318000780  
 Project Name: Tarago Rail Corridor RAP  
 06-05-21

Table A5:  
 Lead in Woodlawn Siding Ballast (excluding fines)



HHRA (Ramboll 2019d)	<b>Sample Type:</b>		<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
	<b>Lab Sample number:</b>		S21-Fe16479	S21-Fe16480	S21-Fe16481	S21-Fe16482	S21-Fe16483
	<b>Sample date:</b>		16-09-19	16-09-19	16-09-19	16-09-19	16-09-19
	<b>Sample ID:</b>		TP3A_BALA	TP3A_BALB	TP3A_BALC	TP5A_BALA	TP5A_BALB
	<b>Site:</b>		Woodawn Siding	Woodawn Siding	Woodawn Siding	Woodawn Siding	Woodawn Siding
	<b>Sampling Method:</b>		Shovel	Shovel	Shovel	Shovel	Shovel

Analyte grouping/Analyte	Units	LOR
--------------------------	-------	-----

<b>EG005T: Total Metals by ICP-AES</b>								
Lead	2,200	mg/kg	5	550	2,800	2,100	560	420

Blank Cell indicates no criterion available

LOR = Limit of Reporting

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Client: John Holland Rail  
 Job No: 318000780  
 Project Name: Tarago Rail Corridor RAP  
 06-05-21

Table A5:  
 Lead in Woodlawn Siding Ballast (excluding fines)



	<b>HHRA (Ramboll 2019d)</b>	<b>Sample Type:</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	
		<b>Lab Sample number:</b>	S21-Fe16484	S21-Fe16485	S21-Fe16486	S21-Ma53832	S21-Ma53833	
		<b>Sample date:</b>	16-09-19	16-09-19	16-09-19	02-03-21	02-03-21	
		<b>Sample ID:</b>	TP5A_BALC	TP6A_BALA	TP6A_BALB	BAL_01 >26.5MM - 1	BAL_01 >26.5MM - 2	
		<b>Site:</b>	Woodawn Siding	Woodawn Siding	Woodawn Siding	Woodawn Siding	Woodawn Siding	
		<b>Sampling Method:</b>	Shovel	Shovel	Shovel	Shovel	Shovel	

Analyte grouping/Analyte	Units	LOR
--------------------------	-------	-----

**EG005T: Total Metals by ICP-AES**

Lead	2,200	mg/kg	5	390	1,100	360	620	130
------	-------	-------	---	-----	-------	-----	-----	-----

Blank Cell indicates no criterion available

LOR = Limit of Reporting

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)



Client: John Holland Rail  
 Job No: 318000780  
 Project Name: Tarago Rail Corridor RAP  
 06-05-21

Table A5:  
 Lead in Woodlawn Siding Ballast (excluding fines)



HHRA (Ramboll 2019d)	<b>Sample Type:</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
	<b>Lab Sample number:</b>	S21-Ma53834	S21-Ma53835	S21-Ma53838	S21-Ma53839	S21-Ma53842
	<b>Sample date:</b>	02-03-21	02-03-21	02-03-21	02-03-21	02-03-21
	<b>Sample ID:</b>	BAL_02 >26.5MM - 1	BAL_02 >26.5MM - 2	BAL_03 >26.5MM - 1	BAL_03 >26.5MM - 2	BAL_04 >26.5MM - 1
	<b>Site:</b>	Woodawn Siding	Woodawn Siding	Woodawn Siding	Woodawn Siding	Woodawn Siding
	<b>Sampling Method:</b>	Shovel	Shovel	Shovel	Shovel	Shovel

Analyte grouping/Analyte	Units	LOR
--------------------------	-------	-----

<b>EG005T: Total Metals by ICP-AES</b>								
Lead	2,200	mg/kg	5	18	42	250	100	150

Blank Cell indicates no criterion available

LOR = Limit of Reporting

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

Client: John Holland Rail  
 Job No: 318000780  
 Project Name: Tarago Rail Corridor RAP  
 06-05-21

Table A5:  
 Lead in Woodlawn Siding Ballast (excluding fines)



HHRA (Ramboll 2019d)	<b>Sample Type:</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
	<b>Lab Sample number:</b>	S21-Ma53843	S21-Ma53844	S21-Ma53845
	<b>Sample date:</b>	02-03-21	02-03-21	02-03-21
	<b>Sample ID:</b>	BAL_04 >26.5MM - 2	BAL_05 >26.5MM - 1	BAL_05 >26.5MM - 2
	<b>Site:</b>	Woodawn Siding	Woodawn Siding	Woodawn Siding
	<b>Sampling Method:</b>	Shovel	Shovel	Shovel

Analyte grouping/Analyte	Units	LOR
--------------------------	-------	-----

<b>EG005T: Total Metals by ICP-AES</b>						
Lead	2,200	mg/kg	5	210	13	22

Blank Cell indicates no criterion available

LOR = Limit of Reporting

Concentration in **red** font and grey box exceed the adopted Human Health Guideline for Commercial/Industrial (Ramboll 2019d)

	A	B	C	D	E	F	G	H	I	J	K	L
1	<b>UCL Statistics for Uncensored Full Data Sets</b>											
2												
3	User Selected Options											
4	Date/Time of Computation	ProUCL 5.104-May-21 10:21:34 AM										
5	From File	WorkSheet.xls										
6	Full Precision	OFF										
7	Confidence Coefficient	95%										
8	Number of Bootstrap Operations	2000										
9												
10												
11	<b>Lead in Woodlawn Siding Ballast</b>											
12												
13	<b>General Statistics</b>											
14	Total Number of Observations	18	Number of Distinct Observations		18							
15			Number of Missing Observations		0							
16	Minimum	13	Mean		546.4							
17	Maximum	2800	Median		305							
18	SD	755.5	Std. Error of Mean		178.1							
19	Coefficient of Variation	1.383	Skewness		2.224							
20												
21	<b>Normal GOF Test</b>											
22	Shapiro Wilk Test Statistic	0.69	<b>Shapiro Wilk GOF Test</b>									
23	5% Shapiro Wilk Critical Value	0.897	Data Not Normal at 5% Significance Level									
24	Lilliefors Test Statistic	0.295	<b>Lilliefors GOF Test</b>									
25	5% Lilliefors Critical Value	0.202	Data Not Normal at 5% Significance Level									
26	<b>Data Not Normal at 5% Significance Level</b>											
27												
28	<b>Assuming Normal Distribution</b>											
29	<b>95% Normal UCL</b>				<b>95% UCLs (Adjusted for Skewness)</b>							
30	95% Student's-t UCL	856.2	95% Adjusted-CLT UCL (Chen-1995)		939							
31			95% Modified-t UCL (Johnson-1978)		871.7							
32												
33	<b>Gamma GOF Test</b>											
34	A-D Test Statistic	0.292	<b>Anderson-Darling Gamma GOF Test</b>									
35	5% A-D Critical Value	0.785	Detected data appear Gamma Distributed at 5% Significance Level									
36	K-S Test Statistic	0.137	<b>Kolmogorov-Smirnov Gamma GOF Test</b>									
37	5% K-S Critical Value	0.213	Detected data appear Gamma Distributed at 5% Significance Level									
38	<b>Detected data appear Gamma Distributed at 5% Significance Level</b>											
39												
40	<b>Gamma Statistics</b>											
41	k hat (MLE)	0.672	k star (bias corrected MLE)		0.597							
42	Theta hat (MLE)	812.8	Theta star (bias corrected MLE)		914.8							
43	nu hat (MLE)	24.2	nu star (bias corrected)		21.5							
44	MLE Mean (bias corrected)	546.4	MLE Sd (bias corrected)		707							
45			Approximate Chi Square Value (0.05)		11.97							
46	Adjusted Level of Significance	0.0357	Adjusted Chi Square Value		11.29							
47												
48	<b>Assuming Gamma Distribution</b>											
49	95% Approximate Gamma UCL (use when n>=50)	981.9	95% Adjusted Gamma UCL (use when n<50)		1041							
50												
51	<b>Lognormal GOF Test</b>											
52	Shapiro Wilk Test Statistic	0.957	<b>Shapiro Wilk Lognormal GOF Test</b>									
53	5% Shapiro Wilk Critical Value	0.897	Data appear Lognormal at 5% Significance Level									
54	Lilliefors Test Statistic	0.123	<b>Lilliefors Lognormal GOF Test</b>									
55	5% Lilliefors Critical Value	0.202	Data appear Lognormal at 5% Significance Level									
56	<b>Data appear Lognormal at 5% Significance Level</b>											
57												
58	<b>Lognormal Statistics</b>											
59	Minimum of Logged Data	2.565	Mean of logged Data		5.399							
60	Maximum of Logged Data	7.937	SD of logged Data		1.559							
61												
62	<b>Assuming Lognormal Distribution</b>											
63	95% H-UCL	2835	90% Chebyshev (MVUE) UCL		1510							
64	95% Chebyshev (MVUE) UCL	1897	97.5% Chebyshev (MVUE) UCL		2434							
65	99% Chebyshev (MVUE) UCL	3488										
66												
67	<b>Nonparametric Distribution Free UCL Statistics</b>											
68	<b>Data appear to follow a Discernible Distribution at 5% Significance Level</b>											
69												
70	<b>Nonparametric Distribution Free UCLs</b>											
71	95% CLT UCL	839.3	95% Jackknife UCL		856.2							
72	95% Standard Bootstrap UCL	822.1	95% Bootstrap-t UCL		1290							
73	95% Hall's Bootstrap UCL	2256	95% Percentile Bootstrap UCL		830.8							
74	95% BCA Bootstrap UCL	944.3										
75	90% Chebyshev(Mean, Sd) UCL	1081	95% Chebyshev(Mean, Sd) UCL		1323							
76	97.5% Chebyshev(Mean, Sd) UCL	1658	99% Chebyshev(Mean, Sd) UCL		2318							
77												
78	<b>Suggested UCL to Use</b>											
79	95% Adjusted Gamma UCL	1041										
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **772644-S**  
 Project name **LEAD TRIAL**  
 Project ID **318000780**  
 Received Date **Feb 08, 2021**

Client Sample ID			TP3A_BALA	TP3A_BALB	TP3A_BALC	TP5A_BALA
Sample Matrix			Rock	Rock	Rock	Rock
Eurofins Sample No.			S21-Fe16479	S21-Fe16480	S21-Fe16481	S21-Fe16482
Date Sampled			Feb 08, 2021	Feb 08, 2021	Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	550	2800	2100	560
% Moisture	1	%	< 1	< 1	< 1	1.1

Client Sample ID			TP5A_BALB	TP5A_BALC	TP6A_BALA	TP6A_BALB
Sample Matrix			Rock	Rock	Rock	Rock
Eurofins Sample No.			S21-Fe16483	S21-Fe16484	S21-Fe16485	S21-Fe16486
Date Sampled			Feb 08, 2021	Feb 08, 2021	Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	420	390	1100	360
% Moisture	1	%	1.2	1.2	1.2	< 1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Feb 18, 2021

Feb 09, 2021

**Holding Time**

180 Days

14 Days

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772644	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	LEAD TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
Mayfield Laboratory								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP3A_BALA	Feb 08, 2021		Rock	S21-Fe16479		X	X
2	TP3A_BALB	Feb 08, 2021		Rock	S21-Fe16480		X	X
3	TP3A_BALC	Feb 08, 2021		Rock	S21-Fe16481		X	X
4	TP5A_BALA	Feb 08, 2021		Rock	S21-Fe16482		X	X
5	TP5A_BALB	Feb 08, 2021		Rock	S21-Fe16483		X	X
6	TP5A_BALC	Feb 08, 2021		Rock	S21-Fe16484		X	X
7	TP6A_BALA	Feb 08, 2021		Rock	S21-Fe16485		X	X
8	TP6A_BALB	Feb 08, 2021		Rock	S21-Fe16486		X	X
9	TP6A_BALC	Feb 08, 2021		Rock	S21-Fe16487	X		

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772644	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	LEAD TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
<b>Eurofins Analytical Services Manager : Andrew Black</b>					

Sample Detail	HOLD	Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271			
Sydney Laboratory - NATA Site # 18217	X	X	X
Brisbane Laboratory - NATA Site # 20794			
Perth Laboratory - NATA Site # 23736			
Mayfield Laboratory			
External Laboratory			
<b>Test Counts</b>	2	8	8

**Internal Quality Control Review and Glossary**
**General**

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
9. This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	105		80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe35255	NCP	%	97	75-125	Pass		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe31701	NCP	mg/kg	23	20	15	30%	Pass
<b>Duplicate</b>											
% Moisture				S21-Fe16479	CP	%	< 1	< 1	<1	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **778274-S**  
 Project name **SOIL**  
 Project ID **318000780-A**  
 Received Date **Mar 04, 2021**

Client Sample ID			<b>SS202</b>	<b>SS203</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma10625</b>	<b>S21-Ma10626</b>
<b>Date Sampled</b>			<b>Mar 02, 2021</b>	<b>Mar 02, 2021</b>
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	5	mg/kg	350	28
% Moisture	1	%	5.9	< 1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Mar 07, 2021

Mar 04, 2021

**Holding Time**

180 Days

14 Days

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 4, 2021 12:18 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	778274	<b>Due:</b>	Mar 11, 2021
<b>Project Name:</b>	SOIL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780-A	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
<b>Eurofins Analytical Services Manager : Andrew Black</b>					

Sample Detail						Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217						X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
Mayfield Laboratory							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	SS202	Mar 02, 2021		Soil	S21-Ma10625	X	X
2	SS203	Mar 02, 2021		Soil	S21-Ma10626	X	X
<b>Test Counts</b>						2	2

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	102		80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma07313	NCP	%	105	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
				Result 1	Result 2	RPD					
% Moisture				S21-Ma10593	NCP	%	15	14	9.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma10626	CP	mg/kg	28	37	29	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection and proficiency testing scheme providers  
 reports.

Attention: Stephen Maxwell

Report 783811-L-V2  
 Project name ADDITIONAL - TARAGO BALLAST SAMPLING  
 Project ID 31800780  
 Received Date Mar 29, 2021

Client Sample ID			BAL_01 >26.5MM - 1	BAL_01 >26.5MM - 2	BAL_02 >26.5MM - 1	BAL_02 >26.5MM - 2
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S21-Ma53846	S21-Ma53847	S21-Ma53848	S21-Ma53849
Date Sampled			Mar 02, 2021	Mar 02, 2021	Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.68	1.4	0.36	0.45
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	4.5	4.6	5.2	5.3
pH (off)	0.1	pH Units	5.1	5.1	5.2	5.1
pH (USA HCl addition)	0.1	pH Units	1.7	1.7	1.7	1.7

Client Sample ID			BAL_03 >26.5MM - 1	BAL_03 >26.5MM - 2	BAL_04 >26.5MM - 1	BAL_04 >26.5MM - 2
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S21-Ma53852	S21-Ma53853	S21-Ma53856	S21-Ma53857
Date Sampled			Mar 02, 2021	Mar 02, 2021	Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	4.7	2.6	2.6	1.8
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	5.3	5.1	5.2	5.2
pH (off)	0.1	pH Units	5.2	5.2	5.1	5.2
pH (USA HCl addition)	0.1	pH Units	1.7	1.6	1.7	1.6

Client Sample ID			BAL_05 >26.5MM - 1	BAL_05 >26.5MM - 2
Sample Matrix			US Leachate	US Leachate
Eurofins Sample No.			S21-Ma53858	S21-Ma53859
Date Sampled			Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	0.01	mg/L	0.17	0.20
<b>USA Leaching Procedure</b>				
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0
pH (initial)	0.1	pH Units	5.6	5.5
pH (off)	0.1	pH Units	5.2	5.1
pH (USA HCl addition)	0.1	pH Units	1.7	1.7

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Apr 01, 2021	180 Days
USA Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Mar 31, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	BAL_01 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53832		X		X
2	BAL_01 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53833		X		X
3	BAL_02 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53834		X		X
4	BAL_02 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53835		X		X
5	BAL_03 >37.5MM - 1	Mar 02, 2021		Soil	S21-Ma53836	X			
6	BAL_03	Mar 02, 2021		Soil	S21-Ma53837	X			

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
	>37.5MM - 2								
7	BAL_03 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53838		X		X
8	BAL_03 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53839		X		X
9	BAL_04 >37.5MM - 1	Mar 02, 2021		Soil	S21-Ma53840	X			
10	BAL_04 >37.5MM - 2	Mar 02, 2021		Soil	S21-Ma53841	X			
11	BAL_04 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53842		X		X
12	BAL_04 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53843		X		X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
13	BAL_05 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53844		X		X
14	BAL_05 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53845		X		X
15	BAL_01 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53846		X	X	
16	BAL_01 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53847		X	X	
17	BAL_02 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53848		X	X	
18	BAL_02 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53849		X	X	
19	BAL_03	Mar 02, 2021		US Leachate	S21-Ma53850	X			

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
	>37.5MM - 1								
20	BAL_03 >37.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53851	X			
21	BAL_03 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53852		X	X	
22	BAL_03 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53853		X	X	
23	BAL_04 >37.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53854	X			
24	BAL_04 >37.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53855	X			
25	BAL_04 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53856		X	X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
26	BAL_04 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53857		X	X	
27	BAL_05 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53858		X	X	
28	BAL_05 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53859		X	X	
<b>Test Counts</b>						8	30	10	10

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/L	< 0.01		0.01	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	88		80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma54310	NCP	%	79	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma53846	CP	mg/L	0.68	0.89	27	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma53859	CP	mg/L	0.20	0.19	6.0	30%	Pass

**Comments**

V2- new version with all samples re-sieved and repeated as per client and internal request.

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other

**Authorised by:**

Andrew Black	Analytical Services Manager
John Nguyen	Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection and proficiency testing scheme providers  
 reports.

Attention: Stephen Maxwell

Report 783811-S-V2  
 Project name ADDITIONAL - TARAGO BALLAST SAMPLING  
 Project ID 31800780  
 Received Date Mar 29, 2021

Client Sample ID			BAL_01 >26.5MM - 1	BAL_01 >26.5MM - 2	BAL_02 >26.5MM - 1	BAL_02 >26.5MM - 2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S21-Ma53832	S21-Ma53833	S21-Ma53834	S21-Ma53835
Date Sampled			Mar 02, 2021	Mar 02, 2021	Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	620	130	18	42
% Moisture	1	%	2.5	1.8	3.5	4.1

Client Sample ID			BAL_03 >26.5MM - 1	BAL_03 >26.5MM - 2	BAL_04 >26.5MM - 1	BAL_04 >26.5MM - 2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S21-Ma53838	S21-Ma53839	S21-Ma53842	S21-Ma53843
Date Sampled			Mar 02, 2021	Mar 02, 2021	Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	250	100	150	210
% Moisture	1	%	3.0	3.4	1.3	1.1

Client Sample ID			BAL_05 >26.5MM - 1	BAL_05 >26.5MM - 2
Sample Matrix			Soil	Soil
Eurofins Sample No.			S21-Ma53844	S21-Ma53845
Date Sampled			Mar 02, 2021	Mar 02, 2021
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	5	mg/kg	13	22
% Moisture	1	%	< 1	< 1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 31, 2021	180 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Sydney	Mar 30, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271									
Sydney Laboratory - NATA Site # 18217						X	X	X	X
Brisbane Laboratory - NATA Site # 20794									
Perth Laboratory - NATA Site # 23736									
Mayfield Laboratory									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	BAL_01 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53832		X		X
2	BAL_01 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53833		X		X
3	BAL_02 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53834		X		X
4	BAL_02 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53835		X		X
5	BAL_03 >37.5MM - 1	Mar 02, 2021		Soil	S21-Ma53836	X			
6	BAL_03	Mar 02, 2021		Soil	S21-Ma53837	X			

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
	>37.5MM - 2								
7	BAL_03 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53838		X		X
8	BAL_03 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53839		X		X
9	BAL_04 >37.5MM - 1	Mar 02, 2021		Soil	S21-Ma53840	X			
10	BAL_04 >37.5MM - 2	Mar 02, 2021		Soil	S21-Ma53841	X			
11	BAL_04 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53842		X		X
12	BAL_04 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53843		X		X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
13	BAL_05 >26.5MM - 1	Mar 02, 2021		Soil	S21-Ma53844		X		X
14	BAL_05 >26.5MM - 2	Mar 02, 2021		Soil	S21-Ma53845		X		X
15	BAL_01 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53846		X	X	
16	BAL_01 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53847		X	X	
17	BAL_02 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53848		X	X	
18	BAL_02 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53849		X	X	
19	BAL_03	Mar 02, 2021		US Leachate	S21-Ma53850	X			

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
	>37.5MM - 1								
20	BAL_03 >37.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53851	X			
21	BAL_03 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53852		X	X	
22	BAL_03 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53853		X	X	
23	BAL_04 >37.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53854	X			
24	BAL_04 >37.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53855	X			
25	BAL_04 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53856		X	X	



**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 29, 2021 1:38 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	783811	<b>Due:</b>	Apr 1, 2021
<b>Project Name:</b>	ADDITIONAL - TARAGO BALLAST SAMPLING	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
26	BAL_04 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53857		X	X	
27	BAL_05 >26.5MM - 1	Mar 02, 2021		US Leachate	S21-Ma53858		X	X	
28	BAL_05 >26.5MM - 2	Mar 02, 2021		US Leachate	S21-Ma53859		X	X	
<b>Test Counts</b>						8	30	10	10

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	114		80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma57786	NCP	%	100	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma53832	CP	mg/kg	620	670	9.0	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S21-Ma53843	CP	%	1.1	1.2	6.0	30%	Pass

**Comments**

V2- new version with all samples re-sieved and repeated as per client and internal request.

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

## **APPENDIX 6**

### **95% UCL CALCULATIONS**

	A	B	C	D	E	F	G	H	I	J	K	L
1	<b>UCL Statistics for Uncensored Full Data Sets</b>											
2												
3	User Selected Options											
4	Date/Time of Computation	ProUCL 5.104-May-21 10:21:34 AM										
5	From File	WorkSheet.xls										
6	Full Precision	OFF										
7	Confidence Coefficient	95%										
8	Number of Bootstrap Operations	2000										
9												
10												
11	<b>Lead in Woodlawn Siding Ballast</b>											
12												
13	<b>General Statistics</b>											
14	Total Number of Observations	18	Number of Distinct Observations		18							
15			Number of Missing Observations		0							
16	Minimum	13	Mean		546.4							
17	Maximum	2800	Median		305							
18	SD	755.5	Std. Error of Mean		178.1							
19	Coefficient of Variation	1.383	Skewness		2.224							
20												
21	<b>Normal GOF Test</b>											
22	Shapiro Wilk Test Statistic	0.69	<b>Shapiro Wilk GOF Test</b>									
23	5% Shapiro Wilk Critical Value	0.897	Data Not Normal at 5% Significance Level									
24	Lilliefors Test Statistic	0.295	<b>Lilliefors GOF Test</b>									
25	5% Lilliefors Critical Value	0.202	Data Not Normal at 5% Significance Level									
26	<b>Data Not Normal at 5% Significance Level</b>											
27												
28	<b>Assuming Normal Distribution</b>											
29	<b>95% Normal UCL</b>				<b>95% UCLs (Adjusted for Skewness)</b>							
30	95% Student's-t UCL	856.2	95% Adjusted-CLT UCL (Chen-1995)		939							
31			95% Modified-t UCL (Johnson-1978)		871.7							
32												
33	<b>Gamma GOF Test</b>											
34	A-D Test Statistic	0.292	<b>Anderson-Darling Gamma GOF Test</b>									
35	5% A-D Critical Value	0.785	Detected data appear Gamma Distributed at 5% Significance Level									
36	K-S Test Statistic	0.137	<b>Kolmogorov-Smirnov Gamma GOF Test</b>									
37	5% K-S Critical Value	0.213	Detected data appear Gamma Distributed at 5% Significance Level									
38	<b>Detected data appear Gamma Distributed at 5% Significance Level</b>											
39												
40	<b>Gamma Statistics</b>											
41	k hat (MLE)	0.672	k star (bias corrected MLE)		0.597							
42	Theta hat (MLE)	812.8	Theta star (bias corrected MLE)		914.8							
43	nu hat (MLE)	24.2	nu star (bias corrected)		21.5							
44	MLE Mean (bias corrected)	546.4	MLE Sd (bias corrected)		707							
45			Approximate Chi Square Value (0.05)		11.97							
46	Adjusted Level of Significance	0.0357	Adjusted Chi Square Value		11.29							
47												
48	<b>Assuming Gamma Distribution</b>											
49	95% Approximate Gamma UCL (use when n>=50)	981.9	95% Adjusted Gamma UCL (use when n<50)		1041							
50												
51	<b>Lognormal GOF Test</b>											
52	Shapiro Wilk Test Statistic	0.957	<b>Shapiro Wilk Lognormal GOF Test</b>									
53	5% Shapiro Wilk Critical Value	0.897	Data appear Lognormal at 5% Significance Level									
54	Lilliefors Test Statistic	0.123	<b>Lilliefors Lognormal GOF Test</b>									
55	5% Lilliefors Critical Value	0.202	Data appear Lognormal at 5% Significance Level									
56	<b>Data appear Lognormal at 5% Significance Level</b>											
57												
58	<b>Lognormal Statistics</b>											
59	Minimum of Logged Data	2.565	Mean of logged Data		5.399							
60	Maximum of Logged Data	7.937	SD of logged Data		1.559							
61												
62	<b>Assuming Lognormal Distribution</b>											
63	95% H-UCL	2835	90% Chebyshev (MVUE) UCL		1510							
64	95% Chebyshev (MVUE) UCL	1897	97.5% Chebyshev (MVUE) UCL		2434							
65	99% Chebyshev (MVUE) UCL	3488										
66												
67	<b>Nonparametric Distribution Free UCL Statistics</b>											
68	<b>Data appear to follow a Discernible Distribution at 5% Significance Level</b>											
69												
70	<b>Nonparametric Distribution Free UCLs</b>											
71	95% CLT UCL	839.3	95% Jackknife UCL		856.2							
72	95% Standard Bootstrap UCL	822.1	95% Bootstrap-t UCL		1290							
73	95% Hall's Bootstrap UCL	2256	95% Percentile Bootstrap UCL		830.8							
74	95% BCA Bootstrap UCL	944.3										
75	90% Chebyshev(Mean, Sd) UCL	1081	95% Chebyshev(Mean, Sd) UCL		1323							
76	97.5% Chebyshev(Mean, Sd) UCL	1658	99% Chebyshev(Mean, Sd) UCL		2318							
77												
78	<b>Suggested UCL to Use</b>											
79	95% Adjusted Gamma UCL	1041										
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												

## **APPENDIX 7 REMEDIAL COST CALCULATIONS**

### Remedial Option Cost Estimates for Onsite Contamination

#### Option 1 - Return of ore impacted materials from the site to Woodlawn Mine

Description	Unit	Budget Rate	Estimated Qty	Estimated Total
Preliminaries and Management Plans	Item	\$5,000	1	\$5,000
Mobilisation and site establishment	Item	\$10,000	1	\$10,000
Project Management	Week	\$6,500	6	\$39,000
Excavation of impacted material to loading area	M3	\$25	4,100	\$102,500
Loading impacted material into truck and dogs and transport to mine (assumes tip only, handling of material at mine site excluded)	Tonne	\$25	7,380	\$184,500
Demobilisation	Item	\$5,000	1	\$5,000
<b>Estimated Total</b>				<b>\$346,000</b>

#### Option 2 - Onsite containment

Description	Unit	Budget Rate	Estimated Qty	Estimated Total
Preliminaries and Management Plans	Item	\$7,500	1	\$7,500
Mobilisation and site establishment	Item	\$20,000	1	\$20,000
Project Management	Week	\$6,500	10	\$65,000
Excavate capping layer to stockpile (assume 6,000m <sup>2</sup> x 0.5m thick)	M3	\$25	3,000	\$75,000
Excavate containment cell – spoil cart to stockpile within 100m – unsure of final destination of this	M3	\$25	4,100	\$102,500
Install HDPE and geofabric liner to containment cell	M2	\$25	4,100	\$102,500
Excavate impacted material, transport to containment cell, place and compact in cell	M3	\$35	4,100	\$143,500
Place capping layer from stockpile to cap containment cell	M3	\$20	3,000	\$60,000
Demobilisation	Item	\$15,000	1	\$15,000
<b>Estimated Total</b>				<b>\$591,000</b>



**Option 3 - Offsite treatment and disposal of ore impacted materials onsite**

Description	Unit	Budget Rate	Estimated Qty	Estimated Total
Preliminaries and Management Plans	Item	\$10,000	1	\$10,000
Mobilisation and site establishment	Item	\$25,000	1	\$25,000
Project Management	Week	\$6,500	12	\$78,000
Bench-scale trial and obtain SIA	Item	\$20,000	1	\$20,000
Excavation of impacted material to loading area	M3	\$25	4,100	\$102,500
Loading impacted material into truck and dogs and transport to Local Landfill	Tonne	\$25	7,380	\$184,500
Screen material to remove ballast	Tonne	\$15	7,380	\$110,700
Return of ballast to site	M3	\$25	2,050	\$51,250
Immobilisation of impacted material following ballast removal	Tonne	\$100	2,050	\$205,000
Disposal of immobilised material as GSW at Hi Quality Minda Landfill	Tonne	\$115	9,225	\$1,060,875
Disposal of immobilised material as GSW at Veolia Woodlawn Landfill	Tonne	\$225	9,225	\$2,075,625
Demobilisation	Item	\$20,000	1	\$20,000
<b>Estimated Total for disposal at Minda Landfill</b>				<b>\$1,867,825</b>
<b>Estimated Total for disposal at Veolia Woodlawn</b>				<b>\$2,882,575</b>

## **APPENDIX 8 FINANCIAL ASSURANCE CALCULATIONS**

Table 1: Financial Assurance Assumptions



Year	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
q-factor	100.0%	97.1%	94.3%	91.5%	88.8%	86.3%	83.7%	81.3%	78.9%	76.6%	74.4%	72.2%	70.1%	68.1%	66.1%	64.2%	62.3%
Price escalation	100.0%	102.0%	104.0%	106.1%	108.2%	110.4%	112.6%	114.9%	117.2%	119.5%	121.9%	124.3%	126.8%	129.4%	131.9%	134.6%	137.3%
<b>Investment</b>	-1,233,000																
<b>Ongoing Maintenance and Monitoring Requirements</b>																	
<i>Environmental Monitoring</i>																	
Inspection and reporting		-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000
Periodic topsoil replacement											-40,000						
Recontainment																	
Security checks by third party																	
Maintenance																	
Administrator																	
<b>Total (without price escalation)</b>	<b>-1,233,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>
Total (with price escalation)	-1,233,000	-5,100	-5,202	-5,306	-5,412	-5,520	-5,631	-5,743	-5,858	-5,975	-54,855	-6,217	-6,341	-6,468	-6,597	-6,729	-6,864
<b>NPV</b>	<b>-1,233,000</b>	<b>-4,951</b>	<b>-4,903</b>	<b>-4,856</b>	<b>-4,809</b>	<b>-4,762</b>	<b>-4,716</b>	<b>-4,670</b>	<b>-4,625</b>	<b>-4,580</b>	<b>-40,817</b>	<b>-4,491</b>	<b>-4,448</b>	<b>-4,404</b>	<b>-4,362</b>	<b>-4,319</b>	<b>-4,277</b>
	-1,253,000																
<b>Total NPV</b>	<b>-1,793,937</b>																
NPV Risk realistic	-376,792																
NPV Risk worst	-305,589																
NPV Captial	-1,233,000																
NPV Monitoring and management	-541,418																

Note: the q-factor quantifies the effect of interest and inflation on future costs of long term environmental management and informs calculation of net present value required for financial assurance

Table 1: Financial Assurance Assumptions



17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
60.5%	58.7%	57.0%	55.4%	53.8%	52.2%	50.7%	49.2%	47.8%	46.4%	45.0%	43.7%	42.4%	41.2%	40.0%	38.8%	37.7%	36.6%	35.5%	34.5%	33.5%	32.5%
140.0%	142.8%	145.7%	148.6%	151.6%	154.6%	157.7%	160.8%	164.1%	167.3%	170.7%	174.1%	177.6%	181.1%	184.8%	188.5%	192.2%	196.1%	200.0%	204.0%	208.1%	212.2%
-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000
			-40,000										-40,000								
<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>
-7,001	-7,141	-7,284	-66,868	-7,578	-7,730	-7,884	-8,042	-8,203	-8,367	-8,534	-8,705	-8,879	-81,511	-9,238	-9,423	-9,611	-9,803	-9,999	-10,199	-10,403	-10,611
<b>-4,236</b>	<b>-4,195</b>	<b>-4,154</b>	<b>-37,023</b>	<b>-4,074</b>	<b>-4,034</b>	<b>-3,995</b>	<b>-3,956</b>	<b>-3,918</b>	<b>-3,880</b>	<b>-3,842</b>	<b>-3,805</b>	<b>-3,768</b>	<b>-33,582</b>	<b>-3,695</b>	<b>-3,659</b>	<b>-3,624</b>	<b>-3,588</b>	<b>-3,554</b>	<b>-3,519</b>	<b>-3,485</b>	<b>-3,451</b>

Table 1: Financial Assurance Assumptions



39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
31.6%	30.7%	29.8%	28.9%	28.1%	27.2%	26.4%	25.7%	24.9%	24.2%	23.5%	22.8%	22.1%	21.5%	20.9%	20.3%	19.7%	19.1%	18.5%	18.0%	17.5%	17.0%
216.5%	220.8%	225.2%	229.7%	234.3%	239.0%	243.8%	248.7%	253.6%	258.7%	263.9%	269.2%	274.5%	280.0%	285.6%	291.3%	297.2%	303.1%	309.2%	315.4%	321.7%	328.1%
-5000	-5000 -40,000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000
<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>
-10,824	-99,362	-11,261	-11,486	-11,716	-11,950	-12,189	-12,433	-12,682	-12,935	-13,194	-121,121	-13,727	-14,002	-14,282	-14,567	-14,859	-15,156	-15,459	-15,768	-16,083	-147,646
<b>-3,418</b>	<b>-30,460</b>	<b>-3,352</b>	<b>-3,319</b>	<b>-3,287</b>	<b>-3,255</b>	<b>-3,223</b>	<b>-3,192</b>	<b>-3,161</b>	<b>-3,130</b>	<b>-3,100</b>	<b>-27,629</b>	<b>-3,040</b>	<b>-3,011</b>	<b>-2,981</b>	<b>-2,952</b>	<b>-2,924</b>	<b>-2,895</b>	<b>-2,867</b>	<b>-2,839</b>	<b>-2,812</b>	<b>-25,060</b>

Table 1: Financial Assurance Assumptions



61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82
16.5%	16.0%	15.5%	15.1%	14.6%	14.2%	13.8%	13.4%	13.0%	12.6%	12.3%	11.9%	11.6%	11.2%	10.9%	10.6%	10.3%	10.0%	9.7%	9.4%	9.1%	8.9%
334.7%	341.4%	348.2%	355.1%	362.3%	369.5%	376.9%	384.4%	392.1%	400.0%	408.0%	416.1%	424.4%	432.9%	441.6%	450.4%	459.4%	468.6%	478.0%	487.5%	497.3%	507.2%
-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000
									-40,000												
<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>
-16,733	-17,068	-17,409	-17,757	-18,113	-18,475	-18,844	-19,221	-19,606	-179,980	-20,398	-20,806	-21,222	-21,646	-22,079	-22,521	-22,971	-23,431	-23,899	-219,395	-24,865	-25,362
<b>-2,757</b>	<b>-2,731</b>	<b>-2,704</b>	<b>-2,678</b>	<b>-2,652</b>	<b>-2,626</b>	<b>-2,601</b>	<b>-2,575</b>	<b>-2,550</b>	<b>-22,731</b>	<b>-2,501</b>	<b>-2,477</b>	<b>-2,453</b>	<b>-2,429</b>	<b>-2,405</b>	<b>-2,382</b>	<b>-2,359</b>	<b>-2,336</b>	<b>-2,313</b>	<b>-20,618</b>	<b>-2,269</b>	<b>-2,247</b>

Table 1: Financial Assurance Assumptions



83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
8.6%	8.3%	8.1%	7.9%	7.6%	7.4%	7.2%	7.0%	6.8%	6.6%	6.4%	6.2%	6.0%	5.9%	5.7%	5.5%	5.4%	5.2%
517.4%	527.7%	538.3%	549.1%	560.0%	571.2%	582.7%	594.3%	606.2%	618.3%	630.7%	643.3%	656.2%	669.3%	682.7%	696.3%	710.3%	724.5%
-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000	-5000
							-40,000										-40,000
<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-5,000</b>	<b>-45,000</b>
-25,869	-26,387	-26,914	-27,453	-28,002	-28,562	-29,133	-267,441	-30,310	-30,916	-31,535	-32,165	-32,808	-33,465	-34,134	-34,817	-35,513	-326,009
<b>-2,225</b>	<b>-2,203</b>	<b>-2,182</b>	<b>-2,161</b>	<b>-2,140</b>	<b>-2,119</b>	<b>-2,098</b>	<b>-18,702</b>	<b>-2,058</b>	<b>-2,038</b>	<b>-2,018</b>	<b>-1,998</b>	<b>-1,979</b>	<b>-1,960</b>	<b>-1,941</b>	<b>-1,922</b>	<b>-1,903</b>	<b>-16,963</b>

## **APPENDIX 9 NOTIFICATION OF CATEGORY 2 REMEDIATION**



Goulburn-Mulwaree Council  
Locked Bag 22  
Goulburn NSW 2580  
Attention: The General Manager

Date 6/05/2020

## TARAGO TRACK WORKS NOTIFICATION OF CATEGORY 2 REMEDIATION WORKS

### INTRODUCTION

Ramboll Australia Pty Ltd (Ramboll) was retained by John Holland Rail (JHR) on behalf of Transport for NSW (TfNSW) to prepare a Remedial Action Plan (RAP) for contamination identified along approximately one kilometre of the Goulburn – Bombala rail corridor at Tarago, NSW. This area is presented on **Figure 1, Appendix 1** and is here-in referred to as the site.

John Holland Rail (JHR) respectfully notify Goulburn Mulwaree Council of planned Category 2 remediation works, as defined by *State Environmental Planning Policy 55 – Remediation of Land* (SEPP 55) that will occur at the site.

### REMEDIATION WORK

The preferred remedial strategy comprises offsite disposal of ballast fines from the Woodlawn Siding and adjacent surface soils. Offsite disposal will include excavation and transport of soils to a compound established at a licensed waste facility. Ballast will be mechanically screened for reuse onsite following successful validation. Ballast fines will be chemically immobilised for disposal as General Solid Waste in accordance with a NSW EPA Specific Immobilisation Approval.

Contaminated ballast will remain within operational rail formations and at depth around the footprint of the former Ore Concentrate Loadout Complex buildings. Remnant contamination will be managed under a long term environmental management plan (LTEMP).

Ramboll  
Level 2, Suite 18 Eastpoint  
50 Glebe Road  
PO Box 435  
The Junction  
NSW 2291  
Australia

T +61 2 4962 5444  
<https://ramboll.com>

Ref 318000780

## CATEGORY 2 REMEDIATION WORKS

This project is deemed to be Category 2 remediation work in accordance with SEPP 55. Category 2 remediation work is deemed remediation work that is not Category 1 remediation as described in Clause 9 of SEPP 55. The triggers for Category 1 remediation work are evaluated in **Table 1**.

**Table 1: Evaluation of Category 1 Triggers**

SEPP 55, Clause 9 Trigger	Evaluation
a) Designated development	<p>The project is not designated development. Schedule 3 Clause 15 of the <i>Environmental Planning and Assessment Regulation 2000</i> describes conditions under which contaminated soil treatment works are deemed designated development. Of specific relevance to this project:</p> <ul style="list-style-type: none"> <li>The volume of contaminated material falls below 30,000m<sup>3</sup> (estimated at &lt; 1000m<sup>3</sup>)</li> </ul> <p>The area of contaminated soil to be disturbed is less than 3 hectares (estimated at 2 hectares).</p>
b) carried out or to be carried out on land declared to be a critical habitat, or	The project would not be carried out on land declared to be a critical habitat.
c) likely to have a significant effect on a critical habitat or a threatened species, population or ecological community, or	The site has been significantly disturbed by historical and ongoing rail related activities. It will not require disturbance of critical habitat or a threatened species, population or ecological community.
d) development for which another State environmental planning policy or a regional environmental plan requires development consent, or	No State Environmental Planning Policy or Regional Environmental Plan identifies the proposed remediation as an activity requiring development consent.
e) carried out or to be carried out in an area or zone to which any classifications to the following effect apply under an environmental planning instrument:	The project is located on land zoned RU2 Rural Landscape under the <i>Goulburn Mulwaree Local Environmental Plan 2009</i> . No other environmental planning instrument prescribes the project site as one of the areas listed in point (e).
(i) coastal protection,	
(ii) conservation or heritage conservation,	
(iii) habitat area, habitat protection area, habitat or wildlife corridor,	
(iv) environment protection,	
(v) escarpment, escarpment protection or escarpment preservation,	
(vi) floodway,	
(vii) littoral rainforest,	
(viii) nature reserve,	
(ix) scenic area or scenic protection,	
(x) wetland, or	

SEPP 55, Clause 9 Trigger	Evaluation
f) carried out or to be carried out on any land in a manner that does not comply with a policy made under the contaminated land planning guidelines by the council for any local government area in which the land is situated (or if the land is within the unincorporated area, the Western Lands Commissioner).	The <i>Goulburn Mulwaree Development Control Plan 2009</i> includes guidance that applies to Contaminated Land. The proposed remediation complies with the guidance.

The proposed remediation works do not trigger the criteria in clause 9 (a) – (f) as outlined in **Table 1**, and the proposed remediation works are not ancillary to any other current development requiring Development Consent. Based upon the above information and criteria the remediation works are deemed to be Category 2 works under SEPP 55.

It is anticipated that remediation of the activities associated the Tarago Siding Project would commence in late September/ early October 2019 and be completed XXX.

Yours sincerely

**Shaun Taylor**

Senior Managing Consultant

D +61249625444

M +61408386663

staylor@ramboll.com

## **APPENDIX 10 RAIL SLEEPER WASTE CLASSIFICATION**

Intended for  
**John Holland Rail**

Document type  
**Waste Classification Report**

Date  
**26 March 2020**

# **RAIL SLEEPER WASTE CLASSIFICATION TARAGO LOOP EXTENSION**

# RAIL SLEEPER WASTE CLASSIFICATION TARAGO LOOP EXTENSION

Project name **Tarago Loop Rail Sleeper Waste Classification**  
Project no. **318000780**  
Recipient **Wayne D'Souza**  
Document type **Report**  
Version **Draft**  
Date **26/03/2030**  
Prepared by **Lyon McLeod**  
Checked by **Fiona Robinson**  
Approved by **Stephen Maxwell**  
Description **The report presents a waste classification assessment for rail sleepers at the site of Tarago Loop Extension**  
Ref **318000780-T15-001**

Ramboll  
Level 2, Suite 18 Eastpoint  
50 Glebe Road  
PO Box 435  
The Junction  
NSW 2291  
Australia

T +61 2 4962 5444  
<https://ramboll.com>

## CONTENTS

<b>1.</b>	<b>Introduction</b>	<b>2</b>
1.1	Scope of works	2
<b>2.</b>	<b>Field investigations and Observations</b>	<b>2</b>
2.1	Sample collection	2
2.2	Quality Assurance/ Quality Control	4
<b>3.</b>	<b>Waste classification</b>	<b>5</b>
<b>4.</b>	<b>Limitations</b>	<b>5</b>
<b>5.</b>	<b>References</b>	<b>6</b>

## APPENDICES

### **Appendix 1**

Results Summary Table

### **Appendix 2**

Laboratory Certificates

## 1. INTRODUCTION

Ramboll Australia Pty Ltd (Ramboll) was commissioned by John Holland Rail to complete a waste classification in accordance with the *NSW EPA Waste Classification Guidelines (2014)*. The classification was required for railway sleepers removed as part of the Tarago Loop Extension. The objective of the waste classification was to classify the railway sleepers for off-site disposal from the site.

### 1.1 Scope of Works

The scope of works included the following tasks:

- Preparation of a site-specific Health and Safety Plan for the site works
- Collection of four samples from the rail sleepers by hand
- Laboratory analysis of four samples (including QA/QC) for potential contaminants of concern
- Evaluated quality control and quality assurance for the sampling program
- Comparison of laboratory results to relevant site and waste classification guidelines
- Preparation of this report.

## 2. FIELD INVESTIGATIONS AND OBSERVATIONS

### 2.1 Sample Collection

Field sampling of the railway sleepers was completed 18 March 2020 by an environmental engineer suitably experienced as a contaminated land consultant. At the time of fieldwork sleepers were stockpiled within the corridor and occupied approximately 50 m<sup>3</sup> as shown in **Photo 1**.

Sleepers were observed to be aged, moderately degraded and laden with dust that was stained green at some locations.





**Photo 1 – Location of sleeper within the rail corridor**

Four samples were selected for laboratory analysis to exceed the minimum sampling density for stockpiles of 3 per 75m<sup>3</sup> prescribed in the *National Environment Protection Measure (NEPC 2013)*. Samples from the railway sleepers were selected for testing based on visual assessment for staining or other signs of contamination and targeted areas with the potential for contamination.

Samples for laboratory testing were recovered from the rail sleepers using a hand held drill and a hand saw create drill shavings and saw dust. Samples comprised materials recovered from the surface of the sleeper and at depths of up to 2 cm below the surface of the sleeper.

A total of four primary samples were recovered, SLE01, SLE02, SLE03 and SLE04.

## 2.2 Quality Assurance/ Quality Control

Quality assurance and quality control completed for the project is included in **Table 1**.

**Table 1 QA/QC Review**

Element	Field and Laboratory QA/QC
Sampling	Samples were collected 18 March 2020 by an experienced Environmental Engineer from Ramboll using a cordless drill and hand saw. Samples were placed directly into laboratory-supplied soil jars using single use gloved hands.
Decontamination	All reusable sampling equipment was cleaned thoroughly between sampling points.
Sample Handling	Samples were collected into laboratory-supplied soil jars and stored in a cooler box chilled with ice.
Chain of Custody	Samples were sent to the laboratory under chain of custody conditions.
Field Quality Control Samples	<p>One duplicate sample pair (SLE02/ D01_180320) was sent to the laboratory for analysis. Relative percentage differences (RPDs) were calculated. RPDs for Lead (70%), Copper (31.4%) and TCLP lead (129%) exceed the adopted RPD (30%) and is likely attributed to heterogeneity in the distribution of contaminants within the sampled material.</p> <p>For the waste classification assessment, the maximum recorded concentration of lead and TCLP lead was adopted to provide a conservative assessment. The NSW Waste Guidelines (EPA, 2014) do not provide a criterion for Copper.</p>
Laboratories Used	The primary laboratory was Eurofins and laboratory reports are NATA stamped.
Laboratory Quality Control Samples	Eurofins completed quality control sampling, including analysis of method blanks, laboratory duplicates, laboratory control samples and matrix spikes. Results were within required parameters aside from an elevated relative percent difference (RPD) for duplicate results for moisture content, which is not considered to affect the usability of the data.
Laboratory Reports	Laboratory reports relevant to this waste classification are attached in <b>Appendix 2</b> .

Based on the field and laboratory quality assurance completed the data is considered to be reliable for the purpose of determining a waste classification.

### 3. WASTE CLASSIFICATION

Waste is classified in the *NSW EPA Waste Classification Guidelines (2014)* following a five step process which assess pre-classification followed by chemical classification of the waste. A review against each of the waste classification steps for the railway sleeper waste is outlined in **Table 2**. Once a waste’s classification has been established under a particular pre-classification below, there is no need to go to the next classification. The waste has that classification and must be managed accordingly.

**Table 2 Waste Classification**

Waste Classification Steps	Assessment
Step 1: Is the waste special waste?	No, the waste does not meet the criteria of special waste.
Step 2: Is the waste liquid waste?	No, the waste comprises timber sleepers.
Step 3: Is the waste pre-classified?	Yes, the waste is preclassified as construction and demolition waste as being waste derived from ‘the construction, replacement, repair or alteration of infrastructure development such as roads, tunnels, sewage, water, electricity, telecommunications and airports’. However, as the waste was suspected to be impacted by lead ore concentrate additional chemical waste classification was considered warranted.
Step 4: Does the waste possess hazardous characteristics?	No, the waste does not meet the characteristics of pre-classified hazardous waste.
Step 5: Determining a waste’s classification using chemical assessment.	Chemical classification of the four timber samples is presented in the attached <b>Table A1</b> provided in <b>Appendix 1</b> . Based on the mean <sup>1</sup> total and leachable chemical concentrations present, the waste is classified as General Solid Waste.
<b>Waste Classification</b>	<b>General Solid Waste</b>

1. A mean rather than 95%UCLverage sample concentration was adopted as n=4.

Based on the pre-classification and the supplementary sampling completed the railway sleepers are classified as general solid waste and can be disposed of to an off-site facility licenced to receive this waste type.

This assessment has not considered the suitability of the sleepers for reuse on the site. The railway sleepers are considered to be a waste material and cannot legally be reused off the site.

### 4. LIMITATIONS

This document is issued in confidence to John Holland Rail for the purposes of waste classification in accordance with NSW Waste Guidelines (EPA, 2014).

The report must not be reproduced in whole or in part except with the prior consent of Ramboll Australia Pty Ltd and subject to inclusion of an acknowledgement of the source. No information as to the contents or subject matter of this document or any part thereof may be communicated in any manner to any third party without the prior consent of Ramboll Australia Pty Ltd.

Whilst reasonable attempts have been made to ensure that the contents of this report are accurate and complete at the time of writing, Ramboll Australia Pty Ltd disclaims any responsibility for loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this report.

## **5. REFERENCES**

NEPC 2013 *National Environment Protection (Assessment of Site Contamination) Measure 1999 amended 2013*

NSW Environment Protection Authority (EPA) 2014 *Waste Classification Guidelines, Part 1: Classifying waste*

**APPENDIX 1**  
**RESULTS SUMMARY TABLE**

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>2</sup>	SCC1 - General Solid Waste <sup>3</sup>	SCC2 - Restricted Solid Waste <sup>3</sup>	TCLP1 - General Solid Waste <sup>4</sup>	TCLP2 - Restricted Solid Waste <sup>4</sup>	Sample Type:	Primary	Primary	Primary	Primary	Duplicate
							Sample number:	S20-M228575	S20-M228576	S20-M228577	S20-M228578	S20-M228579
							Sample date:	18-Mar-20	18-Mar-20	18-Mar-20	18-Mar-20	18-Mar-20
							Sample ID:	SLE01	SLE02	SLE03	SLE04	D01_180320
							Project Name:	John Holland	John Holland	John Holland	John Holland	John Holland
							Compound:					
							Site:	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop
							Sampling Method:	NA	NA	NA	NA	NA
							Sample Description	Woodchips	Woodchips	Woodchips	Woodchips	Woodchips

Analyte grouping/Analyte					Units	LOR
<b>Total Metals</b>						
Arsenic	100	400	500	2000	mg/kg	5
Cadmium	20	80	100	400	mg/kg	1
Chromium (VI)	100	400	1900	7600	mg/kg	2
Copper					mg/kg	5
Lead	100	400	1500	6000	mg/kg	5
Mercury	4	16	50	200	mg/kg	0.1
Nickel	40	160	1050	4200	mg/kg	2
Zinc					mg/kg	5

Organophosphorus Pesticides (OP)					Units	LOR
Azinphos-methyl					mg/kg	<0.2
Bolstar					mg/kg	<0.2
Chlorfenvinphos					mg/kg	<0.2
Chlorpyrifos	4	16	7.5	30	mg/kg	<0.2
Chlorpyrifos-methyl					mg/kg	<0.2
Courmaphos					mg/kg	<2
Demeton-O					mg/kg	<0.2
Demeton-S					mg/kg	<0.2
Diazinon					mg/kg	<0.2
Dichlorvos					mg/kg	<0.2
Dimethoate					mg/kg	<0.2
Disulfoton					mg/kg	<0.2
EPN					mg/kg	<0.2
Ethion					mg/kg	<0.2
Ethoprop					mg/kg	<0.2
Ethyl parathion					mg/kg	<0.2
Fenitrothion					mg/kg	<0.2
Fensulfothion					mg/kg	<0.2
Fenthion					mg/kg	<0.2
Malathion					mg/kg	<0.2
Merphos					mg/kg	<0.2
Methyl parathion					mg/kg	<0.2
Mevinphos					mg/kg	<0.2
Monocrotophos					mg/kg	<2
Naled					mg/kg	<0.2
Omethoate					mg/kg	<2
Phorate					mg/kg	<0.2
Pirimiphos-methyl					mg/kg	<0.2
Pyrazophos					mg/kg	<0.2
Ronnel					mg/kg	<0.2
Terbufo					mg/kg	<0.2
Tetrachlorvinphos					mg/kg	<0.2
Tokuthion					mg/kg	<0.2
Trichloronate					mg/kg	<0.2

Polynuclear Aromatic Hydrocarbons					Units	LOR
Acenaphthene					mg/kg	<0.5
Acenaphthylene					mg/kg	<0.5
Anthracene					mg/kg	<0.5
Benzo(a)anthracene					mg/kg	<0.5
Benzo(a)pyrene	0.8	3.2	10	23	mg/kg	<0.5
Benzo(a)pyrene TEQ (lower bound) *					mg/kg	<0.5
Benzo(a)pyrene TEQ (medium bound) *					mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *					mg/kg	<0.7
Benzo(b)fluoranthene					mg/kg	<0.5
Benzo(g,h,i)perylene					mg/kg	<0.5
Benzo(k)fluoranthene					mg/kg	<0.5
Chrysene					mg/kg	<0.5
Dibenz(a,h)anthracene					mg/kg	<0.5
Fluoranthene					mg/kg	<0.5
Fluorene					mg/kg	<0.5
Indeno(1,2,3-cd)pyrene					mg/kg	<0.5
Naphthalene					mg/kg	0.6
Phenanthrene					mg/kg	<0.5
Pyrene					mg/kg	<0.5
Total PAH*	200	800	200	800	mg/kg	<0.6

TRH - 1999 NEPM Fractions (after silica gel clean-up)					Units	LOR
TRH C10-C14 (after silica gel clean-up)					mg/kg	<100
TRH C10-C36 (Total) (after silica gel clean-up)	10000	40000	10000	40000	mg/kg	<250
TRH C15-C28 (after silica gel clean-up)					mg/kg	<250
TRH C29-C36 (after silica gel clean-up)					mg/kg	<250

Total Recoverable Hydrocarbons - NEPM 2013 Fractions					Units	LOR
TRH >C10-C16 (after silica gel clean-up)					mg/kg	<250
TRH >C16-C34 (after silica gel clean-up)					mg/kg	<500
TRH >C34-C40 (after silica gel clean-up)					mg/kg	<500

Metals TCLP					Units	LOR	
Arsenic				5	20	mg/L	0.1
Cadmium				1	4	mg/L	0.05
Chromium (VI)				5	20	mg/L	0.1
Copper						mg/L	0.1
Lead				5	20	mg/L	0.1
Nickel				2	8	mg/L	0.1
Zinc						mg/L	0.1
Mercury						mg/L	0.001

Blank Cell indicates no criterion available  
 LOR = Limit of Reporting  
 NSW EPA Waste Classification Guidelines - Part 1: Classification of Waste  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification without TCLP  
<sup>2</sup> Maximum values for leachable concentration and specific contaminant concentration when used together  
<sup>3</sup> PFOS and PFHxS are to be summed for comparison against the TCLP and SCC values.  
<sup>4</sup> Values are the same for general solid waste (putrescible) and general solid waste (non-putrescible).  
 PFOS/PFOA values adopted from Addendum to the Waste Classification Guidelines (2014) - Part 1: classifying waste, October 2016 (NSW EPA). Noting these values have been based on the eHealth TDI values  
 Blank cell indicates no screening criterion available  
 For Limit of Reporting (LOR) refer to laboratory certificates of analysis  
 --- Indicates sample not analysed  
 Concentration in red font and grey box exceed CT1 screening value  
 Concentration in blue font and grey box exceed CT2 screening value  
 Concentration in orange font and grey box exceed SCC1 or TCLP1 screening value  
 Concentration in green font and grey box exceed SCC2 or TCLP 2 screening value  
 Concentrations below the LOR noted as <value

Sample Type:	Primary	Duplicate	
Sample number:	S20-Ma28576	S20-Ma28579	
Sample date:	18-Mar-20	18-Mar-20	
Sample ID:	SLE02	D01_180320	
Project Name:	John Holland	John Holland	
Compound:			
Site:	Tarago Rail Loop	Tarago Rail Loop	RPD
Sampling Method:	NA	NA	
Sample Description:	Woodchips	Woodchips	

Analyte grouping/Analyte Units LOR

Total Metals	mg/kg	5	6.9	4.6	40.0
Arsenic	mg/kg	1	11	11	0.0
Cadmium (VI)	mg/kg	2	11	< 5	nc
Copper	mg/kg	5	430	590	<b>31.4</b>
Lead	mg/kg	5	1300	2700	<b>70.0</b>
Mercury	mg/kg	0.1	< 0.1	< 0.1	nc
Nickel	mg/kg	2	11	< 5	nc
Zinc	mg/kg	5	1200	1300	8.0

Organophosphorus Pesticides (OP)	mg/kg	< 0.2	< 0.2	< 0.2	nc
Azinphos-methyl	mg/kg	< 0.2	< 0.2	< 0.2	nc
Bostar	mg/kg	< 0.2	< 0.2	< 0.2	nc
Chlorfenvinphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Chlorpyrifos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Chlorpyrifos-methyl	mg/kg	< 0.2	< 0.2	< 0.2	nc
Courmaphos	mg/kg	< 2	< 2	< 2	nc
Demeton-O	mg/kg	< 0.2	< 0.2	< 0.2	nc
Demeton-S	mg/kg	< 0.2	< 0.2	< 0.2	nc
Diazinon	mg/kg	< 0.2	< 0.2	< 0.2	nc
Dichlorvos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Dimethoate	mg/kg	< 0.2	< 0.2	< 0.2	nc
Disulfoton	mg/kg	< 0.2	< 0.2	< 0.2	nc
EPN	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ethion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ethoprop	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ethyl parathion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Fenitrothion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Fensulfthion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Fenitrothion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Malathion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Merphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Methidathion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Mevinphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Monocrotophos	mg/kg	< 2	< 2	< 2	nc
Naled	mg/kg	< 0.2	< 0.2	< 0.2	nc
Omethoate	mg/kg	< 2	< 2	< 2	nc
Phorate	mg/kg	< 0.2	< 0.2	< 0.2	nc
Phosphamidon	mg/kg	< 0.2	< 0.2	< 0.2	nc
Pyrazophos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ronnel	mg/kg	< 0.2	< 0.2	< 0.2	nc
Terbufos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Tetrachlorvinphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Tiokuthion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Trichlorfon	mg/kg	< 0.2	< 0.2	< 0.2	nc

Polynuclear Aromatic Hydrocarbons	mg/kg	< 0.5	< 0.5	< 0.5	nc
Acenaphthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Acenaphthylene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Anthracene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)anthracene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)pyrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)pyrene TEQ (lower bound) *	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)pyrene TEQ (medium bound) *	mg/kg	< 0.6	0.6	0.6	0.0
Benzo(a)pyrene TEQ (upper bound) *	mg/kg	< 0.7	1.2	1.2	0.0
Benzo(b)fluoranthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(g,h,i)perylene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(k)fluoranthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Chrysene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Dibenz(a,h)anthracene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Fluoranthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Fluorene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Naphthalene	mg/kg	< 0.6	1.1	< 0.5	nc
Phenanthrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Pyrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Total PAH*	mg/kg	< 0.6	1.1	< 0.5	nc

TRH - 1998 NEMF Fractions (after silica gel clean-up)	mg/kg	< 100	< 100	< 100	nc
TRH C10-C14 (after silica gel clean-up)	mg/kg	< 100	< 100	< 100	nc
TRH C10-C36 (Total) (after silica gel clean-up)	mg/kg	< 250	< 250	2110	nc
TRH C15-C28 (after silica gel clean-up)	mg/kg	< 250	< 250	510	nc
TRH C29-C36 (after silica gel clean-up)	mg/kg	< 250	< 250	1600	nc

Total Recoverable Hydrocarbons - NEMF 2013 Fractions	mg/kg	< 250	< 250	< 250	nc
TRH >C10-C16 (after silica gel clean-up)	mg/kg	< 500	< 500	1700	nc
TRH >C16-C34 (after silica gel clean-up)	mg/kg	< 500	< 500	840	nc

Metals TCLP	mg/L	0.1	--	--	--
Arsenic	mg/L	0.1	--	--	--
Cadmium	mg/L	0.05	--	--	--
Chromium (VI)	mg/L	0.1	--	--	--
Copper	mg/L	0.1	--	--	--
Lead	mg/L	0.1	0.9	4.2	<b>129.4</b>
Nickel	mg/L	0.1	--	--	--
Zinc	mg/L	0.1	--	--	--
Mercury	mg/L	0.001	--	--	--

LOR = Limit of Reporting  
 <value = Less than the laboratory Limit of Reporting (LOR)  
**Bold shaded** cells exceed RPD >30% and both samples have recorded concentrations >10 x LOR  
 Bold indicates when above the acceptance criteria for Trip Spikes/Blanks and Rinsates  
 nc = not calculated as one or more results are below the LOR.

## **APPENDIX 2 LABORATORY CERTIFICATES**





# CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory  
Unit F3 Bld.F, 16 Mars Rd, Lane Cove West, NSW 2066  
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory  
Unit 1, 21 Smallwood Pl, Murarie, QLD 4172  
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory  
Unit 2, 91 Leach Highway, Kewdale WA 6105  
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory  
2 Kingston Town Close, Oakleigh, VIC 3166  
03 8564 5000 EnviroSampleVic@eurofins.com

Company		Ramboll		Project No		318000780		Project Manager		Stephen Maxwell		Sampler(s)		JB															
Address		50 Glebe Road the Junction		Project Name				EDD Format (ESdat, EQUIS, Custom)		Excel and PDF		Handed over by		JB															
Contact Name		Stephen Maxwell		Analyses (Note: Where metals are requested, please specify 'Total' or 'Filtered' / SUITE code must be used to attach SUITE pricing.)	TRH C10 - C40 (following silica gel cleanup)	PAH	M8 (As, Cd, Cr, Cu, Pb, Ni, Zn, Hg)	OPP	TCLP BaP and Pb					Email for Invoice		smaxwell@ramboll.com asiapac-accounts@ramboll.com													
Phone No														Email for Results		smaxwell@ramboll.com jblackwell@ramboll.com													
Special Directions														Turnaround Time (TAT) Requirements (Default will be 5 days if not ticked)		<input type="checkbox"/> Overnight (9am)* <input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day* <input checked="" type="checkbox"/> 3 Day* <input type="checkbox"/> 5 Day* <input type="checkbox"/> Other (    ) * Surcharges apply													
Purchase Order														1L Plastic		250mL Plastic		125mL Plastic		200mL Amber Glass		40mL VOA vial		500mL PFAS Bottle		Jar (Glass or HDPE)		Other (Asbestos AS4964, WA Guidelines)	
Quote ID No		180813RAMN_1												Sampled Date/Time (dd/mm/yy hh:mm)		Matrix (Solid (S) Water (W))												Sample Comments / Dangerous Goods Hazard Warning	
No	Client Sample ID	1	SLE01	18/03/20	Timber	X	X	X	X	X																			
2	SLE02	18/03/20	Timber	X	X	X	X	X																					
3	SLE03	18/03/20	Timber	X	X	X	X	X																					
4	SLE04	18/03/20	Timber	X	X	X	X	X																					
5	D01_180320	18/03/20	Timber	X	X	X	X	X																					
8																													
9																													
10																													
Total Counts					5	5	5	5	5																				
Method of Shipment		<input type="checkbox"/> Courier (# ) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date		Time		Date		Time		Temperature		Report No											
Eurofins   mgt Laboratory Use Only		Received By <i>Suzanne Ford</i>		SYD   BNE   MEL   PER   ADL   NTL   DRW		Signature <i>[Signature]</i>		Date <i>19/3/20</i>		Time <i>6:45 AM</i>		Date		Time		Temperature		Report No <i>708717</i>											

Submission of samples to the laboratory will be deemed as acceptance of Eurofins | mgt Standard Terms and Conditions unless agreed otherwise. A copy of Eurofins | mgt Standard Terms and Conditions is available on request.

Eurofins Environment Testing Australia Pty Ltd trading as Eurofins | mgt

**Melbourne**

6 Monterey Road  
Dandenong South Vic 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**

Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**

1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**

2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261 Site # 23736

## Sample Receipt Advice

Company name: **Ramboll Australia Pty Ltd**

Contact name: **Stephen Maxwell**

Project ID: **318000780**

COC number: **Not provided**

Turn around time: **3 Day**

Date/Time received: **Mar 19, 2020 6:45 AM**

Eurofins reference: **708717**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- All samples have been received as described on the above COC.
- COC has been completed correctly.
- Attempt to chill was evident.
- Appropriately preserved sample containers have been used.
- All samples were received in good condition.
- Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- Appropriate sample containers have been used.
- Split sample sent to requested external lab.
- Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Andrew Black on Phone : (+61) 2 9900 8490 or by e.mail: AndrewBlack@eurofins.com

Results will be delivered electronically via e.mail to Stephen Maxwell - smaxwell@ramboll.com.

*Note: A copy of these results will also be delivered to the general Ramboll Australia Pty Ltd email address.*

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Stephen Maxwell

**Report** 708717-S

Project name

Project ID 318000780

Received Date Mar 19, 2020

Client Sample ID			SLE01	SLE02	SLE03	SLE04
Sample Matrix			Woodchips	Woodchips	Woodchips	Woodchips
Eurofins Sample No.			S20-Ma28575	S20-Ma28576	S20-Ma28577	S20-Ma28578
Date Sampled			Mar 18, 2020	Mar 18, 2020	Mar 18, 2020	Mar 18, 2020
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	1.7	1.1	0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	1.7	1.1	0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	91	89	89	95
p-Terphenyl-d14 (surr.)	1	%	88	85	85	92
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2

Client Sample ID			SLE01	SLE02	SLE03	SLE04
Sample Matrix			Woodchips	Woodchips	Woodchips	Woodchips
Eurofins Sample No.			S20-Ma28575	S20-Ma28576	S20-Ma28577	S20-Ma28578
Date Sampled			Mar 18, 2020	Mar 18, 2020	Mar 18, 2020	Mar 18, 2020
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	123	120	120	126
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>						
TRH >C10-C16 (after silica gel clean-up)	50	mg/kg	< 250	< 250	< 250	< 250
TRH >C16-C34 (after silica gel clean-up)	100	mg/kg	1100	< 500	650	< 500
TRH >C34-C40 (after silica gel clean-up)	100	mg/kg	< 500	< 500	< 500	< 500
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>						
TRH C10-C36 (Total) (after silica gel clean-up)	100	mg/kg	1200	< 250	750	< 250
TRH C10-C14 (after silica gel clean-up)	50	mg/kg	< 100	< 100	< 100	220
TRH C15-C28 (after silica gel clean-up)	100	mg/kg	300	< 250	320	< 250
TRH C29-C36 (after silica gel clean-up)	100	mg/kg	900	< 250	430	< 250
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	6.9	6.5	< 2
Cadmium	0.4	mg/kg	15	11	7.6	11
Chromium	5	mg/kg	< 5	11	14	< 5
Copper	5	mg/kg	140	430	1700	230
Lead	5	mg/kg	240	1300	1300	560
Mercury	0.1	mg/kg	< 0.1	< 0.1	0.2	< 0.1
Nickel	5	mg/kg	< 5	11	11	5.7
Zinc	5	mg/kg	2800	1200	1300	1100

<b>Client Sample ID</b>			<b>D01_180320</b>
<b>Sample Matrix</b>			<b>Woodchips</b>
<b>Eurofins Sample No.</b>			<b>S20-Ma28579</b>
<b>Date Sampled</b>			<b>Mar 18, 2020</b>
Test/Reference	LOR	Unit	
<b>Polycyclic Aromatic Hydrocarbons</b>			
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2
Acenaphthene	0.5	mg/kg	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5
Anthracene	0.5	mg/kg	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5
Chrysene	0.5	mg/kg	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5
Fluorene	0.5	mg/kg	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5
Naphthalene	0.5	mg/kg	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5
Pyrene	0.5	mg/kg	< 0.5
Total PAH*	0.5	mg/kg	< 0.5
2-Fluorobiphenyl (surr.)	1	%	95
p-Terphenyl-d14 (surr.)	1	%	91
<b>Organophosphorus Pesticides</b>			
Azinphos-methyl	0.2	mg/kg	< 0.2
Bolstar	0.2	mg/kg	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2
Coumaphos	2	mg/kg	< 2
Demeton-S	0.2	mg/kg	< 0.2
Demeton-O	0.2	mg/kg	< 0.2
Diazinon	0.2	mg/kg	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2
Dimethoate	0.2	mg/kg	< 0.2
Disulfoton	0.2	mg/kg	< 0.2
EPN	0.2	mg/kg	< 0.2
Ethion	0.2	mg/kg	< 0.2
Ethoprop	0.2	mg/kg	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2
Fenthion	0.2	mg/kg	< 0.2
Malathion	0.2	mg/kg	< 0.2
Merphos	0.2	mg/kg	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2
Mevinphos	0.2	mg/kg	< 0.2
Monocrotophos	2	mg/kg	< 2
Naled	0.2	mg/kg	< 0.2
Omethoate	2	mg/kg	< 2

<b>Client Sample ID</b>			<b>D01_180320</b>
<b>Sample Matrix</b>			<b>Woodchips</b>
<b>Eurofins Sample No.</b>			<b>S20-Ma28579</b>
<b>Date Sampled</b>			<b>Mar 18, 2020</b>
Test/Reference	LOR	Unit	
<b>Organophosphorus Pesticides</b>			
Phorate	0.2	mg/kg	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2
Ronnel	0.2	mg/kg	< 0.2
Terbufos	0.2	mg/kg	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2
Tokuthion	0.2	mg/kg	< 0.2
Trichloronate	0.2	mg/kg	< 0.2
Triphenylphosphate (surr.)	1	%	131
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>			
TRH >C10-C16 (after silica gel clean-up)	50	mg/kg	< 250
TRH >C16-C34 (after silica gel clean-up)	100	mg/kg	1700
TRH >C34-C40 (after silica gel clean-up)	100	mg/kg	840
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>			
TRH C10-C36 (Total) (after silica gel clean-up)	100	mg/kg	2110
TRH C10-C14 (after silica gel clean-up)	50	mg/kg	< 100
TRH C15-C28 (after silica gel clean-up)	100	mg/kg	510
TRH C29-C36 (after silica gel clean-up)	100	mg/kg	1600
<b>Heavy Metals</b>			
Arsenic	2	mg/kg	4.6
Cadmium	0.4	mg/kg	11
Chromium	5	mg/kg	< 5
Copper	5	mg/kg	590
Lead	5	mg/kg	2700
Mercury	0.1	mg/kg	< 0.1
Nickel	5	mg/kg	< 5
Zinc	5	mg/kg	1300

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Sydney	Mar 20, 2020	14 Days
Organophosphorus Pesticides - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS	Sydney	Mar 20, 2020	14 Days
Metals M8 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 20, 2020	180 Days
TRH - 2013 NEPM Fractions (after silica gel clean-up) - Method: LTM-ORG-2010 TRH C6-C40	Sydney	Mar 20, 2020	14 Days
TRH - 1999 NEPM Fractions (after silica gel clean-up) - Method: LTM-ORG-2010 TRH C6-C40	Sydney	Mar 20, 2020	14 Days

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060

**Order No.:**  
**Report #:** 708717  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 19, 2020 6:45 AM  
**Due:** Mar 24, 2020  
**Priority:** 3 Day  
**Contact Name:** Stephen Maxwell

**Project Name:**  
**Project ID:** 318000780

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271												
Sydney Laboratory - NATA Site # 18217						X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794												
Perth Laboratory - NATA Site # 23736												
External Laboratory												
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID							
1	SLE01	Mar 18, 2020		Woodchips	S20-Ma28575			X	X		X	X
2	SLE02	Mar 18, 2020		Woodchips	S20-Ma28576			X	X		X	X
3	SLE03	Mar 18, 2020		Woodchips	S20-Ma28577			X	X		X	X
4	SLE04	Mar 18, 2020		Woodchips	S20-Ma28578			X	X		X	X
5	DO1_180320	Mar 18, 2020		Woodchips	S20-Ma28579			X	X		X	X
6	SLE01	Mar 18, 2020		US Leachate	S20-Ma28580	X	X			X		
7	SLE02	Mar 18, 2020		US Leachate	S20-Ma28581	X	X			X		
8	SLE03	Mar 18, 2020		US Leachate	S20-Ma28582	X	X			X		
9	SLE04	Mar 18, 2020		US Leachate	S20-Ma28583	X	X			X		
10	DO1_180320	Mar 18, 2020		US Leachate	S20-Ma28584	X	X			X		



### Australia

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

### New Zealand

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060

**Order No.:**  
**Report #:** 708717  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 19, 2020 6:45 AM  
**Due:** Mar 24, 2020  
**Priority:** 3 Day  
**Contact Name:** Stephen Maxwell

**Project Name:**  
**Project ID:** 318000780

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail	Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217	X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
<b>Test Counts</b>	5	5	5	5	5	5	5

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organophosphorus Pesticides</b>							
Azinphos-methyl	mg/kg	< 0.2			0.2	Pass	
Bolstar	mg/kg	< 0.2			0.2	Pass	
Chlorfenvinphos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos-methyl	mg/kg	< 0.2			0.2	Pass	
Coumaphos	mg/kg	< 2			2	Pass	
Demeton-S	mg/kg	< 0.2			0.2	Pass	
Demeton-O	mg/kg	< 0.2			0.2	Pass	
Diazinon	mg/kg	< 0.2			0.2	Pass	
Dichlorvos	mg/kg	< 0.2			0.2	Pass	
Dimethoate	mg/kg	< 0.2			0.2	Pass	
Disulfoton	mg/kg	< 0.2			0.2	Pass	
EPN	mg/kg	< 0.2			0.2	Pass	
Ethion	mg/kg	< 0.2			0.2	Pass	
Ethoprop	mg/kg	< 0.2			0.2	Pass	
Ethyl parathion	mg/kg	< 0.2			0.2	Pass	
Fenitrothion	mg/kg	< 0.2			0.2	Pass	
Fensulfothion	mg/kg	< 0.2			0.2	Pass	
Fenthion	mg/kg	< 0.2			0.2	Pass	
Malathion	mg/kg	< 0.2			0.2	Pass	
Merphos	mg/kg	< 0.2			0.2	Pass	
Methyl parathion	mg/kg	< 0.2			0.2	Pass	
Mevinphos	mg/kg	< 0.2			0.2	Pass	
Monocrotophos	mg/kg	< 2			2	Pass	
Naled	mg/kg	< 0.2			0.2	Pass	
Omethoate	mg/kg	< 2			2	Pass	
Phorate	mg/kg	< 0.2			0.2	Pass	
Pirimiphos-methyl	mg/kg	< 0.2			0.2	Pass	
Pyrazophos	mg/kg	< 0.2			0.2	Pass	
Ronnel	mg/kg	< 0.2			0.2	Pass	
Terbufos	mg/kg	< 0.2			0.2	Pass	
Tetrachlorvinphos	mg/kg	< 0.2			0.2	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Tokuthion	mg/kg	< 0.2		0.2	Pass	
Trichloronate	mg/kg	< 0.2		0.2	Pass	
<b>Method Blank</b>						
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>						
TRH >C10-C16 (after silica gel clean-up)	mg/kg	< 50		50	Pass	
TRH >C16-C34 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
TRH >C34-C40 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
<b>Method Blank</b>						
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>						
TRH C10-C14 (after silica gel clean-up)	mg/kg	< 50		50	Pass	
TRH C15-C28 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
TRH C29-C36 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
<b>Method Blank</b>						
<b>Heavy Metals</b>						
Arsenic	mg/kg	< 2		2	Pass	
Cadmium	mg/kg	< 0.4		0.4	Pass	
Chromium	mg/kg	< 5		5	Pass	
Copper	mg/kg	< 5		5	Pass	
Lead	mg/kg	< 5		5	Pass	
Mercury	mg/kg	< 0.1		0.1	Pass	
Nickel	mg/kg	< 5		5	Pass	
Zinc	mg/kg	< 5		5	Pass	
<b>LCS - % Recovery</b>						
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthene	%	104		70-130	Pass	
Acenaphthylene	%	113		70-130	Pass	
Anthracene	%	107		70-130	Pass	
Benz(a)anthracene	%	108		70-130	Pass	
Benzo(a)pyrene	%	102		70-130	Pass	
Benzo(b&j)fluoranthene	%	98		70-130	Pass	
Benzo(g,h,i)perylene	%	101		70-130	Pass	
Benzo(k)fluoranthene	%	118		70-130	Pass	
Chrysene	%	103		70-130	Pass	
Dibenz(a,h)anthracene	%	95		70-130	Pass	
Fluoranthene	%	110		70-130	Pass	
Fluorene	%	102		70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	92		70-130	Pass	
Naphthalene	%	109		70-130	Pass	
Phenanthrene	%	108		70-130	Pass	
Pyrene	%	110		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Organophosphorus Pesticides</b>						
Diazinon	%	104		70-130	Pass	
Dimethoate	%	101		70-130	Pass	
Ethion	%	109		70-130	Pass	
Fenitrothion	%	105		70-130	Pass	
Methyl parathion	%	97		70-130	Pass	
Mevinphos	%	116		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>						
TRH C10-C14 (after silica gel clean-up)	%	126		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Heavy Metals</b>						
Arsenic	%	96		70-130	Pass	

Test			Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Cadmium			%	99			70-130	Pass	
Chromium			%	96			70-130	Pass	
Copper			%	99			70-130	Pass	
Lead			%	100			70-130	Pass	
Mercury			%	93			70-130	Pass	
Nickel			%	99			70-130	Pass	
Zinc			%	96			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1					
Acenaphthene	S20-Ma24218	NCP	%	99			70-130	Pass	
Acenaphthylene	S20-Ma24218	NCP	%	121			70-130	Pass	
Anthracene	S20-Ma24218	NCP	%	109			70-130	Pass	
Benz(a)anthracene	S20-Ma24218	NCP	%	123			70-130	Pass	
Benzo(a)pyrene	S20-Ma24218	NCP	%	105			70-130	Pass	
Benzo(b&j)fluoranthene	S20-Ma24218	NCP	%	115			70-130	Pass	
Benzo(g,h,i)perylene	S20-Ma24218	NCP	%	109			70-130	Pass	
Benzo(k)fluoranthene	S20-Ma24218	NCP	%	107			70-130	Pass	
Chrysene	S20-Ma24218	NCP	%	107			70-130	Pass	
Dibenz(a,h)anthracene	S20-Ma24218	NCP	%	109			70-130	Pass	
Fluoranthene	S20-Ma24218	NCP	%	119			70-130	Pass	
Fluorene	S20-Ma24218	NCP	%	107			70-130	Pass	
Indeno(1,2,3-cd)pyrene	S20-Ma24218	NCP	%	104			70-130	Pass	
Naphthalene	S20-Ma24218	NCP	%	111			70-130	Pass	
Phenanthrene	S20-Ma24218	NCP	%	113			70-130	Pass	
Pyrene	S20-Ma24218	NCP	%	117			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Organophosphorus Pesticides</b>				Result 1					
Diazinon	S20-Ma24218	NCP	%	100			70-130	Pass	
Ethion	S20-Ma24218	NCP	%	128			70-130	Pass	
Fenitrothion	S20-Ma24218	NCP	%	127			70-130	Pass	
Methyl parathion	S20-Ma24218	NCP	%	114			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	S20-Ma25156	NCP	%	86			70-130	Pass	
Cadmium	S20-Ma25156	NCP	%	95			70-130	Pass	
Chromium	S20-Ma25156	NCP	%	87			70-130	Pass	
Copper	S20-Ma25156	NCP	%	90			70-130	Pass	
Lead	S20-Ma25156	NCP	%	95			70-130	Pass	
Mercury	S20-Ma25156	NCP	%	97			70-130	Pass	
Nickel	S20-Ma25156	NCP	%	85			70-130	Pass	
Zinc	S20-Ma25156	NCP	%	92			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Acenaphthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Acenaphthylene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Anthracene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benz(a)anthracene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(b&j)fluoranthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(g,h,i)perylene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(k)fluoranthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1	Result 2	RPD	Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Chrysene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibenz(a,h)anthracene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluoranthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluorene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Indeno(1.2.3-cd)pyrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Naphthalene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Phenanthrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Pyrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
<b>Duplicate</b>									
<b>Organophosphorus Pesticides</b>				Result 1	Result 2	RPD			
Azinphos-methyl	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Bolstar	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Chlorfenvinphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Chlorpyrifos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Chlorpyrifos-methyl	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Coumaphos	S20-Ma24217	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Demeton-S	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Demeton-O	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Diazinon	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Dichlorvos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Dimethoate	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Disulfoton	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
EPN	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ethion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ethoprop	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ethyl parathion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Fenitrothion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Fensulfotiothion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Fenthion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Malathion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Merphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Methyl parathion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Mevinphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Monocrotophos	S20-Ma24217	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Naled	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Omethoate	S20-Ma24217	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Phorate	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Pirimiphos-methyl	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Pyrazophos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ronnel	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Terbufos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Tetrachlorvinphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Tokuthion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Trichloronate	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
<b>Duplicate</b>									
<b>Heavy Metals</b>				Result 1	Result 2	RPD			
Arsenic	S20-Ma25147	NCP	mg/kg	4.3	4.7	9.0	30%	Pass	
Cadmium	S20-Ma25147	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass	
Chromium	S20-Ma25147	NCP	mg/kg	12	11	8.0	30%	Pass	
Copper	S20-Ma25147	NCP	mg/kg	20	18	11	30%	Pass	
Lead	S20-Ma25147	NCP	mg/kg	64	42	40	30%	Fail	Q15
Mercury	S20-Ma25147	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	

Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Nickel	S20-Ma25147	NCP	mg/kg	11	11	1.0	30%	Pass
Zinc	S20-Ma25147	NCP	mg/kg	140	120	17	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q15	The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

**Authorised By**

Andrew Black	Analytical Services Manager
Andrew Sullivan	Senior Analyst-Organic (NSW)
Gabriele Cordero	Senior Analyst-Metal (NSW)


**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Stephen Maxwell

**Report** 708717-L  
 Project name  
 Project ID 318000780  
 Received Date Mar 19, 2020

Client Sample ID			SLE01	SLE02	SLE03	SLE04
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S20-Ma28580	S20-Ma28581	S20-Ma28582	S20-Ma28583
Date Sampled			Mar 18, 2020	Mar 18, 2020	Mar 18, 2020	Mar 18, 2020
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.14	0.90	0.97	0.79
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	4.0	4.2	3.9	4.2
pH (off)	0.1	pH Units	4.8	4.9	4.8	4.9
pH (USA HCl addition)	0.1	pH Units	2.0	2.0	1.7	1.8

Client Sample ID			DO1_180320
Sample Matrix			US Leachate
Eurofins Sample No.			S20-Ma28584
Date Sampled			Mar 18, 2020
Test/Reference	LOR	Unit	
<b>Polycyclic Aromatic Hydrocarbons</b>			
Benzo(a)pyrene	0.001	mg/L	< 0.001
<b>Heavy Metals</b>			
Lead	0.01	mg/L	4.2
<b>USA Leaching Procedure</b>			
Leachate Fluid <sup>C01</sup>		comment	1.0
pH (initial)	0.1	pH Units	4.0
pH (off)	0.1	pH Units	4.9
pH (USA HCl addition)	0.1	pH Units	2.0

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Sydney	Mar 20, 2020	7 Days
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 23, 2020	180 Days
USA Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Mar 20, 2020	14 Days

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060

**Order No.:**  
**Report #:** 708717  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 19, 2020 6:45 AM  
**Due:** Mar 24, 2020  
**Priority:** 3 Day  
**Contact Name:** Stephen Maxwell

**Project Name:**  
**Project ID:** 318000780

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271												
Sydney Laboratory - NATA Site # 18217						X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794												
Perth Laboratory - NATA Site # 23736												
External Laboratory												
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID							
1	SLE01	Mar 18, 2020		Woodchips	S20-Ma28575			X	X		X	X
2	SLE02	Mar 18, 2020		Woodchips	S20-Ma28576			X	X		X	X
3	SLE03	Mar 18, 2020		Woodchips	S20-Ma28577			X	X		X	X
4	SLE04	Mar 18, 2020		Woodchips	S20-Ma28578			X	X		X	X
5	DO1_180320	Mar 18, 2020		Woodchips	S20-Ma28579			X	X		X	X
6	SLE01	Mar 18, 2020		US Leachate	S20-Ma28580	X	X			X		
7	SLE02	Mar 18, 2020		US Leachate	S20-Ma28581	X	X			X		
8	SLE03	Mar 18, 2020		US Leachate	S20-Ma28582	X	X			X		
9	SLE04	Mar 18, 2020		US Leachate	S20-Ma28583	X	X			X		
10	DO1_180320	Mar 18, 2020		US Leachate	S20-Ma28584	X	X			X		

### Australia

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

### New Zealand

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060

**Order No.:**  
**Report #:** 708717  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 19, 2020 6:45 AM  
**Due:** Mar 24, 2020  
**Priority:** 3 Day  
**Contact Name:** Stephen Maxwell

**Project Name:**  
**Project ID:** 318000780

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail	Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217	X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
<b>Test Counts</b>	5	5	5	5	5	5	5

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Method Blank</b>											
<b>Polycyclic Aromatic Hydrocarbons</b>											
Benzo(a)pyrene				mg/L	< 0.001			0.001	Pass		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/L	< 0.01			0.01	Pass		
<b>LCS - % Recovery</b>											
<b>Polycyclic Aromatic Hydrocarbons</b>											
Benzo(a)pyrene				%	86			70-130	Pass		
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	99			70-130	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S20-Ma32658	NCP	%	94	70-130	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Polycyclic Aromatic Hydrocarbons</b>											
Benzo(a)pyrene				S20-Ma31473	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S20-Ma32654	NCP	mg/L	< 0.01	< 0.01	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other

**Authorised By**

Andrew Black	Analytical Services Manager
Andrew Sullivan	Senior Analyst-Organic (NSW)
Gabriele Cordero	Senior Analyst-Metal (NSW)


**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

**APPENDIX 11**  
**MATERIAL TRACKING TEMPLATE**





## **APPENDIX 12 TREATABILITY TRIAL AND SPECIFIC IMMOBILISATION APPLICATION**

17 August 2021

Waste Operations NSW EPA  
NSW EPA  
PO Box A290  
SYDNEY SOUTH NSW 1232  
via email: envsolclr.requests@epa.nsw.gov.au

Dear EPA

**RE: Specific Immobilisation Approval Application - Lead Impacted Material**

**Waste Generator/~~Owner~~:** Transport for NSW

**Applicant:** Ramboll Australia Pty Ltd

**Site Location:** Tarago Rail Yard, Tarago NSW

**Contaminants of Concern:** Lead

Ramboll  
Level 3, 100 Pacific Highway  
PO Box 560  
North Sydney NSW 2060

T +61 2 9954 8100

www.ramboll.com

Ref 318000780

## INTRODUCTION

John Holland Rail Pty Ltd engaged Ramboll to undertake lead stabilisation trials on lead impacted material located at the Tarago Rail Yard, Tarago NSW. Ramboll has provided assessment and management advice for contamination relating to the former Woodlawn Ore Concentrate Loadout Complex that operated at the Tarago Rail Yard. Ramboll provided advice before, during and after extension of an operational rail loop over a portion of the non-operational Woodlawn rail siding. Assessment advice is consolidated in the Targao Rail Corridor and Tarago Area Detailed Site Investigation (Ramboll 2020) and an addendum to the DSI (Ramboll 2021). This application should be read in conjunction the cited reports where further information is required.

A broad range of contaminants of potential concern were assessed including TRH, BTEXN, PAH, metals, OCP, OPP, PCB and asbestos. Lead was identified as the primary contaminant of concern and was observed to be limited in distribution to fouled ballast within the rail formation and in adjacent soils.

---

<sup>1</sup> The generator will be the custodian of the Country Regional Network; scheduled to transition from John Holland Rail to UGL.

Extension of the rail loop included excavation and stockpiling of approximately 750m<sup>3</sup> of contaminated ballast from the Woodlawn Siding.

Figures presented as **Appendix 1** describe the site locality, site boundaries, lead concentrations at sampling locations onsite, area excavated during loop extension, areas proposed to be excavated during remediation and the footprint of the historic ore concentrate loadout complex.

This letter provides supporting information required for an Application for Specific Immobilisation Approval (SIA). **Sections 1 - 11** are numbered according to sections set out in Section B (Waste and Proposed Treatment/Immobilisation Mechanism) of an Application for a SIA. Contingency and validation plans to ensure immobilisation occurs are presented as **Sections 12 and 13**.

## Abbreviations

Abbreviation	Description
<b>CoC</b>	Chain of Custody
<b>CoPC</b>	Contaminant of Potential Concern
<b>CT</b>	Contaminant Threshold
<b>GSW</b>	General Solid Waste
<b>ha</b>	hectare
<b>km</b>	kilometre
<b>L</b>	litre
<b>LOR</b>	limit of reporting
<b>m</b>	metre
<b>mg/kg</b>	milligrams per kilogram
<b>mg/L</b>	milligrams per litre
<b>MAP</b>	Monoammonium phosphate (reagent)
<b>MEP</b>	Multiple Extraction Procedure (in accordance with US EPA Method 1320, 1986)
<b>MgO</b>	Magnesium oxide (reagent)
<b>NATA</b>	National Association of Testing Authorities
<b>NEPM</b>	National Environment Protection (Assessment of Contamination) Measure (amended 2013)
<b>Pb</b>	Chemical symbol for lead
<b>pH</b>	measure of acidity, hydrogen ion activity
<b>QA/QC</b>	Quality Assurance and Quality Control
<b>RPD</b>	Relative Percentage Difference
<b>RSW</b>	Restricted Solid Waste
<b>SCC</b>	Specific Contaminant Concentration
<b>t</b>	tonne
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure (in accordance with US EPA Method 1311, 1992)
<b>UCL</b>	Upper Confidence Limit
<b>XRF</b>	X-ray fluorescence spectrometer

## 1. AVOIDANCE, REUSE, RECYCLING OR REPROCESSING

**Avoidance:** The impacted material cannot be avoided as contamination of the affected area has already occurred and the Site is required to be suitable for the proposed continued use.

**Reuse:** The material is impacted with total lead levels that exceed the site-specific criterion for lead (2200 mg/kg) and criteria relevant to potential offsite reuse as defined under general Resource Recovery Exemptions prepared by the NSW EPA. Therefore, no reuse applications of the impacted material have been identified.

**Recycling:** The material contains limited calorific value, which precludes its recycling. No recycling options for material containing elevated lead concentrations can be identified.

**Reprocessing:** The material is co-contaminated with soil, and no technology or market exists for its incorporation into an alternative process or as a product.

## 2. QUANTITY OF WASTE REQUIRING TREATMENT AND/OR DISPOSAL & ESTIMATED TIME TO COMPLETE TREATMENT AND/OR DISPOSAL

Based on assessment of the horizontal and vertical distribution of contamination at the site the volume of material requiring remediation has been estimated at 4950 m<sup>3</sup>. This includes an estimated 100 m<sup>3</sup> of railway sleepers, 2100 m<sup>3</sup> of soil adjacent the rail formation, 2000 m<sup>3</sup> of fouled ballast in the Woodlawn Siding (historically used to load ore concentrates for rail transport) and approximately 750m<sup>3</sup> of fouled ballast already excavated to stockpile. Assessment of ballast pieces identified concentrations of lead below site criteria and so mechanical screening to remove the ballast for onsite reuse is proposed as a precursor to chemical immobilisation. The total volume of material for chemical immobilisation is estimated at 3400 m<sup>3</sup> (refer to **Table 1**). Applying a volume to weight ratio of 1:1.8 this equates to an estimated 6120 t.

The time estimated for treatment works of the excavated and stockpiled waste is approximately 6 weeks, which includes allowance for receipt of conformance results and off-site disposal of the treated waste.

## 3. FORM OF THE WASTE

The waste material, comprising a combination of railway sleepers, soil and fouled ballast, currently sits onsite, partly in stockpile and partly in situ. This material will be excavated, stockpiled and screened (<20 mm) prior to treatment.

## 4. BACKGROUND INFORMATION ABOUT THE WASTE

The waste material comprises a combination of railway sleepers, soil adjacent the rail formation and fouled ballast in the Woodlawn Siding, which was historically used to load ore concentrates for rail transport. Contamination of these materials has occurred from this ore loading activity. Assessment of ballast pieces identified concentrations of lead below the site-specific criterion, therefore mechanical screening to remove the ballast for onsite reuse is proposed as a precursor to chemical immobilisation.

Estimated volumes of materials requiring remediation are shown in Error! Reference source not found. **Table 1**. Waste classifications for the > 20mm and < 20mm fractions are presented in **Section 5**.

**Table 1: Volume projections for remediation materials**

Material Type	Volume (m <sup>3</sup> )	Mass (t) <sup>1</sup>
>20 mm fraction – onsite reuse	1,450	2,610
<20 mm fraction – ballast fines requiring immobilisation	1,300	2,340
Soil adjacent the rail formation – requiring immobilisation	2,100	3,780
Railway sleepers – GSW <sup>2</sup>	100	180
Total	4,950	8,910

<sup>1</sup>Masses have been calculated based on an assumed volume to mass ratio of 1m<sup>3</sup> : 1.8t

<sup>2</sup>Lead concentrations in rail sleepers do not consistently exceed site assessment criteria, however offsite disposal was adopted during previous works and aesthetics may drive offsite disposal again.

A waste classification for the rail sleepers is presented as **Appendix 3**.

## 5. CHEMICAL COMPOSITION AND PHYSICAL/CHEMICAL NATURE OF THE UNTREATED WASTE

### 5.1 Assessment Before and After Excavation

Comparison of lead concentrations in fouled ballast from the Woodlawn Siding in-situ (before excavation) and ex-situ (after excavation and stockpiling) is summarised in **Table 2**.

**Table 2: Summary of lead concentrations in Woodlawn Siding Ballast before and After Excavation**

	No. of Samples	Minimum (mg/kg)	Maximum (mg/kg)	Average (mg/kg)	Standard Deviation (mg/kg)
In-situ <sup>1</sup>	10	350	29,000	9,136	9,005
Ex-situ	10	1300	19000	6450	4816

<sup>1</sup> In-situ samples results summarised above are from samples SS23 – SS25, SS31, SS38, SS41 and samples of fouled ballast from TP01 – TP03/TP03A.

<sup>2</sup> Ex-situ sample results summarised above are from samples RRE\_SP01 – RRE\_SP10.

Comparison of statistics for lead concentrations in contaminated Woodlawn Siding ballast before and after excavation indicates that excavation results in a less variable distribution of lead within the waste stream. This is to be expected as excavation occurred such that lead in remaining soils was less than 2,200 mg/kg. The same criteria has been adopted for the proposed remediation and so a similar effect should be expected for the projected waste stream. Additionally, mechanical screening to remove ballast is proposed before immobilisation and this could be expected to reduce variability of lead distribution within the waste stream.

### 5.2 Assessment of Contaminant Distribution by Particle Size

Assessment of contaminant distribution by particle size within Woodlawn Siding ballast was completed to refine consideration of remedial requirements. This included:

- Collection of five bulk samples (approx. 20 kg)
- Particle Size Distribution (PSD) analyses
- Crushing and analyses of the >19 mm fraction for lead
- Analyses of total lead in ballast (excluding fines) as described below.

Total lead was analysed in 18 sub-samples collected from eight bulk samples. Bulk samples were collected to provide targeted assessment of ballast (excluding fines) within the Woodlawn Siding around the historic loader and systematic assessment of ballast (excluding fines) within the remainder of the Woodlawn Siding. Sampling locations (TP3a, TP5a, TP6a and BAL\_01 – BAL\_05) are presented on **Figures 2a – 2e, Appendix 1**. A summary assessment is presented as **Table 3**.

**Table 3: Lead in Woodlawn Siding Ballast (excluding fines)**

No. of Samples	Minimum	Maximum	No. > criteria <sup>1</sup>	Average	St Dev	95% UCL
18	13	2,800	0	546	756	1,041

<sup>1</sup>The site specific criterion for lead protective of human health (2200 mg/kg) was adopted.

Guidance endorsed by the NSW EPA makes provision for contaminant risks to be assessed through calculation of the 95% upper confidence limit (95% UCL) of the mean concentration. The 95% UCL is a value that, when calculated repeatedly for randomly drawn subsets of site data, equals or exceeds the true mean 95 percent of the time. The 95% UCL is only relevant where:

- The standard deviation of the results should be less than 50% of the relevant investigation or screening level, and
- No single value should exceed 250% of the relevant investigation or screening level.

The maximum lead concentration in Woodlawn Siding ballast (excluding fines) was 2,800 mg/kg (< 250% of the guideline) and the standard deviation was 756 mg/kg (< 50% of the guideline). The 95% UCL was therefore considered relevant and was calculated at 1,041 mg/kg and below the adopted guideline.

Assessment of lead in Woodlawn Siding ballast (excluding fines) indicates this material would be suitable for reuse onsite following separation of fines.

The arithmetic mean percentage of >20 mm and <20 mm fractions were calculated at 54% and 46% respectively and support volume estimates for material types projected for remediation (see waste volume projections presented in **Table 1**).<sup>2</sup>

### 5.3 Assessment of Untreated Waste < 20 mm Particle Size

The < 20 mm fraction includes silty-sandy-gravelly ballast fines from the rail formation and clayey surficial soils from the adjacent area. The chemical composition of impacted material has been assessed through sampling of a stockpile comprising fouled ballast that was excavated from the Woodlawn Siding during extension of the Tarago Loop (2019 – 2020) and assessed through sampling of remnant materials in situ Ramboll (2020). Relevant data for the waste material are summarised in **Table 4**, which shows that the concentrations reported for lead would classify the waste as hazardous. All other contaminants of potential concern (CoPCs) are below the General Solid Waste (GSW) criteria (**Table 4**). Copies of the NATA accredited Certificates of Analysis are included in **Appendix 2**.

Total lead concentrations were measured in the field using a field-portable X-ray fluorescence spectrometer (XRF). Collected samples were analysed for total and leachable (TCLP) lead concentrations. A review of the analytical data shows that the maximum total and leachable lead concentrations were 184,000 mg/kg and 32 mg/L, respectively.

Ramboll collected four bulk samples (4 x 20 kg), TP3A, TP4A, TP5A and TP6A, of the impacted material on 16 September 2019. The laboratory results for total lead in the bulk samples are summarised below. Copies of the NATA accredited Certificates of Analysis are included in **Appendix 2**.

- TP3A: 18,500 mg/kg lead (Pb)
- TP4A: 184,000 mg/kg lead (Pb)
- TP5A: 29,000 mg/kg lead (Pb)
- TP6A: 5000 mg/kg lead (Pb)

Lead reported at TP4A was not considered representative of the waste stream for two reasons:

- Excavation and mechanical screening are expected to increase the homogeneity of lead in the waste stream
- Lead concentrations reported in samples of fouled ballast within the Woodlawn Siding approximately 10 m north (SS56 – 48,000 mg/kg) and < 10 m south (SS57 – 83,000 mg/kg) and directly below TP4A (TP4\_0.1-0.3 – 38,000 mg/kg) reported lead concentrations substantially lower than at TP4A (184,000 mg/kg)

---

<sup>2</sup> Projections of ballast and fines proportions are based on limited data and presented to provide an indication of potential volumes only.



Two samples (TP3A and TP5A) were selected for use as bulk samples for the treatment trials. Based on the laboratory results summarised in **Table 4** for samples (n = 48) collected from the site in 2019, with an average total lead concentration of 11,692.5 mg/kg and a standard deviation of 10,221.5 mg/kg, TP3A was considered to best represent the upper range of expected total lead concentrations in the waste (once excavated and stockpiled), and TP5A represents a more 'worst-case' scenario, included as a contingency. Bulk sample TP6A was considered to provide insufficient contingency if higher total lead concentrations are reported in the excavated material, and the total lead concentration in sample TP4A was considered to be well beyond the expected concentration range in the excavated material.

**Table 4: Summary of analytical results for representative onsite soil samples**

Analyte	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste*	TCLP1	Count	Mean	S.D	Min	Max	95 UCL
Antimony	--	---	---	22	19.5	13.1	5	55	---
Arsenic	100	400	NA	33	68.3	57.4	4.9	190	91.87
Beryllium	---	---	---	22	1.0	0.0	1	1	---
Boron	---	---	---	22	5.0	0.0	5	5	---
Cadmium	100*	80	1	58	39.9	93.3	0.7	440	<b>93.33</b>
Chromium	100	400*	NA	33	39.7	36.4	2.5	130	53.22
Cobalt	---	---	---	22	9.1	6.6	2.5	30	---
Copper	---	400	---	33	988.6	938.1	20	4,100	---
Lead <sup>1</sup>	100	400	NA	48	11,692.5	10,221.5 <sup>3</sup>	52	184,000	---
Manganese	---	---	---	22	509.5	269.9	70	1100	---
Mercury	4	16	NA	33	0.5	0.6	0.05	2.9	---
Molybdenum	100	400	NA	22	6.9	4.3	2.5	20	---
Nickel	40	160	NA	33	22.1	23.3	2.5	85	30.86
Selenium	20	80	NA	22	11.8	8.0	1	27	14.77
Tin	---	---	---	22	65.0	88.3	5	400	---
Vanadium	---	---	---	22	62.0	16.6	30	93	---
Zinc	---	---	---	33	1589.7	2,360.8	130	12,000	---

<sup>1</sup>Total cadmium concentrations in three TP4A sub-samples (TP4A\_01 – TP4A\_03) were reported at 130 – 190 mg/kg and these results were included in calculation of the 95% UCL for assessment against CT1 criteria.

<sup>2</sup>Lead concentrations at TP4A and SS57 have been included in characterisation of lead in the waste stream however they are considered indicative of the degree of contamination likely within the fines of only 15m<sup>3</sup> of fouled ballast (ie: approximately 7.4 m<sup>3</sup> of fines). This is based on limitations on the extent of these concentrations inferred by a large concrete footing remaining across the Woodlawn Siding adjacent (south of) SS57 and by sample results below and around TP4A. The volume of fines represented by TP4A and SS57 as a percentage of the total volume of projected fines (3,400 m<sup>3</sup>) is calculated at 0.2 %. Within this context the lead concentrations at TP4A and SS57 are considered outliers to the dataset for representative onsite soil samples though are included for transparency.

<sup>3</sup>The standard deviation for total lead concentrations has been calculated excluding TP4A and SS57 as these results are considered outliers. Further, while the standard deviation presented in **Table 4** is considered representative of variability in the distribution of lead in soils in-situ, the distribution of lead in the waste stream following excavation and mechanical screening is likely to be lower.

The numbers of analyses summarised in **Table 4** represent core analyses of 22 samples across 17 metals and additional targeted analyses of select metals including cadmium and lead where concentrations were observed at or above waste classification criteria. The sampling completed is considered adequate to characterise the waste material to be immobilised.

Bulk samples were selected for the treatability trial with lead concentrations approaching or above the sum of the average and standard deviation of lead concentrations from representative onsite soil samples as presented in **Table 4**. (ie: approaching or above 21,914 mg/kg). The selected bulk samples, TP3A and TP5A, were homogenised and screened (<20 mm) and analysed for total (SCC) and leachable (TCLP) lead, which are summarised in **Table 4**. Copies of the NATA accredited laboratory Certificates of Analysis are included in **Appendix 2**.

**Table 5: Total and leachable (TCLP) lead results in the untreated bulk samples used for the treatment trials**

Sample ID	Total (SCC) Pb mg/kg	TCLP pH 5.0 Pb mg/L	TCLP Leachate Initial pH	TCLP Leachate Final pH
<b>General solid criteria</b>	<b>1500</b>	<b>5</b>	--	--
<b>Restricted solid criteria</b>	<b>6000</b>	<b>20</b>	--	--
TP3A_A_SCR	16,000	14	2.9	5
TP3A_B_SCR	15,000	28	3.1	5
TP3A_C_SCR	19,000	10	3.1	5
TP3A_D_SCR	10,000	35	3.3	5
<b>Mean</b>	<b>15,000</b>	<b>22</b>	<b>3.1</b>	<b>5</b>
TP5A_A_SCR	39,000	190	7.1	5
TP5A_B_SCR	35,000	180	4.3	5
TP5A_C_SCR	37,000	190	4.3	5
TP5A_D_SCR	19,000	140	5.3	5.1
<b>Mean</b>	<b>32,500</b>	<b>175</b>	<b>5.0</b>	<b>5</b>

Analytical results for bulk samples TP3A and TP5A used in the treatability trials show the mean total lead concentrations were 15,000 and 32,500 mg/kg, respectively, and the mean leachable (TCLP) lead concentrations were 22 and 175 mg/L, respectively. These lead concentrations would result in both materials being classified as Hazardous Waste in accordance with the NSW Waste Classification Guidelines (2014).

## 6. CHEMICAL CONTAMINANTS OF CONCERN

The contaminant for which specific immobilisation approval is sought is lead.

## 7. PROPOSED TREATMENT METHOD OR PROCESS

To address the lead contamination in the waste material, it is proposed to use the chemical immobilisation reagent magnesium oxide (MgO), based on the treatability trial results presented in **Section 9**. Whilst the treatability trial results indicated other reagents, such as a phosphate-based reagent (for example, monoammonium phosphate, MAP), provided no additional improvement to either the short-term (TCLP) or long-term (MEP) leachability results (**Section 9**) EPA requested a minimum application of MAP be included to ensure the best environmental outcome whilst also ensuring a level of consistent regulation of SIA within NSW.

The proposed treatment method will involve initial homogenisation of the waste with sufficient water to produce a moist, spadeable mixture that would have sufficient moisture to facilitate formation of insoluble lead phosphate compounds upon addition of MAP and MgO to ensure adequate pH adjustment (discussed further in **Section 8**). The waste will be thoroughly mixed with the appropriate amounts of reagents using a high shear mixer for waste treatment projects in accordance with NSW EPA

Immobilisation Technical Note 1 - *Process Equipment for Treatment of Contaminated Soil and Sludge Waste*. The resulting treated waste will be stockpiled in a holding bay to cure, awaiting laboratory validation before off-site disposal.

Based on stoichiometric calculations presented in **Section 9, 2.0% MAP** and **5% MgO** have been adopted as reagent additive loadings for the proposed treatment.


The total volume of waste following application of reagents is estimated at 3,638 m<sup>3</sup> (3400 \* 1.07). The total mass of waste following application of reagents is estimated at 6,580 t (3,655 \* 1.8).

The proposed remedial methodology comprises the following key steps:

- Acquire necessary approvals for the selected remedial option including:
  - A SIA for lead in waste streams not suitable for disposal as GSW
  - Amendment to development consent conditions and Environmental Protection Licence (EPL) for the nominated receiving facility
- Remove remnant rails for recycling and sleeper for disposal as GSW. A waste classification for sleepers is presented in the Tarago Rail Corridor Remedial Action Plan (Ramboll 2021)
- Establish a work zone at the nominated receiving facility for temporary storage, mechanical screening and immobilisation of material excavated from the Woodlawn Siding and adjacent soils
- Excavate and transport materials from the Woodlawn Siding and adjacent soils to the receiving facility at the work zone. Materials will be excavated until lead concentrations at the remnant site surface (as measured by field-portable-XRF) are lower than the site assessment criteria (2200 mg/kg) and confirmed by laboratory analysis
- Mechanically screen materials excavated from the Woodlawn Siding and adjacent soils into <20 mm and >20 mm fractions<sup>3</sup>
- Validate suitability of >20 mm fraction for beneficial reuse onsite through post-screening sampling
- Immobilise the <20 mm fraction in accordance with the SIA (following EPA approval of the SIA).
- Validate successful immobilisation
- Dispose of lead immobilised materials as GSW at the nominated facility.

A process diagram for screening and immobilisation is presented in **Figure 1**.

Figure 1: Screening and Immobilisation Process Diagram




## 8. SCIENTIFIC EVIDENCE/JUSTIFICATION

The proposed remediation methodology involves chemical immobilisation of leachable lead to form insoluble lead phosphate minerals. The process will also use MgO to buffer the soil pH. Soil pH and pH buffering capacity are important to the long term success of the stabilisation process for soils in order to prevent lead remobilising with time. Chemical immobilisation of lead is generally a preferable treatment to cement stabilisation as the latter relies on maintaining physical solidification, and the pH is unlikely to be in the optimal target range.

The aim of immobilisation treatment is to chemically convert the soluble heavy metal compounds in the waste material into thermodynamically more stable compounds with considerably less solubility. The immobilisation of heavy metals in waste materials depends on factors such as solid-solution equilibrium, or the solubility product (K<sub>sp</sub>) of the solid phase. The leaching of metals is pH dependent, and the solubility of several heavy metal hydroxides, such as lead, is minimal within pH range 9-11, and preferably pH 9.4 to 10.2 (Smith, 1996). Figure 2 shows metal hydroxide solubility curves (theoretical), indicating the solubility of the common heavy metal ions and their respective solubility versus pH. Several metals, including lead, cadmium, copper and zinc are amphoteric, being soluble at both alkaline and acid conditions. The use of dolomitic limes containing MgO have been shown to act as a buffering agent within the pH 9-11 range, minimising heavy metal solubility and avoiding the re-dissolution that can occur by using lime reagents only, due to highly alkaline conditions (Smith, 1996; García et al., 2004, Nolan and Lunsman, 2013).

Several metals are also known to form highly insoluble compounds with phosphate (e.g. cadmium, lead, zinc). Phosphate containing materials such as phosphorus fertilisers have been used effectively to precipitate lead as either pyromorphite, plumbogummite or other lead bearing minerals (Aide et al., 2008). Of the lead phosphate minerals, the most insoluble are the pyromorphites (Pb<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>X where X is either F<sup>-</sup>, OH<sup>-</sup>, Br<sup>-</sup> or Cl<sup>-</sup>). Chloropyromorphite is the most insoluble of the lead phosphate minerals and has the capability of controlling lead solubility throughout the pH range of most soils (Lindsay, 1979; Cao et al., 2003). The theoretical solubility products of the various pyromorphites are 10<sup>-71.6</sup>, 10<sup>-76.8</sup>, 10<sup>-78.1</sup> and 10<sup>-84.4</sup> for fluoro, hydroxyl, bromo and chloro pyromorphites, respectively (Miretzky and Fernandes-Cirelli, 2008). However, these solubilities are rarely achieved in the field due to various factors such as the degree of crystallinity, phase purity, particle size and the presence of more soluble lead minerals (Xie and Giammar, 2007). Nevertheless, phosphate treatment is widely accepted as the most appropriate means of lead immobilisation in soils (Miretzky and Fernandes-Cirelli, 2008; ITRC, 2003) and has been included by US EPA in their Best Management Practice for firing ranges as a viable lead immobilisation technology, where lead occurs in its metallic form as well as various carbonates and oxides (US EPA, 2001). Pyromorphite formation is kinetically controlled by pH, the solubility of the phosphate source and the solubility of the lead species (Chrysochoou et al., 2007). Under appropriate conditions the formation of pyromorphite is a rapid reaction (Chrysochoou et al., 2007; Miretzky and Fernandes-Cirelli, 2008).

MAP is a commercially available fertiliser with an effective solubility in water of 36 g/100 mL (at 20°C). MAP [NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub>] will dissolve in moist soil to give H<sub>2</sub>PO<sub>4</sub><sup>-</sup>, which would react with soluble lead species to form insoluble compounds (Aide et al., 2008; ITRC, 2003), as shown in Reaction 1:



where:

H<sub>2</sub>PO<sub>4</sub><sup>-</sup> is dihydrogen phosphate, the primary P-bearing compound in MAP


Pb<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>OH is hydroxypyromorphite

Potential excess acidity ( $H^+$ ) produced by Reaction 1 will be neutralised by application of MgO. Notably, in the presence of calcite (calcium carbonate,  $CaCO_3$ ), MAP can act as a weak acid and may form hydroxyapatite ( $Ca_5(PO_4)_3OH$ ) in preference to the formation of pyromorphite. This process may significantly increase the amount of MAP required to stabilise lead impacted soils in areas with high calcite (Aide et al., 2008; Porter et al., 2004). In order to minimise the amount of MAP required for chemical stabilisation it is preferable that any proposed pH buffering source does not include calcium. Contaminants are not expected to be present in the MAP at any significant concentrations as this fertiliser is routinely used in agriculture for food crops and hence would need to be free from contaminants.

As noted, there are numerous lead phosphate species produced by the reaction of lead salts with phosphate and the exact solid phase speciation produced in the trial is difficult to determine. Results for the treatability trials conducted by Ramboll showed that the lead leachability was significantly reduced ( $>99.8\%$  for pH 5 leachate) for samples treated with MAP (2-4%) and MgO (5-15%).

Results from previous studies (Ryan and Zhang, 2000) of chemical and X-ray diffraction (XRD) analysis, scanning electron microscopy (SEM) and scanning transmission electron microscopy (STEM) strongly support the mechanism of hydroxyapatite precipitation. However, XRD analysis of immobilised lead impacted soils are generally inconclusive based on the difficulty in identifying species at relatively low concentrations of lead ( $<2-3\%$ ).

Addition of water during the mixing of waste with the proposed treatment reagents, MAP and MgO, is recommended to facilitate the chemical immobilisation and minimise the generation of dust.



**Figure 2:** Metal hydroxide solubility curves (theoretical) (US EPA 1994).

## 9. TREATABILITY

Ramboll conducted the bench-scale treatability trial on 17 February 2021 using representative contaminated bulk samples, TP3A and TP5A, which were each pre-screened to <20 mm maximum particle size and homogenised. The soil samples were silty-sandy-gravelly soils, and were reddish brown in colour (TP3A, **Figure 3**) or light brown in colour (TP5A, **Figure 4**). The bulk samples were analysed for untreated total and leachable (TCLP) lead concentrations (**Table 4**).

For each treatment, sub-samples (600 g) of the homogenised bulk material were weighed into a mixing vessel followed by the appropriate amount(s) of reagents (**Table 5**), with sufficient water to moisten the soil, and thoroughly mixed using a hand-trowel. Hand mixing was considered the most effective method for mixing the amounts of material used for the treatments in this trial and has been previously demonstrated on a range of soil treatment projects to replicate full-scale treatment.



**Figure 3.** Homogenised bulk sample TP3A used in the lead immobilisation trials.



**Figure 4.** Homogenised bulk sample TP5A used in the lead immobilisation trials.

Treatments were conducted using MgO and/or MAP over a range of additive ratios (**Table 3**) based on Ramboll's previous experience with treatability trials for lead impacted soils. For all treated samples, the waste and reagent mixes were hydrated sufficiently (close to maximum water holding capacity) to facilitate formation of the stable lead compounds.

All treated samples were cured for at least 24 hours prior to post-treatment analysis of total (SCC) and leachable (TCLP) lead. All chemical analyses were conducted by Eurofins laboratory in Sydney, a NATA accredited laboratory and conducted the testing in accordance with quality



assurance protocols. Results for the treatment trial are summarised below in **Table 5**. Copies of the laboratory Certificates of Analysis are included in **Appendix 2**.

**Table 5: Total (SCC) and leachable (TCLP) lead (Pb) concentrations in the treated waste (MAP = monoammonium phosphate; MgO = magnesium oxide).**

Sample ID	Reagents		Total (SCC) Pb mg/kg	TCLP pH 5.0 Pb mg/L <sup>1</sup>	%Reduction	TCLP Leachate Initial pH	TCLP Leachate Final pH
	%MAP	%MgO					
<b>General solid criteria</b>	--	--	<b>1500</b>	<b>5</b>	--	--	--
<b>Restricted solid criteria</b>	--	--	<b>6000</b>	<b>20</b>	--	--	--
<b>Untreated Samples</b>							
TP3A_A_SCR	--	--	16,000	14	--	2.9	5
TP3A_B_SCR	--	--	15,000	28	--	3.1	5
TP3A_C_SCR	--	--	19,000	10	--	3.1	5
TP3A_D_SCR	--	--	10,000	35	--	3.3	5
<b>Mean</b>	--	--	<b>15,000</b>	<b>22</b>	--	<b>3.1</b>	<b>5</b>
TP5A_A_SCR	--	--	39,000	190	--	7.1	5
TP5A_B_SCR	--	--	35,000	180	--	4.3	5
TP5A_C_SCR	--	--	37,000	190	--	4.3	5
TP5A_D_SCR	--	--	19,000	140	--	5.3	5.1
<b>Mean</b>	--	--	<b>32,500</b>	<b>175</b>	--	<b>5.0</b>	<b>5</b>
<b>Treated Samples</b>							
TP3A_TR01-1	--	5%	8,200	<0.01	>99.9	9.2	9.0
TP3A_TR01-2	--	5%	--	<0.01	>99.9	9.3	9.0
<b>Mean</b>				<b>&lt;0.01</b>	<b>&gt;99.9</b>	<b>9.2</b>	<b>9.0</b>
TP3A_TR02-1	--	10%	9,600	<0.01	>99.9	9.5	9.2
TP3A_TR02-2	--	10%	--	<0.01	>99.9	9.5	9.3
<b>Mean</b>				<b>&lt;0.01</b>	<b>&gt;99.9</b>	<b>9.5</b>	<b>9.3</b>
TP3A_TR03-1	2%	5%	18,000	0.01	99.9	9.7	8.8
TP3A_TR03-2	2%	5%	--	0.03	99.9	9.7	9.2
<b>Mean</b>				<b>0.02</b>	<b>99.9</b>	<b>9.7</b>	<b>9.0</b>
TP3A_TR04-1	3%	5%	9,500	<0.01	>99.9	8.8	8.5
TP3A_TR04-2	3%	5%	--	0.04	99.8	8.9	8.3
<b>Mean</b>				<b>0.03</b>	<b>99.9</b>	<b>8.9</b>	<b>8.4</b>
TP3A_TR05-1	2%	10%	9,900	<0.01	>99.9	9.6	9.3
TP3A_TR05-2	2%	10%	--	0.04	99.8	9.6	9.3

Sample ID	Reagents		Total (SCC) Pb mg/kg	TCLP pH 5.0 Pb mg/L <sup>1</sup>	%Reduction	TCLP Leachate Initial pH	TCLP Leachate Final pH
	%MAP	%MgO					
<b>Mean</b>				<b>0.03</b>	<b>99.9</b>	<b>9.6</b>	<b>9.3</b>
TP3A_TR06-1	3%	10%	9,100	0.03	99.9	9.6	8.9
TP3A_TR06-2	3%	10%	--	0.01	99.9	9.5	9.0
<b>Mean</b>				<b>0.02</b>	<b>99.9</b>	<b>9.6</b>	<b>9.0</b>
TP5A_TR01-1	--	5%	17,000	0.19	99.9	9.7	9.2
TP5A_TR01-2	--	5%	--	<0.01	>99.9	9.8	9.0
<b>Mean</b>				<b>0.10</b>	<b>99.9</b>	<b>9.8</b>	<b>9.1</b>
TP5A_TR02-1	--	10%	15,000	0.05	>99.9	9.7	9.2
TP5A_TR02-2	--	10%	--	0.02	>99.9	9.7	9.2
<b>Mean</b>				<b>0.04</b>	<b>&gt;99.9</b>	<b>9.7</b>	<b>9.2</b>
TP5A_TR03-1	2%	5%	18,000	0.03	>99.9	9.7	8.7
TP5A_TR03-2	2%	5%	--	0.03	>99.9	10	8.7
<b>Mean</b>				<b>0.03</b>	<b>&gt;99.9</b>	<b>9.9</b>	<b>8.7</b>
TP5A_TR04-1	3%	5%	20,000	0.05	>99.9	9.9	9.2
TP5A_TR04-2	3%	5%	--	<0.01	>99.9	9.4	9.0
<b>Mean</b>				<b>0.03</b>	<b>&gt;99.9</b>	<b>9.7</b>	<b>9.1</b>
TP5A_TR05-1	2%	10%	10,000	<0.01	>99.9	9.8	9.1
TP5A_TR05-2	2%	10%	--	0.01	>99.9	9.8	9.4
<b>Mean</b>				<b>0.01</b>	<b>&gt;99.9</b>	<b>9.8</b>	<b>9.3</b>
TP5A_TR06-1	3%	10%	13,000	0.05	>99.9	9.9	9.4
TP5A_TR06-2	3%	10%	--	0.02	>99.9	9.8	9.3
<b>Mean</b>				<b>0.04</b>	<b>&gt;99.9</b>	<b>9.9</b>	<b>9.4</b>
TP5A_TR07-1	4%	15%	12,000	0.08	>99.9	9.6	9.4
TP5A_TR07-2	4%	15%	--	0.05	>99.9	9.6	9.3
<b>Mean</b>				<b>0.07</b>	<b>&gt;99.9</b>	<b>9.6</b>	<b>9.4</b>

<sup>1</sup>For calculation of mean results, the LOR was used if one of the duplicate results reported as <LOR

Results for the treated samples in **Table 5** demonstrate that each of the treatments successfully reduced the leachable lead to concentrations well below the GSW criterion of 5 mg/L lead (Pb) for both bulk samples, TP3A and TP5A, with >99.8% reduction in leachable (TCLP, pH 5) lead achieved for all treatments. Whilst bulk samples TP3A and TP5A used in the trial were pre-screened to <20 mm maximum particle size and homogenised, some variability is observed in the untreated total and leachable lead results, as well as the treated total lead results. However, this variability in lead concentrations is in line with previous lead immobilisation trials for soils undertaken by Ramboll and demonstrates the inherent

heterogeneity of lead contamination in the soil. However, despite this level of heterogeneity, each of the treatments consistently achieved >99.8% reduction in leachable lead concentrations, with duplicate samples included for each treatment.

The heterogeneity of total lead in soil at full-scale treatment will be addressed by ensuring the concentration of phosphate added to the soil is in excess of the **mean concentration** reported for total lead in untreated bulk sample TP5A (**Table 4**, 32,500 mg/kg), considered to represent a worst case scenario for total lead in soil (once excavated and screened) and provides an appropriately conservative approach.

The following stoichiometric calculation provides the upper limit of total lead able to be treated with the proposed 2.0% MAP:

- Molar mass of lead = 207.2 g
- Molar mass of MAP ( $\text{NH}_4\text{H}_2\text{PO}_4$ ) = 115.3 g
- Molar mass of  $\text{PO}_4$  = 94.7 g
- % $\text{PO}_4$  in MAP =  $94.7/115.3 = 82.4\%$
- Mole ratio of  $\text{PO}_4$ :Pb (assuming formation of hydroxypyromorphite,  $\text{Pb}_5(\text{PO}_4)_3\text{OH}$ ) = 3:5 (0.6)

Mean concentration of total lead in soil ( TP5A) = 32,500 mg/kg = 32.5 g/kg

Moles of mean total lead per kg of soil ( TP5A) =  $32.5/207.2 = 0.1569$  moles

Mass of phosphate added per kg soil at 2.0% (20 g/kg) MAP additive ratio =  $82.4\% \times 20$  (g/kg MAP) = 16.48 g/kg

Moles of phosphate added per kg soil at 2.0% MAP additive ratio =  $16.48/115.3 = 0.1429$

Moles of  $\text{PO}_4$  required (to be in excess of mean total lead) =  $0.1568 \times 0.6 = 0.0941$

Upper limit of total lead able to be treated with 2.0% MAP =  $0.1429 \times (5/3) = 0.2381$  moles =  $0.2381 \times 207.2 = 49.33$  g/kg = 49,330 mg/kg

The stoichiometric calculation above shows that addition of 2.0% MAP to soil provides an amount of phosphate in excess of the mean amount of lead in untreated sample TP5A (32,500 mg/kg), on a mole ratio basis assuming formation of hydroxypyromorphite, where sample TP5A is considered a worst case scenario from representative site sampling. Assuming 100% of total lead in soil became leachable over time (a very conservative estimate), for addition of 2.0% MAP, the upper limit of lead contamination able to be treated would be 49,330 mg/kg.

In order to provide evidence of the long term stability of the treated waste, four of the treated samples, TP3A-TR01-1 (5% MgO), TP3A-TR03-1 (2% MAP, 5% MgO), TP5A-TR01-1 (5% MgO) and TP5A-TR03-1 (2% MAP, 5% MgO), were selected for MEP analysis (lead), based on the minimum amount of reagent required to successfully treat both bulk samples, which are presented in **Table 6**. These results show:

- All four MEP results remained relatively stable over the 10 sequential extractions and were well below the GSW criterion of 5 mg/L Pb.
- The final pH of the leachate also remained relatively stable, with the leachate pH at Day 10 ranging from 9.1 to 9.8, close to the minimum point of solubility for lead.
- There appeared to be little difference in the MEP results for TR01 (5% MgO) vs TR03 (2% MAP, 5% MgO) for both bulk samples, indicating MAP is not required to achieve long term stability of the treated waste.
- Whilst there was some variability across the 10 MEP extractions for each sample, these results are similar to previous MEP results reported for lead immobilised wastes and is

likely related to the low concentrations detected and/or heterogeneity of lead in the sample, where the amount of lead exposed to leachate during each test may vary.

- There was one anomalously higher leachate result of 1 mg/L for TP5A\_TR01-1 on Day 9 (however results on Day 8 and Day 10 were below the LOR of 0.01 mg/L), hence it is likely this result was an anomaly, however it is still five times below the GSW criterion for lead.

Based on the treatment trial results presented in **Table 5** and **Table 6**, the stoichiometric calculation presented above and EPA endorsement of the use of both MAP and MgO, it is proposed to use **2.0% MAP** and **5% MgO** to chemically immobilise the leachable lead in the waste material from the Site. Whilst addition of MAP did not appear to provide substantial improvement to either the short term (TCLP) or long term (MEP) treatment results, EPA endorse the immobilisation of metals such as lead through both chemical immobilisation and pH buffering to ensure the best environmental outcome whilst also ensuring a level of consistent regulation of SIA within NSW.

## 10. ABILITY TO REPRODUCE THE PROCESSES, AND QUALITY ASSURANCE

The remediation contractor undertaking the waste treatment shall have an Environmental Management System with third party accreditation to ISO14001 and work under the framework of an integrated Management Plan for the remediation works. As part of this plan, Work Procedures, Inspection and Test Plans and Inspection and Test Reports will be developed for specific tasks such as the proposed on-site treatment works.

The Work Procedure and Inspection and Test Plan will cover aspects such as:

- Materials tracking and batch formation
- Sampling procedures (composite sampling) and results reporting including accept/reject criteria
- Analytical testing to be undertaken by NATA accredited testing bodies.

Sampling of the treated stockpiled waste will take place at a rate of 1 sample per 25 m<sup>3</sup> of waste for analytical testing. Samples will be dispatched to a NATA accredited laboratory for TCLP and total lead analyses. Conformance of the waste material will be based on an accept/reject procedure determined by calculation of 95% UCL for chemical contaminants. Further details are presented in **Section 13**. Additionally a formal contingency plan has been prepared and is presented in **Section 12** to define actions if lead leachate in treated waste is reported above SCC1.

This remediation project is subject to audit, and a full Validation Sampling, Analysis and Quality Plan (VSAQP) will be developed and signed off by the auditor. The project implementation will also be overseen by the auditor.

<b>TP3A_TR01-1</b>	<b>Day 1</b>	<b>Day 2</b>	<b>Day 3</b>	<b>Day 4</b>	<b>Day 5</b>	<b>Day 6</b>	<b>Day 7</b>	<b>Day 8</b>	<b>Day 9</b>	<b>Day 10</b>
Leachate Fluid	4	4	4	4	4	4	4	4	4	4
pH (initial)	9.4	8.7	8.8	9.3	8.8	9	9.1	9.7	9.7	9.2
pH (Leachate fluid)	6.8	5.1	6.8	6.8	6.8	6.8	6.2	6.2	6.2	6.2
pH (off)	9.6	9.2	9.5	9.5	9.3	9.3	9.8	9.3	9.3	9.1
Lead (mg/L)	<0.001	0.001	0.003	0.002	<0.001	0.002	<0.001	<0.001	0.004	0.017
<b>TP3A_TR03-1</b>	<b>Day 1</b>	<b>Day 2</b>	<b>Day 3</b>	<b>Day 4</b>	<b>Day 5</b>	<b>Day 6</b>	<b>Day 7</b>	<b>Day 8</b>	<b>Day 9</b>	<b>Day 10</b>
Leachate Fluid	4	4	4	4	4	4	4	4	4	4
pH (initial)	9.1	8.7	8.9	9.3	9	9.4	9	9.7	9.7	9.3
pH (Leachate fluid)	6.8	5.1	6.8	6.8	6.8	6.8	6.2	6.2	6.2	6.2
pH (off)	9.5	9.3	9.5	9.4	9.6	9.5	9.5	9.4	9.4	9.4
Lead (mg/L)	0.12	0.001	0.004	0.13	0.001	0.002	<0.001	0.013	0.015	0.003
<b>TP5A_TR01-1</b>	<b>Day 1</b>	<b>Day 2</b>	<b>Day 3</b>	<b>Day 4</b>	<b>Day 5</b>	<b>Day 6</b>	<b>Day 7</b>	<b>Day 8</b>	<b>Day 9</b>	<b>Day 10</b>
Leachate Fluid	4	4	4	4	4	4	4	4	4	4
pH (initial)	9.6	9.1	9.5	9.8	9.6	9.9	9.6	9.9	9.8	9.8
pH (Leachate fluid)	6.8	5.1	6.8	6.8	6.8	6.8	6.2	6.2	6.2	6.2
pH (off)	10	9.6	9.5	9.8	9.8	9.7	9.9	9.7	9.7	9.8
Lead (mg/L)	0.002	<0.001	0.017	0.075	0.004	0.003	0.058	<0.001	1	<0.001
<b>TP5A_TR03-1</b>	<b>Day 1</b>	<b>Day 2</b>	<b>Day 3</b>	<b>Day 4</b>	<b>Day 5</b>	<b>Day 6</b>	<b>Day 7</b>	<b>Day 8</b>	<b>Day 9</b>	<b>Day 10</b>
Leachate Fluid	4	4	4	4	4	4	4	4	4	4
pH (initial)	9.4	8.9	9.3	9.7	9.4	9.9	9.5	10	9.9	9.7
pH (Leachate fluid)	6.8	5.1	6.8	6.8	6.8	6.8	6.2	6.2	6.2	6.2
pH (off)	10	9.7	9.7	9.8	9.8	9.8	10	9.8	9.8	9.8
Lead (mg/L)	<0.001	0.036	0.031	0.053	0.047	0.042	<0.001	0.016	0.017	0.001

## 11. PROPOSED DISPOSAL LOCATION

It is proposed the treated and validated material will be disposed to a local landfill (to be confirmed) once the amendment to development consent conditions and EPL for the nominated receiving facility are approved.

## 12. CONTINGENCY PLAN

The contingencies presented in **Table 12-1** are to be implemented where unexpected site conditions or circumstances occur.

**Table 12-1: Contingency Plan**

Contingency Event	Contingency Action	Personnel Responsible
<b>Validation sampling indicates screened ballast is unsuitable for onsite reuse</b>	Further removal of contaminated fines or immobilisation and disposal	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Validation sampling of immobilised material indicates not suitable for disposal as immobilised GSW</b>	Further immobilisation will occur	Remediation Contractor following consideration from Principal and Principal's Environmental Representative
<b>Discovery of unexpected materials</b>	Contact the Principal's representative, sort materials into a segregated stockpile and discuss possible disposal options with the Principal or the Principal's Representative	Principal, following notification from the Remediation Contractor

## 13. VALIDATION PLAN

The following is the validation Sampling and Analysis Quality plan (SAQP) to be implemented to validate the screening and immobilisation of lead contaminated waste from the Tarago Rail Yard.

### 13.1 Validation Data Quality Objectives

Specific Data Quality Objectives (DQOs) have been developed for the validation of field and analytical data obtained during the remediation. The DQO process is a systemic, seven step process that defines the criteria that the validation sampling should satisfy in accordance with the requirements of NSW EPA (2017) *Guidelines for the NSW Site Auditor Scheme* (3<sup>rd</sup> Edition). DQOs specific to the screening and immobilisation of waste from the Tarago Rail Yard are presented below.

#### 13.1.1 Step 1: State the Problem

Lead impacted soil exists at the site. Remediation is required to mitigate potential exposure risks into the future. The proposed remedial strategy includes excavation of lead impacted material, transport to a landfill for mechanical screening to remove ballast and chemical immobilisation of lead in fines, return of ballast for reuse at the site and disposal of fines as immobilised GSW.

### 13.1.2 Step 2: Identify the Decisions

The validation SAQP is to ensure that contaminated material excavated from the Woodlawn Siding and surrounding soils (described in further detail on **Figures 2a – 2e**) is appropriately screened to allow onsite reuse of ballast and immobilised to allow offsite disposal under a SIA.

### 13.1.3 Step 3: Identify Inputs to the Decision

The following inputs into the decision-making process are required:

- fpXRF measurement of lead concentrations to refine excavation areas onsite before excavation commences
- Documented materials tracking of all material movements including source excavation, transport. Screening and immobilisation, return of ballast to site and disposal of immobilised GSW
- fpXRF measurement of lead during remediation to define vertical and horizontal excavation limits onsite
- Validation sampling of screened ballast and analyses for total lead to confirm suitability for reuse onsite
- Validation sampling of immobilised ballast fines for TCLP lead to confirm suitability for disposal as immobilised GSW
- fpXRF measurement of lead in the screening and immobilisation compound before establishment of the compound and at completion of remediation
- Survey of validation excavations to define contaminated areas remaining onsite

### 13.1.4 Step 4: Define the Study Boundary

The study boundary includes proposed excavation areas onsite (the Woodlawn Siding and surrounding soils as defined on **Figures 2a – 2e**) and the screening and immobilisation compound.

### 13.1.5 Step 5: Development of Decision Rules

Data will be considered reliable if it satisfies the limits of decision error defined in **Section 13.1.6**.

Excavation will be considered sufficient when lead concentrations in remnant soils onsite are below the nominated remediation criteria of 2,200 mg/kg or excavation must be limited to preserve the structural integrity of operational lines.

Screened ballast will be considered suitable for reuse if the 95% UCL of lead concentrations in screened ballast after remediation is less than the nominated remediation criteria of 2,200 mg/kg.

Ballast fines will be considered suitable for disposal as immobilised GSW if the 95% UCL of lead leachate (TCLP) is less than the limit for lead leachate in GSW defined in the NSW EPA Waste Classification Guidelines (TCLP1 – 5 mg/L).

Clean-up of the screening and immobilisation compound after remediation will be considered complete when the 95% UCL of lead concentrations in remnant surface soils is below either the Tier 1 health investigation level for lead industrial land or the 95% UCL of lead concentrations in remnant surface soils before establishing the compound.

### 13.1.6 Step 6: Specify Performance Criteria

Validation performance criteria are defined to assess potential for a false positive or false negative in validation data. Performance criteria for fpXRF measurements of lead in soil, and sampling for laboratory analyses of surface water and airborne dust are presented in **Table 13-1** below.

**Table 13-1 Performance Criteria for Validation Sampling**

	<b>fpXRF Measurements</b>	<b>Sampling of Screened Ballast and Immobilised Ballast Fines</b>
Accuracy: Accuracy in the collection of field data will be controlled by:	Appropriate sampling methodologies utilised and complied with. Works to be completed in accordance with US EPA 2007, <i>Method 6200, Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment.</i>	Soil sampling for laboratory analyses will occur in general accordance with <i>AS 4482.1-2005 Guide to the investigation and sampling of sites with potentially contaminated soil - Non-volatile and semi-volatile compounds</i> and <i>AS 1141.3.1 - 2012 Methods for Sampling and Testing Aggregates, Method 3.1: Sampling - Aggregates</i>
Precision: The degree to which data generated from replicate or repetitive measurements differ from one another due to random errors. Precision of field data will be maintained by:	<ul style="list-style-type: none"> <li>• XRF readings will be collected by an experienced scientist holding a NSW EPA license required for field based XRF testing</li> <li>• XRF readings will be collected from soil in-situ and measurements will be taken by placing the XRF directly on the ground surface.</li> <li>• the soil surface to be measured will be cleared of debris and grass prior to taking the measurement to ensure that there is no obstruction, that the analyser window is protected and that contact with the sample surface is maintained during measurements.</li> <li>• As moisture is known to affect measured concentrations, visually dry surfaces will be chosen for measurement.</li> <li>• Soil sampling for confirmatory laboratory analyses will occur in general accordance with <i>AS 4482.1-2005 Guide to the investigation and sampling of sites with potentially contaminated soil - Non-</i></li> </ul>	<p>In the field, precision will be maintained by:</p> <ul style="list-style-type: none"> <li>• Using standard operating procedures for the collection of soil samples.</li> <li>• Collection of soil samples by suitably experienced environmental scientists.</li> <li>• Use of disposable nitrile rubber gloves between sampling locations.</li> <li>• Placement of samples directly into designated single use sampling containers.</li> <li>• Collection of intra-laboratory and inter-laboratory duplicate samples at a rate of 1 in 20 primary samples.</li> <li>• Collection of one rinsate sample on reusable sampling equipment at the end of each day.</li> <li>• Recording of sample identification and analytical requirements on chain of custody documents.</li> <li>• Samples transported to the laboratory under chain of custody conditions to a laboratory with NATA</li> </ul>



	<b>fpXRF Measurements</b>	<b>Sampling of Screened Ballast and Immobilised Ballast Fines</b>
	<p><i>volatile and semi-volatile compounds</i>. This will include:</p> <ul style="list-style-type: none"> <li>○ Collection of samples by a suitably experienced environmental scientist</li> <li>○ Use of disposable nitrile rubber gloves between locations</li> <li>○ Soil samples will be placed immediately into laboratory supplied and appropriately preserved sampling vessels.</li> <li>○ Sample numbers, preservation and analytical requirements are to be recorded on chain of custody documents.</li> </ul> <ul style="list-style-type: none"> <li>• Samples are to be transported to the laboratory under chain of custody conditions to a laboratory with NATA accreditation for COPCs.</li> </ul>	<p>accreditation for the analytical methods prescribed.</p> <ul style="list-style-type: none"> <li>• XRF readings collected by an experienced scientist holding a NSW EPA license required for field based XRF testing.</li> <li>• In the laboratory, precision will be assessed using blind duplicate samples and split duplicates.</li> </ul>
<p>Completeness: The completeness of the data set shall be judged by:</p>	<ul style="list-style-type: none"> <li>• All locations sampled as outlined in <b>Section 13.1.7</b>.</li> <li>• Sampling completed by experienced personnel</li> <li>• Field documentation completed correctly</li> </ul>	<ul style="list-style-type: none"> <li>• All locations sampled as outlined in <b>Section 13.1.7</b>.</li> <li>• Sampling completed by experienced personnel</li> <li>• Field documentation completed correctly</li> </ul>
<p>Representativeness: The representativeness of the field data will be judged by:</p>	<ul style="list-style-type: none"> <li>• Non-disposable sampling equipment, such as the hand auger, will be thoroughly decontaminated between locations using Decon 90 solution and deionised rinsate water.</li> <li>• At each location, a pair of disposable nitrile gloves will be</li> </ul>	<ul style="list-style-type: none"> <li>• Non-disposable sampling equipment, such as the hand auger, will be thoroughly decontaminated between locations using Decon®90 solution and deionised rinsate water.</li> <li>• At each location, a pair of disposable nitrile gloves will be worn while sampling and</li> </ul>

	<b>fpXRF Measurements</b>	<b>Sampling of Screened Ballast and Immobilised Ballast Fines</b>
	<p>worn while sampling and handling the sample; gloves will be replaced between each successive sample.</p> <ul style="list-style-type: none"> <li>• Soil analytical samples will be collected directly into the sampling vessels.</li> </ul>	<p>handling the sample; gloves will be replaced between each successive sample.</p> <ul style="list-style-type: none"> <li>• Soil analytical samples will be collected directly into the sampling containers following size reduction and splitting.</li> </ul>
<p>Comparability: Comparability to existing field data will be maintained by:</p>	<ul style="list-style-type: none"> <li>• Use of the same appropriate sampling methodologies</li> <li>• Same sampling depths will be used (i.e.: 0-0.05 mbgl)</li> <li>• Analytical samples will be collected for submission to the laboratory</li> <li>• Photographs will be taken of sampling location conditions at the time of sampling.</li> </ul>	<ul style="list-style-type: none"> <li>• Use of the same appropriate sampling methodologies</li> <li>• Same sampling depths will be used (where practical)</li> <li>• Analytical samples will be collected for submission to the laboratory</li> <li>• Photographs will be taken of sampling location conditions at the time of sampling.</li> </ul>

Performance criteria for analyses of soil duplicates are defined as follows:

- Data will be analysed adopting RPD control limits of +/- 30%.  
Where concentration levels are less than two times the PQL, the Absolute Difference (AD) shall be calculated. Data will be considered acceptable if the:  $AD < 2.5 \text{ times the PQL}$ .  
  
Any data which does not conform to these acceptance criteria will be examined for determination of suitability.
- The laboratory will additionally undertake a method blank with each analytical batch of samples. Laboratory method blank analyses are to be below the PQLs. Results shall be examined, and any positive results shall be examined. Positive blank results may not be subtracted from sample results.

Positive results may be acceptable if sample analyte concentrations are significantly greater than the amount reported in the blank (ten times for laboratory reagents such as methylene chloride, chloroform, and acetone etc., and five times for all other analytes). Alternatively, the laboratory PQL may be raised to accommodate blank anomalies provided that regulatory guidelines are not compromised by any adjustment made to the PQL.

#### ***Decision Error Protocol***

If the data received is not in accordance with the defined acceptable limits outlined in Steps 5 and 6, it may be considered to be an estimate or be rejected. Determination of whether this data may be used or if re-sampling is required will be based on the following considerations:

- Closeness of the result to the guideline concentrations
- Specific contaminant of concern (e.g., response to carcinogens may be more conservative)
- The area of site and the potential lateral and vertical extent of questionable information
- Whether the uncertainty can be effectively incorporated into site management controls

#### ***Rectifying Non-conformances***

If any of the validation procedures or criteria identified are not followed or met, this will constitute a non-conformance. The significance of the non-conformance will determine if rectification is required after discussion with the site auditor. In order to address any non-conformances, the Principal's Environmental Representative must assess the significance of each non-conformance and put their conclusion and recommendation to the auditor for approval.

#### **13.1.7 Step 7: Optimise the Design for Obtaining Data**

All validation samples are to be collected in accordance with the DQOs outlined in this Section. Validation samples, frequency of collection, the analysis required, and justification is presented in **Table 13-2**.

**Table 13-2: Validation Plan**

<b>Validation Method</b>	<b>Validation Requirements</b>	<b>Measurement / Analyses</b>
<b>Validation of remnant soils</b>	<p>fpXRF measurements onsite demonstrating lead in excavation surface soils is &lt; 2200 mg/kg.</p> <p>fpXRF measurements at the immobilisation compound demonstrating the 95% UCL of lead concentrations in remnant surface soils is below either the Tier 1 health investigation level for lead industrial land or the 95% UCL of lead concentrations in remnant surface soils before establishing the compound.</p> <p>Measurements will occur to achieve a density of 1/100 m<sup>2</sup> across the base of excavation areas on 10 meter increments along excavation walls. Measurements will occur to achieve a density of 1/100 m<sup>2</sup> across the immobilisation compound.</p> <p>Validation sampling has occurred in areas where excavation of lead impacted soils occurred during loop extension. Analytical results will be provided in the validation report though were observed to fall below site assessment criteria. Excavation for rail loop construction was followed by importation and placement of rail construction materials. Further validation is not considered warranted though would also not be feasible without disturbing active rail formation.</p> <p>Review of material tracking demonstrating appropriate and controlled movement of lead impacted materials.</p> <p>Lead impacted soils will remain onsite following remediation and will be managed under a long term EMP.</p>	<p>fpXRF measurements of lead supplemented by laboratory QC samples and existing primary laboratory analyses.</p>
<b>Validation of screened ballast and immobilised fines</b>	<p>Screened ballast will be considered suitable for reuse if the 95% UCL of lead concentrations in screened ballast after remediation is less than the Industrial Health Investigation Level for lead of 1,500 mg/kg (NEPC 2013).</p> <p>Ballast fines will be considered suitable for disposal as immobilised GSW if the 95% UCL of lead leachate (TCLP) is less than the limit for lead leachate in GSW defined in the NSW EPA Waste Classification Guidelines (TCLP1 – 5 mg/L).</p> <p>Validation sampling of screened ballast and immobilised fines stockpiles will be completed by the Principals environmental representative.</p> <p>Sampling will occur to achieve a density of 1/25 m<sup>3</sup> with a minimum of three samples.</p>	<p>Laboratory analyses of screened ballast for total lead and immobilised fines for lead leachate (TCLP).</p>

### 13.2 Validation Reporting

A validation Report will be prepared in general accordance with the relevant sections of NSW OEH (2020) *Guidelines for Consultants Reporting on Contaminated Land* and the NSW EPA *Guidelines for the NSW Site Auditor Scheme 3rd Edition* (NSW EPA 2017). The Validation Report will include:

- Executive summary
- Scope of work
- Site Description
- Summary of site history and previous investigations
- Remediation activities undertaken, including the extent of the excavation works (survey information) and observations made during excavation works
- Supporting factual evidence of the remediation work including photographic and field records and materials tracking data
- Validation sampling and analysis results
- Quality assurance/ quality control (QA/QC) protocols for field work and laboratory analysis and
- A statement indicating the adequacy of the remediation completed, degree to which lead impacts have been removed and if / where impacts remain.

Please contact the undersigned if you have any questions.

Yours sincerely,



**Dr Annette Nolan, PhD (Chem)**

Lead Consultant

D+61 (2) 4962 5444  
M+61 423 812 776  
[anolan@ramboll.com](mailto:anolan@ramboll.com)



**Fiona Robinson (CEnvP SC.  
Certification No: SC400100)**

Principal Contaminated Land Specialist


D+61 (2) 4962 5444  
+61 421 311 066  
[frobinson@ramboll.com](mailto:frobinson@ramboll.com)



## 14. REFERENCES

- Aide, M., Whitener, K., Westhoff, E. and Kelley, J. 2008. Effectiveness of Triple Superphosphate Amendments in Alleviating Soil Lead Accumulation in Missouri Alfisols. *Soil and Sediment Contamination*, **17**, 630-680.
- Cao, R., Ma, L., Chen, M., Singh, S. and Harris, W. 2003. Phosphate-induced metal immobilization in a contaminated site. *Environmental Pollution*, **122**, 19-28.
- Chrysochoou, M., Dermatas D. and Grub D. 2007. Phosphate application to firing range soils for Pb immobilization: the unclear role of phosphate. *Journal of Hazardous Materials*, **144**, 1-14.
- García, M. A., Chimenos, J. M., Fernández, A. I., Miralles, L., Segarra, M. and Espiell, F. (2004). Low-grade MgO used to stabilize heavy metals in highly contaminated soils. *Chemosphere*, **56**, 481-491.
- Interstate Technology and Regulator Council, 2003. Characterization and Remediation of Soils at Closed Small Arms Firing Ranges.
- Lindsay, W. L., 1979. Chemical equilibria in soils. John Wiley & Sons.
- Miretzky, P. and Fernandez-Cirelli, A. 2008. Phosphates for Pb immobilization in soils: a review. *Environmental Chemistry Letters*, **6**, 121-133.
- Nolan, A. and Lunsmann, F. (2013) Chemical immobilisation of lead impacted soils. Proceedings of CleanUp13 Conference, Melbourne, Australia. September 2013.
- Porter, S.K, Scheckel, K.G., Impellitteri, C.A. and Ryan, J. A. 2004. Toxic metals in the environment: Thermodynamic considerations for possible immobilisation strategies for Pb, Cd, As and Hg. *Critical Reviews in Environmental Science and Technology*, **34**, 495-604.
- Ramboll (2020). Tarago Rail Corridor and Tarago Area Detailed Site Investigation (Rev 3).
- Ramboll (2021). Tarago Rail Corridor and Tarago Area Detailed Site Investigation Addendum (Rev 1).
- Ryan, J.A. and Zhang, P. 2000. Soil Lead Remediation: Is Removal the Only Option? US EPA Risk Reduction Engineering Laboratory Cincinnati, OH 45268.
- Smith, C. (1996). Buffering of cementitious hazardous waste compositions containing electric arc furnace dust. US Patent 5, 569, 152.
- US EPA 1994. Innovative Site Remediation Technology Chemical Treatment Volume 2
- US EPA 2001. Best management practices for lead at outdoor shooting ranges.
- Xie, L. and Giammar, D. 2007. Equilibrium solubility and dissolution rate of the lead phosphate chloropyromorphite. *Environmental Science & Technology*, **41**, 8050-8055.

**APPENDIX 1**  
**FIGURES**



- Legend**
- Site boundary
  - Rail corridor
  - Rail corridor fence

A4  
1:10,000





Figure 1 | Locality Plan






**Legend**

- Site boundary
- Rail corridor fence
- 0.1km chainage point
- Signal trench (approximate)
- Surface water flow (indicative)
- Survey lines
- Rail track
- Top of bank
- Bottom of bank
- Other elements
- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Previous sampling location (McMahon)
- Shallow soil (Ramboll 2019)
- Hand auger (Ramboll 2019)
- 1200 Lead concentration for XRF sample (mg/kg)
- Validation sample (Ramboll 2019)
- Lead impacted area to remain
- Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 mbgl
- Area of excavation during loop extension (no further excavation proposed)

A4  
1:1,000



Figure 2a | Site Plan



- Legend**
- Site boundary
  - Rail corridor fence
  - 0.1km chainage point
  - Signal trench (approximate)
  - Surface water flow (indicative)
  - Former loadout road (approximate)

- Survey lines**
- Rail track
  - Top of bank
  - Bottom of bank
  - Other elements

- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Shallow soil (Ramboll 2019)
- Test pit (Ramboll 2019)
- Hand auger (Ramboll 2019)
- Lead concentration for XRF sample (mg/kg)
- Validation sample (Ramboll 2019)
- Groundwater monitoring location
- Test pit (loadout complex)

- Lead impacted area to remain
- Redundant Woodlawn siding - proposed excavation depth 0.5 mbgl
- Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 mbgl
- Area of excavation during loop extension (no further excavation proposed)





Figure 2b | Site Plan



**Legend**

- Site boundary
- Rail corridor fence
- 0.1km chainage point
- Signal trench (approximate)
- Surface water flow (indicative)
- Former loadout road (approximate)
- Former loadout complex building footprint

**Survey lines**

- Rail track
- Top of bank
- Bottom of bank
- Other elements

- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Shallow soil (Ramboll 2019)
- Test pit (Ramboll 2019)
- Hand auger (Ramboll 2019)
- Lead concentration for XRF sample (mg/kg)
- Groundwater monitoring location
- Test pit (loadout complex)

- Lead impacted area to remain
- Redundant Woodlawn siding - proposed excavation depth 0.5 m bgl
- Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 m bgl
- Haul route





Figure 2c | Site Plan



RAMBOLL AUSTRALIA - GIS MAP file: 318000780\_GIS\_P018\_T22\_RAPs\_02\_RAP\_RailCenter | F005\_TPs\_Loadout\_V01 | 24/06/2021

**Legend**

- Former loadout complex building footprint
- Former loadout road (approximate)
- Site boundary
- Surface water flow (indicative)
- Lead impacted area

- + Loadout complex testpit (March 2020)
- + Loadout complex testpit (August 2020)
- Groundwater monitoring location

**Lead exceedance criteria**

Sample depth (m)	Site Specific Human Health	EIL Commercial/Ind. (NEPM 2013)
	>2200 mg/kg	>1800 mg/kg

A4  
1:600





Figure 2ci | Loadout complex sampling locations



- Legend**
- Site boundary
  - Rail corridor fence
  - 0.1km chainage point
  - Signal trench (approximate)
  - Surface water flow (indicative)
  - Survey lines
  - Rail track
  - Top of bank
  - Bottom of bank
  - Other elements
  - X-Ray fluorescence sampling (Ramboll 2019, 2020)
  - Shallow soil (Ramboll 2019)
  - Test pit (Ramboll 2019)
  - Lead concentration for XRF sample (mg/kg)
  - Lead impacted area to remain
  - Redundant Woodlawn siding - proposed excavation depth 0.5 mbgl
  - Lead impacted area surrounding the siding (excluding all rail formation) - proposed excavation depth 0.3 mbgl
  - Haul route





Figure 2d | Site Plan



RAMBOLL AUSTRALIA - GIS MAP file : 318000780 GIS PD 18 T22 RAPs 02 RAP RailCorridor F002 RemediationAreas V05 23/06/2021

**Legend**

- Site boundary
- Rail corridor fence
- 0.1km chainage point
- Goulburn Street level crossing
- Signal trench (approximate)
- Surface water flow (indicative)
- Survey lines
- Rail track
- Top of bank
- Bottom of bank
- Other elements
- X-Ray fluorescence sampling (Ramboll 2019, 2020)
- Shallow soil (Ramboll 2019)
- Test pit (Ramboll 2019)
- Lead concentration for XRF sample (mg/kg)
- Groundwater monitoring location
- Lead impacted area to remain
- Haul route





Figure 2e | Site Plan



**Legend**

- Site boundary
- Rail corridor
- Rail corridor fence
- Lead impacted area
- Stockpile (JHR)

**Composite sampling (Ramboll 2020)**

- Stockpile sample
- Test pit
- Lead (mg/kg)

A4  
1:5,000




Figure 3 | Soil Sampling for the Resource Recovery Exemption

**APPENDIX 2**  
**LABORATORY CERTIFICATES OF ANALYSIS**



Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Stephen Maxwell

**Report** 668047-S  
 Project name  
 Project ID 318000780  
 Received Date Jul 26, 2019

Client Sample ID			TP1 0.1-0.5	TP1 0.5-0.6	TP2 0.1-0.4	TP2 0.4-0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-JI39891	S19-JI39892	S19-JI39893	S19-JI39894
Date Sampled			Jul 26, 2019	Jul 26, 2019	Jul 26, 2019	Jul 26, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	4400	10	3500	110
% Moisture	1	%	3.9	4.8	2.7	4.4

Client Sample ID			TP2 0.5-0.7	TP3 0.1-0.5	TP3 0.5-0.6	TP3 0.6-0.7
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-JI39895	S19-JI39896	S19-JI39897	S19-JI39898
Date Sampled			Jul 26, 2019	Jul 26, 2019	Jul 26, 2019	Jul 26, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	16	29000	74	13
% Moisture	1	%	9.2	9.8	6.4	9.1

Client Sample ID			TP4 0.1-0.3	TP4 0.3-0.4	TP5 0.1-0.45	TP5 0.45-0.55
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-JI39899	S19-JI39900	S19-JI39901	S19-JI39902
Date Sampled			Jul 26, 2019	Jul 26, 2019	Jul 26, 2019	Jul 26, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	38000	70	3100	150
% Moisture	1	%	4.2	8.4	5.6	5.4

<b>Client Sample ID</b>			<b>TP5 0.6-0.7</b>	<b>TP6 0.1-0.4</b>	<b>TP6 0.4-0.5</b>	<b>TP6 0.5-0.7</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39903</b>	<b>S19-JI39904</b>	<b>S19-JI39905</b>	<b>S19-JI39906</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	47	6000	20	6.7
<b>% Moisture</b>						
	1	%	12	5.8	6.5	11

<b>Client Sample ID</b>			<b>TP7 0.1-0.4</b>	<b>TP7 0.4-0.5</b>	<b>TP7 0.5-0.7</b>	<b>TP8 0.1-0.3</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39907</b>	<b>S19-JI39908</b>	<b>S19-JI39909</b>	<b>S19-JI39910</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	3300	76	6.9	2800
<b>% Moisture</b>						
	1	%	3.7	5.7	11	2.2

<b>Client Sample ID</b>			<b>TP8 0.3-0.5</b>	<b>TP8 0.5-0.8</b>	<b>TP9 0.1-0.3</b>	<b>TP9 0.3-0.5</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39911</b>	<b>S19-JI39912</b>	<b>S19-JI39913</b>	<b>S19-JI39914</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	24	22	600	< 5
<b>% Moisture</b>						
	1	%	6.0	9.5	2.4	6.1

<b>Client Sample ID</b>			<b>TP9 0.5-0.7</b>	<b>TP15 0.1</b>	<b>TP15 0.8</b>	<b>SS1 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39915</b>	<b>S19-JI39918</b>	<b>S19-JI39919</b>	<b>S19-JI39920</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	8.1	27	26	39
<b>% Moisture</b>						
	1	%	10	6.1	12	4.6

<b>Client Sample ID</b>			<b>SS2 0.0-0.1</b>	<b>SS3 0.0-0.1</b>	<b>SS4 0.0-0.1</b>	<b>SS5 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39921</b>	<b>S19-JI39922</b>	<b>S19-JI39923</b>	<b>S19-JI39924</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	110	130	120	43
<b>% Moisture</b>						
	1	%	3.2	7.5	5.6	2.8

<b>Client Sample ID</b>			<b>SS6 0.0-0.1</b>	<b>SS7 0.0-0.1</b>	<b>SS8 0.0-0.1</b>	<b>SS9 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39925</b>	<b>S19-JI39926</b>	<b>S19-JI39927</b>	<b>S19-JI39928</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	110	4100	340	140
<b>% Moisture</b>						
	1	%	2.8	4.4	19	6.2

<b>Client Sample ID</b>			<b>SS10 0.0-0.1</b>	<b>SS11 0.0-0.1</b>	<b>SS12 0.0-0.1</b>	<b>SS13 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39929</b>	<b>S19-JI39930</b>	<b>S19-JI39931</b>	<b>S19-JI39932</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	780	2200	32000	2600
<b>% Moisture</b>						
	1	%	2.2	5.8	3.3	1.2

<b>Client Sample ID</b>			<b>SS14 0.0-0.1</b>	<b>SS15 0.0-0.1</b>	<b>SS16 0.0-0.1</b>	<b>D02_260719</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39933</b>	<b>S19-JI39934</b>	<b>S19-JI39935</b>	<b>S19-JI39936</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	31	350	15000	280
<b>% Moisture</b>						
	1	%	6.8	4.7	1.9	5.0

<b>Client Sample ID</b>			<b>D03_260719</b>	<b>SS17_0.0-0.1</b>	<b>SS18_0.0-0.1</b>	<b>SS19_0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39937</b>	<b>S19-JI39997</b>	<b>S19-JI39998</b>	<b>S19-JI39999</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	120	25	34	26000
<b>% Moisture</b>						
	1	%	5.5	3.2	4.8	2.4

<b>Client Sample ID</b>			<b>SS20_0.0-0.1</b>	<b>SS21</b>	<b>SS22</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI40000</b>	<b>S19-JI40001</b>	<b>S19-JI40002</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit			
<b>Heavy Metals</b>					
Lead	5	mg/kg	35000	610	540
<b>% Moisture</b>					
	1	%	3.6	2.2	3.4

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Jul 29, 2019	180 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Sydney	Jul 29, 2019	14 Days

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP1 0.1-0.5	Jul 26, 2019		Soil	S19-JI39891		X	X
2	TP1 0.5-0.6	Jul 26, 2019		Soil	S19-JI39892		X	X
3	TP2 0.1-0.4	Jul 26, 2019		Soil	S19-JI39893		X	X
4	TP2 0.4-0.5	Jul 26, 2019		Soil	S19-JI39894		X	X
5	TP2 0.5-0.7	Jul 26, 2019		Soil	S19-JI39895		X	X
6	TP3 0.1-0.5	Jul 26, 2019		Soil	S19-JI39896		X	X
7	TP3 0.5-0.6	Jul 26, 2019		Soil	S19-JI39897		X	X
8	TP3 0.6-0.7	Jul 26, 2019		Soil	S19-JI39898		X	X
9	TP4 0.1-0.3	Jul 26, 2019		Soil	S19-JI39899		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
10	TP4 0.3-0.4	Jul 26, 2019		Soil	S19-JI39900		X	X
11	TP5 0.1-0.45	Jul 26, 2019		Soil	S19-JI39901		X	X
12	TP5 0.45-0.55	Jul 26, 2019		Soil	S19-JI39902		X	X
13	TP5 0.6-0.7	Jul 26, 2019		Soil	S19-JI39903		X	X
14	TP6 0.1-0.4	Jul 26, 2019		Soil	S19-JI39904		X	X
15	TP6 0.4-0.5	Jul 26, 2019		Soil	S19-JI39905		X	X
16	TP6 0.5-0.7	Jul 26, 2019		Soil	S19-JI39906		X	X
17	TP7 0.1-0.4	Jul 26, 2019		Soil	S19-JI39907		X	X
18	TP7 0.4-0.5	Jul 26, 2019		Soil	S19-JI39908		X	X
19	TP7 0.5-0.7	Jul 26, 2019		Soil	S19-JI39909		X	X
20	TP8 0.1-0.3	Jul 26, 2019		Soil	S19-JI39910		X	X
21	TP8 0.3-0.5	Jul 26, 2019		Soil	S19-JI39911		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
22	TP8 0.5-0.8	Jul 26, 2019		Soil	S19-JI39912		X	X
23	TP9 0.1-0.3	Jul 26, 2019		Soil	S19-JI39913		X	X
24	TP9 0.3-0.5	Jul 26, 2019		Soil	S19-JI39914		X	X
25	TP9 0.5-0.7	Jul 26, 2019		Soil	S19-JI39915		X	X
26	TP15 0.1	Jul 26, 2019		Soil	S19-JI39918		X	X
27	TP15 0.8	Jul 26, 2019		Soil	S19-JI39919		X	X
28	SS1 0.0-0.1	Jul 26, 2019		Soil	S19-JI39920		X	X
29	SS2 0.0-0.1	Jul 26, 2019		Soil	S19-JI39921		X	X
30	SS3 0.0-0.1	Jul 26, 2019		Soil	S19-JI39922		X	X
31	SS4 0.0-0.1	Jul 26, 2019		Soil	S19-JI39923		X	X
32	SS5 0.0-0.1	Jul 26, 2019		Soil	S19-JI39924		X	X
33	SS6 0.0-0.1	Jul 26, 2019		Soil	S19-JI39925		X	X



<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
34	SS7 0.0-0.1	Jul 26, 2019		Soil	S19-JI39926		X	X
35	SS8 0.0-0.1	Jul 26, 2019		Soil	S19-JI39927		X	X
36	SS9 0.0-0.1	Jul 26, 2019		Soil	S19-JI39928		X	X
37	SS10 0.0-0.1	Jul 26, 2019		Soil	S19-JI39929		X	X
38	SS11 0.0-0.1	Jul 26, 2019		Soil	S19-JI39930		X	X
39	SS12 0.0-0.1	Jul 26, 2019		Soil	S19-JI39931		X	X
40	SS13 0.0-0.1	Jul 26, 2019		Soil	S19-JI39932		X	X
41	SS14 0.0-0.1	Jul 26, 2019		Soil	S19-JI39933		X	X
42	SS15 0.0-0.1	Jul 26, 2019		Soil	S19-JI39934		X	X
43	SS16 0.0-0.1	Jul 26, 2019		Soil	S19-JI39935		X	X
44	D02_260719	Jul 26, 2019		Soil	S19-JI39936		X	X
45	D03_260719	Jul 26, 2019		Soil	S19-JI39937		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
46	TP10_0.8-1.0	Jul 26, 2019		Soil	S19-JI39990	X		
47	TP11_0.5-0.6	Jul 26, 2019		Soil	S19-JI39991	X		
48	TP11_0.8-1.0	Jul 26, 2019		Soil	S19-JI39992	X		
49	TP12_0.5	Jul 26, 2019		Soil	S19-JI39993	X		
50	TP13_0.5-0.6	Jul 26, 2019		Soil	S19-JI39994	X		
51	TP13_0.8-0.9	Jul 26, 2019		Soil	S19-JI39995	X		
52	TP14_0.6-0.8	Jul 26, 2019		Soil	S19-JI39996	X		
53	SS17_0.0-0.1	Jul 26, 2019		Soil	S19-JI39997		X	X
54	SS18_0.0-0.1	Jul 26, 2019		Soil	S19-JI39998		X	X
55	SS19_0.0-0.1	Jul 26, 2019		Soil	S19-JI39999		X	X
56	SS20_0.0-0.1	Jul 26, 2019		Soil	S19-JI40000		X	X
57	SS21	Jul 26, 2019		Soil	S19-JI40001		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
58	SS22	Jul 26, 2019		Soil	S19-JI40002		X	X
59	D01_260719	Jul 26, 2019		Soil	S19-JI40003	X		
<b>Test Counts</b>						8	51	51

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	127		70-130	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S19-JI39895	CP	%	119	70-130	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S19-JI39894	CP	mg/kg	110	92	19	30%	Pass
<b>Duplicate</b>											
% Moisture				S19-JI39896	CP	%	9.8	9.4	5.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S19-JI39904	CP	mg/kg	6000	6600	10	30%	Pass
<b>Duplicate</b>											
% Moisture				S19-JI39906	CP	%	11	11	4.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S19-JI39914	CP	mg/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>											
% Moisture				S19-JI39918	CP	%	6.1	5.5	10	30%	Pass
<b>Duplicate</b>											
% Moisture				S19-JI39928	CP	%	6.2	5.2	17	30%	Pass
<b>Duplicate</b>											
% Moisture				S19-JI39997	CP	%	3.2	3.8	17	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised By**

Andrew Black                      Analytical Services Manager  
Gabriele Cordero                Senior Analyst-Metal (NSW)

**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Environ  
PO Box560  
North Sydney  
NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection and proficiency testing scheme providers  
reports.

**Attention:** **Stephen Maxwell**

**Report** **668047-S-V2**

Project name

Project ID **318000780**

Received Date **Jul 26, 2019**

Client Sample ID			TP1 0.1-0.5	TP1 0.5-0.6	TP2 0.1-0.4	TP2 0.4-0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-JI39891	S19-JI39892	S19-JI39893	S19-JI39894
Date Sampled			Jul 26, 2019	Jul 26, 2019	Jul 26, 2019	Jul 26, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	10	0.7	7	2.1
Lead	5	mg/kg	4400	10	3500	110
% Moisture	1	%	3.9	4.8	2.7	4.4

Client Sample ID			TP2 0.5-0.7	TP3 0.1-0.5	TP3 0.5-0.6	TP3 0.6-0.7
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-JI39895	S19-JI39896	S19-JI39897	S19-JI39898
Date Sampled			Jul 26, 2019	Jul 26, 2019	Jul 26, 2019	Jul 26, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	3.4	< 0.4	0.8
Lead	5	mg/kg	16	29000	74	13
% Moisture	1	%	9.2	9.8	6.4	9.1

Client Sample ID			TP4 0.1-0.3	TP4 0.3-0.4	TP5 0.1-0.45	TP5 0.45-0.55
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-JI39899	S19-JI39900	S19-JI39901	S19-JI39902
Date Sampled			Jul 26, 2019	Jul 26, 2019	Jul 26, 2019	Jul 26, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.8	2.9	-	1.4
Lead	5	mg/kg	38000	70	3100	150
% Moisture	1	%	4.2	8.4	5.6	5.4

<b>Client Sample ID</b>			<b>TP5 0.6-0.7</b>	<b>TP6 0.1-0.4</b>	<b>TP6 0.4-0.5</b>	<b>TP6 0.5-0.7</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39903</b>	<b>S19-JI39904</b>	<b>S19-JI39905</b>	<b>S19-JI39906</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	1.8	3.5	0.7	0.7
Lead	5	mg/kg	47	6000	20	6.7
<b>% Moisture</b>						
	1	%	12	5.8	6.5	11

<b>Client Sample ID</b>			<b>TP7 0.1-0.4</b>	<b>TP7 0.4-0.5</b>	<b>TP7 0.5-0.7</b>	<b>TP8 0.1-0.3</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39907</b>	<b>S19-JI39908</b>	<b>S19-JI39909</b>	<b>S19-JI39910</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	3.8	< 0.4	< 0.4	3.5
Lead	5	mg/kg	3300	76	6.9	2800
<b>% Moisture</b>						
	1	%	3.7	5.7	11	2.2

<b>Client Sample ID</b>			<b>TP8 0.3-0.5</b>	<b>TP8 0.5-0.8</b>	<b>TP9 0.1-0.3</b>	<b>TP9 0.3-0.5</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39911</b>	<b>S19-JI39912</b>	<b>S19-JI39913</b>	<b>S19-JI39914</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	< 0.4	2.3	< 0.4
Lead	5	mg/kg	24	22	600	< 5
<b>% Moisture</b>						
	1	%	6.0	9.5	2.4	6.1

<b>Client Sample ID</b>			<b>TP9 0.5-0.7</b>	<b>TP15 0.1</b>	<b>TP15 0.8</b>	<b>SS1 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39915</b>	<b>S19-JI39918</b>	<b>S19-JI39919</b>	<b>S19-JI39920</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	0.5
Lead	5	mg/kg	8.1	27	26	39
<b>% Moisture</b>						
	1	%	10	6.1	12	4.6



<b>Client Sample ID</b>			<b>SS2 0.0-0.1</b>	<b>SS3 0.0-0.1</b>	<b>SS4 0.0-0.1</b>	<b>SS5 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39921</b>	<b>S19-JI39922</b>	<b>S19-JI39923</b>	<b>S19-JI39924</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.6	3.1	3.5	0.7
Lead	5	mg/kg	110	130	120	43
<b>% Moisture</b>						
	1	%	3.2	7.5	5.6	2.8

<b>Client Sample ID</b>			<b>SS6 0.0-0.1</b>	<b>SS7 0.0-0.1</b>	<b>SS8 0.0-0.1</b>	<b>SS9 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39925</b>	<b>S19-JI39926</b>	<b>S19-JI39927</b>	<b>S19-JI39928</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.4	18	2.7	1.5
Lead	5	mg/kg	110	4100	340	140
<b>% Moisture</b>						
	1	%	2.8	4.4	19	6.2

<b>Client Sample ID</b>			<b>SS10 0.0-0.1</b>	<b>SS11 0.0-0.1</b>	<b>SS12 0.0-0.1</b>	<b>SS13 0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39929</b>	<b>S19-JI39930</b>	<b>S19-JI39931</b>	<b>S19-JI39932</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.8	3.4	-	14
Lead	5	mg/kg	780	2200	32000	2600
<b>% Moisture</b>						
	1	%	2.2	5.8	3.3	1.2

<b>Client Sample ID</b>			<b>SS14 0.0-0.1</b>	<b>SS15 0.0-0.1</b>	<b>SS16 0.0-0.1</b>	<b>D02_260719</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39933</b>	<b>S19-JI39934</b>	<b>S19-JI39935</b>	<b>S19-JI39936</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	4.6	-	1.5
Lead	5	mg/kg	31	350	15000	280
<b>% Moisture</b>						
	1	%	6.8	4.7	1.9	5.0

<b>Client Sample ID</b>			<b>D03_260719</b>	<b>SS17_0.0-0.1</b>	<b>SS18_0.0-0.1</b>	<b>SS19_0.0-0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI39937</b>	<b>S19-JI39997</b>	<b>S19-JI39998</b>	<b>S19-JI39999</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	1.1	-	-	-
Lead	5	mg/kg	120	25	34	26000
<b>% Moisture</b>						
	1	%	5.5	3.2	4.8	2.4

<b>Client Sample ID</b>			<b>SS20_0.0-0.1</b>	<b>SS21</b>	<b>SS22</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-JI40000</b>	<b>S19-JI40001</b>	<b>S19-JI40002</b>
<b>Date Sampled</b>			<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>	<b>Jul 26, 2019</b>
Test/Reference	LOR	Unit			
<b>Heavy Metals</b>					
Lead	5	mg/kg	35000	610	540
<b>% Moisture</b>					
	1	%	3.6	2.2	3.4

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	May 26, 2021	180 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Sydney	Jul 29, 2019	14 Days

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP1 0.1-0.5	Jul 26, 2019		Soil	S19-JI39891		X	X
2	TP1 0.5-0.6	Jul 26, 2019		Soil	S19-JI39892		X	X
3	TP2 0.1-0.4	Jul 26, 2019		Soil	S19-JI39893		X	X
4	TP2 0.4-0.5	Jul 26, 2019		Soil	S19-JI39894		X	X
5	TP2 0.5-0.7	Jul 26, 2019		Soil	S19-JI39895		X	X
6	TP3 0.1-0.5	Jul 26, 2019		Soil	S19-JI39896		X	X
7	TP3 0.5-0.6	Jul 26, 2019		Soil	S19-JI39897		X	X
8	TP3 0.6-0.7	Jul 26, 2019		Soil	S19-JI39898		X	X
9	TP4 0.1-0.3	Jul 26, 2019		Soil	S19-JI39899		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
10	TP4 0.3-0.4	Jul 26, 2019		Soil	S19-JI39900		X	X
11	TP5 0.1-0.45	Jul 26, 2019		Soil	S19-JI39901		X	X
12	TP5 0.45-0.55	Jul 26, 2019		Soil	S19-JI39902		X	X
13	TP5 0.6-0.7	Jul 26, 2019		Soil	S19-JI39903		X	X
14	TP6 0.1-0.4	Jul 26, 2019		Soil	S19-JI39904		X	X
15	TP6 0.4-0.5	Jul 26, 2019		Soil	S19-JI39905		X	X
16	TP6 0.5-0.7	Jul 26, 2019		Soil	S19-JI39906		X	X
17	TP7 0.1-0.4	Jul 26, 2019		Soil	S19-JI39907		X	X
18	TP7 0.4-0.5	Jul 26, 2019		Soil	S19-JI39908		X	X
19	TP7 0.5-0.7	Jul 26, 2019		Soil	S19-JI39909		X	X
20	TP8 0.1-0.3	Jul 26, 2019		Soil	S19-JI39910		X	X
21	TP8 0.3-0.5	Jul 26, 2019		Soil	S19-JI39911		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
22	TP8 0.5-0.8	Jul 26, 2019		Soil	S19-JI39912		X	X
23	TP9 0.1-0.3	Jul 26, 2019		Soil	S19-JI39913		X	X
24	TP9 0.3-0.5	Jul 26, 2019		Soil	S19-JI39914		X	X
25	TP9 0.5-0.7	Jul 26, 2019		Soil	S19-JI39915		X	X
26	TP15 0.1	Jul 26, 2019		Soil	S19-JI39918		X	X
27	TP15 0.8	Jul 26, 2019		Soil	S19-JI39919		X	X
28	SS1 0.0-0.1	Jul 26, 2019		Soil	S19-JI39920		X	X
29	SS2 0.0-0.1	Jul 26, 2019		Soil	S19-JI39921		X	X
30	SS3 0.0-0.1	Jul 26, 2019		Soil	S19-JI39922		X	X
31	SS4 0.0-0.1	Jul 26, 2019		Soil	S19-JI39923		X	X
32	SS5 0.0-0.1	Jul 26, 2019		Soil	S19-JI39924		X	X
33	SS6 0.0-0.1	Jul 26, 2019		Soil	S19-JI39925		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
34	SS7 0.0-0.1	Jul 26, 2019		Soil	S19-JI39926		X	X
35	SS8 0.0-0.1	Jul 26, 2019		Soil	S19-JI39927		X	X
36	SS9 0.0-0.1	Jul 26, 2019		Soil	S19-JI39928		X	X
37	SS10 0.0-0.1	Jul 26, 2019		Soil	S19-JI39929		X	X
38	SS11 0.0-0.1	Jul 26, 2019		Soil	S19-JI39930		X	X
39	SS12 0.0-0.1	Jul 26, 2019		Soil	S19-JI39931		X	X
40	SS13 0.0-0.1	Jul 26, 2019		Soil	S19-JI39932		X	X
41	SS14 0.0-0.1	Jul 26, 2019		Soil	S19-JI39933		X	X
42	SS15 0.0-0.1	Jul 26, 2019		Soil	S19-JI39934		X	X
43	SS16 0.0-0.1	Jul 26, 2019		Soil	S19-JI39935		X	X
44	D02_260719	Jul 26, 2019		Soil	S19-JI39936		X	X
45	D03_260719	Jul 26, 2019		Soil	S19-JI39937		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Jul 26, 2019 5:54 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	668047	<b>Due:</b>	Jul 29, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
46	TP10_0.8-1.0	Jul 26, 2019		Soil	S19-JI39990	X		
47	TP11_0.5-0.6	Jul 26, 2019		Soil	S19-JI39991	X		
48	TP11_0.8-1.0	Jul 26, 2019		Soil	S19-JI39992	X		
49	TP12_0.5	Jul 26, 2019		Soil	S19-JI39993	X		
50	TP13_0.5-0.6	Jul 26, 2019		Soil	S19-JI39994	X		
51	TP13_0.8-0.9	Jul 26, 2019		Soil	S19-JI39995	X		
52	TP14_0.6-0.8	Jul 26, 2019		Soil	S19-JI39996	X		
53	SS17_0.0-0.1	Jul 26, 2019		Soil	S19-JI39997		X	X
54	SS18_0.0-0.1	Jul 26, 2019		Soil	S19-JI39998		X	X
55	SS19_0.0-0.1	Jul 26, 2019		Soil	S19-JI39999		X	X
56	SS20_0.0-0.1	Jul 26, 2019		Soil	S19-JI40000		X	X
57	SS21	Jul 26, 2019		Soil	S19-JI40001		X	X



<b>Company Name:</b> Ramboll Australia Pty Ltd	<b>Order No.:</b>	<b>Received:</b> Jul 26, 2019 5:54 PM
<b>Address:</b> Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b> 668047	<b>Due:</b> Jul 29, 2019
	<b>Phone:</b> 02 9954 8118	<b>Priority:</b> 1 Day
	<b>Fax:</b> 02 9954 8150	<b>Contact Name:</b> Stephen Maxwell
<b>Project Name:</b>		
<b>Project ID:</b> 318000780		

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
58	SS22	Jul 26, 2019		Soil	S19-JI40002		X	X
59	D01_260719	Jul 26, 2019		Soil	S19-JI40003	X		
<b>Test Counts</b>						8	51	51



**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Cadmium				mg/kg	< 0.4		0.4	Pass			
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Cadmium				%	119		80-120	Pass			
Lead				%	127		80-120	Fail			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
					Result 1						
Cadmium				S19-JI39895	CP	%	124	75-125	Pass		
Lead				S19-JI39895	CP	%	119	75-125	Pass		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
					Result 1						
Cadmium				S19-JI39905	CP	%	131	75-125	Fail		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
					Result 1						
Cadmium				S19-JI39927	CP	%	123	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
					Result 1	Result 2	RPD				
Lead				S19-JI39894	CP	mg/kg	110	92	19	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S19-JI39896	CP	%	9.8	9.4	5.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
					Result 1	Result 2	RPD				
Lead				S19-JI39904	CP	mg/kg	6000	6600	10	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S19-JI39906	CP	%	11	11	4.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
					Result 1	Result 2	RPD				
Lead				S19-JI39914	CP	mg/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S19-JI39918	CP	%	6.1	5.5	10	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S19-JI39928	CP	%	6.2	5.2	17	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S19-JI39997	CP	%	3.2	3.8	17	30%	Pass

**Comments**

V2- new version to import Cd results as per client request.

1. The results in this report supersede any previously corresponded results.
2. All Soil Results are reported on a dry basis.
3. Samples are analysed on an as received basis.

**ABBREVIATIONS**

mg/kg : milligrams per kilograms, mg/L : milligrams per litre, ppm : parts per million,

LOR : Limit of Reporting

RPD : Relative Percent Difference

CRM : Certified Reference Material

LCS : Laboratory Control Sample

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black

Analytical Services Manager



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **670968-S**  
 Project name  
 Project ID **318000780**  
 Received Date **Aug 13, 2019**

Client Sample ID			<b>SS23</b>	<b>SS24</b>	<b>SS25</b>	<b>SS26</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-Au17274</b>	<b>S19-Au17275</b>	<b>S19-Au17276</b>	<b>S19-Au17277</b>
<b>Date Sampled</b>			<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	350	3000	11000	33
% Moisture	1	%	1.7	3.3	4.9	2.7

Client Sample ID			<b>SS27</b>	<b>SS28</b>	<b>SS29</b>	<b>SS30</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-Au17278</b>	<b>S19-Au17279</b>	<b>S19-Au17280</b>	<b>S19-Au17281</b>
<b>Date Sampled</b>			<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	6700	12000	3700	470
% Moisture	1	%	6.7	5.7	3.9	3.5

Client Sample ID			<b>D01_120819</b>	<b>D02_120819</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-Au17282</b>	<b>S19-Au17283</b>
<b>Date Sampled</b>			<b>Aug 12, 2019</b>	<b>Aug 12, 2019</b>
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	5	mg/kg	13000	570
% Moisture	1	%	6.1	4.4

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Aug 13, 2019

Aug 13, 2019

**Holding Time**

180 Days

14 Days

<b>Company Name:</b> Ramboll Australia Pty Ltd	<b>Order No.:</b>	<b>Received:</b> Aug 14, 2019 9:43 AM
<b>Address:</b> Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b> 670968	<b>Due:</b> Aug 15, 2019
	<b>Phone:</b> 02 9954 8118	<b>Priority:</b> 1 Day
	<b>Fax:</b> 02 9954 8150	<b>Contact Name:</b> Stephen Maxwell
<b>Project Name:</b>		
<b>Project ID:</b> 318000780		

**Eurofins Analytical Services Manager : Alena Bounkeua**

Sample Detail						Aluminium (filtered)	Barium (filtered)	Beryllium (filtered)	Cobalt (filtered)	Conductivity (at 25°C)	Iron (filtered)	Lead	Manganese (filtered)	pH (at 25°C)	Total Dissolved Solids Dried at 180°C ± 2°C	Total Suspended Solids Dried at 103–105°C	Turbidity	Moisture Set	Eurofins   mg/L Suite B6 (filtered metals)	BTEXN and Volatile TRH	Eurofins   mg/L Suite B19D: Total N, TKN, NOx, NO2, NO3, Total P		
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>																					X		
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>																							
<b>Perth Laboratory - NATA Site # 23736</b>																							
<b>External Laboratory</b>																							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID																		
1	S03 UP	Aug 13, 2019		Water	S19-Au17273	X	X	X	X	X	X		X	X	X	X	X		X		X		
2	SS23	Aug 12, 2019		Soil	S19-Au17274							X						X					
3	SS24	Aug 12, 2019		Soil	S19-Au17275							X						X					
4	SS25	Aug 12, 2019		Soil	S19-Au17276							X						X					
5	SS26	Aug 12, 2019		Soil	S19-Au17277							X						X					
6	SS27	Aug 12, 2019		Soil	S19-Au17278							X						X					
7	SS28	Aug 12, 2019		Soil	S19-Au17279							X						X					
8	SS29	Aug 12, 2019		Soil	S19-Au17280							X						X					
9	SS30	Aug 12, 2019		Soil	S19-Au17281							X						X					

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Aug 14, 2019 9:43 AM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	670968	<b>Due:</b>	Aug 15, 2019
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
<b>Eurofins Analytical Services Manager : Alena Bounkeua</b>					

Sample Detail						Aluminium (filtered)	Barium (filtered)	Beryllium (filtered)	Cobalt (filtered)	Conductivity (at 25°C)	Iron (filtered)	Lead	Manganese (filtered)	pH (at 25°C)	Total Dissolved Solids Dried at 180°C ± 2°C	Total Suspended Solids Dried at 103–105°C	Turbidity	Moisture Set	Eurofins   mg/L Suite B6 (filtered metals)	BTEXN and Volatile TRH	Eurofins   mg/L Suite B19D: Total N, TKN, NOx, NO2, NO3, Total P	
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>																					X	
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>																						
<b>Perth Laboratory - NATA Site # 23736</b>																						
10	D01_120819	Aug 12, 2019		Soil	S19-Au17282							X						X				
11	D02_120819	Aug 12, 2019		Soil	S19-Au17283							X						X				
12	D01_130819	Aug 12, 2019		Water	S19-Au17284	X	X	X	X	X	X		X	X	X	X			X		X	
13	SPIKE	Aug 12, 2019		Water	S19-Au17285															X		
14	BLANK	Aug 12, 2019		Water	S19-Au17286															X		
<b>Test Counts</b>						2	2	2	2	2	2	10	2	2	2	2	2	10	2	2	2	



**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code			
<b>Method Blank</b>												
<b>Heavy Metals</b>												
Lead				mg/kg	< 5		5	Pass				
<b>LCS - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				%	104		70-130	Pass				
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S19-Au11644	NCP	%	102	70-130	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code			
<b>Duplicate</b>												
<b>Heavy Metals</b>												
Lead				S19-Au17274	CP	mg/kg	350	380	6.0	30%	Pass	
<b>Duplicate</b>												
							Result 1	Result 2	RPD			
% Moisture				S19-Au17274	CP	%	1.7	1.2	35	30%	Fail	Q15

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
Q15	The RPD reported passes Eurofins   mgt's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

**Authorised By**

Alena Bounkeua	Analytical Services Manager
Gabriele Cordero	Senior Analyst-Metal (NSW)


**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

Attention: **Stephen Maxwell**

Report **673583-S**  
 Project name **318000780**  
 Received Date **Aug 27, 2019**

Client Sample ID			SS30	SS31	SS32	SS33
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au39075	S19-Au39076	S19-Au39077	S19-Au39078
Date Sampled			Aug 27, 2019	Aug 27, 2019	Aug 27, 2019	Aug 27, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	2100	710	2400	800
% Moisture	1	%	2.4	1.5	2.2	3.8

Client Sample ID			SS34	SS35	SS37	SS38
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au39079	S19-Au39080	S19-Au39082	S19-Au39083
Date Sampled			Aug 27, 2019	Aug 27, 2019	Aug 27, 2019	Aug 27, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	850	900	1600	9900
% Moisture	1	%	1.7	2.4	1.8	1.8

Client Sample ID			SS39	SS40	SS41	SS42
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-Au39084	S19-Au39085	S19-Au39086	S19-Au39087
Date Sampled			Aug 27, 2019	Aug 27, 2019	Aug 27, 2019	Aug 27, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	2900	2600	11000	240
% Moisture	1	%	1.2	2.3	3.0	4.8

<b>Client Sample ID</b>			<b>SS43</b>	<b>SS44</b>	<b>SS45</b>	<b>SS46</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-Au39088</b>	<b>S19-Au39089</b>	<b>S19-Au39090</b>	<b>S19-Au39091</b>
<b>Date Sampled</b>			<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	31000	140	4000	210
<b>% Moisture</b>						
	1	%	7.5	8.7	6.1	9.6

<b>Client Sample ID</b>			<b>SS47</b>	<b>SS48</b>	<b>SS49</b>	<b>SS50</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-Au39092</b>	<b>S19-Au39093</b>	<b>S19-Au39094</b>	<b>S19-Au39095</b>
<b>Date Sampled</b>			<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	3900	1800	1400	1400
<b>% Moisture</b>						
	1	%	7.4	6.9	5.9	7.3

<b>Client Sample ID</b>			<b>SS51</b>	<b>D01_270819</b>	<b>D02_270819</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-Au39096</b>	<b>S19-Au39097</b>	<b>S19-Au39098</b>
<b>Date Sampled</b>			<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>	<b>Aug 27, 2019</b>
Test/Reference	LOR	Unit			
<b>Heavy Metals</b>					
Lead	5	mg/kg	190	2800	230
<b>% Moisture</b>					
	1	%	3.0	2.6	4.8

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Aug 27, 2019

Aug 27, 2019

**Holding Time**

180 Days

14 Days

<b>Company Name:</b> Ramboll Australia Pty Ltd	<b>Order No.:</b>	<b>Received:</b> Aug 27, 2019 5:45 PM
<b>Address:</b> Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b> 673583	<b>Due:</b> Aug 28, 2019
<b>Project Name:</b> 318000780	<b>Phone:</b> 02 9954 8118	<b>Priority:</b> 1 Day
	<b>Fax:</b> 02 9954 8150	<b>Contact Name:</b> Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>External Laboratory</b>								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	SS30	Aug 27, 2019		Soil	S19-Au39075		X	X
2	SS31	Aug 27, 2019		Soil	S19-Au39076		X	X
3	SS32	Aug 27, 2019		Soil	S19-Au39077		X	X
4	SS33	Aug 27, 2019		Soil	S19-Au39078		X	X
5	SS34	Aug 27, 2019		Soil	S19-Au39079		X	X
6	SS35	Aug 27, 2019		Soil	S19-Au39080		X	X
7	SS36	Aug 27, 2019		Soil	S19-Au39081	X		
8	SS37	Aug 27, 2019		Soil	S19-Au39082		X	X
9	SS38	Aug 27, 2019		Soil	S19-Au39083		X	X
10	SS39	Aug 27, 2019		Soil	S19-Au39084		X	X

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Aug 27, 2019 5:45 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	673583	<b>Due:</b>	Aug 28, 2019
<b>Project Name:</b>	318000780	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
		<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						CANCELLED	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
11	SS40	Aug 27, 2019		Soil	S19-Au39085		X	X
12	SS41	Aug 27, 2019		Soil	S19-Au39086		X	X
13	SS42	Aug 27, 2019		Soil	S19-Au39087		X	X
14	SS43	Aug 27, 2019		Soil	S19-Au39088		X	X
15	SS44	Aug 27, 2019		Soil	S19-Au39089		X	X
16	SS45	Aug 27, 2019		Soil	S19-Au39090		X	X
17	SS46	Aug 27, 2019		Soil	S19-Au39091		X	X
18	SS47	Aug 27, 2019		Soil	S19-Au39092		X	X
19	SS48	Aug 27, 2019		Soil	S19-Au39093		X	X
20	SS49	Aug 27, 2019		Soil	S19-Au39094		X	X
21	SS50	Aug 27, 2019		Soil	S19-Au39095		X	X
22	SS51	Aug 27, 2019		Soil	S19-Au39096		X	X
23	D01_270819	Aug 27, 2019		Soil	S19-Au39097		X	X



<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Aug 27, 2019 5:45 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	673583	<b>Due:</b>	Aug 28, 2019
<b>Project Name:</b>	318000780	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	1 Day
		<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
					<b>Eurofins Analytical Services Manager : Andrew Black</b>

Sample Detail						CANCELLED	Lead	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
24	D02_270819	Aug 27, 2019		Soil	S19-Au39098		X	X
<b>Test Counts</b>						1	23	23

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	128		70-130	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S19-Au30488	NCP	%	120	70-130	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S19-Au39083	CP	mg/kg	9900	9500	4.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
% Moisture				S19-Au39084	CP	%	1.2	1.6	27	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S19-Au39094	CP	mg/kg	1400	1300	4.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
% Moisture				S19-Au39094	CP	%	5.9	6.7	13	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised By**

Andrew Black                      Analytical Services Manager  
Gabriele Cordero                Senior Analyst-Metal (NSW)

**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Environ  
PO Box560  
North Sydney  
NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection and proficiency testing scheme providers  
reports.

**Attention:** **Stephen Maxwell**

**Report** **694957-S-V3**  
Project name **318000780**  
Received Date **Dec 20, 2019**

Client Sample ID			HA01_0.1	HA01_0.25	HA01_0.5	HA01_0.75
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-De30523	S19-De30524	S19-De30525	S19-De30526
Date Sampled			Dec 18, 2019	Dec 18, 2019	Dec 18, 2019	Dec 18, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	4.2	1.9	0.6	2
Lead	5	mg/kg	720	820	29	55
% Moisture	1	%	2.2	7.0	18	17

Client Sample ID			HA01_1.0	HA02_0.1	HA02_0.25	HA02_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-De30527	S19-De30528	S19-De30529	S19-De30530
Date Sampled			Dec 18, 2019	Dec 18, 2019	Dec 18, 2019	Dec 18, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	12	1	< 0.4
Lead	5	mg/kg	34	450	12	7.4
% Moisture	1	%	15	2.3	13	10

Client Sample ID			HA02_0.75	HA02_1.0	HA03_0.1	HA03_0.25
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S19-De30531	S19-De30532	S19-De30533	S19-De30534
Date Sampled			Dec 18, 2019	Dec 18, 2019	Dec 18, 2019	Dec 18, 2019
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	< 0.4	2.5	0.5
Lead	5	mg/kg	11	11	2100	1600
% Moisture	1	%	14	13	4.2	8.0

<b>Client Sample ID</b>			<b>HA03_0.5</b>	<b>HA03_0.75</b>	<b>SS113</b>	<b>SS114</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30535</b>	<b>S19-De30536</b>	<b>S19-De30537</b>	<b>S19-De30538</b>
<b>Date Sampled</b>			<b>Dec 18, 2019</b>	<b>Dec 18, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.4	0.8	3.8	1.8
Lead	5	mg/kg	210	460	300	360
<b>Heavy Metals</b>						
% Moisture	1	%	11	12	3.5	2.2

<b>Client Sample ID</b>			<b>SS115</b>	<b>SS116</b>	<b>SS117</b>	<b>SS118</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30539</b>	<b>S19-De30540</b>	<b>S19-De30541</b>	<b>S19-De30542</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.9	2.4	2.7	8.7
Copper	5	mg/kg	-	-	50	310
Lead	5	mg/kg	220	250	250	880
Zinc	5	mg/kg	-	-	540	1300
<b>Heavy Metals</b>						
% Moisture	1	%	3.4	< 1	3.1	2.3

<b>Client Sample ID</b>			<b>SS119</b>	<b>SS120</b>	<b>SS121</b>	<b>SS122</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30543</b>	<b>S19-De30544</b>	<b>S19-De30545</b>	<b>S19-De30546</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.8	0.7	1.2	2.7
Copper	5	mg/kg	21	20	40	59
Lead	5	mg/kg	110	86	140	260
Zinc	5	mg/kg	160	150	260	530
<b>Heavy Metals</b>						
% Moisture	1	%	3.4	3.0	1.1	2.3

<b>Client Sample ID</b>			<b>SS123</b>	<b>SS124</b>	<b>SS125</b>	<b>SS126</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30547</b>	<b>S19-De30548</b>	<b>S19-De30549</b>	<b>S19-De30550</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	3.3	0.7	5	1
Copper	5	mg/kg	81	32	110	-
Lead	5	mg/kg	480	70	520	110
Zinc	5	mg/kg	700	180	850	-
<b>Heavy Metals</b>						
% Moisture	1	%	1.2	3.9	2.6	2.4

<b>Client Sample ID</b>			<b>SS127</b>	<b>SS128</b>	<b>SS129</b>	<b>SS130</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30551</b>	<b>S19-De30552</b>	<b>S19-De30553</b>	<b>S19-De30554</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	1	< 0.4	< 0.4	0.6
Lead	5	mg/kg	89	39	61	190
<b>% Moisture</b>						
	1	%	3.6	2.5	3.2	1.1

<b>Client Sample ID</b>			<b>SS131</b>	<b>SS132</b>	<b>SS133</b>	<b>SS134</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30555</b>	<b>S19-De30556</b>	<b>S19-De30557</b>	<b>S19-De30558</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	0.6	< 0.4	< 0.4	< 0.4
Lead	5	mg/kg	240	17	46	42
<b>% Moisture</b>						
	1	%	1.3	< 1	< 1	1.0

<b>Client Sample ID</b>			<b>SS135</b>	<b>SS136</b>	<b>SS137</b>	<b>SS138</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30559</b>	<b>S19-De30560</b>	<b>S19-De30561</b>	<b>S19-De30562</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	< 0.4	3.8	2.7	1.8
Lead	5	mg/kg	59	1200	1100	210
<b>% Moisture</b>						
	1	%	3.2	2.1	< 1	1.1

<b>Client Sample ID</b>			<b>SS139</b>	<b>SS140</b>	<b>SS141</b>	<b>PAINT1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Paint</b>
<b>Eurofins Sample No.</b>			<b>S19-De30563</b>	<b>S19-De30564</b>	<b>S19-De30565</b>	<b>S19-De30587</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	9.5	7.4	3.9	-
Lead	5	mg/kg	800	660	390	-
<b>% Moisture</b>						
	1	%	1.1	1.6	1.5	-
Lead (% w/w)	0.01	%	-	-	-	0.09

<b>Client Sample ID</b>			<b>PAINT2</b>	<b>PAINT3</b>	<b>PAINT4</b>	<b>PAINT5</b>
<b>Sample Matrix</b>			<b>Paint</b>	<b>Paint</b>	<b>Paint</b>	<b>Paint</b>
<b>Eurofins Sample No.</b>			<b>S19-De30588</b>	<b>S19-De30589</b>	<b>S19-De30590</b>	<b>S19-De30591</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
Lead (% w/w)	0.01	%	0.25	1.8	0.29	0.03

<b>Client Sample ID</b>			<b>PAINT6</b>	<b>PAINT7</b>	<b>PAINT8</b>	<b>D01_191219</b>
<b>Sample Matrix</b>			<b>Paint</b>	<b>Paint</b>	<b>Paint</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30592</b>	<b>S19-De30593</b>	<b>S19-De30594</b>	<b>S19-De30595</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	-	-	-	2.2
Lead	5	mg/kg	-	-	-	320
% Moisture	1	%	-	-	-	3.5
Lead (% w/w)	0.01	%	0.07	16	15	-

<b>Client Sample ID</b>			<b>D02_191219</b>	<b>D03_191219</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>
<b>Eurofins Sample No.</b>			<b>S19-De30596</b>	<b>S19-De30597</b>
<b>Date Sampled</b>			<b>Dec 19, 2019</b>	<b>Dec 19, 2019</b>
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Cadmium	0.4	mg/kg	0.7	3.2
Lead	5	mg/kg	98	1100
% Moisture	1	%	2.6	2.6



**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS - Method: LTM-MET-3030 Metals in Soils by ICP-OES	Sydney	May 26, 2021	180 Days
Lead (% w/w) - Method: LTM-MET-3040 Metals in Waters Soils & Sediments by ICP-MS	Sydney	Dec 23, 2019	6 Months
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Dec 20, 2019	14 Days

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>						X			X
<b>Sydney Laboratory - NATA Site # 18217</b>							X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	HA01_0.1	Dec 18, 2019		Soil	S19-De30523	X			X
2	HA01_0.25	Dec 18, 2019		Soil	S19-De30524	X			X
3	HA01_0.5	Dec 18, 2019		Soil	S19-De30525	X			X
4	HA01_0.75	Dec 18, 2019		Soil	S19-De30526	X			X
5	HA01_1.0	Dec 18, 2019		Soil	S19-De30527	X			X
6	HA02_0.1	Dec 18, 2019		Soil	S19-De30528	X			X
7	HA02_0.25	Dec 18, 2019		Soil	S19-De30529	X			X
8	HA02_0.5	Dec 18, 2019		Soil	S19-De30530	X			X
9	HA02_0.75	Dec 18, 2019		Soil	S19-De30531	X			X
10	HA02_1.0	Dec 18, 2019		Soil	S19-De30532	X			X
11	HA03_0.1	Dec 18, 2019		Soil	S19-De30533	X			X

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN – 50 005 085 521

web : www.eurofins.com.au

e.mail : EnviroSales@eurofins.com

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail					Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>					X			X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
12	HA03_0.25	Dec 18, 2019	Soil	S19-De30534	X			X
13	HA03_0.5	Dec 18, 2019	Soil	S19-De30535	X			X
14	HA03_0.75	Dec 18, 2019	Soil	S19-De30536	X			X
15	SS113	Dec 19, 2019	Soil	S19-De30537	X			X
16	SS114	Dec 19, 2019	Soil	S19-De30538	X			X
17	SS115	Dec 19, 2019	Soil	S19-De30539	X			X
18	SS116	Dec 19, 2019	Soil	S19-De30540	X			X
19	SS117	Dec 19, 2019	Soil	S19-De30541	X			X
20	SS118	Dec 19, 2019	Soil	S19-De30542	X			X
21	SS119	Dec 19, 2019	Soil	S19-De30543	X			X
22	SS120	Dec 19, 2019	Soil	S19-De30544	X			X
23	SS121	Dec 19, 2019	Soil	S19-De30545	X			X
24	SS122	Dec 19, 2019	Soil	S19-De30546	X			X

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN – 50 005 085 521

web : www.eurofins.com.au

e.mail : EnviroSales@eurofins.com

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail					Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>					X			X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
25	SS123	Dec 19, 2019	Soil	S19-De30547	X			X
26	SS124	Dec 19, 2019	Soil	S19-De30548	X			X
27	SS125	Dec 19, 2019	Soil	S19-De30549	X			X
28	SS126	Dec 19, 2019	Soil	S19-De30550	X			X
29	SS127	Dec 19, 2019	Soil	S19-De30551	X			X
30	SS128	Dec 19, 2019	Soil	S19-De30552	X			X
31	SS129	Dec 19, 2019	Soil	S19-De30553	X			X
32	SS130	Dec 19, 2019	Soil	S19-De30554	X			X
33	SS131	Dec 19, 2019	Soil	S19-De30555	X			X
34	SS132	Dec 19, 2019	Soil	S19-De30556	X			X
35	SS133	Dec 19, 2019	Soil	S19-De30557	X			X
36	SS134	Dec 19, 2019	Soil	S19-De30558	X			X
37	SS135	Dec 19, 2019	Soil	S19-De30559	X			X

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN – 50 005 085 521

web : www.eurofins.com.au

e.mail : EnviroSales@eurofins.com

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail					Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>					X			X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
38	SS136	Dec 19, 2019	Soil	S19-De30560	X			X
39	SS137	Dec 19, 2019	Soil	S19-De30561	X			X
40	SS138	Dec 19, 2019	Soil	S19-De30562	X			X
41	SS139	Dec 19, 2019	Soil	S19-De30563	X			X
42	SS140	Dec 19, 2019	Soil	S19-De30564	X			X
43	SS141	Dec 19, 2019	Soil	S19-De30565	X			X
44	SWAB1	Dec 19, 2019	Wipes	S19-De30566		X		
45	SWAB2	Dec 19, 2019	Wipes	S19-De30567		X		
46	SWAB3	Dec 19, 2019	Wipes	S19-De30568		X		
47	SWAB4	Dec 19, 2019	Wipes	S19-De30569		X		
48	SWAB5	Dec 19, 2019	Wipes	S19-De30570		X		
49	SWAB6	Dec 19, 2019	Wipes	S19-De30571		X		
50	SWAB7	Dec 19, 2019	Wipes	S19-De30572		X		

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN – 50 005 085 521

web : www.eurofins.com.au

e.mail : EnviroSales@eurofins.com

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail					Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>					X			X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
51	SWAB8	Dec 19, 2019	Wipes	S19-De30573		X		
52	SWAB9	Dec 19, 2019	Wipes	S19-De30574		X		
53	SWAB10	Dec 19, 2019	Wipes	S19-De30575		X		
54	SWAB11	Dec 19, 2019	Wipes	S19-De30576		X		
55	SWAB12	Dec 19, 2019	Wipes	S19-De30577		X		
56	SWAB13	Dec 19, 2019	Wipes	S19-De30578		X		
57	SWAB14	Dec 19, 2019	Wipes	S19-De30579		X		
58	SWAB15	Dec 19, 2019	Wipes	S19-De30580		X		
59	SWAB16	Dec 19, 2019	Wipes	S19-De30581		X		
60	SWAB17	Dec 19, 2019	Wipes	S19-De30582		X		
61	SWAB18	Dec 19, 2019	Wipes	S19-De30583		X		
62	SWAB19	Dec 19, 2019	Wipes	S19-De30584		X		
63	SWAB20	Dec 19, 2019	Wipes	S19-De30585		X		

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN – 50 005 085 521

web : www.eurofins.com.au

e.mail : EnviroSales@eurofins.com

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail					Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>					X			X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
64	SWAB21	Dec 19, 2019	Wipes	S19-De30586		X		
65	PAINT1	Dec 19, 2019	Paint	S19-De30587			X	
66	PAINT2	Dec 19, 2019	Paint	S19-De30588			X	
67	PAINT3	Dec 19, 2019	Paint	S19-De30589			X	
68	PAINT4	Dec 19, 2019	Paint	S19-De30590			X	
69	PAINT5	Dec 19, 2019	Paint	S19-De30591			X	
70	PAINT6	Dec 19, 2019	Paint	S19-De30592			X	
71	PAINT7	Dec 19, 2019	Paint	S19-De30593			X	
72	PAINT8	Dec 19, 2019	Paint	S19-De30594			X	
73	D01_191219	Dec 19, 2019	Soil	S19-De30595	X			X
74	D02_191219	Dec 19, 2019	Soil	S19-De30596	X			X
75	D03_191219	Dec 19, 2019	Soil	S19-De30597	X			X
76	QA1	Dec 19, 2019	Wipes	S19-De30598		X		

### Australia

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

### New Zealand

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN – 50 005 085 521

web : [www.eurofins.com.au](http://www.eurofins.com.au)

e.mail : [EnviroSales@eurofins.com](mailto:EnviroSales@eurofins.com)

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060  
**Project Name:** 318000780

**Order No.:**  
**Report #:** 694957  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Dec 20, 2019 11:00 AM  
**Due:** Dec 31, 2019  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail					Lead	Lead	Lead (% w/w)	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>					X			X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
77	QA2	Dec 19, 2019	Wipes	S19-De30599		X		
<b>Test Counts</b>					69	69	8	46





**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>									
<b>Heavy Metals</b>									
Cadmium				mg/kg	< 0.4		0.4	Pass	
Copper				mg/kg	< 5		5	Pass	
Lead				mg/kg	< 5		5	Pass	
Zinc				mg/kg	< 5		5	Pass	
<b>LCS - % Recovery</b>									
<b>Heavy Metals</b>									
Cadmium				%	109		80-120	Pass	
Copper				%	114		80-120	Pass	
Lead				%	117		80-120	Pass	
Zinc				%	112		80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>									
					Result 1				
Cadmium	S19-De30524	CP	%	105			75-125	Pass	
Copper	S19-De30524	CP	%	66			75-125	Fail	
Zinc	S19-De30524	CP	%	42			75-125	Fail	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>									
					Result 1				
Cadmium	S19-De30534	CP	%	104			75-125	Pass	
Copper	S19-De30534	CP	%	129			75-125	Fail	
Zinc	S19-De30534	CP	%	127			75-125	Fail	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>									
					Result 1				
Cadmium	S19-De30544	CP	%	106			75-125	Pass	
Copper	S19-De30544	CP	%	199			75-125	Fail	
Lead	S19-De30544	CP	%	91			75-125	Pass	
Zinc	S19-De30544	CP	%	105			75-125	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>									
					Result 1				
Cadmium	S19-De30554	CP	%	119			75-125	Pass	
Copper	S19-De30554	CP	%	116			75-125	Pass	
Zinc	S19-De30554	CP	%	262			75-125	Fail	Q08
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>									
					Result 1				
Cadmium	S19-De30564	CP	%	86			75-125	Pass	
Copper	S19-De30564	CP	%	70			75-125	Fail	Q08
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Heavy Metals</b>									
					Result 1	Result 2	RPD		
Copper	S19-De30523	CP	mg/kg	260	180	37	30%	Fail	
Lead	S19-De30523	CP	mg/kg	720	650	11	30%	Pass	
Zinc	S19-De30523	CP	mg/kg	420	390	7.0	30%	Pass	
<b>Duplicate</b>									
<b>Heavy Metals</b>									
					Result 1	Result 2	RPD		
Copper	S19-De30524	CP	mg/kg	150	150	<1	30%	Pass	
Lead	S19-De30524	CP	mg/kg	820	830	1.0	30%	Pass	
Zinc	S19-De30524	CP	mg/kg	300	300	<1	30%	Pass	
<b>Duplicate</b>									
					Result 1	Result 2	RPD		
% Moisture	S19-De30530	CP	%	10	10	2.0	30%	Pass	

Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Copper	S19-De30533	CP	mg/kg	420	380	9.0	30%	Pass
Lead	S19-De30533	CP	mg/kg	2100	1900	5.0	30%	Pass
Zinc	S19-De30533	CP	mg/kg	360	400	11	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Copper	S19-De30534	CP	mg/kg	230	230	1.0	30%	Pass
Lead	S19-De30534	CP	mg/kg	1600	1600	1.0	30%	Pass
Zinc	S19-De30534	CP	mg/kg	180	180	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	S19-De30540	CP	%	< 1	< 1	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Lead	S19-De30543	CP	mg/kg	110	97	10	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Lead	S19-De30544	CP	mg/kg	86	86	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	S19-De30550	CP	%	2.4	2.5	3.0	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Copper	S19-De30553	CP	mg/kg	17	17	1.0	30%	Pass
Lead	S19-De30553	CP	mg/kg	61	64	6.0	30%	Pass
Zinc	S19-De30553	CP	mg/kg	190	200	6.0	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Copper	S19-De30554	CP	mg/kg	32	32	1.0	30%	Pass
Lead	S19-De30554	CP	mg/kg	190	190	1.0	30%	Pass
Zinc	S19-De30554	CP	mg/kg	280	280	1.0	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	S19-De30560	CP	%	2.1	1.9	11	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Copper	S19-De30563	CP	mg/kg	200	200	<1	30%	Pass
Lead	S19-De30563	CP	mg/kg	800	790	2.0	30%	Pass
Zinc	S19-De30563	CP	mg/kg	1100	1100	4.0	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Copper	S19-De30564	CP	mg/kg	130	140	3.0	30%	Pass
Lead	S19-De30564	CP	mg/kg	660	670	2.0	30%	Pass
Zinc	S19-De30564	CP	mg/kg	1500	1500	2.0	30%	Pass

**Comments**

V3- new version to import Cd as per client request on soil samples.

1. The results in this report supersede any previously corresponded results.
2. All Soil Results are reported on a dry basis.
3. Samples are analysed on an as received basis.

**ABBREVIATIONS**

mg/kg : milligrams per kilograms, mg/L : milligrams per litre, ppm : parts per million,  
 LOR : Limit of Reporting  
 RPD : Relative Percent Difference  
 CRM : Certified Reference Material  
 LCS : Laboratory Control Sample

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference
Q15	The RPD reported passes mgt-LabMark's Acceptance Criteria as stipulated in AS-POL-002. Refer to Glossary Page of this report for further details

**Authorised by:**

Andrew Black                      Analytical Services Manager



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **772644-S**  
 Project name **LEAD TRIAL**  
 Project ID **318000780**  
 Received Date **Feb 08, 2021**

Client Sample ID			TP3A_BALA	TP3A_BALB	TP3A_BALC	TP5A_BALA
Sample Matrix			Rock	Rock	Rock	Rock
Eurofins Sample No.			S21-Fe16479	S21-Fe16480	S21-Fe16481	S21-Fe16482
Date Sampled			Feb 08, 2021	Feb 08, 2021	Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	550	2800	2100	560
% Moisture	1	%	< 1	< 1	< 1	1.1

Client Sample ID			TP5A_BALB	TP5A_BALC	TP6A_BALA	TP6A_BALB
Sample Matrix			Rock	Rock	Rock	Rock
Eurofins Sample No.			S21-Fe16483	S21-Fe16484	S21-Fe16485	S21-Fe16486
Date Sampled			Feb 08, 2021	Feb 08, 2021	Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	420	390	1100	360
% Moisture	1	%	1.2	1.2	1.2	< 1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Feb 18, 2021

Feb 09, 2021

**Holding Time**

180 Days

14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772644	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	LEAD TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						HOLD	Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
Mayfield Laboratory								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP3A_BALA	Feb 08, 2021		Rock	S21-Fe16479		X	X
2	TP3A_BALB	Feb 08, 2021		Rock	S21-Fe16480		X	X
3	TP3A_BALC	Feb 08, 2021		Rock	S21-Fe16481		X	X
4	TP5A_BALA	Feb 08, 2021		Rock	S21-Fe16482		X	X
5	TP5A_BALB	Feb 08, 2021		Rock	S21-Fe16483		X	X
6	TP5A_BALC	Feb 08, 2021		Rock	S21-Fe16484		X	X
7	TP6A_BALA	Feb 08, 2021		Rock	S21-Fe16485		X	X
8	TP6A_BALB	Feb 08, 2021		Rock	S21-Fe16486		X	X
9	TP6A_BALC	Feb 08, 2021		Rock	S21-Fe16487	X		

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772644	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	LEAD TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
<b>Eurofins Analytical Services Manager : Andrew Black</b>					

Sample Detail	HOLD	Lead	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271			
Sydney Laboratory - NATA Site # 18217	X	X	X
Brisbane Laboratory - NATA Site # 20794			
Perth Laboratory - NATA Site # 23736			
Mayfield Laboratory			
External Laboratory			
<b>Test Counts</b>	2	8	8



**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5			5	Pass		
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	105			80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe35255	NCP	%	97	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe31701	NCP	mg/kg	23	20	15	30%	Pass
<b>Duplicate</b>											
					Result 1	Result 2	RPD				
% Moisture				S21-Fe16479	CP	%	< 1	< 1	<1	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **772646-L**  
 Project name **TREATABILITY TRIAL**  
 Project ID **318000780**  
 Received Date **Feb 08, 2021**

Client Sample ID			TP3A_A_SCR	TP3A_B_SCR	TP3A_C_SCR	TP5A_A_SCR
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S21-Fe16506	S21-Fe16507	S21-Fe16508	S21-Fe16509
Date Sampled			Feb 08, 2021	Feb 08, 2021	Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	14	28	10	190
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	2.9	3.1	3.1	7.1
pH (off)	0.1	pH Units	5.0	5.0	5.0	5.0
pH (USA HCl addition)	0.1	pH Units	1.5	1.6	1.6	1.9

Client Sample ID			TP5A_B_SCR	TP5A_C_SCR
Sample Matrix			US Leachate	US Leachate
Eurofins Sample No.			S21-Fe16510	S21-Fe16511
Date Sampled			Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	0.01	mg/L	180	190
<b>USA Leaching Procedure</b>				
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0
pH (initial)	0.1	pH Units	4.3	4.3
pH (off)	0.1	pH Units	5.0	5.0
pH (USA HCl addition)	0.1	pH Units	1.7	2.0

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Feb 15, 2021	180 Days
USA Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Feb 10, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772646	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	USA Leaching Procedure	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
Mayfield Laboratory								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP3A_A_SCR	Feb 08, 2021		Soil	S21-Fe16500	X		X
2	TP3A_B_SCR	Feb 08, 2021		Soil	S21-Fe16501	X		X
3	TP3A_C_SCR	Feb 08, 2021		Soil	S21-Fe16502	X		X
4	TP5A_A_SCR	Feb 08, 2021		Soil	S21-Fe16503	X		X
5	TP5A_B_SCR	Feb 08, 2021		Soil	S21-Fe16504	X		X
6	TP5A_C_SCR	Feb 08, 2021		Soil	S21-Fe16505	X		X
7	TP3A_A_SCR	Feb 08, 2021		US Leachate	S21-Fe16506	X	X	
8	TP3A_B_SCR	Feb 08, 2021		US Leachate	S21-Fe16507	X	X	
9	TP3A_C_SCR	Feb 08, 2021		US Leachate	S21-Fe16508	X	X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772646	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>Mayfield Laboratory</b>								
<b>External Laboratory</b>								
10	TP5A_A_SCR	Feb 08, 2021		US Leachate	S21-Fe16509	X	X	
11	TP5A_B_SCR	Feb 08, 2021		US Leachate	S21-Fe16510	X	X	
12	TP5A_C_SCR	Feb 08, 2021		US Leachate	S21-Fe16511	X	X	
<b>Test Counts</b>						12	6	6

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code	
<b>Method Blank</b>										
<b>Heavy Metals</b>										
Lead				mg/L	< 0.01		0.01	Pass		
<b>LCS - % Recovery</b>										
<b>Heavy Metals</b>										
Lead				%	98		80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Spike - % Recovery</b>										
<b>Heavy Metals</b>										
Lead				S21-Fe23191	NCP	%	96	75-125	Pass	
<b>Duplicate</b>										
<b>Heavy Metals</b>										
Lead				S21-Fe24422	NCP	mg/L	0.23	0.24	5.0	30% Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Stephen Maxwell**

**Report** **772646-S**  
 Project name **TREATABILITY TRIAL**  
 Project ID **318000780**  
 Received Date **Feb 08, 2021**

Client Sample ID			TP3A_A_SCR	TP3A_B_SCR	TP3A_C_SCR	TP5A_A_SCR
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S21-Fe16500	S21-Fe16501	S21-Fe16502	S21-Fe16503
Date Sampled			Feb 08, 2021	Feb 08, 2021	Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	5	mg/kg	16000	15000	19000	39000
% Moisture	1	%	8.0	8.4	8.5	2.6

Client Sample ID			TP5A_B_SCR	TP5A_C_SCR
Sample Matrix			Soil	Soil
Eurofins Sample No.			S21-Fe16504	S21-Fe16505
Date Sampled			Feb 08, 2021	Feb 08, 2021
Test/Reference	LOR	Unit		
<b>Heavy Metals</b>				
Lead	5	mg/kg	35000	37000
% Moisture	1	%	2.6	4.0

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Heavy Metals

- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS

% Moisture

- Method: LTM-GEN-7080 Moisture

**Testing Site**

Sydney

Sydney

**Extracted**

Feb 10, 2021

Feb 09, 2021

**Holding Time**

180 Days

14 Days

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772646	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	USA Leaching Procedure	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
Mayfield Laboratory								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP3A_A_SCR	Feb 08, 2021		Soil	S21-Fe16500	X		X
2	TP3A_B_SCR	Feb 08, 2021		Soil	S21-Fe16501	X		X
3	TP3A_C_SCR	Feb 08, 2021		Soil	S21-Fe16502	X		X
4	TP5A_A_SCR	Feb 08, 2021		Soil	S21-Fe16503	X		X
5	TP5A_B_SCR	Feb 08, 2021		Soil	S21-Fe16504	X		X
6	TP5A_C_SCR	Feb 08, 2021		Soil	S21-Fe16505	X		X
7	TP3A_A_SCR	Feb 08, 2021		US Leachate	S21-Fe16506	X	X	
8	TP3A_B_SCR	Feb 08, 2021		US Leachate	S21-Fe16507	X	X	
9	TP3A_C_SCR	Feb 08, 2021		US Leachate	S21-Fe16508	X	X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 8, 2021 2:15 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	772646	<b>Due:</b>	Feb 15, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
<b>Eurofins Analytical Services Manager : Andrew Black</b>					

Sample Detail						Lead	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>Mayfield Laboratory</b>								
<b>External Laboratory</b>								
10	TP5A_A_SCR	Feb 08, 2021		US Leachate	S21-Fe16509	X	X	
11	TP5A_B_SCR	Feb 08, 2021		US Leachate	S21-Fe16510	X	X	
12	TP5A_C_SCR	Feb 08, 2021		US Leachate	S21-Fe16511	X	X	
<b>Test Counts</b>						12	6	6

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>										
<b>Heavy Metals</b>										
Lead				mg/kg	< 5			5	Pass	
<b>LCS - % Recovery</b>										
<b>Heavy Metals</b>										
Lead				%	109			80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1				Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>										
				Result 1	Result 2	RPD				
% Moisture	S21-Fe16501	CP	%	8.4	8.6	3.0		30%	Pass	
<b>Duplicate</b>										
				Result 1	Result 2	RPD				
Lead	S21-Fe16504	CP	mg/kg	35000	37000	6.0		30%	Pass	



**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

Attention: **Stephen Maxwell**

Report **774893-L**  
 Project name **TREATABILITY TRIAL**  
 Project ID **318000780**  
 Received Date **Feb 17, 2021**

Client Sample ID			TP3A_D_SCR	TP3A_TR01-1	TP3A_TR01-2	TP3A_TR02-1
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S21-Fe36599	S21-Fe36600	S21-Fe36601	S21-Fe36602
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	35	< 0.01	< 0.01	< 0.01
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	3.3	9.2	9.3	9.5
pH (off)	0.1	pH Units	5.0	9.0	9.0	9.2
pH (USA HCl addition)	0.1	pH Units	1.8	1.9	1.9	2.0

Client Sample ID			TP3A_TR02-2	TP3A_TR03-1	TP3A_TR03-2	TP3A_TR04-1
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S21-Fe36603	S21-Fe36604	S21-Fe36605	S21-Fe36606
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	< 0.01	0.01	0.03	< 0.01
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	9.5	9.7	9.7	8.8
pH (off)	0.1	pH Units	9.3	8.8	9.2	8.5
pH (USA HCl addition)	0.1	pH Units	1.9	2.0	2.0	1.9

Client Sample ID			TP3A_TR04-2	TP3A_TR05-1	TP3A_TR05-2	TP3A_TR06-1
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S21-Fe36607	S21-Fe36608	S21-Fe36609	S21-Fe36610
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.04	< 0.01	0.04	0.03
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	8.9	9.6	9.6	9.6
pH (off)	0.1	pH Units	8.3	9.3	9.3	8.9
pH (USA HCl addition)	0.1	pH Units	1.9	1.9	1.8	1.9

<b>Client Sample ID</b>			<b>TP3A_TR06-2</b>	<b>TP5A_D_SCR</b>	<b>TP5A_TR01-1</b>	<b>TP5A_TR01-2</b>
<b>Sample Matrix</b>			<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>
<b>Eurofins Sample No.</b>			<b>S21-Fe36611</b>	<b>S21-Fe36612</b>	<b>S21-Fe36613</b>	<b>S21-Fe36614</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.01	140	0.19	< 0.01
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	9.5	5.3	9.7	9.8
pH (off)	0.1	pH Units	9.0	5.1	9.2	9.0
pH (USA HCl addition)	0.1	pH Units	1.9	1.9	2.0	1.9

<b>Client Sample ID</b>			<b>TP5A_TR02-1</b>	<b>TP5A_TR02-2</b>	<b>TP5A_TR03-1</b>	<b>TP5A_TR03-2</b>
<b>Sample Matrix</b>			<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>
<b>Eurofins Sample No.</b>			<b>S21-Fe36615</b>	<b>S21-Fe36616</b>	<b>S21-Fe36617</b>	<b>S21-Fe36618</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.05	0.02	0.03	0.03
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	9.7	9.7	9.7	10.0
pH (off)	0.1	pH Units	9.2	9.2	8.7	8.7
pH (USA HCl addition)	0.1	pH Units	2.0	1.9	1.9	2.0

<b>Client Sample ID</b>			<b>TP5A_TR04-1</b>	<b>TP5A_TR04-2</b>	<b>TP5A_TR05-1</b>	<b>TP5A_TR05-2</b>
<b>Sample Matrix</b>			<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>
<b>Eurofins Sample No.</b>			<b>S21-Fe36619</b>	<b>S21-Fe36620</b>	<b>S21-Fe36621</b>	<b>S21-Fe36622</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.05	< 0.01	< 0.01	0.01
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	9.9	9.4	9.8	9.8
pH (off)	0.1	pH Units	9.2	9.0	9.1	9.4
pH (USA HCl addition)	0.1	pH Units	1.9	1.8	1.9	1.9

<b>Client Sample ID</b>			<b>TP5A_TR06-1</b>	<b>TP5A_TR06-2</b>	<b>TP5A_TR07-1</b>	<b>TP5A_TR07-2</b>
<b>Sample Matrix</b>			<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>	<b>US Leachate</b>
<b>Eurofins Sample No.</b>			<b>S21-Fe36623</b>	<b>S21-Fe36624</b>	<b>S21-Fe36625</b>	<b>S21-Fe36626</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.05	0.02	0.08	0.05
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	9.9	9.8	9.6	9.6
pH (off)	0.1	pH Units	9.4	9.3	9.4	9.3
pH (USA HCl addition)	0.1	pH Units	1.9	1.9	1.8	2.0

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Feb 23, 2021	180 Days
USA Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Feb 20, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	TP3A_D_SCR	Feb 17, 2021		Soil	S21-Fe36583	X	X		X
2	TP3A_TR01-1	Feb 17, 2021		Soil	S21-Fe36584	X			X
3	TP3A_TR02-1	Feb 17, 2021		Soil	S21-Fe36585	X			X
4	TP3A_TR03-1	Feb 17, 2021		Soil	S21-Fe36586	X			X
5	TP3A_TR04-1	Feb 17, 2021		Soil	S21-Fe36587	X			X
6	TP3A_TR05-1	Feb 17, 2021		Soil	S21-Fe36588	X			X
7	TP3A_TR06-1	Feb 17, 2021		Soil	S21-Fe36589	X			X
8	TP5A_D_SCR	Feb 17, 2021		Soil	S21-Fe36590	X	X		X
9	TP5A_TR01-1	Feb 17, 2021		Soil	S21-Fe36591	X			X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
10	TP5A_TR02-1	Feb 17, 2021		Soil	S21-Fe36592	X			X
11	TP5A_TR03-1	Feb 17, 2021		Soil	S21-Fe36593	X			X
12	TP5A_TR04-1	Feb 17, 2021		Soil	S21-Fe36594	X			X
13	TP5A_TR05-1	Feb 17, 2021		Soil	S21-Fe36595	X			X
14	TP5A_TR06-1	Feb 17, 2021		Soil	S21-Fe36596	X			X
15	TP5A_TR07-1	Feb 17, 2021		Soil	S21-Fe36597	X			X
16	TP3A_D_SCR	Feb 17, 2021		US Leachate	S21-Fe36599	X		X	
17	TP3A_TR01-1	Feb 17, 2021		US Leachate	S21-Fe36600	X		X	
18	TP3A_TR01-2	Feb 17, 2021		US Leachate	S21-Fe36601	X		X	
19	TP3A_TR02-1	Feb 17, 2021		US Leachate	S21-Fe36602	X		X	
20	TP3A_TR02-2	Feb 17, 2021		US Leachate	S21-Fe36603	X		X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
21	TP3A_TR03-1	Feb 17, 2021		US Leachate	S21-Fe36604	X		X	
22	TP3A_TR03-2	Feb 17, 2021		US Leachate	S21-Fe36605	X		X	
23	TP3A_TR04-1	Feb 17, 2021		US Leachate	S21-Fe36606	X		X	
24	TP3A_TR04-2	Feb 17, 2021		US Leachate	S21-Fe36607	X		X	
25	TP3A_TR05-1	Feb 17, 2021		US Leachate	S21-Fe36608	X		X	
26	TP3A_TR05-2	Feb 17, 2021		US Leachate	S21-Fe36609	X		X	
27	TP3A_TR06-1	Feb 17, 2021		US Leachate	S21-Fe36610	X		X	
28	TP3A_TR06-2	Feb 17, 2021		US Leachate	S21-Fe36611	X		X	
29	TP5A_D_SCR	Feb 17, 2021		US Leachate	S21-Fe36612	X		X	
30	TP5A_TR01-1	Feb 17, 2021		US Leachate	S21-Fe36613	X		X	
31	TP5A_TR01-2	Feb 17, 2021		US Leachate	S21-Fe36614	X		X	

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060  
  
**Project Name:** TREATABILITY TRIAL  
**Project ID:** 318000780

**Order No.:**  
**Report #:** 774893  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Feb 17, 2021 3:00 PM  
**Due:** Feb 24, 2021  
**Priority:** 5 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
32	TP5A_TR02-1	Feb 17, 2021		US Leachate	S21-Fe36615	X		X	
33	TP5A_TR02-2	Feb 17, 2021		US Leachate	S21-Fe36616	X		X	
34	TP5A_TR03-1	Feb 17, 2021		US Leachate	S21-Fe36617	X		X	
35	TP5A_TR03-2	Feb 17, 2021		US Leachate	S21-Fe36618	X		X	
36	TP5A_TR04-1	Feb 17, 2021		US Leachate	S21-Fe36619	X		X	
37	TP5A_TR04-2	Feb 17, 2021		US Leachate	S21-Fe36620	X		X	
38	TP5A_TR05-1	Feb 17, 2021		US Leachate	S21-Fe36621	X		X	
39	TP5A_TR05-2	Feb 17, 2021		US Leachate	S21-Fe36622	X		X	
40	TP5A_TR06-1	Feb 17, 2021		US Leachate	S21-Fe36623	X		X	
41	TP5A_TR06-2	Feb 17, 2021		US Leachate	S21-Fe36624	X		X	
42	TP5A_TR07-1	Feb 17, 2021		US Leachate	S21-Fe36625	X		X	



**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
43	TP5A_TR07-2	Feb 17, 2021		US Leachate	S21-Fe36626	X		X	
<b>Test Counts</b>						43	2	28	15

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>												
<b>Heavy Metals</b>												
Lead				mg/L	< 0.01			0.01	Pass			
<b>LCS - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				%	93			80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Fe36618	CP	%	82		75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code			
<b>Duplicate</b>												
<b>Heavy Metals</b>												
Lead				S21-Fe36599	CP	mg/L	35	35	1.0	30%	Pass	
<b>Duplicate</b>												
<b>Heavy Metals</b>												
Lead				S21-Fe36609	CP	mg/L	0.04	0.04	3.0	30%	Pass	
<b>Duplicate</b>												
<b>Heavy Metals</b>												
Lead				S21-Fe36619	CP	mg/L	0.05	0.03	42	30%	Fail	Q15

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
Q15	The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

**Authorised by:**

Andrew Black	Analytical Services Manager
John Nguyen	Senior Analyst-Metal (NSW)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Stephen Maxwell

**Report** 774893-S  
 Project name TREATABILITY TRIAL  
 Project ID 318000780  
 Received Date Feb 17, 2021

Client Sample ID			TP3A_D_SCR	TP3A_TR01-1	TP3A_TR02-1	TP3A_TR03-1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S21-Fe36583	S21-Fe36584	S21-Fe36585	S21-Fe36586
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
pH (1:5 Aqueous extract at 25°C as rec.)						
	0.1	pH Units	2.8	-	-	-
% Moisture						
	1	%	7.8	15	16	13
<b>Heavy Metals</b>						
Lead	5	mg/kg	10000	8200	9600	18000

Client Sample ID			TP3A_TR04-1	TP3A_TR05-1	TP3A_TR06-1	TP5A_D_SCR
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S21-Fe36587	S21-Fe36588	S21-Fe36589	S21-Fe36590
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
pH (1:5 Aqueous extract at 25°C as rec.)						
	0.1	pH Units	-	-	-	4.2
% Moisture						
	1	%	13	14	12	2.4
<b>Heavy Metals</b>						
Lead	5	mg/kg	9500	9900	9100	19000

Client Sample ID			TP5A_TR01-1	TP5A_TR02-1	TP5A_TR03-1	TP5A_TR04-1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			S21-Fe36591	S21-Fe36592	S21-Fe36593	S21-Fe36594
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
% Moisture						
	1	%	17	13	20	18
<b>Heavy Metals</b>						
Lead	5	mg/kg	17000	15000	18000	20000

Client Sample ID			TP5A_TR05-1	TP5A_TR06-1	TP5A_TR07-1
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			S21-Fe36595	S21-Fe36596	S21-Fe36597
Date Sampled			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit			
% Moisture	1	%	13	16	15
<b>Heavy Metals</b>					
Lead	5	mg/kg	10000	13000	12000

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Sydney	Feb 20, 2021	7 Days
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Feb 22, 2021	180 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Sydney	Feb 18, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	TP3A_D_SCR	Feb 17, 2021		Soil	S21-Fe36583	X	X		X
2	TP3A_TR01-1	Feb 17, 2021		Soil	S21-Fe36584	X			X
3	TP3A_TR02-1	Feb 17, 2021		Soil	S21-Fe36585	X			X
4	TP3A_TR03-1	Feb 17, 2021		Soil	S21-Fe36586	X			X
5	TP3A_TR04-1	Feb 17, 2021		Soil	S21-Fe36587	X			X
6	TP3A_TR05-1	Feb 17, 2021		Soil	S21-Fe36588	X			X
7	TP3A_TR06-1	Feb 17, 2021		Soil	S21-Fe36589	X			X
8	TP5A_D_SCR	Feb 17, 2021		Soil	S21-Fe36590	X	X		X
9	TP5A_TR01-1	Feb 17, 2021		Soil	S21-Fe36591	X			X



**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
10	TP5A_TR02-1	Feb 17, 2021		Soil	S21-Fe36592	X			X
11	TP5A_TR03-1	Feb 17, 2021		Soil	S21-Fe36593	X			X
12	TP5A_TR04-1	Feb 17, 2021		Soil	S21-Fe36594	X			X
13	TP5A_TR05-1	Feb 17, 2021		Soil	S21-Fe36595	X			X
14	TP5A_TR06-1	Feb 17, 2021		Soil	S21-Fe36596	X			X
15	TP5A_TR07-1	Feb 17, 2021		Soil	S21-Fe36597	X			X
16	TP3A_D_SCR	Feb 17, 2021		US Leachate	S21-Fe36599	X		X	
17	TP3A_TR01-1	Feb 17, 2021		US Leachate	S21-Fe36600	X		X	
18	TP3A_TR01-2	Feb 17, 2021		US Leachate	S21-Fe36601	X		X	
19	TP3A_TR02-1	Feb 17, 2021		US Leachate	S21-Fe36602	X		X	
20	TP3A_TR02-2	Feb 17, 2021		US Leachate	S21-Fe36603	X		X	

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
21	TP3A_TR03-1	Feb 17, 2021		US Leachate	S21-Fe36604	X		X	
22	TP3A_TR03-2	Feb 17, 2021		US Leachate	S21-Fe36605	X		X	
23	TP3A_TR04-1	Feb 17, 2021		US Leachate	S21-Fe36606	X		X	
24	TP3A_TR04-2	Feb 17, 2021		US Leachate	S21-Fe36607	X		X	
25	TP3A_TR05-1	Feb 17, 2021		US Leachate	S21-Fe36608	X		X	
26	TP3A_TR05-2	Feb 17, 2021		US Leachate	S21-Fe36609	X		X	
27	TP3A_TR06-1	Feb 17, 2021		US Leachate	S21-Fe36610	X		X	
28	TP3A_TR06-2	Feb 17, 2021		US Leachate	S21-Fe36611	X		X	
29	TP5A_D_SCR	Feb 17, 2021		US Leachate	S21-Fe36612	X		X	
30	TP5A_TR01-1	Feb 17, 2021		US Leachate	S21-Fe36613	X		X	
31	TP5A_TR01-2	Feb 17, 2021		US Leachate	S21-Fe36614	X		X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
32	TP5A_TR02-1	Feb 17, 2021		US Leachate	S21-Fe36615	X		X	
33	TP5A_TR02-2	Feb 17, 2021		US Leachate	S21-Fe36616	X		X	
34	TP5A_TR03-1	Feb 17, 2021		US Leachate	S21-Fe36617	X		X	
35	TP5A_TR03-2	Feb 17, 2021		US Leachate	S21-Fe36618	X		X	
36	TP5A_TR04-1	Feb 17, 2021		US Leachate	S21-Fe36619	X		X	
37	TP5A_TR04-2	Feb 17, 2021		US Leachate	S21-Fe36620	X		X	
38	TP5A_TR05-1	Feb 17, 2021		US Leachate	S21-Fe36621	X		X	
39	TP5A_TR05-2	Feb 17, 2021		US Leachate	S21-Fe36622	X		X	
40	TP5A_TR06-1	Feb 17, 2021		US Leachate	S21-Fe36623	X		X	
41	TP5A_TR06-2	Feb 17, 2021		US Leachate	S21-Fe36624	X		X	
42	TP5A_TR07-1	Feb 17, 2021		US Leachate	S21-Fe36625	X		X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Feb 17, 2021 3:00 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	774893	<b>Due:</b>	Feb 24, 2021
<b>Project Name:</b>	TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	5 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	pH (1:5 Aqueous extract at 25°C as rec.)	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>									
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									
<b>Perth Laboratory - NATA Site # 23736</b>									
<b>Mayfield Laboratory</b>									
<b>External Laboratory</b>									
43	TP5A_TR07-2	Feb 17, 2021		US Leachate	S21-Fe36626	X		X	
<b>Test Counts</b>						43	2	28	15

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/kg	< 5		5	Pass			
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	92		80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe34686	NCP	%	94	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
				Result 1	Result 2	RPD					
pH (1:5 Aqueous extract at 25°C as rec.)	S21-Fe36583	CP	pH Units	2.8	2.8	Pass	30%	Pass			
% Moisture	S21-Fe36583	CP	%	7.8	8.1	3.0	30%	Pass			
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe36583	CP	mg/kg	10000	9400	8.0	30%	Pass
<b>Duplicate</b>											
				Result 1	Result 2	RPD					
% Moisture	S21-Fe36593	CP	%	20	19	5.0	30%	Pass			
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Fe36593	CP	mg/kg	18000	16000	9.0	30%	Pass

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black	Analytical Services Manager
Charl Du Preez	Senior Analyst-Inorganic (NSW)
John Nguyen	Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection and proficiency testing scheme providers  
 reports.

**Attention:** Stephen Maxwell

**Report** 777838-L  
 Project name ADDITIONAL TREATABILITY TRIAL  
 Project ID 318000780  
 Received Date Mar 03, 2021

Client Sample ID			TP3A_TR01-1 (DAY 1)	TP3A_TR01-1 (DAY 2)	0448224653	TP3A_TR01-1 (DAY 4)
<b>Sample Matrix</b>			Leachate - MEP	Leachate - MEP	Leachate - MEP	Leachate - MEP
<b>Eurofins Sample No.</b>			S21-Ma06656	S21-Ma06657	S21-Ma06658	S21-Ma06659
<b>Date Sampled</b>			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	< 0.001	0.001	0.003	0.002
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.4	8.7	8.8	9.3
pH (Leachate fluid)	0.1	pH Units	6.8	5.1	6.8	6.8
pH (off)	0.1	pH Units	9.6	9.2	9.5	9.5

Client Sample ID			TP3A_TR01-1 (DAY 5)	TP3A_TR01-1 (DAY 6)	TP3A_TR01-1 (DAY 7)	TP3A_TR01-1 (DAY 8)
<b>Sample Matrix</b>			Leachate - MEP	Leachate - MEP	Leachate - MEP	Leachate - MEP
<b>Eurofins Sample No.</b>			S21-Ma06660	S21-Ma06661	S21-Ma06662	S21-Ma06663
<b>Date Sampled</b>			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	< 0.001	0.002	< 0.001	< 0.001
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	8.8	9.0	9.1	9.7
pH (Leachate fluid)	0.1	pH Units	6.8	6.8	6.2	6.2
pH (off)	0.1	pH Units	9.3	9.3	9.8	9.3



<b>Client Sample ID</b>			<b>TP3A_TR01-1 (DAY 9)</b>	<b>TP3A_TR01-1 (DAY 10)</b>	<b>TP3A_TR03-1 (DAY 1)</b>	<b>TP3A_TR03-1 (DAY 2)</b>
<b>Sample Matrix</b>			<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma06664</b>	<b>S21-Ma06665</b>	<b>S21-Ma06666</b>	<b>S21-Ma06667</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	0.004	0.017	0.12	0.001
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.7	9.2	9.1	8.7
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.8	5.1
pH (off)	0.1	pH Units	9.3	9.1	9.5	9.3

<b>Client Sample ID</b>			<b>TP3A_TR03-1 (DAY 3)</b>	<b>TP3A_TR03-1 (DAY 4)</b>	<b>TP3A_TR03-1 (DAY 5)</b>	<b>TP3A_TR03-1 (DAY 6)</b>
<b>Sample Matrix</b>			<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma06668</b>	<b>S21-Ma06669</b>	<b>S21-Ma06670</b>	<b>S21-Ma06671</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	0.004	0.13	0.001	0.002
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	8.9	9.3	9.0	9.4
pH (Leachate fluid)	0.1	pH Units	6.8	6.8	6.8	6.8
pH (off)	0.1	pH Units	9.5	9.4	9.6	9.5

<b>Client Sample ID</b>			<b>TP3A_TR03-1 (DAY 7)</b>	<b>TP3A_TR03-1 (DAY 8)</b>	<b>TP3A_TR03-1 (DAY 9)</b>	<b>TP3A_TR03-1 (DAY 10)</b>
<b>Sample Matrix</b>			<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma06672</b>	<b>S21-Ma06673</b>	<b>S21-Ma06674</b>	<b>S21-Ma06675</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	< 0.001	0.013	0.015	0.003
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.0	9.7	9.7	9.3
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	9.5	9.4	9.4	9.4

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 22, 2021	180 Days
AUS Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Mar 19, 2021	7 Days

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777838	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217						X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
Mayfield Laboratory							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	TP3A_TR01-1 (DAY 1)	Feb 17, 2021		Leachate - MEP	S21-Ma06656	X	X
2	TP3A_TR01-1 (DAY 2)	Feb 17, 2021		Leachate - MEP	S21-Ma06657	X	X
3	TP3A_TR01-1 (DAY 3)	Feb 17, 2021		Leachate - MEP	S21-Ma06658	X	X
4	TP3A_TR01-1 (DAY 4)	Feb 17, 2021		Leachate - MEP	S21-Ma06659	X	X
5	TP3A_TR01-1 (DAY 5)	Feb 17, 2021		Leachate - MEP	S21-Ma06660	X	X
6	TP3A_TR01-1	Feb 17, 2021		Leachate -	S21-Ma06661	X	X

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777838	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>							
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>							
<b>Perth Laboratory - NATA Site # 23736</b>							
<b>Mayfield Laboratory</b>							
<b>External Laboratory</b>							
	(DAY 6)			MEP			
7	TP3A_TR01-1 (DAY 7)	Feb 17, 2021		Leachate - MEP	S21-Ma06662	X	X
8	TP3A_TR01-1 (DAY 8)	Feb 17, 2021		Leachate - MEP	S21-Ma06663	X	X
9	TP3A_TR01-1 (DAY 9)	Feb 17, 2021		Leachate - MEP	S21-Ma06664	X	X
10	TP3A_TR01-1 (DAY 10)	Feb 17, 2021		Leachate - MEP	S21-Ma06665	X	X
11	TP3A_TR03-1 (DAY 1)	Feb 17, 2021		Leachate - MEP	S21-Ma06666	X	X
12	TP3A_TR03-1 (DAY 2)	Feb 17, 2021		Leachate - MEP	S21-Ma06667	X	X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777838	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>							
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>							
<b>Perth Laboratory - NATA Site # 23736</b>							
<b>Mayfield Laboratory</b>							
<b>External Laboratory</b>							
13	TP3A_TR03-1 (DAY 3)	Feb 17, 2021		Leachate - MEP	S21-Ma06668	X	X
14	TP3A_TR03-1 (DAY 4)	Feb 17, 2021		Leachate - MEP	S21-Ma06669	X	X
15	TP3A_TR03-1 (DAY 5)	Feb 17, 2021		Leachate - MEP	S21-Ma06670	X	X
16	TP3A_TR03-1 (DAY 6)	Feb 17, 2021		Leachate - MEP	S21-Ma06671	X	X
17	TP3A_TR03-1 (DAY 7)	Feb 17, 2021		Leachate - MEP	S21-Ma06672	X	X
18	TP3A_TR03-1 (DAY 8)	Feb 17, 2021		Leachate - MEP	S21-Ma06673	X	X
19	TP3A_TR03-1	Feb 17, 2021		Leachate -	S21-Ma06674	X	X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777838	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell
<b>Eurofins Analytical Services Manager : Andrew Black</b>					

Sample Detail						Lead	AUS Leaching Procedure
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>							
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>							
<b>Perth Laboratory - NATA Site # 23736</b>							
<b>Mayfield Laboratory</b>							
<b>External Laboratory</b>							
	(DAY 9)			MEP			
20	TP3A_TR03-1 (DAY 10)	Feb 17, 2021		Leachate - MEP	S21-Ma06675	X	X
<b>Test Counts</b>						20	20

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Method Blank</b>											
<b>Heavy Metals</b>											
Lead				mg/L	< 0.001			0.001	Pass		
<b>LCS - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				%	103			80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma06668	CP	%	122	75-125	Pass		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma06670	CP	%	109	75-125	Pass		
<b>Spike - % Recovery</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma06672	CP	%	96	75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma06659	CP	mg/L	0.002	0.002	4.0	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma06661	CP	mg/L	0.002	0.002	21	30%	Pass
<b>Duplicate</b>											
<b>Heavy Metals</b>											
Lead				S21-Ma06663	CP	mg/L	< 0.001	< 0.001	<1	30%	Pass



**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other

**Authorised by:**

Ryan Gilbert	Analytical Services Manager
John Nguyen	Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection and proficiency testing scheme providers  
 reports.

**Attention:** Stephen Maxwell

**Report** 777842-L  
 Project name ADDITIONAL TREATABILITY TRIAL  
 Project ID 318000780  
 Received Date Mar 03, 2021

Client Sample ID			TP5A_TR01-1 (DAY 1)	TP5A_TR01-1 (DAY 2)	TP5A_TR01-1 (DAY 3)	TP5A_TR01-1 (DAY 4)
<b>Sample Matrix</b>			Leachate - MEP	Leachate - MEP	Leachate - MEP	Leachate - MEP
<b>Eurofins Sample No.</b>			S21-Ma06676	S21-Ma06677	S21-Ma06678	S21-Ma06679
<b>Date Sampled</b>			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	0.002	< 0.001	0.017	0.075
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.6	9.1	9.5	9.8
pH (Leachate fluid)	0.1	pH Units	6.8	5.1	6.8	6.8
pH (off)	0.1	pH Units	10	9.6	9.5	9.8

Client Sample ID			TP5A_TR01-1 (DAY 5)	TP5A_TR01-1 (DAY 6)	TP5A_TR01-1 (DAY 7)	TP5A_TR01-1 (DAY 8)
<b>Sample Matrix</b>			Leachate - MEP	Leachate - MEP	Leachate - MEP	Leachate - MEP
<b>Eurofins Sample No.</b>			S21-Ma06680	S21-Ma06681	S21-Ma06682	S21-Ma06683
<b>Date Sampled</b>			Feb 17, 2021	Feb 17, 2021	Feb 17, 2021	Feb 17, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	0.004	0.003	0.058	< 0.001
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.6	9.9	9.6	9.9
pH (Leachate fluid)	0.1	pH Units	6.8	6.8	6.2	6.2
pH (off)	0.1	pH Units	9.8	9.7	9.9	9.7

<b>Client Sample ID</b>			<b>TP5A_TR01-1 (DAY 9)</b>	<b>TP5A_TR01-1 (DAY 10)</b>	<b>TP5A_TR03-1 (DAY 1)</b>	<b>TP5A_TR03-1 (DAY 2)</b>
<b>Sample Matrix</b>			<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma06684</b>	<b>S21-Ma06685</b>	<b>S21-Ma06686</b>	<b>S21-Ma06687</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	1.0	< 0.001	< 0.001	0.036
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.8	9.8	9.4	8.9
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.8	5.1
pH (off)	0.1	pH Units	9.7	9.8	10.0	9.7

<b>Client Sample ID</b>			<b>TP5A_TR03-1 (DAY 3)</b>	<b>TP5A_TR03-1 (DAY 4)</b>	<b>TP5A_TR03-1 (DAY 5)</b>	<b>TP5A_TR03-1 (DAY 6)</b>
<b>Sample Matrix</b>			<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma06688</b>	<b>S21-Ma06689</b>	<b>S21-Ma06690</b>	<b>S21-Ma06691</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	0.031	0.053	0.047	0.042
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.3	9.7	9.4	9.9
pH (Leachate fluid)	0.1	pH Units	6.8	6.8	6.8	6.8
pH (off)	0.1	pH Units	9.7	9.8	9.8	9.8

<b>Client Sample ID</b>			<b>TP5A_TR03-1 (DAY 7)</b>	<b>TP5A_TR03-1 (DAY 8)</b>	<b>TP5A_TR03-1 (DAY 9)</b>	<b>TP5A_TR03-1 (DAY 10)</b>
<b>Sample Matrix</b>			<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>	<b>Leachate - MEP</b>
<b>Eurofins Sample No.</b>			<b>S21-Ma06692</b>	<b>S21-Ma06693</b>	<b>S21-Ma06694</b>	<b>S21-Ma06695</b>
<b>Date Sampled</b>			<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>	<b>Feb 17, 2021</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Lead	0.001	mg/L	< 0.001	0.016	0.017	0.001
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	9.5	10.0	9.9	9.7
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	10.0	9.8	9.8	9.8

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 22, 2021	180 Days
AUS Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Mar 19, 2021	7 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777842	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217						X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
Mayfield Laboratory							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	TP5A_TR01-1 (DAY 1)	Feb 17, 2021		Leachate - MEP	S21-Ma06676	X	X
2	TP5A_TR01-1 (DAY 2)	Feb 17, 2021		Leachate - MEP	S21-Ma06677	X	X
3	TP5A_TR01-1 (DAY 3)	Feb 17, 2021		Leachate - MEP	S21-Ma06678	X	X
4	TP5A_TR01-1 (DAY 4)	Feb 17, 2021		Leachate - MEP	S21-Ma06679	X	X
5	TP5A_TR01-1 (DAY 5)	Feb 17, 2021		Leachate - MEP	S21-Ma06680	X	X
6	TP5A_TR01-1	Feb 17, 2021		Leachate -	S21-Ma06681	X	X

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777842	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>							
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>							
<b>Perth Laboratory - NATA Site # 23736</b>							
<b>Mayfield Laboratory</b>							
<b>External Laboratory</b>							
	(DAY 6)			MEP			
7	TP5A_TR01-1 (DAY 7)	Feb 17, 2021		Leachate - MEP	S21-Ma06682	X	X
8	TP5A_TR01-1 (DAY 8)	Feb 17, 2021		Leachate - MEP	S21-Ma06683	X	X
9	TP5A_TR01-1 (DAY 9)	Feb 17, 2021		Leachate - MEP	S21-Ma06684	X	X
10	TP5A_TR01-1 (DAY 10)	Feb 17, 2021		Leachate - MEP	S21-Ma06685	X	X
11	TP5A_TR03-1 (DAY 1)	Feb 17, 2021		Leachate - MEP	S21-Ma06686	X	X
12	TP5A_TR03-1 (DAY 2)	Feb 17, 2021		Leachate - MEP	S21-Ma06687	X	X

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060

**Project Name:** ADDITIONAL TREATABILITY TRIAL  
**Project ID:** 318000780

**Order No.:**  
**Report #:** 777842  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 3, 2021 12:14 PM  
**Due:** Mar 17, 2021  
**Priority:** 10 Day  
**Contact Name:** Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>							
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>							
<b>Perth Laboratory - NATA Site # 23736</b>							
<b>Mayfield Laboratory</b>							
<b>External Laboratory</b>							
13	TP5A_TR03-1 (DAY 3)	Feb 17, 2021		Leachate - MEP	S21-Ma06688	X	X
14	TP5A_TR03-1 (DAY 4)	Feb 17, 2021		Leachate - MEP	S21-Ma06689	X	X
15	TP5A_TR03-1 (DAY 5)	Feb 17, 2021		Leachate - MEP	S21-Ma06690	X	X
16	TP5A_TR03-1 (DAY 6)	Feb 17, 2021		Leachate - MEP	S21-Ma06691	X	X
17	TP5A_TR03-1 (DAY 7)	Feb 17, 2021		Leachate - MEP	S21-Ma06692	X	X
18	TP5A_TR03-1 (DAY 8)	Feb 17, 2021		Leachate - MEP	S21-Ma06693	X	X
19	TP5A_TR03-1	Feb 17, 2021		Leachate -	S21-Ma06694	X	X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 3, 2021 12:14 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	777842	<b>Due:</b>	Mar 17, 2021
<b>Project Name:</b>	ADDITIONAL TREATABILITY TRIAL	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	10 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Lead	AUS Leaching Procedure
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>							
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>							
<b>Perth Laboratory - NATA Site # 23736</b>							
<b>Mayfield Laboratory</b>							
<b>External Laboratory</b>							
	(DAY 9)			MEP			
20	TP5A_TR03-1 (DAY 10)	Feb 17, 2021		Leachate - MEP	S21-Ma06695	X	X
<b>Test Counts</b>						20	20



**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>Method Blank</b>												
<b>Heavy Metals</b>												
Lead				mg/L	< 0.001			0.001	Pass			
<b>LCS - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				%	116			80-120	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06679	CP	%	84	75-125	Pass			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06687	CP	%	99	75-125	Pass			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06691	CP	%	89	75-125	Pass			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06693	CP	%	112	75-125	Pass			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06694	CP	%	92	75-125	Pass			
<b>Spike - % Recovery</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06695	CP	%	104	75-125	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code			
<b>Duplicate</b>												
<b>Heavy Metals</b>												
Lead				S21-Ma06680	CP	mg/L	0.004	0.002	62	30%	Fail	Q15

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
Q15	The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

**Authorised by:**

Ryan Gilbert	Analytical Services Manager
John Nguyen	Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 25079

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection and proficiency testing scheme providers  
 reports.

Attention: Stephen Maxwell

Report 799567-L  
 Project name TARAGO CADMIUM ANALYSIS  
 Project ID 31800780  
 Received Date Jun 01, 2021

Client Sample ID			TP3a_01	TP3a_02	TP3a_03	TP4a_01
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			N21-Jn00956	N21-Jn00957	N21-Jn00958	N21-Jn00959
Date Sampled			Jun 01, 2021	Jun 01, 2021	Jun 01, 2021	Jun 01, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.005	mg/L	0.63	0.58	0.44	1.2
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	3.4	3.4	3.3	4.0
pH (off)	0.1	pH Units	4.9	4.9	4.9	4.8
pH (USA HCl addition)	0.1	pH Units	1.8	1.8	1.8	1.8

Client Sample ID			TP4a_02	TP4a_03	TP5a_01	TP5a_02
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			N21-Jn00960	N21-Jn00961	N21-Jn00962	N21-Jn00963
Date Sampled			Jun 01, 2021	Jun 01, 2021	Jun 01, 2021	Jun 01, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.005	mg/L	0.92	0.91	0.33	0.35
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	4.0	4.0	4.6	4.6
pH (off)	0.1	pH Units	4.9	4.9	5.0	5.0
pH (USA HCl addition)	0.1	pH Units	1.8	1.8	1.8	1.8

Client Sample ID			TP5a_03	TP6a_01	TP6a_02	TP6a_03
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			N21-Jn00964	N21-Jn00965	N21-Jn00966	N21-Jn00967
Date Sampled			Jun 01, 2021	Jun 01, 2021	Jun 01, 2021	Jun 01, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.005	mg/L	0.36	0.22	0.19	0.19
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	4.7	5.0	5.1	5.0
pH (off)	0.1	pH Units	5.0	5.0	5.0	5.0
pH (USA HCl addition)	0.1	pH Units	1.8	1.8	1.8	1.8

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Jun 03, 2021	180 Days
USA Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Jun 02, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	318000780	<b>Received:</b>	Jun 1, 2021 12:40 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	799567	<b>Due:</b>	Jun 3, 2021
<b>Project Name:</b>	TARAGO CADMIUM ANALYSIS	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	2 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Cadmium	USA Leaching Procedure	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
Mayfield Laboratory - NATA Site # 25079								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP3a_01	Jun 01, 2021		Soil	N21-Jn00912	X		X
2	TP3a_02	Jun 01, 2021		Soil	N21-Jn00913	X		X
3	TP3a_03	Jun 01, 2021		Soil	N21-Jn00914	X		X
4	TP4a_01	Jun 01, 2021		Soil	N21-Jn00915	X		X
5	TP4a_02	Jun 01, 2021		Soil	N21-Jn00916	X		X
6	TP4a_03	Jun 01, 2021		Soil	N21-Jn00917	X		X
7	TP5a_01	Jun 01, 2021		Soil	N21-Jn00918	X		X
8	TP5a_02	Jun 01, 2021		Soil	N21-Jn00919	X		X
9	TP5a_03	Jun 01, 2021		Soil	N21-Jn00920	X		X

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	318000780	<b>Received:</b>	Jun 1, 2021 12:40 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	799567	<b>Due:</b>	Jun 3, 2021
<b>Project Name:</b>	TARAGO CADMIUM ANALYSIS	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	2 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Cadmium	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>Mayfield Laboratory - NATA Site # 25079</b>								
<b>External Laboratory</b>								
10	TP6a_01	Jun 01, 2021		Soil	N21-Jn00921	X		X
11	TP6a_02	Jun 01, 2021		Soil	N21-Jn00922	X		X
12	TP6a_03	Jun 01, 2021		Soil	N21-Jn00923	X		X
13	TP3a_01	Jun 01, 2021		US Leachate	N21-Jn00956	X	X	
14	TP3a_02	Jun 01, 2021		US Leachate	N21-Jn00957	X	X	
15	TP3a_03	Jun 01, 2021		US Leachate	N21-Jn00958	X	X	
16	TP4a_01	Jun 01, 2021		US Leachate	N21-Jn00959	X	X	
17	TP4a_02	Jun 01, 2021		US Leachate	N21-Jn00960	X	X	
18	TP4a_03	Jun 01, 2021		US Leachate	N21-Jn00961	X	X	
19	TP5a_01	Jun 01, 2021		US Leachate	N21-Jn00962	X	X	
20	TP5a_02	Jun 01, 2021		US Leachate	N21-Jn00963	X	X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 46-48 Banksia Road  
 Welshpool WA 6106  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448  
 NATA # 1261 Site # 25079

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	318000780	<b>Received:</b>	Jun 1, 2021 12:40 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	799567	<b>Due:</b>	Jun 3, 2021
<b>Project Name:</b>	TARAGO CADMIUM ANALYSIS	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	2 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Cadmium	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>Mayfield Laboratory - NATA Site # 25079</b>								
<b>External Laboratory</b>								
21	TP5a_03	Jun 01, 2021		US Leachate	N21-Jn00964	X	X	
22	TP6a_01	Jun 01, 2021		US Leachate	N21-Jn00965	X	X	
23	TP6a_02	Jun 01, 2021		US Leachate	N21-Jn00966	X	X	
24	TP6a_03	Jun 01, 2021		US Leachate	N21-Jn00967	X	X	
<b>Test Counts</b>						24	12	12



**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>										
<b>Heavy Metals</b>										
Cadmium				mg/L	< 0.005			0.005	Pass	
<b>LCS - % Recovery</b>										
<b>Heavy Metals</b>										
Cadmium				%	89			80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1				Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>										
<b>Heavy Metals</b>					Result 1	Result 2	RPD			
Cadmium	N21-Jn00956	CP	mg/L	0.63	0.58	7.0		30%	Pass	
<b>Duplicate</b>										
<b>Heavy Metals</b>					Result 1	Result 2	RPD			
Cadmium	N21-Jn00958	CP	mg/L	0.44	0.45	1.0		30%	Pass	

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other

**Authorised by:**

Andrew Black	Analytical Services Manager
John Nguyen	Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 25079**

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection and proficiency testing scheme providers  
 reports.

**Attention:** **Stephen Maxwell**

**Report** **799567-S**  
 Project name **TARAGO CADMIUM ANALYSIS**  
 Project ID **31800780**  
 Received Date **Jun 01, 2021**

Client Sample ID			TP3a_01	TP3a_02	TP3a_03	TP4a_01
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			N21-Jn00912	N21-Jn00913	N21-Jn00914	N21-Jn00915
Date Sampled			Jun 01, 2021	Jun 01, 2021	Jun 01, 2021	Jun 01, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	51	30	27	190
% Moisture	1	%	8.4	7.4	6.8	4.8

Client Sample ID			TP4a_02	TP4a_03	TP5a_01	TP5a_02
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			N21-Jn00916	N21-Jn00917	N21-Jn00918	N21-Jn00919
Date Sampled			Jun 01, 2021	Jun 01, 2021	Jun 01, 2021	Jun 01, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	130	170	430	270
% Moisture	1	%	7.4	2.3	2.0	2.0

Client Sample ID			TP5a_03	TP6a_01	TP6a_02	TP6a_03
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			N21-Jn00920	N21-Jn00921	N21-Jn00922	N21-Jn00923
Date Sampled			Jun 01, 2021	Jun 01, 2021	Jun 01, 2021	Jun 01, 2021
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Cadmium	0.4	mg/kg	440	12	9.6	7.1
% Moisture	1	%	2.1	6.0	5.0	4.7

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Jun 02, 2021	180 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Sydney	Jun 01, 2021	14 Days

**Australia**

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

**New Zealand**

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	318000780	<b>Received:</b>	Jun 1, 2021 12:40 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	799567	<b>Due:</b>	Jun 3, 2021
<b>Project Name:</b>	TARAGO CADMIUM ANALYSIS	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	2 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Cadmium	USA Leaching Procedure	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217						X	X	X
Brisbane Laboratory - NATA Site # 20794								
Perth Laboratory - NATA Site # 23736								
Mayfield Laboratory - NATA Site # 25079								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	TP3a_01	Jun 01, 2021		Soil	N21-Jn00912	X		X
2	TP3a_02	Jun 01, 2021		Soil	N21-Jn00913	X		X
3	TP3a_03	Jun 01, 2021		Soil	N21-Jn00914	X		X
4	TP4a_01	Jun 01, 2021		Soil	N21-Jn00915	X		X
5	TP4a_02	Jun 01, 2021		Soil	N21-Jn00916	X		X
6	TP4a_03	Jun 01, 2021		Soil	N21-Jn00917	X		X
7	TP5a_01	Jun 01, 2021		Soil	N21-Jn00918	X		X
8	TP5a_02	Jun 01, 2021		Soil	N21-Jn00919	X		X
9	TP5a_03	Jun 01, 2021		Soil	N21-Jn00920	X		X

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 46-48 Banksia Road  
 Welshpool WA 6106  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448  
 NATA # 1261 Site # 25079

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	318000780	<b>Received:</b>	Jun 1, 2021 12:40 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	799567	<b>Due:</b>	Jun 3, 2021
<b>Project Name:</b>	TARAGO CADMIUM ANALYSIS	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	2 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Cadmium	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>Mayfield Laboratory - NATA Site # 25079</b>								
<b>External Laboratory</b>								
10	TP6a_01	Jun 01, 2021		Soil	N21-Jn00921	X		X
11	TP6a_02	Jun 01, 2021		Soil	N21-Jn00922	X		X
12	TP6a_03	Jun 01, 2021		Soil	N21-Jn00923	X		X
13	TP3a_01	Jun 01, 2021		US Leachate	N21-Jn00956	X	X	
14	TP3a_02	Jun 01, 2021		US Leachate	N21-Jn00957	X	X	
15	TP3a_03	Jun 01, 2021		US Leachate	N21-Jn00958	X	X	
16	TP4a_01	Jun 01, 2021		US Leachate	N21-Jn00959	X	X	
17	TP4a_02	Jun 01, 2021		US Leachate	N21-Jn00960	X	X	
18	TP4a_03	Jun 01, 2021		US Leachate	N21-Jn00961	X	X	
19	TP5a_01	Jun 01, 2021		US Leachate	N21-Jn00962	X	X	
20	TP5a_02	Jun 01, 2021		US Leachate	N21-Jn00963	X	X	

**Australia**

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 46-48 Banksia Road  
 Welshpool WA 6106  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

**Newcastle**  
 4/52 Industrial Drive  
 Mayfield East NSW 2304  
 PO Box 60 Wickham 2293  
 Phone : +61 2 4968 8448  
 NATA # 1261 Site # 25079

**New Zealand**

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

ABN: 50 005 085 521 web: www.eurofins.com.au email: EnviroSales@eurofins.com

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>	318000780	<b>Received:</b>	Jun 1, 2021 12:40 PM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	799567	<b>Due:</b>	Jun 3, 2021
<b>Project Name:</b>	TARAGO CADMIUM ANALYSIS	<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	2 Day
<b>Project ID:</b>	31800780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Cadmium	USA Leaching Procedure	Moisture Set
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>								
<b>Perth Laboratory - NATA Site # 23736</b>								
<b>Mayfield Laboratory - NATA Site # 25079</b>								
<b>External Laboratory</b>								
21	TP5a_03	Jun 01, 2021		US Leachate	N21-Jn00964	X	X	
22	TP6a_01	Jun 01, 2021		US Leachate	N21-Jn00965	X	X	
23	TP6a_02	Jun 01, 2021		US Leachate	N21-Jn00966	X	X	
24	TP6a_03	Jun 01, 2021		US Leachate	N21-Jn00967	X	X	
<b>Test Counts</b>						24	12	12



**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code	
<b>Method Blank</b>										
<b>Heavy Metals</b>										
Cadmium				mg/kg	< 0.4		0.4	Pass		
<b>LCS - % Recovery</b>										
<b>Heavy Metals</b>										
Cadmium				%	104		80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Spike - % Recovery</b>										
<b>Heavy Metals</b>										
Cadmium				%	111		75-125	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Duplicate</b>										
<b>Heavy Metals</b>										
Cadmium				mg/kg	< 0.4	< 0.4	< 1	30%	Pass	
<b>Duplicate</b>										
% Moisture				%	7.4	6.4	15	30%	Pass	

**Comments****Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised by:**

Andrew Black                      Analytical Services Manager  
John Nguyen                      Senior Analyst-Metal (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

**APPENDIX 3**  
**RAIL SLEEPER WASTE CLASSIFICATION**

Intended for  
**John Holland Rail**

Document type  
**Waste Classification Report**

Date  
**26 March 2020**

# **RAIL SLEEPER WASTE CLASSIFICATION TARAGO LOOP EXTENSION**

# RAIL SLEEPER WASTE CLASSIFICATION TARAGO LOOP EXTENSION

Project name **Tarago Loop Rail Sleeper Waste Classification**  
Project no. **318000780**  
Recipient **Wayne D'Souza**  
Document type **Report**  
Version **Draft**  
Date **26/03/2030**  
Prepared by **Lyon McLeod**  
Checked by **Fiona Robinson**  
Approved by **Stephen Maxwell**  
Description **The report presents a waste classification assessment for rail sleepers at the site of Tarago Loop Extension**  
Ref **318000780-T15-001**

Ramboll  
Level 2, Suite 18 Eastpoint  
50 Glebe Road  
PO Box 435  
The Junction  
NSW 2291  
Australia

T +61 2 4962 5444  
<https://ramboll.com>

## CONTENTS

<b>1.</b>	<b>Introduction</b>	<b>2</b>
1.1	Scope of works	2
<b>2.</b>	<b>Field investigations and Observations</b>	<b>2</b>
2.1	Sample collection	2
2.2	Quality Assurance/ Quality Control	4
<b>3.</b>	<b>Waste classification</b>	<b>5</b>
<b>4.</b>	<b>Limitations</b>	<b>5</b>
<b>5.</b>	<b>References</b>	<b>6</b>

## APPENDICES

### **Appendix 1**

Results Summary Table

### **Appendix 2**

Laboratory Certificates

## 1. INTRODUCTION

Ramboll Australia Pty Ltd (Ramboll) was commissioned by John Holland Rail to complete a waste classification in accordance with the *NSW EPA Waste Classification Guidelines (2014)*. The classification was required for railway sleepers removed as part of the Tarago Loop Extension. The objective of the waste classification was to classify the railway sleepers for off-site disposal from the site.

### 1.1 Scope of Works

The scope of works included the following tasks:

- Preparation of a site-specific Health and Safety Plan for the site works
- Collection of four samples from the rail sleepers by hand
- Laboratory analysis of four samples (including QA/QC) for potential contaminants of concern
- Evaluated quality control and quality assurance for the sampling program
- Comparison of laboratory results to relevant site and waste classification guidelines
- Preparation of this report.

## 2. FIELD INVESTIGATIONS AND OBSERVATIONS

### 2.1 Sample Collection

Field sampling of the railway sleepers was completed 18 March 2020 by an environmental engineer suitably experienced as a contaminated land consultant. At the time of fieldwork sleepers were stockpiled within the corridor and occupied approximately 50 m<sup>3</sup> as shown in **Photo 1**.

Sleepers were observed to be aged, moderately degraded and laden with dust that was stained green at some locations.





**Photo 1 – Location of sleeper within the rail corridor**

Four samples were selected for laboratory analysis to exceed the minimum sampling density for stockpiles of 3 per 75m<sup>3</sup> prescribed in the *National Environment Protection Measure (NEPC 2013)*. Samples from the railway sleepers were selected for testing based on visual assessment for staining or other signs of contamination and targeted areas with the potential for contamination.

Samples for laboratory testing were recovered from the rail sleepers using a hand held drill and a hand saw create drill shavings and saw dust. Samples comprised materials recovered from the surface of the sleeper and at depths of up to 2 cm below the surface of the sleeper.

A total of four primary samples were recovered, SLE01, SLE02, SLE03 and SLE04.

## 2.2 Quality Assurance/ Quality Control

Quality assurance and quality control completed for the project is included in **Table 1**.

**Table 1 QA/QC Review**

Element	Field and Laboratory QA/QC
Sampling	Samples were collected 18 March 2020 by an experienced Environmental Engineer from Ramboll using a cordless drill and hand saw. Samples were placed directly into laboratory-supplied soil jars using single use gloved hands.
Decontamination	All reusable sampling equipment was cleaned thoroughly between sampling points.
Sample Handling	Samples were collected into laboratory-supplied soil jars and stored in a cooler box chilled with ice.
Chain of Custody	Samples were sent to the laboratory under chain of custody conditions.
Field Quality Control Samples	<p>One duplicate sample pair (SLE02/ D01_180320) was sent to the laboratory for analysis. Relative percentage differences (RPDs) were calculated. RPDs for Lead (70%), Copper (31.4%) and TCLP lead (129%) exceed the adopted RPD (30%) and is likely attributed to heterogeneity in the distribution of contaminants within the sampled material.</p> <p>For the waste classification assessment, the maximum recorded concentration of lead and TCLP lead was adopted to provide a conservative assessment. The NSW Waste Guidelines (EPA, 2014) do not provide a criterion for Copper.</p>
Laboratories Used	The primary laboratory was Eurofins and laboratory reports are NATA stamped.
Laboratory Quality Control Samples	Eurofins completed quality control sampling, including analysis of method blanks, laboratory duplicates, laboratory control samples and matrix spikes. Results were within required parameters aside from an elevated relative percent difference (RPD) for duplicate results for moisture content, which is not considered to affect the usability of the data.
Laboratory Reports	Laboratory reports relevant to this waste classification are attached in <b>Appendix 2</b> .

Based on the field and laboratory quality assurance completed the data is considered to be reliable for the purpose of determining a waste classification.

### 3. WASTE CLASSIFICATION

Waste is classified in the *NSW EPA Waste Classification Guidelines (2014)* following a five step process which assess pre-classification followed by chemical classification of the waste. A review against each of the waste classification steps for the railway sleeper waste is outlined in **Table 2**. Once a waste's classification has been established under a particular pre-classification below, there is no need to go to the next classification. The waste has that classification and must be managed accordingly.

**Table 2 Waste Classification**

Waste Classification Steps	Assessment
Step 1: Is the waste special waste?	No, the waste does not meet the criteria of special waste.
Step 2: Is the waste liquid waste?	No, the waste comprises timber sleepers.
Step 3: Is the waste pre-classified?	Yes, the waste is preclassified as construction and demolition waste as being waste derived from 'the construction, replacement, repair or alteration of infrastructure development such as roads, tunnels, sewage, water, electricity, telecommunications and airports'. However, as the waste was suspected to be impacted by lead ore concentrate additional chemical waste classification was considered warranted.
Step 4: Does the waste possess hazardous characteristics?	No, the waste does not meet the characteristics of pre-classified hazardous waste.
Step 5: Determining a waste's classification using chemical assessment.	Chemical classification of the four timber samples is presented in the attached <b>Table A1</b> provided in <b>Appendix 1</b> . Based on the mean <sup>1</sup> total and leachable chemical concentrations present, the waste is classified as General Solid Waste.
<b>Waste Classification</b>	<b>General Solid Waste</b>

1. A mean rather than 95%UCLverage sample concentration was adopted as n=4.

Based on the pre-classification and the supplementary sampling completed the railway sleepers are classified as general solid waste and can be disposed of to an off-site facility licenced to receive this waste type.

This assessment has not considered the suitability of the sleepers for reuse on the site. The railway sleepers are considered to be a waste material and cannot legally be reused off the site.

### 4. LIMITATIONS

This document is issued in confidence to John Holland Rail for the purposes of waste classification in accordance with NSW Waste Guidelines (EPA, 2014).

The report must not be reproduced in whole or in part except with the prior consent of Ramboll Australia Pty Ltd and subject to inclusion of an acknowledgement of the source. No information as to the contents or subject matter of this document or any part thereof may be communicated in any manner to any third party without the prior consent of Ramboll Australia Pty Ltd.

Whilst reasonable attempts have been made to ensure that the contents of this report are accurate and complete at the time of writing, Ramboll Australia Pty Ltd disclaims any responsibility for loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this report.

## **5. REFERENCES**

NEPC 2013 *National Environment Protection (Assessment of Site Contamination) Measure 1999 amended 2013*

NSW Environment Protection Authority (EPA) 2014 *Waste Classification Guidelines, Part 1: Classifying waste*

**APPENDIX 1**  
**RESULTS SUMMARY TABLE**

	CT1 - General Solid Waste <sup>1</sup>	CT2 - Restricted Solid Waste <sup>2</sup>	SCC1 - General Solid Waste <sup>3</sup>	SCC2 - Restricted Solid Waste <sup>3</sup>	TCLP1 - General Solid Waste <sup>4</sup>	TCLP2 - Restricted Solid Waste <sup>4</sup>	Sample Type:	Primary	Primary	Primary	Primary	Duplicate
							Sample number:	S20-M228575	S20-M228576	S20-M228577	S20-M228578	S20-M228579
							Sample date:	18-Mar-20	18-Mar-20	18-Mar-20	18-Mar-20	18-Mar-20
							Sample ID:	SLE01	SLE02	SLE03	SLE04	D01_180320
							Project Name:	John Holland	John Holland	John Holland	John Holland	John Holland
							Compound:					
							Site:	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop	Tarago Rail Loop
							Sampling Method:	NA	NA	NA	NA	NA
							Sample Description	Woodchips	Woodchips	Woodchips	Woodchips	Woodchips

Analyte grouping/Analyte					Units	LOR
<b>Total Metals</b>						
Arsenic	100	400	500	2000	mg/kg	5
Cadmium	20	80	100	400	mg/kg	1
Chromium (VI)	100	400	1900	7600	mg/kg	2
Copper					mg/kg	5
Lead	100	400	1500	6000	mg/kg	5
Mercury	4	16	50	200	mg/kg	0.1
Nickel	40	160	1050	4200	mg/kg	2
Zinc					mg/kg	5

Organophosphorus Pesticides (OP)					Units	LOR
Azinphos-methyl					mg/kg	< 0.2
Boflstar					mg/kg	< 0.2
Chlorfenvinphos					mg/kg	< 0.2
Chlorpyrifos	4	16	7.5	30	mg/kg	< 0.2
Chlorpyrifos-methyl					mg/kg	< 0.2
Courmaphos					mg/kg	< 2
Demeton-O					mg/kg	< 0.2
Demeton-S					mg/kg	< 0.2
Diazinon					mg/kg	< 0.2
Dichlorvos					mg/kg	< 0.2
Dimethoate					mg/kg	< 0.2
Disulfoton					mg/kg	< 0.2
EPN					mg/kg	< 0.2
Ethion					mg/kg	< 0.2
Ethoprop					mg/kg	< 0.2
Ethyl parathion					mg/kg	< 0.2
Fenitrothion					mg/kg	< 0.2
Fensulfothion					mg/kg	< 0.2
Fenthion					mg/kg	< 0.2
Malathion					mg/kg	< 0.2
Merphos					mg/kg	< 0.2
Methyl parathion					mg/kg	< 0.2
Mevinphos					mg/kg	< 0.2
Monocrotophos					mg/kg	< 2
Naled					mg/kg	< 0.2
Omethoate					mg/kg	< 2
Phorate					mg/kg	< 0.2
Pirimiphos-methyl					mg/kg	< 0.2
Pyrazophos					mg/kg	< 0.2
Ronnel					mg/kg	< 0.2
Terbufoos					mg/kg	< 0.2
Tetrachlorvinphos					mg/kg	< 0.2
Tokuthion					mg/kg	< 0.2
Trichloronate					mg/kg	< 0.2

Polynuclear Aromatic Hydrocarbons					Units	LOR
Acenaphthene					mg/kg	< 0.5
Acenaphthylene					mg/kg	< 0.5
Anthracene					mg/kg	< 0.5
Benzo(a)anthracene					mg/kg	< 0.5
Benzo(a)pyrene	0.8	3.2	10	23	mg/kg	< 0.5
Benzo(a)pyrene TEQ (lower bound) *					mg/kg	< 0.5
Benzo(a)pyrene TEQ (medium bound) *					mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *					mg/kg	< 0.7
Benzo(b)fluoranthene					mg/kg	< 0.5
Benzo(g,h,i)perylene					mg/kg	< 0.5
Benzo(k)fluoranthene					mg/kg	< 0.5
Chrysene					mg/kg	< 0.5
Dibenz(a,h)anthracene					mg/kg	< 0.5
Fluoranthene					mg/kg	< 0.5
Fluorene					mg/kg	< 0.5
Indeno(1,2,3-cd)pyrene					mg/kg	< 0.5
Naphthalene					mg/kg	0.6
Phenanthrene					mg/kg	< 0.5
Pyrene					mg/kg	< 0.5
Total PAH*	200	800	200	800	mg/kg	< 0.6

TRH - 1999 NEPM Fractions (after silica gel clean-up)					Units	LOR
TRH C10-C14 (after silica gel clean-up)					mg/kg	< 100
TRH C10-C36 (Total) (after silica gel clean-up)	10000	40000	10000	40000	mg/kg	< 250
TRH C15-C28 (after silica gel clean-up)					mg/kg	< 250
TRH C29-C36 (after silica gel clean-up)					mg/kg	< 250

Total Recoverable Hydrocarbons - NEPM 2013 Fractions					Units	LOR
TRH >C10-C16 (after silica gel clean-up)					mg/kg	< 250
TRH >C16-C34 (after silica gel clean-up)					mg/kg	< 500
TRH >C34-C40 (after silica gel clean-up)					mg/kg	< 500

Metals TCLP					Units	LOR
Arsenic				5	20	mg/L
Cadmium				1	4	mg/L
Chromium (VI)				5	20	mg/L
Copper						mg/L
Lead				5	20	mg/L
Nickel				2	8	mg/L
Zinc						mg/L
Mercury						mg/L

Blank Cell indicates no criterion available  
 LOR = Limit of Reporting  
 NSW EPA Waste Classification Guidelines - Part 1: Classification of Waste  
<sup>1</sup> Maximum values of specific contaminant concentration (SCC) for classification without TCLP  
<sup>2</sup> Maximum values for leachable concentration and specific contaminant concentration when used together  
<sup>3</sup> PFOS and PFHxS are to be summed for comparison against the TCLP and SCC values.  
<sup>4</sup> Values are the same for general solid waste (putrescible) and general solid waste (non-putrescible).  
 PFOS/PFOA values adopted from Addendum to the Waste Classification Guidelines (2014) - Part 1: classifying waste, October 2016 (NSW EPA). Noting these values have been based on the eHealth TDI values  
 Blank cell indicates no screening criterion available  
 For Limit of Reporting (LOR) refer to laboratory certificates of analysis  
 --- Indicates sample not analysed  
 Concentration in red font and grey box exceed CT1 screening value  
 Concentration in blue font and grey box exceed CT2 screening value  
 Concentration in orange font and grey box exceed SCC1 or TCLP1 screening value  
 Concentration in green font and grey box exceed SCC2 or TCLP 2 screening value  
 Concentrations below the LOR noted as <value

Sample Type:	Primary	Duplicate	
Sample number:	S20-Ma28576	S20-Ma28579	
Sample date:	18-Mar-20	18-Mar-20	
Sample ID:	SLE02	D01_180320	
Project Name:	John Holland	John Holland	
Compound:			
Site:	Tarago Rail Loop	Tarago Rail Loop	RPD
Sampling Method:	NA	NA	
Sample Description:	Woodchips	Woodchips	

Analyte grouping/Analyte Units LOR

Total Metals	mg/kg	5	6.9	4.6	40.0
Arsenic	mg/kg	1	11	11	0.0
Cadmium (VI)	mg/kg	2	11	< 5	nc
Copper	mg/kg	5	430	590	<b>31.4</b>
Lead	mg/kg	5	1300	2700	<b>70.0</b>
Mercury	mg/kg	0.1	< 0.1	< 0.1	nc
Nickel	mg/kg	2	11	< 5	nc
Zinc	mg/kg	5	1200	1300	8.0

Organophosphorus Pesticides (OP)	mg/kg	< 0.2	< 0.2	< 0.2	nc
Azinphos-methyl	mg/kg	< 0.2	< 0.2	< 0.2	nc
Boislar	mg/kg	< 0.2	< 0.2	< 0.2	nc
Chlorfenvinphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Chlorpyrifos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Chlorpyrifos-methyl	mg/kg	< 0.2	< 0.2	< 0.2	nc
Courmaphos	mg/kg	< 2	< 2	< 2	nc
Demeton-O	mg/kg	< 0.2	< 0.2	< 0.2	nc
Demeton-S	mg/kg	< 0.2	< 0.2	< 0.2	nc
Diazinon	mg/kg	< 0.2	< 0.2	< 0.2	nc
Dichlorvos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Dimethoate	mg/kg	< 0.2	< 0.2	< 0.2	nc
Disulfoton	mg/kg	< 0.2	< 0.2	< 0.2	nc
EPN	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ethion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ethoprop	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ethyl parathion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Fenitrothion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Fensulfthion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Fenitrothion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Malathion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Merphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Methidathion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Mevinphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Monocrotophos	mg/kg	< 2	< 2	< 2	nc
Naled	mg/kg	< 0.2	< 0.2	< 0.2	nc
Omethoate	mg/kg	< 2	< 2	< 2	nc
Phorate	mg/kg	< 0.2	< 0.2	< 0.2	nc
Phosphamidon	mg/kg	< 0.2	< 0.2	< 0.2	nc
Pyrazophos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Ronnel	mg/kg	< 0.2	< 0.2	< 0.2	nc
Terbufos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Tetrachlorvinphos	mg/kg	< 0.2	< 0.2	< 0.2	nc
Tiokuthion	mg/kg	< 0.2	< 0.2	< 0.2	nc
Trichloronate	mg/kg	< 0.2	< 0.2	< 0.2	nc

Polynuclear Aromatic Hydrocarbons	mg/kg	< 0.5	< 0.5	< 0.5	nc
Acenaphthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Acenaphthylene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Anthracene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)anthracene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)pyrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)pyrene TEQ (lower bound) *	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(a)pyrene TEQ (medium bound) *	mg/kg	< 0.6	0.6	0.6	0.0
Benzo(a)pyrene TEQ (upper bound) *	mg/kg	< 0.7	1.2	1.2	0.0
Benzo(b)fluoranthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(g,h,i)perylene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Benzo(k)fluoranthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Chrysene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Dibenz(a,h)anthracene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Fluoranthene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Fluorene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Naphthalene	mg/kg	< 0.6	1.1	< 0.5	nc
Phenanthrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Pyrene	mg/kg	< 0.5	< 0.5	< 0.5	nc
Total PAH*	mg/kg	< 0.6	1.1	< 0.5	nc

TRH - 1998 NEMF Fractions (after silica gel clean-up)	mg/kg	< 100	< 100	< 100	nc
TRH C10-C14 (after silica gel clean-up)	mg/kg	< 100	< 100	< 100	nc
TRH C10-C36 (Total) (after silica gel clean-up)	mg/kg	< 250	< 250	2110	nc
TRH C15-C28 (after silica gel clean-up)	mg/kg	< 250	< 250	510	nc
TRH C29-C36 (after silica gel clean-up)	mg/kg	< 250	< 250	1600	nc

Total Recoverable Hydrocarbons - NEMF 2013 Fractions	mg/kg	< 250	< 250	< 250	nc
TRH >C10-C16 (after silica gel clean-up)	mg/kg	< 500	< 500	1700	nc
TRH >C16-C34 (after silica gel clean-up)	mg/kg	< 500	< 500	840	nc

Metals TCLP	mg/L	0.1	--	--	--
Arsenic	mg/L	0.1	--	--	--
Cadmium	mg/L	0.05	--	--	--
Chromium (VI)	mg/L	0.1	--	--	--
Copper	mg/L	0.1	--	--	--
Lead	mg/L	0.1	0.9	4.2	<b>129.4</b>
Nickel	mg/L	0.1	--	--	--
Zinc	mg/L	0.1	--	--	--
Mercury	mg/L	0.001	--	--	--

LOR = Limit of Reporting  
 <value = Less than the laboratory Limit of Reporting (LOR)  
**Bold shaded** cells exceed RPD >30% and both samples have recorded concentrations >10 x LOR  
 Bold indicates when above the acceptance criteria for Trip Spikes/Blanks and Rinsates  
 nc = not calculated as one or more results are below the LOR.

## **APPENDIX 2 LABORATORY CERTIFICATES**





# CHAIN OF CUSTODY RECORD

ABN 50 005 085 521

Sydney Laboratory  
Unit F3 Bld.F, 16 Mars Rd, Lane Cove West, NSW 2066  
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory  
Unit 1, 21 Smallwood Pl, Murarie, QLD 4172  
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory  
Unit 2, 91 Leach Highway, Kewdale WA 6105  
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory  
2 Kingston Town Close, Oakleigh, VIC 3166  
03 8564 5000 EnviroSampleVic@eurofins.com

Company		Ramboll		Project No		318000780		Project Manager		Stephen Maxwell		Sampler(s)		JB													
Address		50 Glebe Road the Junction		Project Name				EDD Format (ESdat, EQUIS, Custom)		Excel and PDF		Handed over by		JB													
Contact Name		Stephen Maxwell		Analyses (Note: Where metals are requested, please specify 'Total' or 'Filtered' / SUITE code must be used to attach SUITE pricing.)	TRH C10 - C40 (following silica gel cleanup)	PAH	M8 (As, Cd, Cr, Cu, Pb, Ni, Zn, Hg)	OPP	TCLP BaP and Pb					Email for Invoice		smaxwell@ramboll.com asiapac-accounts@ramboll.com											
Phone No														Email for Results		smaxwell@ramboll.com jblackwell@ramboll.com											
Special Directions														Turnaround Time (TAT) Requirements (Default will be 5 days if not ticked)		<input type="checkbox"/> Overnight (9am)* <input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Day* <input checked="" type="checkbox"/> 3 Day* <input type="checkbox"/> 5 Day* <input type="checkbox"/> Other (    ) * Surcharges apply											
Purchase Order														1L Plastic		250mL Plastic		125mL Plastic		200mL Amber Glass		40mL VOA vial		500mL PFAS Bottle		Jar (Glass or HDPE)	
Quote ID No		180813RAMN_1												Other (Asbestos AS4864, WA Guidelines)													
No	Client Sample ID	Sampled Date/Time (dd/mm/yy hh:mm)	Matrix (Solid (S) Water (W))													Sample Comments / Dangerous Goods Hazard Warning											
1	SLE01	18/03/20	Timber	X	X	X	X	X																			
2	SLE02	18/03/20	Timber	X	X	X	X	X																			
3	SLE03	18/03/20	Timber	X	X	X	X	X																			
4	SLE04	18/03/20	Timber	X	X	X	X	X																			
5	D01_180320	18/03/20	Timber	X	X	X	X	X																			
8																											
9																											
10																											
Total Counts				5	5	5	5	5																			
Method of Shipment		<input type="checkbox"/> Courier (# ) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature		Date		Time		Date		Time		Temperature											
Eurofins   mgt Laboratory Use Only		Received By <i>Suzanne Ford</i>		SYD   BNE   MEL   PER   ADL   NTL   DRW		Signature <i>[Signature]</i>		Date <i>19/3/20</i>		Time <i>6:45 AM</i>		Date		Time		Report No <i>708717</i>											

Submission of samples to the laboratory will be deemed as acceptance of Eurofins | mgt Standard Terms and Conditions unless agreed otherwise. A copy of Eurofins | mgt Standard Terms and Conditions is available on request.

Eurofins Environment Testing Australia Pty Ltd trading as Eurofins | mgt

**Melbourne**

6 Monterey Road  
Dandenong South Vic 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**

Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**

1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**

2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261 Site # 23736

## Sample Receipt Advice

Company name: **Ramboll Australia Pty Ltd**

Contact name: **Stephen Maxwell**

Project ID: **318000780**

COC number: **Not provided**

Turn around time: **3 Day**

Date/Time received: **Mar 19, 2020 6:45 AM**

Eurofins reference: **708717**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- All samples have been received as described on the above COC.
- COC has been completed correctly.
- Attempt to chill was evident.
- Appropriately preserved sample containers have been used.
- All samples were received in good condition.
- Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- Appropriate sample containers have been used.
- Split sample sent to requested external lab.
- Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Andrew Black on Phone : (+61) 2 9900 8490 or by e.mail: AndrewBlack@eurofins.com

Results will be delivered electronically via e.mail to Stephen Maxwell - smaxwell@ramboll.com.

*Note: A copy of these results will also be delivered to the general Ramboll Australia Pty Ltd email address.*

Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



NATA Accredited  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Stephen Maxwell

**Report** 708717-S  
 Project name  
 Project ID 318000780  
 Received Date Mar 19, 2020

Client Sample ID			SLE01	SLE02	SLE03	SLE04
Sample Matrix			Woodchips	Woodchips	Woodchips	Woodchips
Eurofins Sample No.			S20-Ma28575	S20-Ma28576	S20-Ma28577	S20-Ma28578
Date Sampled			Mar 18, 2020	Mar 18, 2020	Mar 18, 2020	Mar 18, 2020
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	1.7	1.1	0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	1.7	1.1	0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	91	89	89	95
p-Terphenyl-d14 (surr.)	1	%	88	85	85	92
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Bolstar	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Coumaphos	2	mg/kg	< 2	< 2	< 2	< 2
Demeton-S	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Diazinon	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2

Client Sample ID			SLE01	SLE02	SLE03	SLE04
Sample Matrix			Woodchips	Woodchips	Woodchips	Woodchips
Eurofins Sample No.			S20-Ma28575	S20-Ma28576	S20-Ma28577	S20-Ma28578
Date Sampled			Mar 18, 2020	Mar 18, 2020	Mar 18, 2020	Mar 18, 2020
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
EPN	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Fenthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Malathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Merphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Monocrotophos	2	mg/kg	< 2	< 2	< 2	< 2
Naled	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Omethoate	2	mg/kg	< 2	< 2	< 2	< 2
Phorate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Ronnel	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Terbufos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Triphenylphosphate (surr.)	1	%	123	120	120	126
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>						
TRH >C10-C16 (after silica gel clean-up)	50	mg/kg	< 250	< 250	< 250	< 250
TRH >C16-C34 (after silica gel clean-up)	100	mg/kg	1100	< 500	650	< 500
TRH >C34-C40 (after silica gel clean-up)	100	mg/kg	< 500	< 500	< 500	< 500
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>						
TRH C10-C36 (Total) (after silica gel clean-up)	100	mg/kg	1200	< 250	750	< 250
TRH C10-C14 (after silica gel clean-up)	50	mg/kg	< 100	< 100	< 100	220
TRH C15-C28 (after silica gel clean-up)	100	mg/kg	300	< 250	320	< 250
TRH C29-C36 (after silica gel clean-up)	100	mg/kg	900	< 250	430	< 250
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	6.9	6.5	< 2
Cadmium	0.4	mg/kg	15	11	7.6	11
Chromium	5	mg/kg	< 5	11	14	< 5
Copper	5	mg/kg	140	430	1700	230
Lead	5	mg/kg	240	1300	1300	560
Mercury	0.1	mg/kg	< 0.1	< 0.1	0.2	< 0.1
Nickel	5	mg/kg	< 5	11	11	5.7
Zinc	5	mg/kg	2800	1200	1300	1100

<b>Client Sample ID</b>			<b>D01_180320</b>
<b>Sample Matrix</b>			<b>Woodchips</b>
<b>Eurofins Sample No.</b>			<b>S20-Ma28579</b>
<b>Date Sampled</b>			<b>Mar 18, 2020</b>
Test/Reference	LOR	Unit	
<b>Polycyclic Aromatic Hydrocarbons</b>			
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2
Acenaphthene	0.5	mg/kg	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5
Anthracene	0.5	mg/kg	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5
Chrysene	0.5	mg/kg	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5
Fluorene	0.5	mg/kg	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5
Naphthalene	0.5	mg/kg	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5
Pyrene	0.5	mg/kg	< 0.5
Total PAH*	0.5	mg/kg	< 0.5
2-Fluorobiphenyl (surr.)	1	%	95
p-Terphenyl-d14 (surr.)	1	%	91
<b>Organophosphorus Pesticides</b>			
Azinphos-methyl	0.2	mg/kg	< 0.2
Bolstar	0.2	mg/kg	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2
Coumaphos	2	mg/kg	< 2
Demeton-S	0.2	mg/kg	< 0.2
Demeton-O	0.2	mg/kg	< 0.2
Diazinon	0.2	mg/kg	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2
Dimethoate	0.2	mg/kg	< 0.2
Disulfoton	0.2	mg/kg	< 0.2
EPN	0.2	mg/kg	< 0.2
Ethion	0.2	mg/kg	< 0.2
Ethoprop	0.2	mg/kg	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2
Fenthion	0.2	mg/kg	< 0.2
Malathion	0.2	mg/kg	< 0.2
Merphos	0.2	mg/kg	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2
Mevinphos	0.2	mg/kg	< 0.2
Monocrotophos	2	mg/kg	< 2
Naled	0.2	mg/kg	< 0.2
Omethoate	2	mg/kg	< 2

<b>Client Sample ID</b>			<b>D01_180320</b>
<b>Sample Matrix</b>			<b>Woodchips</b>
<b>Eurofins Sample No.</b>			<b>S20-Ma28579</b>
<b>Date Sampled</b>			<b>Mar 18, 2020</b>
Test/Reference	LOR	Unit	
<b>Organophosphorus Pesticides</b>			
Phorate	0.2	mg/kg	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2
Ronnel	0.2	mg/kg	< 0.2
Terbufos	0.2	mg/kg	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2
Tokuthion	0.2	mg/kg	< 0.2
Trichloronate	0.2	mg/kg	< 0.2
Triphenylphosphate (surr.)	1	%	131
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>			
TRH >C10-C16 (after silica gel clean-up)	50	mg/kg	< 250
TRH >C16-C34 (after silica gel clean-up)	100	mg/kg	1700
TRH >C34-C40 (after silica gel clean-up)	100	mg/kg	840
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>			
TRH C10-C36 (Total) (after silica gel clean-up)	100	mg/kg	2110
TRH C10-C14 (after silica gel clean-up)	50	mg/kg	< 100
TRH C15-C28 (after silica gel clean-up)	100	mg/kg	510
TRH C29-C36 (after silica gel clean-up)	100	mg/kg	1600
<b>Heavy Metals</b>			
Arsenic	2	mg/kg	4.6
Cadmium	0.4	mg/kg	11
Chromium	5	mg/kg	< 5
Copper	5	mg/kg	590
Lead	5	mg/kg	2700
Mercury	0.1	mg/kg	< 0.1
Nickel	5	mg/kg	< 5
Zinc	5	mg/kg	1300

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Sydney	Mar 20, 2020	14 Days
Organophosphorus Pesticides - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS	Sydney	Mar 20, 2020	14 Days
Metals M8 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 20, 2020	180 Days
TRH - 2013 NEPM Fractions (after silica gel clean-up) - Method: LTM-ORG-2010 TRH C6-C40	Sydney	Mar 20, 2020	14 Days
TRH - 1999 NEPM Fractions (after silica gel clean-up) - Method: LTM-ORG-2010 TRH C6-C40	Sydney	Mar 20, 2020	14 Days

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060

**Order No.:**  
**Report #:** 708717  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 19, 2020 6:45 AM  
**Due:** Mar 24, 2020  
**Priority:** 3 Day  
**Contact Name:** Stephen Maxwell

**Project Name:**  
**Project ID:** 318000780

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271												
Sydney Laboratory - NATA Site # 18217						X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794												
Perth Laboratory - NATA Site # 23736												
External Laboratory												
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID							
1	SLE01	Mar 18, 2020		Woodchips	S20-Ma28575			X	X		X	X
2	SLE02	Mar 18, 2020		Woodchips	S20-Ma28576			X	X		X	X
3	SLE03	Mar 18, 2020		Woodchips	S20-Ma28577			X	X		X	X
4	SLE04	Mar 18, 2020		Woodchips	S20-Ma28578			X	X		X	X
5	DO1_180320	Mar 18, 2020		Woodchips	S20-Ma28579			X	X		X	X
6	SLE01	Mar 18, 2020		US Leachate	S20-Ma28580	X	X			X		
7	SLE02	Mar 18, 2020		US Leachate	S20-Ma28581	X	X			X		
8	SLE03	Mar 18, 2020		US Leachate	S20-Ma28582	X	X			X		
9	SLE04	Mar 18, 2020		US Leachate	S20-Ma28583	X	X			X		
10	DO1_180320	Mar 18, 2020		US Leachate	S20-Ma28584	X	X			X		



### Australia

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

### New Zealand

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 19, 2020 6:45 AM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	708717	<b>Due:</b>	Mar 24, 2020
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail	Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217	X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
<b>Test Counts</b>	5	5	5	5	5	5	5

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organophosphorus Pesticides</b>							
Azinphos-methyl	mg/kg	< 0.2			0.2	Pass	
Bolstar	mg/kg	< 0.2			0.2	Pass	
Chlorfenvinphos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos-methyl	mg/kg	< 0.2			0.2	Pass	
Coumaphos	mg/kg	< 2			2	Pass	
Demeton-S	mg/kg	< 0.2			0.2	Pass	
Demeton-O	mg/kg	< 0.2			0.2	Pass	
Diazinon	mg/kg	< 0.2			0.2	Pass	
Dichlorvos	mg/kg	< 0.2			0.2	Pass	
Dimethoate	mg/kg	< 0.2			0.2	Pass	
Disulfoton	mg/kg	< 0.2			0.2	Pass	
EPN	mg/kg	< 0.2			0.2	Pass	
Ethion	mg/kg	< 0.2			0.2	Pass	
Ethoprop	mg/kg	< 0.2			0.2	Pass	
Ethyl parathion	mg/kg	< 0.2			0.2	Pass	
Fenitrothion	mg/kg	< 0.2			0.2	Pass	
Fensulfothion	mg/kg	< 0.2			0.2	Pass	
Fenthion	mg/kg	< 0.2			0.2	Pass	
Malathion	mg/kg	< 0.2			0.2	Pass	
Merphos	mg/kg	< 0.2			0.2	Pass	
Methyl parathion	mg/kg	< 0.2			0.2	Pass	
Mevinphos	mg/kg	< 0.2			0.2	Pass	
Monocrotophos	mg/kg	< 2			2	Pass	
Naled	mg/kg	< 0.2			0.2	Pass	
Omethoate	mg/kg	< 2			2	Pass	
Phorate	mg/kg	< 0.2			0.2	Pass	
Pirimiphos-methyl	mg/kg	< 0.2			0.2	Pass	
Pyrazophos	mg/kg	< 0.2			0.2	Pass	
Ronnel	mg/kg	< 0.2			0.2	Pass	
Terbufos	mg/kg	< 0.2			0.2	Pass	
Tetrachlorvinphos	mg/kg	< 0.2			0.2	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Tokuthion	mg/kg	< 0.2		0.2	Pass	
Trichloronate	mg/kg	< 0.2		0.2	Pass	
<b>Method Blank</b>						
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>						
TRH >C10-C16 (after silica gel clean-up)	mg/kg	< 50		50	Pass	
TRH >C16-C34 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
TRH >C34-C40 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
<b>Method Blank</b>						
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>						
TRH C10-C14 (after silica gel clean-up)	mg/kg	< 50		50	Pass	
TRH C15-C28 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
TRH C29-C36 (after silica gel clean-up)	mg/kg	< 100		100	Pass	
<b>Method Blank</b>						
<b>Heavy Metals</b>						
Arsenic	mg/kg	< 2		2	Pass	
Cadmium	mg/kg	< 0.4		0.4	Pass	
Chromium	mg/kg	< 5		5	Pass	
Copper	mg/kg	< 5		5	Pass	
Lead	mg/kg	< 5		5	Pass	
Mercury	mg/kg	< 0.1		0.1	Pass	
Nickel	mg/kg	< 5		5	Pass	
Zinc	mg/kg	< 5		5	Pass	
<b>LCS - % Recovery</b>						
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthene	%	104		70-130	Pass	
Acenaphthylene	%	113		70-130	Pass	
Anthracene	%	107		70-130	Pass	
Benz(a)anthracene	%	108		70-130	Pass	
Benzo(a)pyrene	%	102		70-130	Pass	
Benzo(b&j)fluoranthene	%	98		70-130	Pass	
Benzo(g,h,i)perylene	%	101		70-130	Pass	
Benzo(k)fluoranthene	%	118		70-130	Pass	
Chrysene	%	103		70-130	Pass	
Dibenz(a,h)anthracene	%	95		70-130	Pass	
Fluoranthene	%	110		70-130	Pass	
Fluorene	%	102		70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	92		70-130	Pass	
Naphthalene	%	109		70-130	Pass	
Phenanthrene	%	108		70-130	Pass	
Pyrene	%	110		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Organophosphorus Pesticides</b>						
Diazinon	%	104		70-130	Pass	
Dimethoate	%	101		70-130	Pass	
Ethion	%	109		70-130	Pass	
Fenitrothion	%	105		70-130	Pass	
Methyl parathion	%	97		70-130	Pass	
Mevinphos	%	116		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>						
TRH C10-C14 (after silica gel clean-up)	%	126		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Heavy Metals</b>						
Arsenic	%	96		70-130	Pass	

Test			Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Cadmium			%	99			70-130	Pass	
Chromium			%	96			70-130	Pass	
Copper			%	99			70-130	Pass	
Lead			%	100			70-130	Pass	
Mercury			%	93			70-130	Pass	
Nickel			%	99			70-130	Pass	
Zinc			%	96			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1					
Acenaphthene	S20-Ma24218	NCP	%	99			70-130	Pass	
Acenaphthylene	S20-Ma24218	NCP	%	121			70-130	Pass	
Anthracene	S20-Ma24218	NCP	%	109			70-130	Pass	
Benz(a)anthracene	S20-Ma24218	NCP	%	123			70-130	Pass	
Benzo(a)pyrene	S20-Ma24218	NCP	%	105			70-130	Pass	
Benzo(b&j)fluoranthene	S20-Ma24218	NCP	%	115			70-130	Pass	
Benzo(g,h,i)perylene	S20-Ma24218	NCP	%	109			70-130	Pass	
Benzo(k)fluoranthene	S20-Ma24218	NCP	%	107			70-130	Pass	
Chrysene	S20-Ma24218	NCP	%	107			70-130	Pass	
Dibenz(a,h)anthracene	S20-Ma24218	NCP	%	109			70-130	Pass	
Fluoranthene	S20-Ma24218	NCP	%	119			70-130	Pass	
Fluorene	S20-Ma24218	NCP	%	107			70-130	Pass	
Indeno(1,2,3-cd)pyrene	S20-Ma24218	NCP	%	104			70-130	Pass	
Naphthalene	S20-Ma24218	NCP	%	111			70-130	Pass	
Phenanthrene	S20-Ma24218	NCP	%	113			70-130	Pass	
Pyrene	S20-Ma24218	NCP	%	117			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Organophosphorus Pesticides</b>				Result 1					
Diazinon	S20-Ma24218	NCP	%	100			70-130	Pass	
Ethion	S20-Ma24218	NCP	%	128			70-130	Pass	
Fenitrothion	S20-Ma24218	NCP	%	127			70-130	Pass	
Methyl parathion	S20-Ma24218	NCP	%	114			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	S20-Ma25156	NCP	%	86			70-130	Pass	
Cadmium	S20-Ma25156	NCP	%	95			70-130	Pass	
Chromium	S20-Ma25156	NCP	%	87			70-130	Pass	
Copper	S20-Ma25156	NCP	%	90			70-130	Pass	
Lead	S20-Ma25156	NCP	%	95			70-130	Pass	
Mercury	S20-Ma25156	NCP	%	97			70-130	Pass	
Nickel	S20-Ma25156	NCP	%	85			70-130	Pass	
Zinc	S20-Ma25156	NCP	%	92			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Acenaphthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Acenaphthylene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Anthracene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benz(a)anthracene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(b&j)fluoranthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(g,h,i)perylene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(k)fluoranthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1	Result 2	RPD	Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Chrysene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibenz(a,h)anthracene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluoranthene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluorene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Indeno(1.2.3-cd)pyrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Naphthalene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Phenanthrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Pyrene	S20-Ma26439	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
<b>Duplicate</b>									
<b>Organophosphorus Pesticides</b>				Result 1	Result 2	RPD			
Azinphos-methyl	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Bolstar	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Chlorfenvinphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Chlorpyrifos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Chlorpyrifos-methyl	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Coumaphos	S20-Ma24217	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Demeton-S	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Demeton-O	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Diazinon	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Dichlorvos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Dimethoate	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Disulfoton	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
EPN	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ethion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ethoprop	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ethyl parathion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Fenitrothion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Fensulfothion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Fenthion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Malathion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Merphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Methyl parathion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Mevinphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Monocrotophos	S20-Ma24217	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Naled	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Omethoate	S20-Ma24217	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Phorate	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Pirimiphos-methyl	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Pyrazophos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Ronnel	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Terbufos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Tetrachlorvinphos	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Tokuthion	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
Trichloronate	S20-Ma24217	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
<b>Duplicate</b>									
<b>Heavy Metals</b>				Result 1	Result 2	RPD			
Arsenic	S20-Ma25147	NCP	mg/kg	4.3	4.7	9.0	30%	Pass	
Cadmium	S20-Ma25147	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass	
Chromium	S20-Ma25147	NCP	mg/kg	12	11	8.0	30%	Pass	
Copper	S20-Ma25147	NCP	mg/kg	20	18	11	30%	Pass	
Lead	S20-Ma25147	NCP	mg/kg	64	42	40	30%	Fail	Q15
Mercury	S20-Ma25147	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	

Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Nickel	S20-Ma25147	NCP	mg/kg	11	11	1.0	30%	Pass
Zinc	S20-Ma25147	NCP	mg/kg	140	120	17	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q15	The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

**Authorised By**

Andrew Black	Analytical Services Manager
Andrew Sullivan	Senior Analyst-Organic (NSW)
Gabriele Cordero	Senior Analyst-Metal (NSW)


**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



Ramboll Environ Australia Pty Ltd  
 Level 3/100 Pacific Highway  
 North Sydney  
 NSW 2060



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Stephen Maxwell

**Report** 708717-L  
 Project name  
 Project ID 318000780  
 Received Date Mar 19, 2020

Client Sample ID			SLE01	SLE02	SLE03	SLE04
Sample Matrix			US Leachate	US Leachate	US Leachate	US Leachate
Eurofins Sample No.			S20-Ma28580	S20-Ma28581	S20-Ma28582	S20-Ma28583
Date Sampled			Mar 18, 2020	Mar 18, 2020	Mar 18, 2020	Mar 18, 2020
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
<b>Heavy Metals</b>						
Lead	0.01	mg/L	0.14	0.90	0.97	0.79
<b>USA Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	4.0	4.2	3.9	4.2
pH (off)	0.1	pH Units	4.8	4.9	4.8	4.9
pH (USA HCl addition)	0.1	pH Units	2.0	2.0	1.7	1.8

Client Sample ID			DO1_180320
Sample Matrix			US Leachate
Eurofins Sample No.			S20-Ma28584
Date Sampled			Mar 18, 2020
Test/Reference	LOR	Unit	
<b>Polycyclic Aromatic Hydrocarbons</b>			
Benzo(a)pyrene	0.001	mg/L	< 0.001
<b>Heavy Metals</b>			
Lead	0.01	mg/L	4.2
<b>USA Leaching Procedure</b>			
Leachate Fluid <sup>C01</sup>		comment	1.0
pH (initial)	0.1	pH Units	4.0
pH (off)	0.1	pH Units	4.9
pH (USA HCl addition)	0.1	pH Units	2.0

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

<b>Description</b>	<b>Testing Site</b>	<b>Extracted</b>	<b>Holding Time</b>
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Sydney	Mar 20, 2020	7 Days
Heavy Metals - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Sydney	Mar 23, 2020	180 Days
USA Leaching Procedure - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Sydney	Mar 20, 2020	14 Days

### Australia

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261  
Site # 1254 & 14271

**Sydney**  
Unit F3, Building F  
16 Mars Road  
Lane Cove West NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Perth**  
2/91 Leach Highway  
Kewdale WA 6105  
Phone : +61 8 9251 9600  
NATA # 1261  
Site # 23736

### New Zealand

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

**Company Name:** Ramboll Australia Pty Ltd  
**Address:** Level 3/100 Pacific Highway  
North Sydney  
NSW 2060

**Order No.:**  
**Report #:** 708717  
**Phone:** 02 9954 8118  
**Fax:** 02 9954 8150

**Received:** Mar 19, 2020 6:45 AM  
**Due:** Mar 24, 2020  
**Priority:** 3 Day  
**Contact Name:** Stephen Maxwell

**Project Name:**  
**Project ID:** 318000780

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail						Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>												
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X	X	X	X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>												
<b>Perth Laboratory - NATA Site # 23736</b>												
<b>External Laboratory</b>												
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID							
1	SLE01	Mar 18, 2020		Woodchips	S20-Ma28575			X	X		X	X
2	SLE02	Mar 18, 2020		Woodchips	S20-Ma28576			X	X		X	X
3	SLE03	Mar 18, 2020		Woodchips	S20-Ma28577			X	X		X	X
4	SLE04	Mar 18, 2020		Woodchips	S20-Ma28578			X	X		X	X
5	DO1_180320	Mar 18, 2020		Woodchips	S20-Ma28579			X	X		X	X
6	SLE01	Mar 18, 2020		US Leachate	S20-Ma28580	X	X			X		
7	SLE02	Mar 18, 2020		US Leachate	S20-Ma28581	X	X			X		
8	SLE03	Mar 18, 2020		US Leachate	S20-Ma28582	X	X			X		
9	SLE04	Mar 18, 2020		US Leachate	S20-Ma28583	X	X			X		
10	DO1_180320	Mar 18, 2020		US Leachate	S20-Ma28584	X	X			X		

### Australia

**Melbourne**  
 6 Monterey Road  
 Dandenong South VIC 3175  
 Phone : +61 3 8564 5000  
 NATA # 1261  
 Site # 1254 & 14271

**Sydney**  
 Unit F3, Building F  
 16 Mars Road  
 Lane Cove West NSW 2066  
 Phone : +61 2 9900 8400  
 NATA # 1261 Site # 18217

**Brisbane**  
 1/21 Smallwood Place  
 Murarrie QLD 4172  
 Phone : +61 7 3902 4600  
 NATA # 1261 Site # 20794

**Perth**  
 2/91 Leach Highway  
 Kewdale WA 6105  
 Phone : +61 8 9251 9600  
 NATA # 1261  
 Site # 23736

### New Zealand

**Auckland**  
 35 O'Rorke Road  
 Penrose, Auckland 1061  
 Phone : +64 9 526 45 51  
 IANZ # 1327

**Christchurch**  
 43 Detroit Drive  
 Rolleston, Christchurch 7675  
 Phone : 0800 856 450  
 IANZ # 1290

<b>Company Name:</b>	Ramboll Australia Pty Ltd	<b>Order No.:</b>		<b>Received:</b>	Mar 19, 2020 6:45 AM
<b>Address:</b>	Level 3/100 Pacific Highway North Sydney NSW 2060	<b>Report #:</b>	708717	<b>Due:</b>	Mar 24, 2020
<b>Project Name:</b>		<b>Phone:</b>	02 9954 8118	<b>Priority:</b>	3 Day
<b>Project ID:</b>	318000780	<b>Fax:</b>	02 9954 8150	<b>Contact Name:</b>	Stephen Maxwell

**Eurofins Analytical Services Manager : Andrew Black**

Sample Detail	Benzo(a)pyrene	Lead	Polycyclic Aromatic Hydrocarbons	Organophosphorus Pesticides	USA Leaching Procedure	Metals M8	TRH (after Silica Gel cleanup)
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217	X	X	X	X	X	X	X
Brisbane Laboratory - NATA Site # 20794							
Perth Laboratory - NATA Site # 23736							
<b>Test Counts</b>	5	5	5	5	5	5	5

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

**Units**

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

**Terms**

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.3
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

**QC - Acceptance Criteria**

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>										
<b>Polycyclic Aromatic Hydrocarbons</b>										
Benzo(a)pyrene				mg/L	< 0.001			0.001	Pass	
<b>Method Blank</b>										
<b>Heavy Metals</b>										
Lead				mg/L	< 0.01			0.01	Pass	
<b>LCS - % Recovery</b>										
<b>Polycyclic Aromatic Hydrocarbons</b>										
Benzo(a)pyrene				%	86			70-130	Pass	
<b>LCS - % Recovery</b>										
<b>Heavy Metals</b>										
Lead				%	99			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Spike - % Recovery</b>										
<b>Heavy Metals</b>										
Lead				S20-Ma32658	NCP	%	94	70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>Duplicate</b>										
<b>Polycyclic Aromatic Hydrocarbons</b>										
Benzo(a)pyrene				S20-Ma31473	NCP	mg/L	< 0.001	< 0.001	<1	30% Pass
<b>Duplicate</b>										
<b>Heavy Metals</b>										
Lead				S20-Ma32654	NCP	mg/L	< 0.01	< 0.01	<1	30% Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other

**Authorised By**

Andrew Black	Analytical Services Manager
Andrew Sullivan	Senior Analyst-Organic (NSW)
Gabriele Cordero	Senior Analyst-Metal (NSW)


**Glenn Jackson  
General Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.