

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R425
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 3 August 2023

Analysed Date: Thursday, 3 August 2023

Laboratory Receival Date: Thursday, 3 August 2023

Sampled Date: Tuesday, 1 August 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4192	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4193	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4194	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4195	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4196	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4197	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4198	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4199	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4200	Hartigan Avenue North	1159	1200 1440 min	0.5	2 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4201	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4202	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4203	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4204	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4205	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4206	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4207	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4208	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4209	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4210	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4211	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R426 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, 4 August 2023 Analysed Date: Friday, 4 August 2023 Laboratory Receival Date: Friday, 4 August 2023 Sampled Date: Wednesday, 2 August 2023 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4212	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4213	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4214	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4215	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4216	Brolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4217	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4218	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4219	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4220	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4221	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4222	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S4223	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4224	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4225	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4226	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4227	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4228	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4229	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4230	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4231	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R427</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 7 August 2023</p> <p>Analysed Date: Monday, 7 August 2023</p> <p>Laboratory Receival Date: Monday, 7 August 2023</p> <p>Sampled Date: Thursday, 3 August 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4232	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4233	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4234	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4235	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4236	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4237	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4238	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4239	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4240	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4241	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4242	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4243	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4244	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4245	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4246	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4247	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4248	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4249	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4250	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4251	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R428	Report Date: Tuesday, 8 August 2023
Client: Georgiou	Analysed Date: Tuesday, 8 August 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 8 August 2023
	Sampled Date: Friday, 4 August 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4252	London Road South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4253	London Road North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4254	Ballardee Lane South/West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4255	Ballardee Lane North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4256	Brolgan Road West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4257	Brolgan Road East	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4258	Hartigan Avenue West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4259	Hartigan Avenue East	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4260	Hartigan Avenue North	1159	1200 / 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4261	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4262	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4263	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4264	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4265	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4266	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4267	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4268	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4269	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4270	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4271	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R429	Report Date: Tuesday, 8 August 2023
Client: Georgiou	Analysed Date: Tuesday, 8 August 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 8 August 2023
	Sampled Date: Saturday, 5 August 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4272	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4273	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4274	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4275	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4276	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4277	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4278	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4279	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4280	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4281	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4282	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4283	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4284	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4285	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4286	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4287	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4288	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4289	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4290	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4291	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R430	Report Date: Tuesday, 8 August 2023
Client: Georgiou	Analysed Date: Tuesday, 8 August 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 8 August 2023
	Sampled Date: Sunday, 6 August 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4292	London Road South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4293	London Road North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4294	Ballardee Lane South/West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4295	Ballardee Lane North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4296	Brolgan Road West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4297	Brolgan Road East	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4298	Hartigan Avenue West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4299	Hartigan Avenue East	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S4300	Hartigan Avenue North	1159	1200 / 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4301	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4302	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4303	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4304	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4305	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4306	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4307	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4308	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4309	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4310	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4311	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R431

Report Date: Wednesday, 9 August 2023

Client: Georgiou

Analysed Date: Wednesday, 9 August 2023

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Wednesday, 9 August 2023

Sampled Date: Monday, 7 August 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4312	London Road South	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4313	London Road North	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4314	Ballardee Lane South/West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4315	Ballardee Lane North	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4316	Brolgan Road West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4317	Brolgan Road East	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4318	Hartigan Avenue West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4319	Hartigan Avenue East	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4320	Hartigan Avenue North	1159 / 1200	1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4321	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4322	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4323	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4324	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4325	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4326	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4327	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4328	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4329	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4330	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4331	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R432

Report Date: Thursday, 10 August 2023

Client: Georgiou

Analysed Date: Thursday, 10 August 2023

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Thursday, 10 August 2023

Sampled Date: Tuesday, 8 August 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4332	London Road South	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4333	London Road North	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4334	Ballardee Lane South/West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4335	Ballardee Lane North	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4337	Brolgan Road East	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4338	Hartigan Avenue West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4339	Hartigan Avenue East	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4340	Hartigan Avenue North	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S4341	Cut 3 Moulden St - South	1159 / 1200	1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4342	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4343	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4344	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4345	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4346	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4347	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4348	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4349	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4350	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4351	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R433	Report Date: Friday, August 11, 2023
Client: Georgiou	Analysed Date: Friday, August 11, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, August 11, 2023
	Sampled Date: Wednesday, August 9, 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4352	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4353	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4354	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4355	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4356	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4357	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4358	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4359	Hartigan Avenue East	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S4360	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4361	Cut 3 Moulden Street - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4362	Cut 3 Moulden Street - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4363	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4364	Cut 3 Moulden Street - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4365	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4366	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4367	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4368	Reedsdale /Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S4369	Fill 4 Reedsdale Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4370	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4371	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R243 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Wednesday, 2 August 2023 Analysed Date: Wednesday, 2 August 2023 Laboratory Receival Date: Wednesday, 2 August 2023 Sampled Date: Tuesday, 1 August 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1570	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1571	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1572	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1573	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1574	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1575	Cut 3 Condoblin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1576	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1577	Brologan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1578	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1579	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1580	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1581	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R244	Report Date: Friday, 4 August 2023
Client: Georgiou	Analysed Date: Friday, 4 August 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 4 August 2023
	Sampled Date: Wednesday, 2 August 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1582	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1583	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1584	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1585	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1586	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1587	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1588	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1589	Brolgan Rd East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1590	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1591	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1592	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1593	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R245</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 7 August 2023</p> <p>Analysed Date: Monday, 7 August 2023</p> <p>Laboratory Receival Date: Monday, 7 August 2023</p> <p>Sampled Date: Thursday, 3 August 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1594	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1595	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1596	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1597	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1598	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1599	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1600	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1601	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1602	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1603	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1604	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1605	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R246 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Tuesday, August 8, 2023 Analysed Date: Tuesday, August 8, 2023 Laboratory Receival Date: Tuesday, August 8, 2023 Sampled Date: Friday, August 4, 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1606	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1607	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1608	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1609	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1610	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1611	Cut 3 Condobolin Rd	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1612	Cut 3 East Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1613	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1614	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1615	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1616	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1617	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R247 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Tuesday, August 8, 2023 Analysed Date: Tuesday, August 8, 2023 Laboratory Receival Date: Tuesday, August 8, 2023 Sampled Date: Saturday, August 5, 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1618	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1619	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1620	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1621	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1622	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1623	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1624	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1625	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1626	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1627	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1628	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1629	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R248

Report Date: Wednesday, 9 August 2023

Client: Georgiou

Analysed Date: Wednesday, 9 August 2023

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Wednesday, 9 August 2023

Sampled Date: Monday, 7 August 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1630	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1631	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1632	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1633	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1634	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1635	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1636	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1637	Brolgan Rd East	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S1638	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1639	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1640	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1641	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R249

Report Date: Thursday, 10 August 2023

Client: Georgiou

Analysed Date: Thursday, 10 August 2023

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Thursday, 10 August 2023

Sampled Date: Tuesday, 8 August 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1642	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1643	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1644	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1645	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1646	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1647	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1648	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1649	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1650	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1651	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1652	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1653	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R250 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, August 11, 2023 Analysed Date: Friday, August 11, 2023 Laboratory Receival Date: Friday, August 11, 2023 Sampled Date: Wednesday, August 9, 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1654	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1655	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1656	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1657	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1658	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1659	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1660	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1661	Broglgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1662	Broglgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1663	Wheelwash Compound	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1664	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1665	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R251
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, August 11, 2023
Analysed Date: Friday, August 11, 2023
Laboratory Receival Date: Friday, August 11, 2023
Sampled Date: Thursday, August 10, 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1666	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1667	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1668	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1669	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1670	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1671	Cut 3 Condobolin Road	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1672	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1673	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1674	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1675	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1676	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1677	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R252	Report Date: Monday, August 14, 2023
Client: Georgiou	Analysed Date: Monday, August 14, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, August 14, 2023
	Sampled Date: Friday, August 11, 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1678	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1679	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1680	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1681	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1682	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1683	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1684	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1685	Brolgan Road East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1686	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1687	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1688	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1689	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit