

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R222
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 4 July 2023
Analysed Date: Tuesday, 4 July 2023
Laboratory Receival Date: Tuesday, 4 July 2023
Sampled Date: Monday, 3 July 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1324	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1325	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1326	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1327	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1328	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1329	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1330	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1331	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1332	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1333	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1334	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1335	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R395</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 5 July 2023</p> <p>Analysed Date: Tuesday, 4 July 2023</p> <p>Laboratory Receival Date: Tuesday, 4 July 2023</p> <p>Sampled Date: Sunday, 2 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3592	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3593	QA	1159	1200 1440 min	N.A.	0 /100	< 0.01
A27251-S3594	QA	1159	1200 1440 min	N.A.	0 /100	< 0.01
A27251-S3595	QA	1159	1200 1440 min	N.A.	0 /100	< 0.01
A27251-S3596	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3597	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3598	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3599	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3600	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3601	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3602	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3603	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3604	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3605	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3606	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3607	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3608	Reedsdale / Thomas St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3609	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3610	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3611	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R396
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 5 July 2023

Analysed Date: Wednesday, 5 July 2023

Laboratory Receival Date: Wednesday, 5 July 2023

Sampled Date: Monday, 3 July 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3612	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3613	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3614	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3615	Ballerdee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3616	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3617	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3618	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3619	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3620	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3621	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3622	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3623	Fill 4 Moulden St	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3624	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3625	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3626	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3627	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3628	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3629	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3630	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3631	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R221	Report Date: Tuesday, 4 July 2023
Client: Georgiou	Analysed Date: Tuesday, 4 July 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 4 July 2023
	Sampled Date: Saturday, 1 July 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1312	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1313	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1314	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1315	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1316	Cut 3 West Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1317	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1318	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1319	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1320	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1321	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1322	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1323	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R222
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 4 July 2023
Analysed Date: Tuesday, 4 July 2023
Laboratory Receival Date: Tuesday, 4 July 2023
Sampled Date: Monday, 3 July 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1324	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1325	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1326	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1327	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1328	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1329	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1330	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1331	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1332	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1333	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1334	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1335	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R223 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 5 July 2023 Analysed Date: Wednesday, 5 July 2023 Laboratory Receival Date: Wednesday, 5 July 2023 Sampled Date: Tuesday, 4 July 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1336	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1337	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1338	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1339	Fill 5 Wheelwash	700	1500 480 min	Flow Fault		
A27351-S1340	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1341	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1342	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1343	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1344	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1345	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1346	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1347	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R397
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Friday, 7 July 2023
Analysed Date: Friday, 7 July 2023
Laboratory Receival Date: Friday, 7 July 2023
Sampled Date: Tuesday, 4 July 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3632	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3633	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3634	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3635	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3636	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3637	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3638	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3639	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3640	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3641	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3642	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3643	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3644	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3645	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3646	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3647	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3648	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3649	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3650	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3651	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R398</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 7 July 2023</p> <p>Analysed Date: Friday, 7 July 2023</p> <p>Laboratory Receival Date: Friday, 7 July 2023</p> <p>Sampled Date: Wednesday, 5 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3652	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3653	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3654	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3655	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3656	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3657	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3658	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3659	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3660	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3661	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3662	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3663	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3664	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3665	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3666	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3667	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3668	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3669	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3670	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3671	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R399</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 10 July 2023</p> <p>Analysed Date: Monday, 10 July 2023</p> <p>Laboratory Receival Date: Monday, 10 July 2023</p> <p>Sampled Date: Thursday, 6 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3672	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3673	London Road North	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3674	Ballerdee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3675	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3676	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3677	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3678	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3679	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3680	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3681	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3682	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3683	Fill 4 Moulden St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3684	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3685	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3686	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3687	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3688	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3689	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3690	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3691	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R400</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 10 July 2023</p> <p>Analysed Date: Monday, 10 July 2023</p> <p>Laboratory Receival Date: Monday, 10 July 2023</p> <p>Sampled Date: Friday, 7 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3692	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3693	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3694	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3695	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3696	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3697	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3698	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3699	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3700	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3701	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3702	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3703	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3704	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3705	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3706	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3707	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3708	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3709	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3710	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3711	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R402</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 11 July 2023</p> <p>Analysed Date: Tuesday, 11 July 2023</p> <p>Laboratory Receival Date: Tuesday, 11 July 2023</p> <p>Sampled Date: Sunday, 9 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3732	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3733	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3734	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3735	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3736	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3737	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3738	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3739	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3740	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3741	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3742	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3743	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3744	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3745	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3746	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3747	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3748	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3749	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3750	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3751	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R401</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 11 July 2023</p> <p>Analysed Date: Tuesday, 11 July 2023</p> <p>Laboratory Receival Date: Tuesday, 11 July 2023</p> <p>Sampled Date: Saturday, 8 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3712	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3713	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3714	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3715	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3716	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3717	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3718	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3719	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3720	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3721	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3722	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3723	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3724	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3725	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3726	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3727	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3728	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3729	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3730	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3731	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R403</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 12 July 2023</p> <p>Analysed Date: Wednesday, 12 July 2023</p> <p>Laboratory Receival Date: Wednesday, 12 July 2023</p> <p>Sampled Date: Monday, 10 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3752	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3753	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3754	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3755	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3756	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3757	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3758	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3759	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3760	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3761	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3762	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3763	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3764	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3765	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3766	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3767	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3768	Reedsdale / Thomas St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3769	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3770	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3771	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R405</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 14 July 2023</p> <p>Analysed Date: Friday, 14 July 2023</p> <p>Laboratory Receival Date: Friday, 14 July 2023</p> <p>Sampled Date: Wednesday, 12 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3792	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3793	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3794	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3795	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3796	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3797	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3798	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3799	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3800	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3801	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3802	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3803	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3804	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3805	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3806	163 Goldrush Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3807	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3808	Reedsdale/Thomas St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3809	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3810	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3811	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R224</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 11 July 2023</p> <p>Analysed Date: Tuesday, 11 July 2023</p> <p>Laboratory Receival Date: Tuesday, 11 July 2023</p> <p>Sampled Date: Monday, 10 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1348	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1349	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1350	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1351	Fill 5 Wheelwash	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1352	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1353	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1354	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1355	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1356	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1357	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1358	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1359	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R225 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 12 July 2023 Analysed Date: Wednesday, 12 July 2023 Laboratory Receival Date: Wednesday, 12 July 2023 Sampled Date: Tuesday, 11 July 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1360	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1361	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1362	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1363	Fill 5 Wheelwash	700	1500 480 min	1.0	1.5 /100	< 0.01
A27351-S1364	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1365	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1366	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1367	Broglan Road East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1368	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1369	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1370	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1371	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R226
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 13 July 2023
Analysed Date: Thursday, 13 July 2023
Laboratory Receival Date: Thursday, 13 July 2023
Sampled Date: Wednesday, 12 July 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1372	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1373	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0.5/100	< 0.01
A27351-S1374	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1375	Fill 5 Wheel Wash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1376	Cut 3 West Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S1377	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1378	Cut 3 East Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S1379	Brolgan Rd East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1380	Brolgan Rd West	700	1500 480 min	Flow Fault		

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1381	Wheelwash Compound	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1382	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1383	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R227 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, 14 July 2023 Analysed Date: Friday, 14 July 2023 Laboratory Receival Date: Friday, 14 July 2023 Sampled Date: Thursday, 13 July 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1384	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1385	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1386	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1387	Fill 5 Wheel Wash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1388	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1389	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1390	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1391	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1392	Brolgan Rd West	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1393	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1394	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD
 NATA Accreditation No. 19366
 ACN 157 918 262
 Ph 1300 372 436
 info@enviroscience.com.au
 www.enviroscience.com.au
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R404</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 14 July 2023</p> <p>Analysed Date: Friday, 14 July 2023</p> <p>Laboratory Receival Date: Friday, 14 July 2023</p> <p>Sampled Date: Tuesday, 11 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3772	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3773	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3774	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3775	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3776	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3777	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3778	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3779	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3780	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3781	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3782	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3783	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3784	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3785	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3786	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3787	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3788	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3789	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3790	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3791	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R407</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 18 July 2023</p> <p>Analysed Date: Tuesday, 18 July 2023</p> <p>Laboratory Receival Date: Tuesday, 18 July 2023</p> <p>Sampled Date: Friday, 14 July 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3832	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3833	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3834	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3835	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3836	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3837	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3838	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3839	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3840	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3841	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3842	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3843	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3844	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3845	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3846	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3847	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3848	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3849	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3850	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3851	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit