

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R517</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 3 November 2023</p> <p>Analysed Date: Friday, 3 November 2023</p> <p>Laboratory Receival Date: Friday, 3 November 2023</p> <p>Sampled Date: Wednesday, 1 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6059	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6060	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6061	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6062	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6063	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6064	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6065	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6066	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6067	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6068	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6069	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6070	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6071	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6072	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6073	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6074	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6075	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6076	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6077	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6078	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6079	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6080	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R518 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Monday, November 6, 2023 Analysed Date: Monday, November 6, 2023 Laboratory Receival Date: Monday, November 6, 2023 Sampled Date: Thursday, November 2, 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6081	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6082	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6083	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6084	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6085	Brolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6086	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6087	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6088	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6089	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6090	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6091	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6092	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6093	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6094	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6095	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6096	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6097	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6098	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6099	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6100	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6101	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6102	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R519</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, November 6, 2023</p> <p>Analysed Date: Monday, November 6, 2023</p> <p>Laboratory Receival Date: Monday, November 6, 2023</p> <p>Sampled Date: Friday, November 3, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6103	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6104	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6105	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6106	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6107	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6108	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6109	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6110	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6111	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6112	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6113	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6114	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6115	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6116	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6117	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6118	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6119	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6120	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6121	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6122	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6123	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6124	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R520</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, November 6, 2023</p> <p>Analysed Date: Monday, November 6, 2023</p> <p>Laboratory Receival Date: Monday, November 6, 2023</p> <p>Sampled Date: Saturday, November 4, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6125	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6126	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6127	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6128	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6129	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6130	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6131	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6132	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6133	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6134	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6135	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6136	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6137	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6138	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6139	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6140	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6141	Reedsdale/Thomas Street	1159	1200 1440 min	Flow Fault		
A27251-S6142	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6143	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6144	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6145	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6146	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R521 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, November 7, 2023 Analysed Date: Tuesday, November 7, 2023 Laboratory Receival Date: Tuesday, November 7, 2023 Sampled Date: Sunday, November 5, 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6147	London Road - South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6148	London Road - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6149	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6150	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6151	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6152	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6153	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6154	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6155	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6156	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6157	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6158	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6159	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6160	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6161	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6162	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6163	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6164	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6165	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6166	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6167	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6168	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R522</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, November 9, 2023</p> <p>Analysed Date: Thursday, November 9, 2023</p> <p>Laboratory Receival Date: Thursday, November 9, 2023</p> <p>Sampled Date: Monday, November 6, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6169	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6170	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6171	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6172	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6173	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6174	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6175	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6176	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6177	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6178	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6179	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6180	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6181	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6182	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6183	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6184	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6185	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6186	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6187	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6188	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6189	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6190	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R523	Report Date: Thursday, November 9, 2023
Client: Georgiou	Analysed Date: Thursday, November 9, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, November 9, 2023
	Sampled Date: Tuesday, November 7, 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6191	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6192	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6193	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6194	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6195	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6196	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6197	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6198	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6199	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6200	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6201	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6202	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6203	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6204	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6205	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6206	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6207	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6208	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6209	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6210	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6211	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6212	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R524</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, November 10, 2023</p> <p>Analysed Date: Friday, November 10, 2023</p> <p>Laboratory Receival Date: Friday, November 10, 2023</p> <p>Sampled Date: Wednesday, November 8, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6213	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6214	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6215	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6216	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6217	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6218	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6219	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6220	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6221	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6222	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6223	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6224	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6225	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6226	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6227	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6228	Cut 3 Reedsdale Rad South/East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6229	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6230	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6231	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6232	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6233	Lot 1 - Boagan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6234	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R525 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Monday, November 13, 2023 Analysed Date: Monday, November 13, 2023 Laboratory Receival Date: Monday, November 13, 2023 Sampled Date: Thursday, November 9, 2023 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6235	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6236	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6237	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6238	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6239	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6240	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6241	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6242	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6243	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6244	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6245	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6246	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6247	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6248	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6249	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6250	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6251	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6252	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6253	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6254	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6255	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6256	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R526	Report Date: Monday, November 13, 2023
Client: Georgiou	Analysed Date: Monday, November 13, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, November 13, 2023
	Sampled Date: Friday, November 10, 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6257	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6258	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6259	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6260	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6261	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6262	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6263	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6264	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6265	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6266	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6267	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6268	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6269	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6270	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6271	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6272	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6273	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6274	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6275	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6276	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6277	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6278	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R527</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, November 13, 2023</p> <p>Analysed Date: Monday, November 13, 2023</p> <p>Laboratory Receival Date: Monday, November 13, 2023</p> <p>Sampled Date: Saturday, November 11, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6279	London Road - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6280	London Road - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6281	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6282	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6283	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6284	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6285	Hartigan Avenue West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6286	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6287	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6288	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6289	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6290	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6291	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6292	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6293	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6294	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6295	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6296	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6297	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6298	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6299	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6300	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R528</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 14 November 2023</p> <p>Analysed Date: Tuesday, 14 November 2023</p> <p>Laboratory Receival Date: Tuesday, 14 November 2023</p> <p>Sampled Date: Sunday, 12 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6301	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6302	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6303	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6304	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6305	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6306	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6307	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6308	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6309	Hartigan Avenue North	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6310	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6311	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6312	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6313	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6314	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6315	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6316	Cut 3 Reedsdale Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6317	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6318	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6319	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6320	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6321	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6322	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R529</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 15 November 2023</p> <p>Analysed Date: Wednesday, 15 November 2023</p> <p>Laboratory Receival Date: Wednesday, 15 November 2023</p> <p>Sampled Date: Monday, 13 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6323	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6324	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6325	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6326	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6327	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6328	Brogan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6329	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6330	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6331	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6332	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6333	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6334	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6335	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6336	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6337	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6338	Cut 3 Reedsdale Road Sout/East Fenceh	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6339	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6340	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6341	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6342	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6343	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6344	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R530</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 17 November 2023</p> <p>Analysed Date: Friday, 17 November 2023</p> <p>Laboratory Receival Date: Friday, 17 November 2023</p> <p>Sampled Date: Tuesday, 14 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6345	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6346	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6347	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6348	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6349	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6350	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6351	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6352	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6353	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6354	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6355	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6356	Fill 4 Moulden Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6357	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6358	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6359	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6360	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6361	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6362	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6363	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6364	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6365	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6366	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R531</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 17 November 2023</p> <p>Analysed Date: Friday, 17 November 2023</p> <p>Laboratory Receival Date: Friday, 17 November 2023</p> <p>Sampled Date: Wednesday, 15 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6367	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6368	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6369	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6370	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6371	Brolgan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6372	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6373	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6374	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6375	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6376	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6377	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6378	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6379	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6380	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6381	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6382	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6383	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6384	Fill 4 Reedsale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6385	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6386	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6387	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6388	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R532</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 21 November 2023</p> <p>Analysed Date: Monday, 20 November 2023</p> <p>Laboratory Receival Date: Monday, 20 November 2023</p> <p>Sampled Date: Thursday, 16 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6389	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6390	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6391	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6392	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6393	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6394	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6395	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6396	Hartigan Avenue East	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S6397	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6398	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6399	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6400	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6401	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6402	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6403	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6404	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6405	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6406	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6407	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6408	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6409	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6410	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R533</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 21 November 2023</p> <p>Analysed Date: Tuesday, 21 November 2023</p> <p>Laboratory Receival Date: Tuesday, 21 November 2023</p> <p>Sampled Date: Friday, 17 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6411	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6412	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6413	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6414	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6415	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6416	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6417	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6418	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6419	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6420	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6421	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6422	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6423	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6424	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6425	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6426	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6427	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6428	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6429	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6430	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6431	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6432	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R534</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 21 November 2023</p> <p>Analysed Date: Tuesday, 21 November 2023</p> <p>Laboratory Receival Date: Tuesday, 21 November 2023</p> <p>Sampled Date: Saturday, 18 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6433	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6434	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6435	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6436	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6437	Brolgan Road West	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S6438	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6439	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6440	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6441	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6442	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6443	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6444	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6445	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6446	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6447	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6448	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6449	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6450	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6451	125 Painter Street	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6452	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6453	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6454	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R535</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 22 November 2023</p> <p>Analysed Date: Wednesday, 22 November 2023</p> <p>Laboratory Receival Date: Wednesday, 22 November 2023</p> <p>Sampled Date: Sunday, 19 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6455	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6456	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6457	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6458	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6459	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6460	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6461	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6462	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6463	Hartigan Avenue North	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6464	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6465	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6466	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6467	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6468	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6469	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6470	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6471	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6472	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6473	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6474	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6475	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6476	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R536 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 23 November 2023 Analysed Date: Thursday, 23 November 2023 Laboratory Receival Date: Thursday, 23 November 2023 Sampled Date: Monday, 20 November 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6477	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6478	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6479	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6480	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6481	Brolgan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6482	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6483	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6484	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6485	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6486	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6487	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6488	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6489	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6490	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6491	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6492	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6493	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6494	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6495	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6496	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6497	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6498	Quality Control Laboratory Blank	1159	1200 1440 min	0.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R537 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 24 November 2023 Analysed Date: Friday, 24 November 2023 Laboratory Receival Date: Friday, 24 November 2023 Sampled Date: Tuesday, 21 November 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6499	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6500	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6501	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6502	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6503	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6504	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6505	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6506	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6507	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6508	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6509	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6510	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6511	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6512	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6513	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6514	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6515	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6516	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6517	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6518	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6519	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6520	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R538</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 24 November 2023</p> <p>Analysed Date: Friday, 24 November 2023</p> <p>Laboratory Receival Date: Friday, 24 November 2023</p> <p>Sampled Date: Wednesday, 22 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6521	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6522	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6523	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6524	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6525	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6526	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6527	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6528	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6529	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6530	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6531	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6532	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6533	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6534	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6535	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6536	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6537	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6538	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6539	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6540	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6541	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6542	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R539</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 27 November 2023</p> <p>Analysed Date: Monday, 27 November 2023</p> <p>Laboratory Receival Date: Monday, 27 November 2023</p> <p>Sampled Date: Thursday, 23 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6543	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6544	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6545	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6546	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6547	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6548	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6549	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6550	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6551	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6552	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6553	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6554	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6555	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6556	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6557	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6558	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6559	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6560	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6561	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6562	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6563	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6564	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R540	Report Date: Monday, 27 November 2023
Client: Georgiou	Analysed Date: Monday, 27 November 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 27 November 2023
	Sampled Date: Friday, 24 November 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6565	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6566	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6567	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6568	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6569	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6570	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6571	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6572	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6573	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6574	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6575	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6576	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6577	Cut 3 Moulden ST West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6578	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6579	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6580	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6581	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6582	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6583	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6584	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6585	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6586	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R541</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 27 November 2023</p> <p>Analysed Date: Monday, 27 November 2023</p> <p>Laboratory Receival Date: Monday, 27 November 2023</p> <p>Sampled Date: Saturday, 25 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6587	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6588	London Road North	1159	1200 1440 min	Flow Fault		
A27251-S6589	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6590	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6591	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6592	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6593	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6595	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6596	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6597	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6598	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6599	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6600	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6601	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6602	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6603	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6604	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6605	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6606	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6607	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6608	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R542 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 28 November 2023 Analysed Date: Tuesday, 28 November 2023 Laboratory Receival Date: Tuesday, 28 November 2023 Sampled Date: Sunday, 26 November 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6609	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6610	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6611	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6612	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6613	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6614	Brolgan Road East	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6615	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6616	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6617	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6618	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6619	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6620	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6621	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6622	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6623	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6624	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6625	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6626	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6627	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6628	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6629	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6630	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R543</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 29 November 2023</p> <p>Analysed Date: Wednesday, 29 November 2023</p> <p>Laboratory Receival Date: Wednesday, 29 November 2023</p> <p>Sampled Date: Monday, 27 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6631	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6632	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6633	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6634	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6635	Brolgan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6636	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6637	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6638	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6639	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6640	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6641	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6642	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6643	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6644	158 Goldrush Road south/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6645	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6646	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6647	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6648	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6649	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6650	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6651	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6652	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R544</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 1 December 2023</p> <p>Analysed Date: Friday, 1 December 2023</p> <p>Laboratory Receival Date: Friday, 1 December 2023</p> <p>Sampled Date: Tuesday, 28 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6653	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6654	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6655	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6656	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6657	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6658	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6659	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6660	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S6661	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6662	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6663	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6664	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6665	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6666	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6667	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6668	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6669	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6670	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6671	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6672	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6673	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6674	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R545	Report Date: Friday, 1 December 2023
Client: Georgiou	Analysed Date: Friday, 1 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 1 December 2023
	Sampled Date: Wednesday, 29 November 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6675	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6676	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6677	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6678	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6679	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6680	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6681	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6682	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6683	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6684	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6685	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6686	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6687	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6688	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6689	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6690	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6691	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6692	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6693	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6694	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6695	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6696	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R546
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 4 December 2023
Analysed Date: Monday, 4 December 2023
Laboratory Receival Date: Monday, 4 December 2023
Sampled Date: Thursday, 30 November 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6697	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6698	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6699	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6700	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6701	Brolgan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6702	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6703	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6704	Hartigan Avuenue East	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6705	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6706	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6707	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6708	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6709	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6710	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6711	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6712	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6713	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6714	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6715	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6716	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6717	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6718	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R320</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 3 November 2023</p> <p>Analysed Date: Friday, 3 November 2023</p> <p>Laboratory Receival Date: Friday, 3 November 2023</p> <p>Sampled Date: Wednesday, 1 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2562	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2563	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2564	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2565	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2566	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2567	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2568	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2569	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2570	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2571	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2572	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2573	Gate 8 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2574	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2575	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2576	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2577	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2578	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R321</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, November 6, 2023</p> <p>Analysed Date: Monday, November 6, 2023</p> <p>Laboratory Receival Date: Monday, November 6, 2023</p> <p>Sampled Date: Thursday, November 2, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2579	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2580	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2581	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2582	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2583	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2584	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2585	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2586	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2587	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2588	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2589	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2590	Gate 8 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2591	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2592	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2593	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2594	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2595	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R322	Report Date: Monday, November 6, 2023
Client: Georgiou	Analysed Date: Monday, November 6, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, November 6, 2023
	Sampled Date: Friday, November 3, 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2596	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2597	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2598	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2599	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2600	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2601	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2602	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2603	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2604	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2605	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2606	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2607	Gate 8 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2608	Gate 8 - Cut 3 West	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2609	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2610	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2611	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2612	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R323	Report Date: Tuesday, November 7, 2023
Client: Georgiou	Analysed Date: Tuesday, November 7, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, November 7, 2023
	Sampled Date: Saturday, November 4, 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2613	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2614	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2615	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2616	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2617	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2618	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2619	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2620	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2621	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2622	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2623	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2624	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2625	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2626	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2627	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2628	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2629	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R324 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, November 7, 2023 Analysed Date: Tuesday, November 7, 2023 Laboratory Receival Date: Tuesday, November 7, 2023 Sampled Date: Monday, November 6, 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2630	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2631	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2632	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2633	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2634	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2635	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2636	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2637	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2638	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2639	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2640	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2641	Gate 8 Decon Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2642	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2643	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2644	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2645	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2646	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R325</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, November 9, 2023</p> <p>Analysed Date: Thursday, November 9, 2023</p> <p>Laboratory Receival Date: Thursday, November 9, 2023</p> <p>Sampled Date: Tuesday, November 7, 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2647	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2648	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2649	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2650	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2651	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2652	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2653	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2654	Brolgan Road East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2655	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2656	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2657	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2658	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2659	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2660	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2661	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2662	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2663	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R326 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, November 10, 2023 Analysed Date: Friday, November 10, 2023 Laboratory Receival Date: Friday, November 10, 2023 Sampled Date: Wednesday, November 8, 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2671	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2672	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2673	Fill 8 Wheelwash	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2674	Gate 8 Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2675	Gate 8 Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2676	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2677	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2678	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2679	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2680	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R327	Report Date: Monday, November 13, 2023
Client: Georgiou	Analysed Date: Monday, November 13, 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, November 13, 2023
	Sampled Date: Thursday, November 9, 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2681	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2682	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2683	Gate 9 - Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2684	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2685	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2686	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2687	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2688	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2689	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2690	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2691	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2692	Gate 8 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2693	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2694	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2695	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2696	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2697	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R328 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, November 13, 2023 Analysed Date: Monday, November 13, 2023 Laboratory Receival Date: Monday, November 13, 2023 Sampled Date: Friday, November 10, 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2698	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2699	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2700	Gate 9 - Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2701	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2702	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2703	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2704	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2705	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2706	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2707	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2708	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2709	Gate 8 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2710	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2711	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2712	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2713	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2714	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R329 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, November 13, 2023 Analysed Date: Monday, November 13, 2023 Laboratory Receival Date: Monday, November 13, 2023 Sampled Date: Saturday, November 11, 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2715	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2716	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2717	Gate 9 - Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2718	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2719	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2720	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2721	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2722	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2723	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2724	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2725	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2726	Gate 8 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2727	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2728	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2729	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2730	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2731	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R330 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 14 November 2023 Analysed Date: Tuesday, 14 November 2023 Laboratory Receival Date: Tuesday, 14 November 2023 Sampled Date: Monday, 13 November 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2732	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2733	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2734	Gate 9 - Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2735	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2736	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2737	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2738	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2739	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2740	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2741	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2742	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2743	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2744	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2745	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2746	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2747	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2748	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R331</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 15 November 2023</p> <p>Analysed Date: Wednesday, 15 November 2023</p> <p>Laboratory Receival Date: Wednesday, 15 November 2023</p> <p>Sampled Date: Tuesday, 14 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2749	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2750	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2751	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2752	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2753	Cut 3 West Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2754	Cut 3 Condobolin	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2755	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2756	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2757	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2758	Fill 8 Wheelwash	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2759	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2760	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2761	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2762	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2763	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2764	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2765	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R332</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 17 November 2023</p> <p>Analysed Date: Friday, 17 November 2023</p> <p>Laboratory Receival Date: Friday, 17 November 2023</p> <p>Sampled Date: Wednesday, 15 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2766	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2767	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2768	Gate 9 - Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2769	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2770	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2771	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2772	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2773	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2774	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2775	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2776	Gate 8 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2777	Gate 8 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2778	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2779	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2780	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2781	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2782	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R333 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 17 November 2023 Analysed Date: Friday, 17 November 2023 Laboratory Receival Date: Friday, 17 November 2023 Sampled Date: Thursday, 16 November 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2783	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2784	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2785	Gate 9 - Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2786	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2787	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2788	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2789	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2790	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2791	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2792	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2793	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2794	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2795	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2796	Reedsdalle Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2797	Gate 3 Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2798	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2799	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R334

Report Date: Monday, 20 November 2023

Client: Georgiou

Analysed Date: Monday, 20 November 2023

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Monday, 20 November 2023

Sampled Date: Friday, 17 November 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2800	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2801	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2802	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2803	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2804	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2805	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2806	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2807	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2808	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2809	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2810	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2811	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2812	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2813	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2814	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2815	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2816	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R335	Report Date: Monday, 20 November 2023
Client: Georgiou	Analysed Date: Monday, 20 November 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 20 November 2023
	Sampled Date: Saturday, 18 November 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2817	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2818	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2819	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2820	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2821	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2822	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2823	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2824	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2825	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2826	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2827	Gate 8 Clean Room Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2828	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2829	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2830	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2831	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2832	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2833	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R336 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 23 November 2023 Analysed Date: Thursday, 23 November 2023 Laboratory Receival Date: Thursday, 23 November 2023 Sampled Date: Monday, 20 November 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2834	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2835	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2836	Gate 9 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2837	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2838	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2839	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2840	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2841	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2842	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2843	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2844	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2845	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2846	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2847	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2848	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2849	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2850	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R337 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, 24 November 2023 Analysed Date: Friday, 24 November 2023 Laboratory Receival Date: Friday, 24 November 2023 Sampled Date: Tuesday, 21 November 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2851	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2852	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2853	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2854	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2855	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2856	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2857	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2858	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2859	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2860	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2861	Gate 8 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2862	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2863	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2864	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2865	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2866	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2867	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R338</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 24 November 2023</p> <p>Analysed Date: Friday, 24 November 2023</p> <p>Laboratory Receival Date: Friday, 24 November 2023</p> <p>Sampled Date: Wednesday, 22 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2868	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2869	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2870	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2871	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2872	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2873	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2874	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2875	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2876	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2877	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2878	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2879	Gate 3 Work Zone North	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2880	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R339</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 24 November 2023</p> <p>Analysed Date: Friday, 24 November 2023</p> <p>Laboratory Receival Date: Friday, 24 November 2023</p> <p>Sampled Date: Thursday, 23 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2881	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2882	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2883	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2884	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2885	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2886	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2887	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2888	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2889	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2890	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2891	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2892	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2893	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R340</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 27 November 2023</p> <p>Analysed Date: Monday, 27 November 2023</p> <p>Laboratory Receival Date: Monday, 27 November 2023</p> <p>Sampled Date: Friday, 24 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2894	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2895	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2896	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2897	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2898	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2899	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2900	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2901	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2902	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2903	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2904	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2905	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2906	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R341 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Monday, 27 November 2023 Analysed Date: Monday, 27 November 2023 Laboratory Receival Date: Monday, 27 November 2023 Sampled Date: Saturday, 25 November 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2907	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2908	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2909	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2910	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2911	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2912	Cut 3 Condobolin Road	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2913	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2914	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2915	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2916	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2917	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2918	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2919	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R342	Report Date: Tuesday, 28 November 2023
Client: Georgiou	Analysed Date: Tuesday, 28 November 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 28 November 2023
	Sampled Date: Monday, 27 November 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2920	Gate 10 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2921	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2922	Gate 9 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2923	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2924	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2925	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2926	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2927	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2928	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2929	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2930	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2931	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2932	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R343	Report Date: Wednesday, 29 November 2023
Client: Georgiou	Analysed Date: Wednesday, 29 November 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 29 November 2023
	Sampled Date: Tuesday, 28 November 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2933	Gate 14 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2934	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2935	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2936	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2937	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2938	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2939	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2940	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2941	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2942	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2943	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2944	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2945	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R344</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 1 December 2023</p> <p>Analysed Date: Friday, 1 December 2023</p> <p>Laboratory Receival Date: Friday, 1 December 2023</p> <p>Sampled Date: Wednesday, 29 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2946	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2947	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2948	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2949	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2950	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2951	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2952	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2953	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2954	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2955	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2956	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2957	Gate 3 - Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2958	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R346 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 4 December 2023 Analysed Date: Monday, 4 December 2023 Laboratory Receival Date: Monday, 4 December 2023 Sampled Date: Friday, 1 December 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2972	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2973	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2974	Gate 9 - Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2975	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2976	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit
A27351-S2977	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2978	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2979	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2980	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2981	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2982	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2983	Gate 3 Work Zone	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2984	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit