

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R490</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 10 October 2023</p> <p><b>Analysed Date:</b> Monday, 9 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 9 October 2023</p> <p><b>Sampled Date:</b> Thursday, 5 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5492	London Road - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5493	London Road - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5494	Ballardee Lane - South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5495	Ballardee Lane - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5496	Brolgan Road - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5497	Brolgan Road - East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5498	Hartigan Avenue - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5499	Hartigan Avenue - East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5500	Hartigan Avenue - North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5501	Cut 3 Moulden Street - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5502	Cut 3 Moulden Street - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5503	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5504	Cut 3 Moulden Street - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5505	158 Goldrush Road, South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5506	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5507	Cut 3 Reedsdale Road - South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5508	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5509	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5510	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

**Report No:** A27251-R491

**Report Date:** Tuesday, 10 October 2023

**Client:** Georgiou

**Analysed Date:** Tuesday, 10 October 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Tuesday, 10 October 2023

**Sampled Date:** Friday, 6 October 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5511	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5512	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5513	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5514	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5515	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5516	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5517	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5518	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5519	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5520	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5521	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5522	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5523	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5524	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5525	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5526	Cut 3 Reedsdale Road, South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5527	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5528	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5529	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5530	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R492</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 10 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 10 October 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 10 October 2023</p> <p><b>Sampled Date:</b> Saturday, 7 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5531	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5532	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5533	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5534	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5535	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5536	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5537	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5538	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5539	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5540	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5541	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5542	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5543	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5544	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5545	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5546	Cut 3 Reedsdale Road, South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5547	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5548	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5549	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5550	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R493</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 10 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 10 October 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 10 October 2023</p> <p><b>Sampled Date:</b> Sunday, 8 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5551	London Road South	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S5552	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5553	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5554	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5555	Ballardee Lane West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5556	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5557	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5558	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5559	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5560	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5561	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5562	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5563	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5564	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5565	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5566	Cut 3 Reedsdale Road, South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5567	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5568	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5569	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S5570	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R494</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 12 October 2023</p> <p><b>Analysed Date:</b> Wednesday, 11 October 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, 11 October 2023</p> <p><b>Sampled Date:</b> Monday, 9 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5571	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5572	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5573	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5574	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5575	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5576	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5577	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5578	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5579	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5580	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5581	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5582	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5583	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5584	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5585	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5586	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5587	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5588	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5589	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5590	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R495 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, October 12, 2023 <b>Analysed Date:</b> Thursday, October 12, 2023 <b>Laboratory Receival Date:</b> Thursday, October 12, 2023 <b>Sampled Date:</b> Tuesday, October 10, 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5591	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5592	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5593	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5594	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5595	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5596	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5597	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5598	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5599	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5600	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5601	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5602	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5603	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5604	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5605	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5606	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5607	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5608	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5609	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S5610	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT

### Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R496</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 17 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 17 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 16 October 2023</p> <p><b>Sampled Date:</b> Wednesday, 11 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5611	London Road - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5612	London Road - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5613	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5614	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5615	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5616	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5617	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5618	Hartigan Avenue East	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S5619	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5620	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5621	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5622	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5623	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5624	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5625	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5626	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5627	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5628	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5629	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5630	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R497</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 17 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 17 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 16 October 2023</p> <p><b>Sampled Date:</b> Thursday, 12 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5631	London Road - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5632	London Road - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5633	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5634	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5635	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5636	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5637	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5638	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5639	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5640	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5641	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5642	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5643	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S5644	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5645	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5646	Cut 3 Reedsdale Road, South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5647	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5648	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5649	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5650	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R498</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 17 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 17 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 16 October 2023</p> <p><b>Sampled Date:</b> Friday, 13 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5651	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5652	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5653	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5654	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5655	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5656	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5657	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5658	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5659	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5660	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5661	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5662	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5663	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5664	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5665	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5666	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5667	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5668	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5669	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5670	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R499</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 17 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 17 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 16 October 2023</p> <p><b>Sampled Date:</b> Saturday, 14 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5671	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5672	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5673	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5674	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5675	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5676	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5677	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5678	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5679	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5680	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5681	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5682	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5683	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5684	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5685	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5686	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5687	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5688	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5689	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5690	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R500	<b>Report Date:</b> Tuesday, October 17, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, October 17, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, October 17, 2023
	<b>Sampled Date:</b> Sunday, October 15, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5691	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5692	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5693	Ballerdee Lane S-W	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5694	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5695	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5696	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5697	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5698	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5699	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5700	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5701	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5702	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5703	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5704	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5705	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5706	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5707	Reedsdale Rd/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5708	Fill 4 Reedsdale Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5709	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5710	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R501	<b>Report Date:</b> Thursday, October 19, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Thursday, October 19, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, October 18, 2023
	<b>Sampled Date:</b> Monday, October 16, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5711	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5712	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5713	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5714	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5715	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5716	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5717	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5718	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5719	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5720	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5721	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5722	Fill 4 moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5723	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5724	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5725	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5726	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5727	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5728	Fill 4 Reedsdale Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5729	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5730	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R502</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, October 19, 2023</p> <p><b>Analysed Date:</b> Thursday, October 19, 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, October 19, 2023</p> <p><b>Sampled Date:</b> Tuesday, October 17, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5731	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5732	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5733	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5734	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5735	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5736	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5737	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5738	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5739	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5740	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5741	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5742	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5743	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5744	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5745	136 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5746	Cut 3 Reedsdale Road, South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5747	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5748	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5749	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5750	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R503</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, 20 October 2023</p> <p><b>Analysed Date:</b> Friday, 20 October 2023</p> <p><b>Laboratory Receival Date:</b> Friday, 20 October 2023</p> <p><b>Sampled Date:</b> Wednesday, 18 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5751	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5752	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5753	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5754	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5755	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5756	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5757	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5758	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5759	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5760	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5761	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5762	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5763	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5764	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5765	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5766	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5767	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5768	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5769	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5770	Quality Control Laboratory Blank	1159	1200 1440 min	0.0	0/100	< 0.01
A27251-S5771	Lot 1 Bogan Road, West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5772	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R504

**Report Date:** Tuesday, October 24, 2023

**Client:** Georgiou

**Analysed Date:** Tuesday, October 24, 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Monday, October 23, 2023

**Sampled Date:** Thursday, October 19, 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5773	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5774	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5775	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5776	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5777	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5778	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5779	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5780	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5781	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5782	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5783	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5784	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5785	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5786	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5787	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5788	Cut 3 Reedsdale Road, South/East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5789	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5790	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5791	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5792	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit
A27251-S5793	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5794	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R505 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, October 24, 2023 <b>Analysed Date:</b> Tuesday, October 24, 2023 <b>Laboratory Receival Date:</b> Monday, October 23, 2023 <b>Sampled Date:</b> Friday, October 20, 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5795	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5796	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5797	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5798	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5799	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5800	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5801	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5802	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5803	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5804	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5805	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5806	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5807	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5808	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5809	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5810	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5811	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5812	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5813	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5814	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit
A27251-S5815	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5816	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R506 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, October 24, 2023 <b>Analysed Date:</b> Tuesday, October 24, 2023 <b>Laboratory Receival Date:</b> Monday, October 23, 2023 <b>Sampled Date:</b> Saturday, October 21, 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5817	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5818	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5819	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5820	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5821	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5822	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5823	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5824	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5825	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5826	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5827	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5828	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5829	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5830	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5831	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5832	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5833	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5834	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5835	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5836	Quality Control Laboratory Blank	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5837	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5838	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R507 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass Project  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Tuesday, October 24, 2023 <b>Analysed Date:</b> Tuesday, October 24, 2023 <b>Laboratory Receival Date:</b> Tuesday, October 24, 2023 <b>Sampled Date:</b> Sunday, October 22, 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████  <b>Type of Monitoring:</b> Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5839	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5840	London Road North	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S5841	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5842	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5843	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5844	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5845	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5846	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5847	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5848	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5849	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5850	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5851	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5852	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5853	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5854	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5855	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5856	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5857	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5858	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5859	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5860	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R508</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, October 25, 2023</p> <p><b>Analysed Date:</b> Wednesday, October 25, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, October 25, 2023</p> <p><b>Sampled Date:</b> Monday, October 23, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5861	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5862	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5863	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5864	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5865	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5866	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5867	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5868	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5869	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5870	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5871	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5872	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5873	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5874	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5875	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5876	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5877	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5878	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5879	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5880	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5881	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5882	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R509 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, October 26, 2023 <b>Analysed Date:</b> Thursday, October 26, 2023 <b>Laboratory Receival Date:</b> Thursday, October 26, 2023 <b>Sampled Date:</b> Tuesday, October 24, 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5883	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5884	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5885	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5886	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5887	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5888	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5889	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5890	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5891	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5892	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5893	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5894	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5895	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5896	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5897	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5898	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5899	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5900	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5901	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5902	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5903	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5904	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R510</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, October 27, 2023</p> <p><b>Analysed Date:</b> Friday, October 27, 2023</p> <p><b>Laboratory Receival Date:</b> Friday, October 27, 2023</p> <p><b>Sampled Date:</b> Wednesday, October 25, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5905	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5906	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5907	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5908	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5909	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5910	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5911	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5912	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5913	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5914	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5915	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5916	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5917	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5918	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5919	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5920	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5921	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5922	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5923	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5924	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5925	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S5926	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R511 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, October 30, 2023 <b>Analysed Date:</b> Monday, October 30, 2023 <b>Laboratory Receival Date:</b> Monday, October 30, 2023 <b>Sampled Date:</b> Thursday, October 26, 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5927	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5928	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5929	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5930	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5931	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5932	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5933	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5934	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5935	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5936	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5937	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5938	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5939	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5940	158 Goldrush Road, South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5941	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5942	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5943	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5944	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5945	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5946	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5947	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5948	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R512	<b>Report Date:</b> Tuesday, October 31, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, October 31, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, October 31, 2023
	<b>Sampled Date:</b> Friday, October 27, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5949	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5950	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5951	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5952	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5953	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5954	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5955	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5956	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5957	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5958	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5959	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5960	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5961	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5962	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5963	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5964	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5965	Reedsdale /Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5966	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5967	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5968	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5969	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S5970	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R513  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Tuesday, October 31, 2023  
**Analysed Date:** Tuesday, October 31, 2023  
**Laboratory Receival Date:** Tuesday, October 31, 2023  
**Sampled Date:** Saturday, October 28, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5971	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5972	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5973	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5974	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5975	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5976	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5977	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5978	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5979	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5980	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5981	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5982	Fill 4 Moulden Street	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S5983	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5984	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5985	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5986	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5987	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5988	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5989	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5990	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5991	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5992	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R514 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, October 31, 2023 <b>Analysed Date:</b> Tuesday, October 31, 2023 <b>Laboratory Receival Date:</b> Tuesday, October 31, 2023 <b>Sampled Date:</b> Sunday, October 29, 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S5993	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5994	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5995	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5996	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5997	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5998	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S5999	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6000	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6001	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6002	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6003	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6004	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6005	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6006	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6007	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6008	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6009	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6010	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6011	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6012	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6013	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6014	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R515</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, November 1, 2023</p> <p><b>Analysed Date:</b> Wednesday, November 1, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, November 1, 2023</p> <p><b>Sampled Date:</b> Monday, October 30, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6015	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6016	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6017	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6018	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6019	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6020	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6021	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6022	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6023	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6024	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6025	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6026	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6027	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6028	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6029	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6030	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6031	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6032	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6033	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6034	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6035	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6036	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R516</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, November 2, 2023</p> <p><b>Analysed Date:</b> Thursday, November 2, 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, November 2, 2023</p> <p><b>Sampled Date:</b> Tuesday, October 31, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6037	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6038	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6039	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6040	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6041	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6042	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6043	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6044	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S6045	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6046	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6047	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6048	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6049	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6050	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6051	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6052	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6053	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6054	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6055	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6056	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6057	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6058	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R298</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 10 October 2023</p> <p><b>Analysed Date:</b> Monday, 9 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 9 October 2023</p> <p><b>Sampled Date:</b> Friday, 6 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2230	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2231	Gate 10 - Clean End Decon	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S2232	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2233	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2234	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2235	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2236	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2237	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2238	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2239	Fill 8 Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2240	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2241	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2242	Gate 8 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2243	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2244	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R299</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 10 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 10 October 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 10 October 2023</p> <p><b>Sampled Date:</b> Saturday, 7 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2245	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2246	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2247	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2248	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2249	Cut 3 West fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2250	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2251	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2252	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2253	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2254	Fill 8 Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2255	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2256	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2257	Gate 8 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2258	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2259	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R300 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 10 October 2023 <b>Analysed Date:</b> Tuesday, 10 October 2023 <b>Laboratory Receival Date:</b> Tuesday, 10 October 2023 <b>Sampled Date:</b> Monday, 9 October 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2260	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2261	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2262	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2263	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2264	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2265	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2266	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2267	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2268	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2269	Fill 8 Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2270	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2271	Gate 8 - Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2272	Gate 8 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2273	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2274	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R301</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, October 12, 2023</p> <p><b>Analysed Date:</b> Thursday, October 12, 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, October 12, 2023</p> <p><b>Sampled Date:</b> Tuesday, October 10, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2275	Gate 10 - Crib Rom	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2276	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2277	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2278	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2279	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2280	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2281	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2282	Brolgan Road East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2283	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2284	Fill 8 Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2285	Reedsale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2286	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2287	Gate 8 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2288	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2289	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R302	<b>Report Date:</b> Friday, October 13, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, October 13, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, October 13, 2023
	<b>Sampled Date:</b> Wednesday, October 11, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2290	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2291	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2292	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2293	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2294	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2295	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2296	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2297	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2298	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2299	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2300	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2301	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2302	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2303	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2304	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R303	<b>Report Date:</b> Tuesday, 17 October 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 17 October 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 16 October 2023
	<b>Sampled Date:</b> Thursday, 12 October 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2305	Gate 10 - Crib Room	700	1500 480 min	1.0	3 /100	< 0.01
A27351-S2306	Gate 10 - Clean End Decon	700	1500 480 min	1.0	3 /100	< 0.01
A27351-S2307	Gate 9 Fence	700	1500 480 min	1.0	4 /100	< 0.01
A27351-S2308	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2309	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2310	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2311	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2312	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2313	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2314	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2315	Gate 8 Decon Clean End	700	1500 480 min	1.0	3 /100	< 0.01
A27351-S2316	Gate 8 Decon Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2317	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2318	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2319	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R304</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 17 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 17 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 16 October 2023</p> <p><b>Sampled Date:</b> Friday, 13 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2320	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2321	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2322	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2323	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2324	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2325	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2326	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2327	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2328	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2329	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2330	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2331	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2332	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2334	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R305</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 17 October 2023</p> <p><b>Analysed Date:</b> Tuesday, 17 October 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 16 October 2023</p> <p><b>Sampled Date:</b> Saturday, 14 October 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2335	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2336	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2337	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2338	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2339	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2340	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2341	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2342	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2343	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2344	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2345	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2346	Gate 8 Crin Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2347	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2348	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2349	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R306</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, October 19, 2023</p> <p><b>Analysed Date:</b> Thursday, October 19, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, October 18, 2023</p> <p><b>Sampled Date:</b> Monday, October 16, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2350	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2351	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2352	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2353	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2354	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2355	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2356	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2357	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2358	Brolgan Rd West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2359	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2360	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2361	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2362	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2363	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2364	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R307 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, October 19, 2023 <b>Analysed Date:</b> Thursday, October 19, 2023 <b>Laboratory Receival Date:</b> Thursday, October 19, 2023 <b>Sampled Date:</b> Tuesday, October 17, 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2365	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2366	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2367	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2368	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2369	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2370	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2371	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2372	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2373	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2374	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2375	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2376	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2377	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2378	Reedsdale Road Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R308 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, October 19, 2023 <b>Analysed Date:</b> Thursday, October 19, 2023 <b>Laboratory Receival Date:</b> Thursday, October 19, 2023 <b>Sampled Date:</b> Tuesday, October 17, 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2379	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit
A27351-S2380	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2381	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2382	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2383	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2384	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2385	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2386	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2387	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2388	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2389	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2390	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2391	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2392	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2393	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2394	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R309	<b>Report Date:</b> Tuesday, October 24, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, October 24, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, October 23, 2023
	<b>Sampled Date:</b> Thursday, October 19, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2395	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2396	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2397	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2398	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2399	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2400	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2401	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2402	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2403	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2404	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2405	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2406	Ghate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2407	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2408	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2409	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R310 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> Paul Orrock <b>Sampled From:</b> ██████████ <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Tuesday, October 24, 2023 <b>Analysed Date:</b> Tuesday, October 24, 2023 <b>Laboratory Receival Date:</b> Monday, October 23, 2023 <b>Sampled Date:</b> Friday, October 20, 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████ <b>Type of Monitoring:</b> Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2410	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2411	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2412	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2413	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2414	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2415	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2416	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2417	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2418	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2419	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2420	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2421	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2422	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2423	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2424	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R311 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, October 24, 2023 <b>Analysed Date:</b> Tuesday, October 24, 2023 <b>Laboratory Receival Date:</b> Monday, October 23, 2023 <b>Sampled Date:</b> Saturday, October 21, 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2425	Gate 10 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2426	Gate 10 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2427	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2428	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2429	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2430	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2431	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2432	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2433	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2434	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2435	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2436	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2437	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2438	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2439	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R312 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, October 24, 2023 <b>Analysed Date:</b> Tuesday, October 24, 2023 <b>Laboratory Receival Date:</b> Tuesday, October 24, 2023 <b>Sampled Date:</b> Monday, October 23, 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2440	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2441	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2442	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2443	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2444	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2445	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2446	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2447	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2448	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2449	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2450	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2451	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2452	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2453	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2454	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R313	<b>Report Date:</b> Thursday, October 26, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Thursday, October 26, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Thursday, October 26, 2023
	<b>Sampled Date:</b> Tuesday, October 24, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2455	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2456	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2457	Gate 9 Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2458	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2459	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2460	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2461	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2462	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2463	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2464	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2465	Gate 8 Decon Clean End	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2466	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2467	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2468	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2469	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R314</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, October 26, 2023</p> <p><b>Analysed Date:</b> Thursday, October 26, 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, October 26, 2023</p> <p><b>Sampled Date:</b> Wednesday, October 25, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2470	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2471	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2472	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2473	Fill 5 Wheelwash	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2474	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2475	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2476	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2477	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2478	Brolgan Road West	700	1500 480 min	1.0	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2479	Fill 8 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2480	Gate 8 Decon Clean End	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2481	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2482	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2483	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2484	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R315 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, October 30, 2023 <b>Analysed Date:</b> Monday, October 30, 2023 <b>Laboratory Receival Date:</b> Monday, October 30, 2023 <b>Sampled Date:</b> Thursday, October 26, 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2485	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2486	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2487	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2488	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2489	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2490	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2491	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2492	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2493	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2494	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2495	Gate 8 Decon Clean End	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2496	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2497	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2498	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2499	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit
A27351-S2500	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2501	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R316	<b>Report Date:</b> Monday, October 30, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, October 30, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, October 30, 2023
	<b>Sampled Date:</b> Friday, October 27, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2502	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2503	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2504	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2505	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2506	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2507	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2508	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2509	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2510	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2511	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2512	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2513	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2514	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit
A27351-S2515	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2516	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R317	<b>Report Date:</b> Monday, October 30, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, October 30, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, October 30, 2023
	<b>Sampled Date:</b> Saturday, October 28, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2517	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2518	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2519	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2520	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2521	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2522	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2523	Cut 3 East Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2524	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2525	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2526	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2527	Gate 8 Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2528	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2529	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2530	Gate 3 Work Zone North	700	1500 480 min	1.0	1/100	< 0.01
A27351-S2531	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R318	<b>Report Date:</b> Wednesday, November 1, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, November 1, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, November 1, 2023
	<b>Sampled Date:</b> Monday, October 30, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2532	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2533	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2534	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2535	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2536	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2537	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2538	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2539	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2540	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2541	Fill 8 Wheelwash	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S2542	Gate 8 Cut 3 West	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2543	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2544	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2545	Gate 3 Workzone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2546	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R319</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, November 2, 2023</p> <p><b>Analysed Date:</b> Thursday, November 2, 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, November 2, 2023</p> <p><b>Sampled Date:</b> Tuesday, October 31, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2547	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2548	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2549	Gate 9 - Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2550	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2551	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2552	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2553	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2554	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S2555	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2556	Fill 8 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2557	Gate 8 - Cut 3 West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2558	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2559	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2560	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2561	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit