

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R455</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, September 6, 2023</p> <p><b>Analysed Date:</b> Wednesday, September 6, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, September 6, 2023</p> <p><b>Sampled Date:</b> Thursday, August 31, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4792	London Road South	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4793	London Road North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4794	Ballardee Lane South/West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4795	Ballardee Lane North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4796	Brolgan Road West	1159	1200 1140 min	0.5	1 /100	< 0.01
A27251-S4797	Brolgan Road East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4798	Hartigan Avenue West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4799	Hartigan Avenue East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4800	Hartigan Avenue North	1159	1200 1140 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4801	Cut 3 Moulden Street - South	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4802	Cut 3 Moulden Street - North	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4803	Fill 4 Moulden Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4804	Cut 3 Moulden Street - West	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4805	158 Goldrush Road South/East Gate	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4806	163 Goldrush Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4807	Cut 3 Reedsdale Road South/East	1159	1200 1140 min	0.5	1/100	< 0.01
A27251-S4808	Reedsdale/Thomas Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4809	Fill 4 Reedsdale Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4810	125 Painter Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4811	Quality Control Laboratory Blank	1159	1200 1140 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R456 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> [REDACTED] <b>Sampled From:</b> Parkes Bypass  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Wednesday, September 6, 2023 <b>Analysed Date:</b> Wednesday, September 6, 2023 <b>Laboratory Receival Date:</b> Wednesday, September 6, 2023 <b>Sampled Date:</b> Friday, September 1, 2023  <b>Sampled By:</b> [REDACTED] <b>Approved Counter and Signatory:</b> [REDACTED]  <b>Type of Monitoring:</b> background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4812	London Road South	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4813	London Road North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4814	Ballardee Lane South/West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4815	Ballardee Lane North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4816	Brolgan Road West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4817	Brolgan Road East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4818	Hartigan Avenue West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4819	Hartigan Avenue East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4820	Hartigan Avenue North	1159	1200 1140 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4821	Cut 3 Moulden Street - South	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4822	Cut 3 Moulden Street - North	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4823	Fill 4 Moulden Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4824	Cut 3 Moulden Street - West	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4825	158 Goldrush Road South/East Gate	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4826	163 Goldrush Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4827	Cut 3 Reedsdale Eoad South/East	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4828	Reedsdale/Thomas Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4829	Fill 4 Reedsdale Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4830	125 Painter Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4831	Quality Control Laboratory Blank	1159	1200 1140 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R457 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Wednesday, September 6, 2023 <b>Analysed Date:</b> Wednesday, September 6, 2023 <b>Laboratory Receival Date:</b> Wednesday, September 6, 2023 <b>Sampled Date:</b> Saturday, September 2, 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████  <b>Type of Monitoring:</b> background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4832	London Road South	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4833	London Road North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4834	Ballardee Lane South/West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4835	Ballardee Lane North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4836	Brolgan Road West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4837	Brolgan Road East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4838	Hartigan Avenue West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4839	Hartigan Avenue East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4840	Hartigan Avenue North	1159	1200 1140 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4841	Cut 3 Moulden Street - South	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4842	Cut 3 Moulden Street - North	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4843	Fill 4 Moulden Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4844	Cut 3 Moulden Street - West	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4845	158 Goldrush Road South/East Gate	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4846	163 Goldrush Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4847	Cut 3 Reedsdale Road South/East	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4848	Reedsdale/Thomas Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4849	Fill 4 Reedsdale Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4850	125 Painter Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4851	Quality Control Laboratory Blank	1159	1200 1140 min	0.5	0/100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R458 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> [REDACTED] <b>Sampled From:</b> Parkes Bypass  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Wednesday, 6 September 2023 <b>Analysed Date:</b> Wednesday, 6 September 2023 <b>Laboratory Receival Date:</b> Wednesday, 6 September 2023 <b>Sampled Date:</b> Sunday, 3 September 2023  <b>Sampled By:</b> [REDACTED] <b>Approved Counter and Signatory:</b> [REDACTED]  <b>Type of Monitoring:</b> background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4852	London Road South	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4853	London Road North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4854	Ballardee Lane South/West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4855	Ballardee Lane North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4856	Brolgan Road West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4857	Brolgan Road East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4858	Hartigan Avenue West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4859	Hartigan Avenue East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4860	Hartigan Avenue North	1159	1200 1140 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4861	Cut 3 Moulden Street - South	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4862	Cut 3 Moulden Street - North	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4863	Fill 4 Moulden Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4864	Cut 3 Moulden Street - West	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4865	158 Goldrush Road South/East Gate	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4866	163 Goldrush Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4867	Cut 3 Reedsdale Road South/East	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4868	Reedsdale/Thomas Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4869	Fill 4 Reedsdale Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4870	125 Painter Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4871	Quality Control Laboratory Blank	1159	1200 1140 min	N.A.	0/100	Acceptable limit



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R459	<b>Report Date:</b> Wednesday, 6 September 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 6 September 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 6 September 2023
	<b>Sampled Date:</b> Monday, 4 September 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4872	London Road South	1159	1200 1140 min	0.5	1 /100	< 0.01
A27251-S4873	London Road North	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4874	Ballardee Lane South/West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4875	Ballardee Lane North	1159	1200 1140 min	0.5	1 /100	< 0.01
A27251-S4876	Brolgan Road West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4877	Brolgan Road East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4878	Hartigan Avenue West	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4879	Hartigan Avenue East	1159	1200 1140 min	0.5	0 /100	< 0.01
A27251-S4880	Hartigan Avenue North	1159	1200 1140 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4881	Cut 3 Moulden Street - South	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4882	Cut 3 Moulden Street - North	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4883	Fill 4 Moulden Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4884	Cut 3 Moulden Street - West	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4885	158 Goldrush Road South/East Gate	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4886	163 Goldrush Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4887	Cut 3 Reedsdale Road South/East	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4888	Reedsdale/Thomas Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4889	Fill 4 Reedsdale Road	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4890	125 Painter Street	1159	1200 1140 min	0.5	0/100	< 0.01
A27251-S4891	Quality Control Laboratory Blank	1159	1200 1140 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R460</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 7 September 2023</p> <p><b>Analysed Date:</b> Thursday, 7 September 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, 7 September 2023</p> <p><b>Sampled Date:</b> Tuesday, 5 September 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4892	London Road South	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S4893	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4894	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4895	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4896	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4897	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4898	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4899	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4900	Hartigan Avenue North	1159	1200 1440 min	0.5	2 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4901	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4902	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4903	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4904	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4905	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4906	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4907	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4908	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4909	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4910	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4911	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R461</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, September 8, 2023</p> <p><b>Analysed Date:</b> Friday, September 8, 2023</p> <p><b>Laboratory Receival Date:</b> Friday, September 8, 2023</p> <p><b>Sampled Date:</b> Wednesday, September 6, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4912	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4913	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4914	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4915	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4916	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4917	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4918	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4919	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4920	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4921	Cut 3 Moulden Street - South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4922	Cut 3 Moulden Street - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4923	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4924	Cut 3 Moulden Street - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4925	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4926	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4927	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4928	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4929	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4930	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4931	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R462</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, September 12, 2023</p> <p><b>Analysed Date:</b> Tuesday, September 12, 2023</p> <p><b>Laboratory Receival Date:</b> Monday, September 11, 2023</p> <p><b>Sampled Date:</b> Thursday, September 7, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4932	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4933	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4934	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4935	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4936	Brolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4937	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4938	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4939	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4940	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4941	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4942	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4943	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4944	Cut 3 Moulen St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4945	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4946	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S4947	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4948	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4949	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4950	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4951	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R463</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, September 12, 2023</p> <p><b>Analysed Date:</b> Tuesday, September 12, 2023</p> <p><b>Laboratory Receival Date:</b> Monday, September 11, 2023</p> <p><b>Sampled Date:</b> Friday, September 8, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4952	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S4953	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4954	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4955	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4956	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4957	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4958	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4959	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4960	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4961	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4962	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4963	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4964	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4965	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4966	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4967	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4968	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4969	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4970	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4971	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R464 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass Project  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Tuesday, September 12, 2023 <b>Analysed Date:</b> Tuesday, September 12, 2023 <b>Laboratory Receival Date:</b> Monday, September 11, 2023 <b>Sampled Date:</b> Saturday, September 9, 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████  <b>Type of Monitoring:</b> Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4972	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4973	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4974	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4975	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4976	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4977	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4978	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4979	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S4980	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S4981	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4982	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4983	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4984	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4985	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4986	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4987	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4988	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4989	Fill4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4990	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S4991	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R270</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, September 4, 2023</p> <p><b>Analysed Date:</b> Monday, September 4, 2023</p> <p><b>Laboratory Receival Date:</b> Monday, September 4, 2023</p> <p><b>Sampled Date:</b> Friday, September 1, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1894	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1895	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1896	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1897	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1898	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1899	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1900	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1901	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1902	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1903	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1904	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1905	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R271	<b>Report Date:</b> Monday, September 4, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, September 4, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, September 4, 2023
	<b>Sampled Date:</b> Saturday, September 2, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1906	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1907	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1908	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1909	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1910	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1911	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1912	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1913	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1914	Brolgan Rd West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1915	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1916	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R272</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, 6 September 2023</p> <p><b>Analysed Date:</b> Wednesday, 6 September 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 4 September 2023</p> <p><b>Sampled Date:</b> Saturday, 2 September 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1917	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit
A27351-S1918	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1919	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1920	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1921	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1922	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1923	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1924	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1925	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1926	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1927	Wheelwash Compound	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1928	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S1929	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R273</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 7 September 2023</p> <p><b>Analysed Date:</b> Thursday, 7 September 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, 7 September 2023</p> <p><b>Sampled Date:</b> Tuesday, 5 September 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1930	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1931	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1932	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1933	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1934	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1935	Cut 3 Condobolin Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1936	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1937	Brolgan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1938	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1939	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1940	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1941	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R274	<b>Report Date:</b> Friday, September 8, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, September 8, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, September 8, 2023
	<b>Sampled Date:</b> Wednesday, September 6, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1942	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1943	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1944	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1945	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1946	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1947	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1948	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1949	Brolghan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1950	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1951	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1952	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1953	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R275</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, September 12, 2023</p> <p><b>Analysed Date:</b> Tuesday, September 12, 2023</p> <p><b>Laboratory Receival Date:</b> Monday, September 11, 2023</p> <p><b>Sampled Date:</b> Thursday, September 7, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1954	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1955	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1956	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1957	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1958	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1959	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1960	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1961	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1962	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1963	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1964	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1965	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R276</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, September 12, 2023</p> <p><b>Analysed Date:</b> Tuesday, September 12, 2023</p> <p><b>Laboratory Receival Date:</b> Monday, September 11, 2023</p> <p><b>Sampled Date:</b> Friday, September 8, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1966	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1967	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1968	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1969	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1970	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1971	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1972	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1973	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1974	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1975	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1976	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1977	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R277 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> [REDACTED] <b>Sampled From:</b> Parkes Bypass  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Tuesday, September 12, 2023 <b>Analysed Date:</b> Tuesday, September 12, 2023 <b>Laboratory Receival Date:</b> Monday, September 11, 2023 <b>Sampled Date:</b> Saturday, September 9, 2023  <b>Sampled By:</b> [REDACTED] <b>Approved Counter and Signatory:</b> [REDACTED]  <b>Type of Monitoring:</b> Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1978	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1979	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1980	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1981	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1982	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1983	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1984	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1985	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1986	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1987	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1988	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1989	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A28367-R29  
**Client:** Georgiou  
**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Report Date:** Tuesday, September 5, 2023  
**Analysed Date:** Tuesday, September 5, 2023  
**Laboratory Receival Date:** Tuesday, September 5, 2023  
**Sampled Date:** Monday, September 4, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** New Hartigan & Brolgan Road  
Intersection, Parkes NSW

**Type of Monitoring:** Clearance

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A28367-S31	Adjacent Batter	1000	1200 120 min	4.0	0 /100	< 0.01