

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R99 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, November 4, 2022 Analysed Date: Thursday, November 3, 2022 Laboratory Receival Date: Thursday, November 3, 2022 Sampled Date: Tuesday, November 1, 2022 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S591	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S592	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S593	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S594	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S595	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S596	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R100

Report Date: Friday, November 4, 2022

Client: Georgiou

Analysed Date: Thursday, November 3, 2022

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Thursday, November 3, 2022

Sampled Date: Tuesday, November 1, 2022

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S597	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S598	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S599	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S600	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S601	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S602	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R101	Report Date: Friday, November 4, 2022
Client: Georgiou	Analysed Date: Thursday, November 3, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, November 3, 2022
	Sampled Date: Wednesday, November 2, 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S603	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S604	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S605	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S606	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S607	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S608	Cut 4- Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S609	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R102</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 4 November 2022</p> <p>Analysed Date: Friday, 4 November 2022</p> <p>Laboratory Receival Date: Wednesday, 2 November 2022</p> <p>Sampled Date: Wednesday, 2 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S610	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S611	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S612	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S613	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S614	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S615	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R103 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 4 November 2022 Analysed Date: Friday, 4 November 2022 Laboratory Receival Date: Thursday, 3 November 2022 Sampled Date: Thursday, 3 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S616	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S617	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S618	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S619	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S620	Fill 4 Moulden St	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S621	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R104	Report Date: Friday, 4 November 2022
Client: Georgiou	Analysed Date: Friday, 4 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 4 November 2022
	Sampled Date: Thursday, 3 November 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S622	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S623	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S624	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S625	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S626	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S627	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R105</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 7 November 2022</p> <p>Analysed Date: Friday, 4 November 2022</p> <p>Laboratory Receival Date: Friday, 4 November 2022</p> <p>Sampled Date: Friday, 4 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S628	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S629	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S630	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S631	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S632	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S633	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R106 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 8 November 2022 Analysed Date: Tuesday, 8 November 2022 Laboratory Receival Date: Tuesday, 8 November 2022 Sampled Date: Friday, 4 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S634	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S635	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S636	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S637	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S638	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S639	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R107	Report Date: Tuesday, 8 November 2022
Client: Georgiou	Analysed Date: Tuesday, 8 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 8 November 2022
	Sampled Date: Saturday, 5 November 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S640	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S641	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S642	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S643	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S644	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S645	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R108 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 8 November 2022 Analysed Date: Tuesday, 8 November 2022 Laboratory Receival Date: Tuesday, 8 November 2022 Sampled Date: Saturday, 5 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S646	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S647	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S648	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S649	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S650	Fill 4 Moulden St	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S651	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R109

Report Date: Tuesday, 8 November 2022

Client: Georgiou

Analysed Date: Tuesday, 8 November 2022

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Tuesday, 8 November 2022

Sampled Date: Sunday, 6 November 2022

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S652	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S653	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S654	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S655	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S656	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S657	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27251-R110

Report Date: Tuesday, 8 November 2022

Client: Georgiou

Analysed Date: Tuesday, 8 November 2022

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Tuesday, 8 November 2022

Sampled Date: Sunday, 6 November 2022

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S658	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S659	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S660	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S661	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S662	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S663	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R111 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 8 November 2022 Analysed Date: Tuesday, 8 November 2022 Laboratory Receival Date: Tuesday, 8 November 2022 Sampled Date: Monday, 7 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S664	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S665	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S666	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S667	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S668	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S669	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R112 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 10 November 2022 Analysed Date: Thursday, 10 November 2022 Laboratory Receival Date: Thursday, 10 November 2022 Sampled Date: Monday, 7 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S670	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S671	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S672	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S673	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S674	Fill 4 Moulden St	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S675	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R113	Report Date: Thursday, 10 November 2022
Client: Georgiou	Analysed Date: Thursday, 10 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 10 November 2022
	Sampled Date: Tuesday, 8 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S676	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S677	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S678	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S679	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S680	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S681	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R114 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 11 November 2022 Analysed Date: Friday, 11 November 2022 Laboratory Receival Date: Friday, 11 November 2022 Sampled Date: Tuesday, 8 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S682	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S683	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S684	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S685	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S686	Fill 4 Moulden St	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S687	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R115</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 11 November 2022</p> <p>Analysed Date: Friday, 11 November 2022</p> <p>Laboratory Receival Date: Friday, 11 November 2022</p> <p>Sampled Date: Wednesday, 9 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S688	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S689	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S690	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S691	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S692	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S693	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R116 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, 11 November 2022 Analysed Date: Friday, 11 November 2022 Laboratory Receival Date: Friday, 11 November 2022 Sampled Date: Wednesday, 9 November 2022 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background Monitoring
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S694	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S695	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S696	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S697	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S698	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S699	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R117</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 11 November 2022</p> <p>Analysed Date: Friday, 11 November 2022</p> <p>Laboratory Receival Date: Friday, 11 November 2022</p> <p>Sampled Date: Thursday, 10 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S700	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S701	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S702	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S703	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S704	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S705	Cut 4 Moulden st West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R118	Report Date: Monday, 14 November 2022
Client: Georgiou	Analysed Date: Monday, 14 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 14 November 2022
	Sampled Date: Thursday, 10 November 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S706	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S707	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S708	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S709	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S710	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S711	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R119</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 14 November 2022</p> <p>Analysed Date: Monday, 14 November 2022</p> <p>Laboratory Receival Date: Monday, 14 November 2022</p> <p>Sampled Date: Friday, 11 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S712	Cut 3 moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S713	Cut 3 moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S714	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S715	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S716	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S717	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R120 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 16 November 2022 Analysed Date: Wednesday, 16 November 2022 Laboratory Receival Date: Wednesday, 16 November 2022 Sampled Date: Friday, 11 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S718	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S719	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S720	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S721	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S722	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S723	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R121	Report Date: Wednesday, 16 November 2022
Client: Georgiou	Analysed Date: Wednesday, 16 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 16 November 2022
	Sampled Date: Saturday, 12 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S724	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S725	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S726	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S727	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S728	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S729	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R122	Report Date: Wednesday, 16 November 2022
Client: Georgiou	Analysed Date: Wednesday, 16 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 16 November 2022
	Sampled Date: Saturday, 12 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S730	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S731	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S732	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S733	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S734	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S735	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R123 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 16 November 2022 Analysed Date: Wednesday, 16 November 2022 Laboratory Receival Date: Wednesday, 16 November 2022 Sampled Date: Sunday, 13 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S736	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S737	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S738	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S739	Fill 4 Reedsdale rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S740	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S741	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R124	Report Date: Wednesday, 16 November 2022
Client: Georgiou	Analysed Date: Wednesday, 16 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 16 November 2022
	Sampled Date: Sunday, 13 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S742	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S743	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S744	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S745	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S746	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S747	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R125	Report Date: Wednesday, 16 November 2022
Client: Georgiou	Analysed Date: Wednesday, 16 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 16 November 2022
	Sampled Date: Monday, 14 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S748	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S749	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S750	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S751	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S752	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S753	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R126 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 18 November 2022 Analysed Date: Friday, 18 November 2022 Laboratory Receival Date: Monday, 21 November 2022 Sampled Date: Monday, 14 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S754	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S755	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S756	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S757	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S758	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R127 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 18 November 2022 Analysed Date: Friday, 18 November 2022 Laboratory Receival Date: Monday, 21 November 2022 Sampled Date: Tuesday, 15 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S759	Cut 3 Moulden St South	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S760	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S761	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	2 /100	< 0.01
A27251-S762	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S763	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S764	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R128 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 18 November 2022 Analysed Date: Friday, 18 November 2022 Laboratory Receival Date: Monday, 21 November 2022 Sampled Date: Tuesday, 15 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S765	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S766	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S767	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S768	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S769	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R129	Report Date: Monday, 21 November 2022
Client: Georgiou	Analysed Date: Monday, 21 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 21 November 2022
	Sampled Date: Wednesday, 16 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S770	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S771	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S773	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S774	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S775	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R130</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 21 November 2022</p> <p>Analysed Date: Monday, 21 November 2022</p> <p>Laboratory Receival Date: Monday, 21 November 2022</p> <p>Sampled Date: Wednesday, 16 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S776	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S777	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S778	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S779	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S780	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S781	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R131</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 21 November 2022</p> <p>Analysed Date: Friday, 18 November 2022</p> <p>Laboratory Receival Date: Friday, 18 November 2022</p> <p>Sampled Date: Thursday, 17 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S782	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S783	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S784	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S785	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S786	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S787	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R132	Report Date: Monday, 21 November 2022
Client: Georgiou	Analysed Date: Friday, 18 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 18 November 2022
	Sampled Date: Thursday, 17 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S788	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S789	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S790	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S791	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S792	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S793	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R133 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 21 November 2022 Analysed Date: Friday, 18 November 2022 Laboratory Receival Date: Friday, 18 November 2022 Sampled Date: Friday, 18 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S794	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S795	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S796	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S797	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S798	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S799	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R134</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 21 November 2022</p> <p>Analysed Date: Monday, 21 November 2022</p> <p>Laboratory Receival Date: Monday, 21 November 2022</p> <p>Sampled Date: Friday, 18 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S800	Cut 3 Moulden St South	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S801	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S802	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S803	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S804	Fill 4 Moulden St	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S805	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R135 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 21 November 2022 Analysed Date: Monday, 21 November 2022 Laboratory Receival Date: Monday, 21 November 2022 Sampled Date: Saturday, 19 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S806	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S807	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S808	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S809	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S810	Fill 4 Moulden St	000	1159 720 min	1.0	2 /100	< 0.01
A27251-S811	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R136 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 21 November 2022 Analysed Date: Monday, 21 November 2022 Laboratory Receival Date: Monday, 21 November 2022 Sampled Date: Saturday, 19 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S812	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S813	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S814	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S815	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S816	Fill 4 Moulden St	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S817	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R137</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 21 November 2022</p> <p>Analysed Date: Monday, 21 November 2022</p> <p>Laboratory Receival Date: Monday, 21 November 2022</p> <p>Sampled Date: Sunday, 20 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S818	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S819	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S820	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S821	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S822	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S823	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R138	Report Date: Thursday, 24 November 2022
Client: Georgiou	Analysed Date: Thursday, 24 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 24 November 2022
	Sampled Date: Sunday, 20 November 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S824	Cut 3 Moulden St – South	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S825	Cut 3 Moulden St – North	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S826	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S827	Fill 4 - Reesdale Rd	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S828	Fill 4 - Moulden St	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S829	Cut 4 West Moulden St	1200	2359 720 min	1.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R139 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, November 24, 2022 Analysed Date: Thursday, November 24, 2022 Laboratory Receival Date: Thursday, November 24, 2022 Sampled Date: Monday, November 21, 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S830	Cut 3 Moulden St – South	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S831	Cut 3 Moulden St – North	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S832	Cut 3 Reesdale Rd	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S833	Fill 4 Reesdale Rd	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S834	Fill 4 Moulden Rd	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S835	Cut 4 West Moulden St	000	1200 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R140 **Report Date:** Thursday, 24 November 2022
Client: Georgiou **Analysed Date:** Thursday, 24 November 2022
Client Address: Level 3, **Laboratory Receival Date:** Thursday, 24 November 2022
53 Berry Street, **Sampled Date:** Monday, 21 November 2022
North Sydney, NSW, 2060

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S836	Cut 3 Moulden St – South	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S837	Cut 3 Moulden St – North	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S838	Cut 3 Reesdale Rd	1200	2359 720 min	1.0	2/100	< 0.01
A27251-S839	Fill 4 - Reesdale Rd	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S840	Fill 4 - Moulden St	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S841	Cut 4 West Moulden St	1200	2359 720 min	1.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R141	Report Date: Thursday, November 24, 2022
Client: Georgiou	Analysed Date: Thursday, November 24, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, November 24, 2022
	Sampled Date: Tuesday, November 22, 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S842	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S843	Cut 3 Moulden St – North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S844	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S845	Fill 4 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S846	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S847	Cut 4 West Moulden St	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R142 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 25 November 2022 Analysed Date: Friday, 25 November 2022 Laboratory Receival Date: Friday, 25 November 2022 Sampled Date: Tuesday, 22 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S848	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S849	Cut 3 Moulden St North	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S850	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S851	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S852	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S853	Cut 4 Moulden St West	1200	2359 720 min	1.0	2 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R143</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 25 November 2022</p> <p>Analysed Date: Friday, 25 November 2022</p> <p>Laboratory Receival Date: Friday, 25 November 2022</p> <p>Sampled Date: Wednesday, 23 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S854	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S855	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S856	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S857	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S858	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S859	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R144	Report Date: Tuesday, 29 November 2022
Client: Georgiou	Analysed Date: Tuesday, 29 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 29 November 2022
	Sampled Date: Wednesday, 23 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S860	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S861	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S862	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S863	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S864	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S865	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R145 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 29 November 2022 Analysed Date: Tuesday, 29 November 2022 Laboratory Receival Date: Tuesday, 29 November 2022 Sampled Date: Thursday, 24 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S866	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S867	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S868	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S869	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S870	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S871	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R146 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 29 November 2022 Analysed Date: Tuesday, 29 November 2022 Laboratory Receival Date: Tuesday, 29 November 2022 Sampled Date: Thursday, 24 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S872	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S873	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S874	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S875	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S876	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S877	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R147	Report Date: Tuesday, 29 November 2022
Client: Georgiou	Analysed Date: Tuesday, 29 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 29 November 2022
	Sampled Date: Friday, 25 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S878	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S879	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S880	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S881	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S882	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S883	Fill 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R148	Report Date: Tuesday, 29 November 2022
Client: Georgiou	Analysed Date: Tuesday, 29 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 29 November 2022
	Sampled Date: Friday, 25 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S884	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S885	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S886	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S887	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S888	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S889	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R149</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 29 November 2022</p> <p>Analysed Date: Tuesday, 29 November 2022</p> <p>Laboratory Receival Date: Wednesday, 30 November 2022</p> <p>Sampled Date: Saturday, 26 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S890	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S891	Cut 3 Moulden St North	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S892	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S893	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S894	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S895	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R150	Report Date: Wednesday, 30 November 2022
Client: Georgiou	Analysed Date: Wednesday, 30 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 30 November 2022
	Sampled Date: Saturday, 26 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S896	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S897	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S898	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S899	Cut 4 Reedsdale Rd	1200	2359 720 min	1.0	2 /100	< 0.01
A27251-S900	Fill 4 Moulden St	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S901	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R151	Report Date: Wednesday, 30 November 2022
Client: Georgiou	Analysed Date: Wednesday, 30 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 30 November 2022
	Sampled Date: Sunday, 27 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S902	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S903	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S904	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S905	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S906	Fill 4 Moulden St	000	1159 720 min	1.0	0.5 /100	< 0.01
A27251-S907	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S908	Quality Control Laboratory Blank	000	1159 720 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R152</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 30 November 2022</p> <p>Analysed Date: Wednesday, 30 November 2022</p> <p>Laboratory Receival Date: Wednesday, 30 November 2022</p> <p>Sampled Date: Sunday, 27 November 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S909	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S910	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S911	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S912	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0.5 /100	< 0.01
A27251-S913	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S914	Cut 4 Moulden ST West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R153	Report Date: Wednesday, 30 November 2022
Client: Georgiou	Analysed Date: Tuesday, 29 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 29 November 2022
	Sampled Date: Monday, 28 November 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S915	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S916	Cut 3 Moulden St North	000	1159 720 min	1.0	2 /100	< 0.01
A27251-S917	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S918	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S919	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S920	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R154 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 1 December 2022 Analysed Date: Thursday, 1 December 2022 Laboratory Receival Date: Thursday, 1 December 2022 Sampled Date: Monday, 28 November 2022
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S921	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S922	Cut 3 Moulden St North	1200	2359 720 min	1.0	2 /100	< 0.01
A27251-S923	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S924	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S925	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S926	Cut 4 Moulden St West	1200	2359 720 min	1.0	1 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R155 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 1 December 2022 Analysed Date: Thursday, 1 December 2022 Laboratory Receival Date: Thursday, 1 December 2022 Sampled Date: Tuesday, 29 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S927	Cut 3 Moulden St South	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S928	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S929	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S930	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S931	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S932	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R156	Report Date: Monday, 5 December 2022
Client: Georgiou	Analysed Date: Monday, 5 December 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 5 December 2022
	Sampled Date: Tuesday, 29 November 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S933	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S934	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S935	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S936	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S937	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S938	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R157 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 5 December 2022 Analysed Date: Monday, 5 December 2022 Laboratory Receival Date: Monday, 5 December 2022 Sampled Date: Wednesday, 30 November 2022
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S939	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S940	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S941	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S942	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S943	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S944	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R158 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Monday, 5 December 2022 Analysed Date: Monday, 5 December 2022 Laboratory Receival Date: Monday, 5 December 2022 Sampled Date: Wednesday, 30 November 2022 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S945	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S946	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S947	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S948	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S949	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S950	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01