

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R46
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 10 October 2022
Analysed Date: Monday, 10 October 2022
Laboratory Receival Date: Monday, 10 October 2022
Sampled Date: Wednesday, 5 October 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S270	Cut 3 Moulden St South	1200	1159 / 1439 min	1.0	0/100	< 0.01
A27251-S271	Cut 3 Moulden St North	1200	1159 / 1439 min	1.0	0/100	< 0.01
A27251-S272	Cut 3 Reedsdale Rd	1200	1159 / 1439 min	1.0	0/100	< 0.01
A27251-S273	Fill 4 Moulden St	1200	1159 / 1439 min	1.0	0/100	< 0.01
A27251-S274	Fill 4 Reedsdale Rd South	1200	1159 / 1439 min	1.0	0/100	< 0.01
A27251-S275	Fill 4 Reedsdale Rd North	1200	1159 / 1439 min	1.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R47 **Report Date:** Monday, 10 October 2022
Client: Georgiou **Analysed Date:** Monday, 10 October 2022
Client Address: Level 3, **Laboratory Receival Date:** Monday, 10 October 2022
53 Berry Street, **Sampled Date:** Thursday, 6 October 2022
North Sydney, NSW, 2060

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S276	Cut 3 Moulden St South	000	2359 720 min	1.0	0/100	< 0.01
A27251-S277	Cut 3 Moulden St North	000	2359 720 min	1.0	0/100	< 0.01
A27251-S278	Cut 3 Reedsdale St	000	2359 720 min	1.0	0/100	< 0.01
A27251-S279	Fill 4 Moulden St	000	2359 720 min	1.0	0/100	< 0.01
A27251-S280	Fill 4 Reedsdale Rd South	000	2359 720 min	1.0	0/100	< 0.01
A27251-S281	Fill 4 Reedsdale Rd North	000	2359 720 min	1.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R48	Report Date: Tuesday, October 11, 2022
Client: Georgiou	Analysed Date: Tuesday, October 11, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, October 11, 2022
	Sampled Date: Thursday, October 6, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S282	Cut 3 Moulden St - South	1200	1159 720 min	1.0	0 /100	< 0.01
A27251-S283	Cut 3 Moulden St - North	1200	1159 720 min	1.0	1 /100	< 0.01
A27251-S284	Cut 3 Reedsdale Rd	1200	1159 720 min	1.0	0 /100	< 0.01
A27251-S285	Fill 4 - Moulden St	1200	1159 720 min	1.0	0 /100	< 0.01
A27251-S286	Fill 4 -Reedsdale Rd South	1200	1159 720 min	1.0	1 /100	< 0.01
A27251-S287	Fill 4 -Reedsdale Rd North	1200	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R49 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, October 11, 2022 Analysed Date: Tuesday, October 11, 2022 Laboratory Receival Date: Tuesday, October 11, 2022 Sampled Date: Friday, October 7, 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S288	Cut 3 Moulden St – South	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S289	Cut 3 Moulden St – North	000	1159 720 min	1.0	1.5 /100	< 0.01
A27251-S290	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S291	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S292	Fill 4 -Reedsdale Rd South	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S293	Fill 4 -Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R50 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, October 11, 2022 Analysed Date: Tuesday, October 11, 2022 Laboratory Receival Date: Tuesday, October 11, 2022 Sampled Date: Friday, October 7, 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S294	Cut 3 Moulden St – South	1200	2359 720 min	1.0	2 /100	< 0.01
A27251-S295	Cut 3 Moulden St – North	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S296	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S297	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S298	Fill 4 -Reedsdale Rd South	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S299	Fill 4 -Reedsdale Rd North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S300	Quality Control Laboratory Blank	1200	2359 720 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R51	Report Date: Tuesday, October 11, 2022
Client: Georgiou	Analysed Date: Tuesday, October 11, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, October 11, 2022
	Sampled Date: Saturday, October 8, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S301	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S302	Cut 3 Moulden St – North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S303	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S304	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S305	Fill 4 -Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S306	Fill 4 -Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R52	Report Date: Tuesday, October 11, 2022
Client: Georgiou	Analysed Date: Tuesday, October 11, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, October 11, 2022
	Sampled Date: Saturday, October 8, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S307	Cut 3 Moulden St – South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S308	Cut 3 Moulden St – North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S309	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S310	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S311	Fill 4 -Reedsdale Rd South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S312	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R53
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, October 11, 2022
Analysed Date: Tuesday, October 11, 2022
Laboratory Receival Date: Tuesday, October 11, 2022
Sampled Date: Sunday, October 9, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S313	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S314	Cut 3 Moulden St – North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S315	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S316	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S317	Fill 4 -Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S318	Fill 4 -Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R54
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, October 13, 2022
Analysed Date: Thursday, October 13, 2022
Laboratory Receival Date: Thursday, October 13, 2022
Sampled Date: Sunday, October 9, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S319	Cut 3 Moulden St, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S320	Cut 3 Moulden St, North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S321	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S322	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S323	Fill 4 Reedsdale Rd South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S324	Fill 4 Reedsdale Rd North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R55 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, October 13, 2022 Analysed Date: Thursday, October 13, 2022 Laboratory Receival Date: Thursday, October 13, 2022 Sampled Date: Monday, October 10, 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S325	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S326	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S327	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S328	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S329	Fill 4 Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S330	Fill 4 Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R56 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, October 13, 2022 Analysed Date: Thursday, October 13, 2022 Laboratory Receival Date: Thursday, October 13, 2022 Sampled Date: Monday, October 10, 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S331	Cut 3, Mouilden St south	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S332	Cut 3, Mouilden St, North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S333	Cut 3, Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S334	Fill 4, Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S335	Fill 4, Reedsdale Rd, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S336	Fill 4, Reedsdale Rd, North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R57
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, October 13, 2022

Analysed Date: Thursday, October 13, 2022

Laboratory Receival Date: Thursday, October 13, 2022

Sampled Date: Tuesday, October 11, 2022

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S337	Cut 3, Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S338	Cut 3, Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S339	Cut 3, Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S340	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S341	Fill 4, Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S342	Fill 4, Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R58 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, October 14, 2022 Analysed Date: Friday, October 14, 2022 Laboratory Receival Date: Friday, October 14, 2022 Sampled Date: Tuesday, October 11, 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S343	Cut 3, Moulden St, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S344	Cut 3, Moulden St, North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S345	Cut 3, Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S346	Fill 4, Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S347	Fill 4, Reedsdale Rd, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S348	Fill 4, Reedsdale Rd, North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R59 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, October 14, 2022 Analysed Date: Friday, October 14, 2022 Laboratory Receival Date: Friday, October 14, 2022 Sampled Date: Wednesday, October 12, 2022 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background Monitoring
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S349	Cut 3, Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S350	Cut 3, Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S351	Cut 3, Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S352	Fill 4, Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S353	Fill 4, Reedsdale Rd, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S354	Fill 4, Reedsdale Rd, North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R60</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, October 14, 2022</p> <p>Analysed Date: Friday, October 14, 2022</p> <p>Laboratory Receival Date: Friday, October 14, 2022</p> <p>Sampled Date: Wednesday, October 12, 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S355	Cut 3, Moulden St, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S356	Cut 3, Moulden St, North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S357	Cut 3, Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S358	Fill 4, Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S359	Fill 4, Reedsdale Rd, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S360	Fill 4, Reedsdale Rd, North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R61	Report Date: Friday, October 14, 2022
Client: Georgiou	Analysed Date: Friday, October 14, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, October 14, 2022
	Sampled Date: Thursday, October 13, 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S361	Cut 3, Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S362	Cut 3, Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S363	Cut 3, Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S364	Fill 4, Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S365	Fill 4, Reedsdale Rd, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S366	Fill 4, Reedsdale Rd, North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R62	Report Date: Monday, October 17, 2022
Client: Georgiou	Analysed Date: Monday, October 17, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, October 17, 2022
	Sampled Date: Thursday, October 13, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S367	Cut 3 Moulden St, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S368	Cut 3 Moulden St, North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S369	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S370	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S371	Fill 4 Reedsdale Rd, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S372	Fill 4 Reedsdale Rd, North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R63 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, October 17, 2022 Analysed Date: Monday, October 17, 2022 Laboratory Receival Date: Monday, October 17, 2022 Sampled Date: Friday, October 14, 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S373	Cut 3 Moulden St, South	000	1200 720 min	1.0	1 /100	< 0.01
A27251-S374	Cut 3 Moulden St, North	000	1200 720 min	1.0	2 /100	< 0.01
A27251-S375	Cut 3 Reedsdale St	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S376	Fill 4 Moulden St	000	1200 720 min	1.0	0 /100	< 0.01
A27251-S377	Fill 4 Reedsdale Rd, South	000	1200 720 min	1.0	2 /100	< 0.01
A27251-S378	Fill 4 Reedsdale Rd, North	000	1200 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R64	Report Date: Tuesday, October 18, 2022
Client: Georgiou	Analysed Date: Tuesday, October 18, 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, October 18, 2022
	Sampled Date: Friday, October 14, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S379	Cut 3 Moulden St – South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S380	Cut 3 Moulden St – North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S381	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S382	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S383	Fill 4 -Reedsdale Rd South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S384	Fill 4 -Reedsdale Rd North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R65
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, October 18, 2022
Analysed Date: Tuesday, October 18, 2022
Laboratory Receival Date: Tuesday, October 18, 2022
Sampled Date: Saturday, October 15, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S385	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S386	Cut 3 Moulden St – North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S387	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S388	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S389	Fill 4 -Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S390	Fill 4 -Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R66 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, October 18, 2022 Analysed Date: Tuesday, October 18, 2022 Laboratory Receival Date: Tuesday, October 18, 2022 Sampled Date: Saturday, October 15, 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S391	Cut 3 Moulden St – South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S392	Cut 3 Moulden St – North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S393	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S394	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S395	Fill 4 -Reedsdale Rd South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S396	Fill 4 -Reedsdale Rd North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R67 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, October 18, 2022 Analysed Date: Tuesday, October 18, 2022 Laboratory Receival Date: Tuesday, October 18, 2022 Sampled Date: Sunday, October 16, 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S397	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S398	Cut 3 Moulden St – North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S399	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S400	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S401	Fill 4 -Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S402	Fill 4 -Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R68 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, October 18, 2022 Analysed Date: Tuesday, October 18, 2022 Laboratory Receival Date: Tuesday, October 18, 2022 Sampled Date: Sunday, October 16, 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S403	Cut 3 Moulden St – South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S404	Cut 3 Moulden St – North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S405	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S406	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S407	Fill 4 -Reedsdale Rd South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S408	Fill 4 -Reedsdale Rd North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R69
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, October 18, 2022
Analysed Date: Tuesday, October 18, 2022
Laboratory Receival Date: Tuesday, October 18, 2022
Sampled Date: Monday, October 17, 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S409	Cut 3 Moulden St – South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S410	Cut 3 Moulden St – North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S411	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S412	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S413	Fill 4 -Reedsdale Rd South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S414	Fill 4 -Reedsdale Rd North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R70</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/Fill 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, October 19, 2022</p> <p>Analysed Date: Wednesday, October 19, 2022</p> <p>Laboratory Receival Date: Wednesday, October 19, 2022</p> <p>Sampled Date: Monday, October 17, 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S415	Cut 3 - Moulden St, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S416	Cut 3 - Moulden St, North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S417	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S418	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S419	Fill 4 - Reedsdale St, South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S420	Fill 4 - Reedsdale St, North	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R71</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/Fill 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, October 19, 2022</p> <p>Analysed Date: Wednesday, October 19, 2022</p> <p>Laboratory Receival Date: Wednesday, October 19, 2022</p> <p>Sampled Date: Tuesday, October 18, 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S421	Cut 3 - Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S422	Cut 3 - Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S423	Cut 3 - Reedsdale St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S424	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S425	Fill 4 - Reedsdale Rd, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S426	Fill 4 - Reedsdale Rd, North	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R74	Report Date: Friday, 21 October 2022
Client: Georgiou	Analysed Date: Friday, 21 October 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 21 October 2022
	Sampled Date: Wednesday, 19 October 2022
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/Fill 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S439	Cut 3 Moulden St, South	1200	2359 720 min	1.0	0/100	< 0.01
A27251-S440	Cut 3 Moulden St, North	1200	2359 720 min	1.0	5/100	< 0.01
A27251-S441	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	3/100	< 0.01
A27251-S442	Fill 4 - Moulden St	1200	2359 720 min	1.0	4/100	< 0.01
A27251-S443	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	3/100	< 0.01
A27251-S444	Cut 4 - Moulden St	1200	2359 720 min	1.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R76 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, October 25, 2022 Analysed Date: Tuesday, October 25, 2022 Laboratory Receival Date: Tuesday, October 25, 2022 Sampled Date: Thursday, October 20, 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S451	Cut 3 - Moulden St, South	000	2359 0 min	1.0	0 /100	< 0.01
A27251-S452	Cut 3 - Moulden St, North	000	2359 720 min	1.0	0 /100	< 0.01
A27251-S453	Cut 3 - Reedsdale Road	000	2359 720 min	1.0	0 /100	< 0.01
A27251-S454	Fill 4 - Reedsdale Road	000	2359 720 min	1.0	0 /100	< 0.01
A27251-S455	Fill 4 - Moulden St	000	2359 720 min	1.0	0 /100	< 0.01
A27251-S456	Cut 4 - Moulden St, West	000	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R77 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Tuesday, 25 October 2022 Analysed Date: Friday, 21 October 2022 Laboratory Receival Date: Tuesday, 25 October 2022 Sampled Date: Friday, 21 October 2022 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S457	Cut 3 - Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S458	Cut 3 - Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S459	Cut 3 - Reedsdale Road	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S460	Fill 4 - Reedsdale Road	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S461	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S462	Cut 4 - Moulden St, West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R78 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Tuesday, October 25, 2022 Analysed Date: Wednesday, October 26, 2022 Laboratory Receival Date: Wednesday, October 26, 2022 Sampled Date: Friday, October 21, 2022 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S463	Cut 3 - Moulden St, South	1200	2359 720 min	1.0	2 /100	< 0.01
A27251-S464	Cut 3 - Moulden St, North	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S465	Cut 3 -Reedsdale Road	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S466	Fill 4 -Reedsdale Road	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S467	Fill 4 -Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S468	Cut 4 - Moulden St, West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R79</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, October 25, 2022</p> <p>Analysed Date: Wednesday, October 26, 2022</p> <p>Laboratory Receival Date: Wednesday, October 26, 2022</p> <p>Sampled Date: Saturday, October 22, 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S469	Cut 3 - Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S470	Cut 3 - Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S471	Cut 3 - Reedsdale Road	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S472	Fill 4 - Reedsdale Road	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S473	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S474	Fill 4 - Moulden St, West	000	1159 720 min	1.0	1 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R80 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Tuesday, October 25, 2022 Analysed Date: Wednesday, October 26, 2022 Laboratory Receival Date: Wednesday, October 26, 2022 Sampled Date: Saturday, October 22, 2022 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S475	Cut 3 - Moulden St, South	1200	2359 / 720 min	1.0	2 /100	< 0.01
A27251-S476	Cut 3 - Moulden St, North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S477	Cut 3 - Reedsdale Road	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S478	Fill 4 - Reedsdale Road	1200	2359 / 720 min	1.0	3 /100	< 0.01
A27251-S479	Fill 4 - Moulden St	1200	2359 / 720 min	1.0	2 /100	< 0.01
A27251-S480	Cut 4 - Moulden St, West	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S481	Quality Control Laboratory Blank	1200	2359 / 720 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R81</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 25 October 2022</p> <p>Analysed Date: Sunday, 23 October 2022</p> <p>Laboratory Receival Date: Tuesday, 25 October 2022</p> <p>Sampled Date: Sunday, 23 October 2022</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S482	Cut 3 - Moulden St, South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S483	Cut 3 - Moulden St, North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S484	Cut 3 - Reedsdale Road	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S485	Fill 4 - Reedsdale Road	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S486	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S487	Fill 4 - Moulden St, West	000	1159 720 min	1.0	2 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R82

Report Date: Thursday, 27 October 2022

Client: Georgiou

Analysed Date: Thursday, 27 October 2022

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Thursday, 27 October 2022

Sampled Date: Sunday, 23 October 2022

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass - Cut 3/Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S488	Cut 3 - Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S489	Cut 3 - Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S490	Cut 3 - Reedsdale Rd	000	1159 720 min	1.0	1 /100	< 0.01
A27251-S491	Fill 4 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S492	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S493	Fill 4 - Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R83 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 27 October 2022 Analysed Date: Thursday, 27 October 2022 Laboratory Receival Date: Thursday, 27 October 2022 Sampled Date: Monday, 24 October 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S494	Cut 3 - Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S495	Cut 3 - Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S496	Cut 3 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S497	Fill 4 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S498	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S499	Cut 4 - Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R84 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 27 October 2022 Analysed Date: Thursday, 27 October 2022 Laboratory Receival Date: Thursday, 27 October 2022 Sampled Date: Monday, 24 October 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S500	Cut 3 - Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S501	Cut 3 - Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S502	Cut 3 -Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S503	Fill 4 -Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S504	Fill 4 -Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S505	Cut 4 -Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S506	Quality Control Laboratory Blank	000	1159 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R85 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 27 October 2022 Analysed Date: Thursday, 27 October 2022 Laboratory Receival Date: Thursday, 27 October 2022 Sampled Date: Tuesday, 25 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S507	Cut 3 - Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S508	Cut 3 - Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S509	Cut 3 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S510	Fill 4 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S511	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S512	Cut 4 - Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R86
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 27 October 2022
Analysed Date: Thursday, 27 October 2022
Laboratory Receival Date: Thursday, 27 October 2022
Sampled Date: Tuesday, 25 October 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S513	Cut 3 - Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S514	Cut 3 - Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S515	Cut 3 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S516	Fill 4 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S517	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S518	Cut 4 - Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R87	Report Date: Thursday, 27 October 2022
Client: Georgiou	Analysed Date: Thursday, 27 October 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 27 October 2022
	Sampled Date: Wednesday, 26 October 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S519	Cut 3 - Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S520	Cut 3 - Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S521	Cut 3 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S522	Fill 4 - Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S523	Fill 4 - Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S524	Cut 4 - Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R88	Report Date: Friday, 28 October 2022
Client: Georgiou	Analysed Date: Friday, 28 October 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 28 October 2022
	Sampled Date: Wednesday, 26 October 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S525	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S526	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S527	Cut 3 -Reedsdale Road	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S528	Fill 4 -Reedsdale Road	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S529	Fill 4 -Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S530	Cut 4 -Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R89 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 28 October 2022 Analysed Date: Friday, 28 October 2022 Laboratory Receival Date: Friday, 28 October 2022 Sampled Date: Thursday, 27 October 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S531	Cut 3- Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S532	Cut 3- Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S533	Cut 3- Reedsdale Road	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S534	Fill 4- Reedsdale Road	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S535	Fill 4- Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S536	Cut 4- Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R90 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Thursday, 27 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S537	Cut 3- Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S538	Cut 3- Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S539	Cut 3- Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S540	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S541	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S542	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R91 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Friday, 28 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S543	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S544	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S545	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S546	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S547	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S548	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R92 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Friday, 28 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S549	Cut 3 - Moulden St South	1200	2359 720 min	1.0	1 /100	< 0.01
A27251-S550	Cut 3 - Moulden St North	1200	2359 720 min	1.0	2 /100	< 0.01
A27251-S551	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S552	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S553	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S554	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R93 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Saturday, 29 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S555	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S556	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S557	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S558	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S559	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S560	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R94 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Saturday, 29 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S561	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S562	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S563	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S564	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S565	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S566	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R95 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Sunday, 30 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S567	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S568	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S569	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S570	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S571	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S572	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R96	Report Date: Tuesday, 1 November 2022
Client: Georgiou	Analysed Date: Tuesday, 1 November 2022
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 1 November 2022
	Sampled Date: Sunday, 30 October 2022

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S573	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S574	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S575	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S576	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S577	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S578	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R97 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 1 November 2022 Analysed Date: Tuesday, 1 November 2022 Laboratory Receival Date: Tuesday, 1 November 2022 Sampled Date: Monday, 31 October 2022
---	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S579	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S580	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S581	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S582	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S583	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S584	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R98 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 3 November 2022 Analysed Date: Thursday, 3 November 2022 Laboratory Receival Date: Thursday, 3 November 2022 Sampled Date: Monday, 31 October 2022
---	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S585	Cut 3 - Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S586	Cut 3 - Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S587	Cut 3 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S588	Fill 4 - Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S589	Fill 4 - Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S590	Cut 4 - Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01