

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R364	<b>Report Date:</b> Monday, 5 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 5 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 5 June 2023
	<b>Sampled Date:</b> Thursday, 1 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2972	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2973	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2974	Ballardee Ln South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2975	Ballardee Ln North	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S2976	Brolgan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2977	Brolgan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2978	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2979	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2980	Hartigan Ave North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2981	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2982	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2983	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2984	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2985	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2986	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2987	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S2988	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2989	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2990	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S2991	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R365</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, 5 June 2023</p> <p><b>Analysed Date:</b> Monday, 5 June 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 5 June 2023</p> <p><b>Sampled Date:</b> Friday, 2 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2992	London Rd South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S2993	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2994	Ballardee Ln South/West	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S2995	Ballardee Ln North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S2996	Brolgan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2997	Brolgan Rd East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S2998	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S2999	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3000	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3001	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3002	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3003	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3004	Cut 3 Moulden St West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3005	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3006	163 Goldrush Rd	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3007	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3008	Reedsdale/Thomas St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3009	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3010	125 Painter St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3011	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R366</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 6 June 2023</p> <p><b>Analysed Date:</b> Tuesday, 6 June 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 6 June 2023</p> <p><b>Sampled Date:</b> Saturday, 3 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3012	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3013	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3014	Ballardee Ln South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3015	Ballardee Ln North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3016	Brolgan Rd West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3017	Brolgan Rd East	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3018	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3019	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3020	Hartigan Ave North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3021	Cut 3 Moulden St South	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3022	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3023	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3024	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3025	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3026	163 Goldrush Rd	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3027	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3028	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3029	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3030	125 Painter St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3031	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R367	<b>Report Date:</b> Tuesday, 6 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 6 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 6 June 2023
	<b>Sampled Date:</b> Sunday, 4 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3032	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3033	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3034	Ballardee Ln South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3035	Ballardee Ln North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3036	Brolgan Rd West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3037	Brolgan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3038	Hartigan Ave West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3039	Hartigan Ave East	1159	1200 1440 min	0.5	3 /100	< 0.01
A27251-S3040	Hartigan Ave North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3041	Cut 3 Moulden St South	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3042	Cut 3 Moulden St North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3043	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3044	Cut 3 Moulden St West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3045	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3046	163 Goldrush Rd	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3047	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3048	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3049	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3050	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3051	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R368	<b>Report Date:</b> Wednesday, 7 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 7 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 7 June 2023
	<b>Sampled Date:</b> Monday, 5 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3052	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3053	London Rd North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3054	Ballardee Ln South/West	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3055	Ballardee Ln North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3056	Brolgan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3057	Brolgan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3058	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3059	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3060	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3061	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3062	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3063	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3064	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3065	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3066	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3067	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3068	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3069	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3070	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3071	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R369	<b>Report Date:</b> Thursday, 8 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Thursday, 8 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Thursday, 8 June 2023
	<b>Sampled Date:</b> Tuesday, 6 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3072	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3073	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3074	Ballardee Ln South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3075	Ballardee Ln North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3076	Brolgan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3077	Brolgan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3078	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3079	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3080	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3081	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3082	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3083	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3084	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3085	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3086	163 Goldrush Rd	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S3087	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3088	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3089	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3090	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3091	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R370</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, 9 June 2023</p> <p><b>Analysed Date:</b> Friday, 9 June 2023</p> <p><b>Laboratory Receival Date:</b> Friday, 9 June 2023</p> <p><b>Sampled Date:</b> Wednesday, 7 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3092	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3093	London Rd North	1159	1200 1440 min	0.5	3 /100	< 0.01
A27251-S3094	Ballardee Ln South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3095	Ballardee Ln North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3096	Brolgan Rd West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3097	Brolgan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3098	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3099	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3100	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3101	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3102	Cut 3 Moulden St North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3103	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3104	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3105	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3106	163 Goldrush Rd	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3107	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3108	Reedsdale/Thomas St	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S3109	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3110	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3111	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R371</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, 14 June 2023</p> <p><b>Analysed Date:</b> Tuesday, 13 June 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 13 June 2023</p> <p><b>Sampled Date:</b> Thursday, 8 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3112	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3113	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3114	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3115	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3116	Broglan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3117	Broglan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3118	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3119	Hartigan Ave East	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3120	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3121	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3122	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3123	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3124	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3125	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3126	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3127	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3128	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3129	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3130	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3131	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R372	<b>Report Date:</b> Wednesday, 14 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 13 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 13 June 2023
	<b>Sampled Date:</b> Friday, 9 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3132	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3133	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3134	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3135	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3136	Broglan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3137	Broglan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3138	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3139	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3140	Hartigan Ave North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3141	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3142	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3143	Fill 4 Moulden St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3144	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3145	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3146	163 Goldrush Rd	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3147	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3148	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3149	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3150	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3151	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R373	<b>Report Date:</b> Wednesday, 14 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 14 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 14 June 2023
	<b>Sampled Date:</b> Saturday, 10 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3152	London Rd South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3153	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3154	Ballerdee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3155	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3156	Broglan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3157	Broglan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3158	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3159	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3160	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3161	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3162	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3163	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3164	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3165	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3166	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3167	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3168	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3169	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3170	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3171	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R374</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, 14 June 2023</p> <p><b>Analysed Date:</b> Wednesday, 14 June 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, 14 June 2023</p> <p><b>Sampled Date:</b> Sunday, 11 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3172	London Rd South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3173	London Rd North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3174	Ballerdee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3175	Ballerdee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3176	Broglan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3177	Broglan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3178	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3179	Hartigan Ave East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3180	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3181	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3182	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3183	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3184	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3185	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3186	163 Goldrush Rd	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S3187	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3188	Reedsdale/Thomas St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3189	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3190	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3191	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R375</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, June 16, 2023</p> <p><b>Analysed Date:</b> Friday, June 16, 2023</p> <p><b>Laboratory Receival Date:</b> Friday, June 16, 2023</p> <p><b>Sampled Date:</b> Monday, June 12, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3192	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3193	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3194	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3195	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3196	Brolgan Road West	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3197	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3198	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3199	Hartigan Avenue East	1159	1200 1440 min	0.5	3 /100	< 0.01
A27251-S3200	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3201	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3202	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3203	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3204	Cut 3 - Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3205	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3206	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3207	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3208	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3209	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3210	125 Painter St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3211	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R376	<b>Report Date:</b> Friday, June 16, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, June 16, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, June 16, 2023
	<b>Sampled Date:</b> Tuesday, June 13, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3212	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3213	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3214	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3215	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3216	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3217	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3218	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3219	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3220	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3221	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3222	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3223	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3224	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3225	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3226	163 Goldrush Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3227	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3228	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3229	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3230	125 Painter St	1159	1200 1440 min	0.0	0 /100	< 0.01
A27251-S3231	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R377</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, June 16, 2023</p> <p><b>Analysed Date:</b> Friday, June 16, 2023</p> <p><b>Laboratory Receival Date:</b> Friday, June 16, 2023</p> <p><b>Sampled Date:</b> Wednesday, June 14, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3232	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3233	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3234	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3235	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3236	Broglan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3237	Broglan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3238	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3239	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3240	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3241	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3242	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3243	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3244	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3245	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3246	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3247	Cut 3 Reedsdale Rd S/E Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3248	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3249	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3250	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3251	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R378</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, June 19, 2023</p> <p><b>Analysed Date:</b> Monday, June 19, 2023</p> <p><b>Laboratory Receival Date:</b> Monday, June 19, 2023</p> <p><b>Sampled Date:</b> Thursday, June 15, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3252	London Road South	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3253	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3254	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3255	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3256	Brolgan Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3257	Brolgan Lane East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3258	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3259	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3260	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3261	Cut 3 Moulden St South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3262	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3263	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3264	Cut 3 Moulden St West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3265	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3266	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3267	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3268	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3269	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3270	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3271	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R379 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> [REDACTED] <b>Sampled From:</b> Parkes Bypass Project  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Monday, June 19, 2023 <b>Analysed Date:</b> Monday, June 19, 2023 <b>Laboratory Receival Date:</b> Monday, June 19, 2023 <b>Sampled Date:</b> Friday, June 16, 2023  <b>Sampled By:</b> [REDACTED] <b>Approved Counter and Signatory:</b> [REDACTED]  <b>Type of Monitoring:</b> Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3272	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3273	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3274	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3275	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3276	Brolgan Rd West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3277	Brolgan Rd East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3278	Hartigan Ave West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3279	Hartigan Ave East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3280	Hartigan Ave North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3281	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3282	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3283	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3284	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3285	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3286	163 Goldrush Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3287	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3288	Reedsdale/Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3289	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3290	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3291	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R380</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, June 20, 2023</p> <p><b>Analysed Date:</b> Tuesday, June 20, 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, June 20, 2023</p> <p><b>Sampled Date:</b> Saturday, June 17, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3292	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3293	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3294	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3295	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3296	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3297	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3298	Hartigan Avenue West	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3299	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3300	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3301	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3302	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3303	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3304	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3305	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3306	163 Goldrush Road	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3307	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3308	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3309	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3310	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3311	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R381	<b>Report Date:</b> Tuesday, June 20, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, June 20, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, June 20, 2023
	<b>Sampled Date:</b> Sunday, June 18, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3312	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3313	London Road North	1159	1200 1440 min	0.5	3 /100	< 0.01
A27251-S3314	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3315	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3316	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3317	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3318	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3319	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3320	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3321	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3322	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3323	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3324	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3325	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3326	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3327	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3328	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3329	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3330	125 Painter St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3331	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R382	<b>Report Date:</b> Wednesday, 21 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 21 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 21 June 2023
	<b>Sampled Date:</b> Monday, 19 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3332	London Road South	1159 / 1200	1440 min	0.5	2 /100	< 0.01
A27251-S3333	London Road North	1159 / 1200	1440 min	0.5	2 /100	< 0.01
A27251-S3334	Ballardee Lane South/West	1159 / 1200	1440 min	0.5	1 /100	< 0.01
A27251-S3335	Ballardee Lane North	1159 / 1200	1440 min	0.5	1 /100	< 0.01
A27251-S3336	Brolgan Road West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S3337	Brolgan Road East	1159 / 1200	1440 min	0.5	1 /100	< 0.01
A27251-S3338	Hartigan Avenue West	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S3339	Hartigan Avenue East	1159 / 1200	1440 min	0.5	0 /100	< 0.01
A27251-S3340	Hartigan Avenue North	1159 / 1200	1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3341	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3342	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3343	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3344	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3345	158 Goldrush Rd S/E	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3346	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3347	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3348	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3349	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3350	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3351	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R383  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Thursday, June 22, 2023  
**Analysed Date:** Thursday, June 22, 2023  
**Laboratory Receival Date:** Thursday, June 22, 2023  
**Sampled Date:** Tuesday, June 20, 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3352	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3353	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3354	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3355	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3356	Rolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3357	Rolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3358	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3359	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3360	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3361	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3362	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3363	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3364	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3365	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3366	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3367	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3368	Reedsdale / Thomas St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3369	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3370	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3371	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R384

**Report Date:** Friday, June 23, 2023

**Client:** Georgiou

**Analysed Date:** Friday, June 23, 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Friday, June 23, 2023

**Sampled Date:** Wednesday, June 21, 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3372	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3373	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3374	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3375	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3376	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3377	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3378	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3379	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3380	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3381	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3382	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3383	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3384	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3385	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3386	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3387	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3388	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3389	Fill 4 Reedsdale ST	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3390	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3391	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R385	<b>Report Date:</b> Monday, 26 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 26 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 26 June 2023
	<b>Sampled Date:</b> Thursday, 22 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3392	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3393	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3394	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3395	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3396	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3397	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3398	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3399	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3400	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3401	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3402	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3403	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3404	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3405	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3406	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3407	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3408	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3409	Fill 4 Reedsdale ST	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3410	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3411	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R386	<b>Report Date:</b> Tuesday, 27 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 27 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 27 June 2023
	<b>Sampled Date:</b> Friday, 23 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3412	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3413	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3414	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3415	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3416	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3417	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3418	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3419	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3420	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3421	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3422	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3423	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3424	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3425	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3426	163 Goldrush Road	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3427	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3428	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3429	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3430	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3431	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R387	<b>Report Date:</b> Tuesday, 27 June 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 27 June 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 27 June 2023
	<b>Sampled Date:</b> Saturday, 24 June 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3432	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3433	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3434	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3435	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3436	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3437	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3438	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3439	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3440	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3441	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3442	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3443	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3444	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3445	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3446	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3447	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3448	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3449	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3450	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3451	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R388  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Tuesday, 27 June 2023  
**Analysed Date:** Tuesday, 27 June 2023  
**Laboratory Receival Date:** Tuesday, 27 June 2023  
**Sampled Date:** Sunday, 25 June 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3452	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3453	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3454	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3455	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3456	Brolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3457	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3458	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3459	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3460	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3461	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3462	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3463	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3464	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3465	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3466	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3467	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3468	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3469	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3470	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3471	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R389 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, 29 June 2023 <b>Analysed Date:</b> Thursday, 29 June 2023 <b>Laboratory Receival Date:</b> Thursday, 29 June 2023 <b>Sampled Date:</b> Monday, 26 June 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3472	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3474	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3475	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3476	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3477	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3478	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3479	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3480	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3481	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3482	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3483	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3484	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3485	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3486	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3487	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3488	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3489	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3490	125 Painter St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3491	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R390</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 29 June 2023</p> <p><b>Analysed Date:</b> Thursday, 29 June 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, 29 June 2023</p> <p><b>Sampled Date:</b> Tuesday, 27 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3492	London Road South	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S3493	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3494	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3495	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3496	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3497	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3498	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3499	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3500	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3501	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3502	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3503	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3504	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3505	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3506	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3507	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3508	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3509	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3510	125 Painter St	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S3511	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

**Report No:** A27251-R391  
**Client:** Georgiou  
**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Report Date:** Friday, 30 June 2023  
**Analysed Date:** Friday, 30 June 2023  
**Laboratory Receival Date:** Friday, 30 June 2023  
**Sampled Date:** Wednesday, 28 June 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3512	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3513	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3514	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3515	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3516	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3517	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3518	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3519	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3520	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3521	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3522	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3523	Fill 4 Moulden St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3524	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3525	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3526	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3527	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3528	Reedsdale / Thomas St	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3529	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3530	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3531	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R392</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, 3 July 2023</p> <p><b>Analysed Date:</b> Monday, 3 July 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 3 July 2023</p> <p><b>Sampled Date:</b> Thursday, 29 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3532	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3533	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3534	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3535	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3536	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3537	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3538	Hartigan Avenue West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3539	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3540	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3541	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3542	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3543	Fill 4 Moulden St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3544	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3545	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3546	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3547	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S3548	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3549	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3550	125 Painter St	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3551	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R393 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 4 July 2023 <b>Analysed Date:</b> Tuesday, 4 July 2023 <b>Laboratory Receival Date:</b> Tuesday, 4 July 2023 <b>Sampled Date:</b> Friday, 30 June 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3552	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3553	QA	1159	1200 1440 min	N.A.	0 /100	< 0.01
A27251-S3554	QA	1159	1200 1440 min	N.A.	0 /100	< 0.01
A27251-S3555	QA	1159	1200 1440 min	N.A.	0 /100	< 0.01
A27251-S3556	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3557	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3558	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3559	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S3560	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S3561	Cut 3 Moulden St - South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3562	Cut 3 Moulden St - North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3563	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3564	Cut 3 Moulden St - West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3565	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3566	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3567	Cut 3 Reedsdale Rd S/E	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3568	Reedsdale / Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3569	Fill 4 Reedsdale St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3570	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S3571	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

## LABORATORY ANALYSIS REPORT

### Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R196</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, 2 June 2023</p> <p><b>Analysed Date:</b> Friday, 2 June 2023</p> <p><b>Laboratory Receival Date:</b> Friday, 2 June 2023</p> <p><b>Sampled Date:</b> Thursday, 1 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1032	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1033	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1034	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1035	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1036	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1037	Cut 3 Condo Rd	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1038	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1039	Broglan Rd East & Billy Mac Place	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1040	Broglan Rd West & Billy Mac Place	700	1500 480 min	1.0	1 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1041	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1042	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1043	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R197</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, 5 June 2023</p> <p><b>Analysed Date:</b> Monday, 5 June 2023</p> <p><b>Laboratory Receival Date:</b> Friday, 2 June 2023</p> <p><b>Sampled Date:</b> Friday, 2 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1044	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1045	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1046	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1047	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1048	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1049	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1050	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1051	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1052	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1053	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1054	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1055	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830





**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R198

**Report Date:** Monday, 5 June 2023

**Client:** Georgiou

**Analysed Date:** Monday, 5 June 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Saturday, 3 June 2023

**Sampled Date:** Saturday, 3 June 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1056	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1057	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1058	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1059	Fill 5 Wheelwash	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S1060	Cut 3 West Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1061	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1062	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1063	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1064	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1065	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1066	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1067	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT

### Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R199</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 6 June 2023</p> <p><b>Analysed Date:</b> Tuesday, 6 June 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 6 June 2023</p> <p><b>Sampled Date:</b> Monday, 5 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1068	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1069	Gate 10 - Clean End Decon	700	1500 480 min	Flow Fault		
A27351-S1070	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1071	Fill 5 Wheelwash	700	1500 480 min	1.0	1.5 /100	< 0.01
A27351-S1072	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1073	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1074	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1075	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1076	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1077	Wheelwash Compound	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1078	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	2 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R200</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, 7 June 2023</p> <p><b>Analysed Date:</b> Wednesday, 7 June 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, 7 June 2023</p> <p><b>Sampled Date:</b> Tuesday, 6 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1079	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1080	Gate 10 - Clean End Decon	700	1500 480 min	N.A.	1 /100	< 0.01
A27351-S1081	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1082	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1083	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1084	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1085	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1086	Broglan Road East	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S1087	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1088	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1089	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT

### Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R201</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 8 June 2023</p> <p><b>Analysed Date:</b> Thursday, 8 June 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, 8 June 2023</p> <p><b>Sampled Date:</b> Wednesday, 7 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1090	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1091	Gate 10 - Clean End Decon	700	1500 480 min	N.A.	0 /100	< 0.01
A27351-S1092	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1093	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1094	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1095	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1096	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1097	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1098	Broglan Road West	700	1500 480 min	1.0	1 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1099	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1100	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830





## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R202</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, 9 June 2023</p> <p><b>Analysed Date:</b> Friday, 9 June 2023</p> <p><b>Laboratory Receival Date:</b> Friday, 9 June 2023</p> <p><b>Sampled Date:</b> Thursday, 8 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1101	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1102	Gate 10 - Clean End Decon	700	1500 480 min	N.A.	0 /100	< 0.01
A27351-S1103	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1104	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1105	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1106	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1107	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1108	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1109	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1110	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1111	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1112	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R203</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 13 June 2023</p> <p><b>Analysed Date:</b> Tuesday, 13 June 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 13 June 2023</p> <p><b>Sampled Date:</b> Friday, 9 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1113	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1114	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1115	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1116	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1117	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1118	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1119	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1120	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1121	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1122	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1123	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1124	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R204</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, 14 June 2023</p> <p><b>Analysed Date:</b> Wednesday, 14 June 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, 14 June 2023</p> <p><b>Sampled Date:</b> Tuesday, 13 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1125	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1126	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1127	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1128	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1129	Cut 3 West Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1130	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1131	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1132	Broglan Road East	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S1133	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1134	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1135	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R205</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 15 June 2023</p> <p><b>Analysed Date:</b> Thursday, 15 June 2023</p> <p><b>Laboratory Receival Date:</b> Thursday, 15 June 2023</p> <p><b>Sampled Date:</b> Wednesday, 14 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1136	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1137	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1138	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1139	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1140	Cut 3 West Fence	700	1500 480 min	1.0	0.5 /100	< 0.01
A27351-S1141	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1142	Cut 3 East Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1143	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1144	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1145	Wheelwash Compound	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1146	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830





## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R206</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, June 16, 2023</p> <p><b>Analysed Date:</b> Friday, June 16, 2023</p> <p><b>Laboratory Receival Date:</b> Friday, June 16, 2023</p> <p><b>Sampled Date:</b> Thursday, June 15, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1147	Gate 10 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1148	Gate 10 Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1149	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1150	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1151	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1152	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1153	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1154	Broglan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1155	Broglan Rd West	700	1500 480 min	1.0	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1156	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1157	Reedsdale Rd North, Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R207</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, June 19, 2023</p> <p><b>Analysed Date:</b> Friday, June 16, 2023</p> <p><b>Laboratory Receival Date:</b> Friday, June 16, 2023</p> <p><b>Sampled Date:</b> Friday, June 16, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1158	Gate 10 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1159	Gate 10 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1160	Gate 9 Fence	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S1161	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1162	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1163	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1164	Cut 3 East Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1165	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1166	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1167	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1168	Reedsdale Rd, North Adjacent Containment Cell	700	1500 480 min	1.0	1 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R208</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, June 19, 2023</p> <p><b>Analysed Date:</b> Saturday, June 17, 2023</p> <p><b>Laboratory Receival Date:</b> Saturday, June 17, 2023</p> <p><b>Sampled Date:</b> Saturday, June 17, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1169	Gate 10 Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1170	Gate 10 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1171	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1172	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1173	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1174	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1175	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1176	Broglan Rd East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1177	Broglan Rd West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1178	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1179	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R209

**Report Date:** Tuesday, June 20, 2023

**Client:** Georgiou

**Analysed Date:** Tuesday, June 20, 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Tuesday, June 20, 2023

**Sampled Date:** Monday, June 19, 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1180	Gate 10 Crib Room	700	1500 480 min	1.0	1.5 /100	< 0.01
A27351-S1181	Gate 10 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1182	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1183	Fill 5 Wheel Wash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1184	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1185	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1186	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1187	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1188	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1189	Wheel Wash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1190	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R210

**Report Date:** Thursday, June 22, 2023

**Client:** Georgiou

**Analysed Date:** Wednesday, June 21, 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Wednesday, June 21, 2023

**Sampled Date:** Tuesday, June 20, 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1191	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1192	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1193	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1194	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1195	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1196	Cut 3 London Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1197	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1198	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1199	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1200	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1201	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

**Report No:** A27351-R211

**Report Date:** Thursday, June 22, 2023

**Client:** Georgiou

**Analysed Date:** Thursday, June 22, 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Thursday, June 22, 2023

**Sampled Date:** Wednesday, June 21, 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1202	Gate 10 Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1203	Gate 10 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1204	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1205	Fill 5 Wheel Wash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1206	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1207	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1208	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1209	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1210	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1211	Wheel Wash Compound	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1212	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R212	<b>Report Date:</b> Friday, June 23, 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, June 23, 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, June 23, 2023
	<b>Sampled Date:</b> Thursday, June 22, 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass Project	<b>Type of Monitoring:</b> Background During Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1213	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1214	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1215	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1216	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1217	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1218	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1219	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1220	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1221	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1222	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1223	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R213 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 26 June 2023 <b>Analysed Date:</b> Monday, 26 June 2023 <b>Laboratory Receival Date:</b> Monday, 26 June 2023 <b>Sampled Date:</b> Friday, 23 June 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1224	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1225	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1226	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1227	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1228	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1229	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1230	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1231	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1232	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1233	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1234	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1235	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R214 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 27 June 2023 <b>Analysed Date:</b> Tuesday, 27 June 2023 <b>Laboratory Receival Date:</b> Tuesday, 27 June 2023 <b>Sampled Date:</b> Saturday, 24 June 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1236	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1237	Gate 10 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1238	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1239	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1240	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1241	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1242	Cut 3 East Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1243	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1244	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1245	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1246	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1247	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R215</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Wednesday, 28 June 2023</p> <p><b>Analysed Date:</b> Wednesday, 28 June 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 26 June 2023</p> <p><b>Sampled Date:</b> Monday, 26 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1248	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1249	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1250	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1251	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1252	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1253	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1254	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1255	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1256	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1257	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1258	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1259	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R216</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, 29 June 2023</p> <p><b>Analysed Date:</b> Thursday, 29 June 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 27 June 2023</p> <p><b>Sampled Date:</b> Tuesday, 27 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1260	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1261	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1262	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1263	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1264	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1265	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1266	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1267	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1268	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1269	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1270	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1271	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R217 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, 29 June 2023 <b>Analysed Date:</b> Thursday, 29 June 2023 <b>Laboratory Receival Date:</b> Wednesday, 28 June 2023 <b>Sampled Date:</b> Wednesday, 28 June 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1272	Gate 10 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1273	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1274	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1275	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1276	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1277	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1278	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1279	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1280	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1281	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1282	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1283	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830





## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R218</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass Project</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, 30 June 2023</p> <p><b>Analysed Date:</b> Friday, 30 June 2023</p> <p><b>Laboratory Receival Date:</b> Friday, 30 June 2023</p> <p><b>Sampled Date:</b> Thursday, 29 June 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1284	Gate 10 - Crib Room	700	1500 480 min	1.0	3.5 /100	< 0.01
A27351-S1285	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1286	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1287	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1288	Cut 3 West Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S1289	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1290	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1291	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1292	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1293	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1294	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1295	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

\*Fibre counting performed with Mobile Laboratory at Parkes

ENVIROSCIENCE SOLUTIONS PTY LTD  
 NATA Accreditation No. 19366  
 ACN 157 918 262  
 Ph 1300 372 436  
 info@enviroscience.com.au  
 www.enviroscience.com.au  
 LABORATORY LOCATED AT 2/3 DOUGLAS MAWSON ROAD, DUBBO NSW 2830



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R219	<b>Report Date:</b> Monday, 3 July 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 3 July 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 3 July 2023
	<b>Sampled Date:</b> Friday, 30 June 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1296	Gate 10 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1297	Gate 10 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1298	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1299	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1300	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1301	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1302	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1303	Broglan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1304	Broglan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1305	Wheelwash Compound	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1306	Reedsdale Rd North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S1307	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R220	<b>Report Date:</b> Monday, 3 July 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 3 July 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 3 July 2023
	<b>Sampled Date:</b> Friday, 30 June 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass Project

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S1308	Enviroscience Sit Laboratory	730	940 130 min	4.0	2 /100	< 0.01
A27351-S1309	Georgiou Site Office	730	940 130 min	4.0	1 /100	< 0.01
A27351-S1310	TFNSW Site Office	730	940 130 min	4.0	0 /100	< 0.01
A27351-S1311	Main Compound Crib Room	730	940 130 min	4.0	0 /100	< 0.01