

Register of Asphalt Mixes for Transport for NSW

Current as at 23 Nov 2022 10:41

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Boral Asphalt NSW								
Alstonville	AC 10MM AR450	N/A	XVP.254178T	Y4183	R116 Ed 8 Rev 4	CONFORMING	10/08/2023	
	AC 10MM AR450	N/A	XVP.244209T	Y4142	R116 Ed 8 Rev 4	CONFORMING	03/05/2023	
	AC 14MM Bitumen	N/A	XVP.244226T	Y4189	R116 Ed 8 Rev 4	PENDING	14/08/2023	Awaiting T640 and modulus
	AC 14MM A15E	N/A	XVP.244222T	Y4271	R116 Ed 8 Rev 4	CONFORMING	23/08/2023	
	AC 14MM AR450	N/A	XVP.244239T	Y4111	R116 Ed 8 Rev 4	CONFORMING	04/04/2023	
	AC 14MM A15E	N/A	XVP.244226T	Y4190	R116 Ed 8 Rev 4	CONFORMING	14/08/2023	
	AC 14MM Bitumen	N/A	XVP.244226T	Y4189	R116 Ed 8 Rev 4	PENDING	14/08/2023	Awaiting T640 and modulus
	AC 20MM AR450	N/A	XVP.244267T	Y4112	R116 Ed 8 Rev 4	CONFORMING	04/04/2023	
	SMA 10MM A15E	N/A	XVP.256166	Y4270	R121 Ed 3 Rev 2	CONFORMING	16/07/2023	
	SMA 10MM A15E	N/A	XVP.244355	Y4128	R121 Ed 3 Rev 2	CONFORMING	27/04/2023	
	SMA 10MM A15E Puma Pinkemba	N/A	XVP.244355	Y4210	R121 Ed 3 Rev 2	CONFORMING	27/04/2023	
Canberra	AC 10MM AR450	N/A	XUP.244209	Y4317	R116 Ed 8 Rev 4	CONFORMING	14/11/2023	
	AC 10MM A15E	N/A	XUP.244197	Y4318	R116 Ed 8 Rev 4	CONFORMING	22/11/2023	
	RUB 14MM AR450 BER	N/A	XUP.244242	Y4048	R118 Ed 1 Rev 1	CONFORMING	29/11/2022	
Carrington	AC 10MM AR450	N/A	XRP.244209	Y4202	R116 Ed 8 Rev 4	CONFORMING	24/04/2023	
	AC 10MM AR450 1		XRP.245060	Y4201	R116 Ed 8 Rev 4	CONFORMING	12/04/2023	
	AC 14MM AR450	N/A	XRP.247854	Y4383	R116 Ed 8 Rev 4	CONFORMING	23/04/2024	
	AC 14MM A5E 2W		XRP.244217	Y4269	R116 Ed 8 Rev 4	CONFORMING	02/08/2023	
	AC 14MM AR450	N/A	XRP.244239	Y4179	R116 Ed 8 Rev 4	CONFORMING	01/05/2023	
	AC 14MM AR450 1		XRP.245063	Y4203	R116 Ed 8 Rev 4	CONFORMING	11/04/2023	
	AC 14MM A5E	N/A	XRP.247853	Y4384	R116 Ed 8 Rev 4	CONFORMING	20/04/2024	
	AC 14MM AR450 2		XRP.248867	Y4399	R116 Ed 8 Rev 4	CONFORMING	25/04/2024	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Carrington	AC	14MM A5E	N/A	XRP.244222	Y4182	R116 Ed 8 Rev 4	CONFORMING	22/02/2023	
	AC	20MM AR450	N/A	XRP.244267	Y4176	R116 Ed 8 Rev 4	CONFORMING	23/05/2023	
	AC	20MM AR450	1	XRP.245067	Y4178	R116 Ed 8 Rev 4	CONFORMING	10/04/2023	
	AC	20MM AR450	2	XRP.248454	Y4385	R116 Ed 8 Rev 4	CONFORMING	25/05/2024	
	EME 2	14MM EME2 15/25		XRP.243847-S	Y4163	R126 Ed 1 Rev 3	SUBMITTED	20/06/2023	EME2
	EME 2	14MM 10/20		XRP.243847	Y4161	Not Available	CONFORMING	14/05/2023	EME2
Coffs Harbour	SMA	10MM basalt		21-XCP.244355	Y4092	R121 Ed 3 Rev 2	CONFORMING	01/02/2023	
	SMA	10MM basalt		21-XCP.244355	Y4092	R121 Ed 3 Rev 2	CONFORMING	01/02/2023	
Coffs Harbour (fixed)	AC	10MM AR450	N/A	XCP.244209	Y4070	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	10MM A15E	N/A	XCP.244197-JHQ	Y4069	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	14MM AR450	N/A	XCP.244239	Y4072	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	14MM AR450	N/A	XCP.244222	Y4071	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
	AC	20MM AR450	N/A	XCP.244267	Y4073	R116 Ed 8 Rev 4	CONFORMING	20/01/2023	
Dubbo	AC	10MM AR450	N/A	XDP.244209	Y4121	R116 Ed 8 Rev 4	CONFORMING	03/03/2023	
	AC	14MM A5E	N/A	XDP.244222	Y4079	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC	14MM AR450	N/A	XDP.244239	Y4122	R116 Ed 8 Rev 4	CONFORMING	14/03/2023	
	AC	20MM AR450	N/A	XDP.244267	Y4052	R116 Ed 8 Rev 4	CONFORMING	24/01/2023	
Enfield	AC	10MM A5E	1PW	XEP.244194	Y4396	R116 Ed 8 Rev 4	CONFORMING	28/02/2024	
	AC	10MM Bitumen	N/A	XEP.244197	Y4309	R116 Ed 8 Rev 4	CONFORMING	23/10/2023	
	AC	10MM AR450	2W	XEP.244207	Y4213	R116 Ed 8 Rev 4	CONFORMING	11/09/2023	
	AC	10MM AR450	N/A	XEP.244209	Y4397	R116 Ed 8 Rev 4	CONFORMING	27/03/2024	
	AC	14MM AR450	N/A	XEP.244239	Y4308	R116 Ed 8 Rev 4	CONFORMING	21/10/2023	
	AC	14MM AR450	2	XEP.248867	Y4215	R116 Ed 8 Rev 4	CONFORMING	13/09/2023	
	AC	14MM AR450	1	XEP.244235	Y4216	R116 Ed 8 Rev 4	CONFORMING	05/09/2023	
	AC	14MM Bitumen	N/A	XEP.247853	Y4346	R116 Ed 8 Rev 4	CONFORMING	23/10/2023	
	AC	14MM A35P	N/A	XEP.248464	Y4064	R116 Ed 8 Rev 4	CONFORMING	31/01/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Enfield	AC	14MM AR450	2	XEP.244245	Y4198	R116 Ed 8 Rev 4	CONFORMING	28/07/2023	
	AC	14MM A5E	2W	XEP.244217	Y4211	R116 Ed 8 Rev 4	CONFORMING	13/09/2023	
	AC	14MM Bitumen	N/A	XEP.244222	Y4307	R116 Ed 8 Rev 4	CONFORMING	08/11/2023	
	AC	14MM AR450	N/A	XEP.244237	Y4347	R116 Ed 8 Rev 4	CONFORMING	20/09/2023	
	AC	14MM A5E	1PW	XEP.248452	Y4428	R116 Ed 8 Rev 4	CONFORMING	13/05/2024	
	AC	20MM AR450	3	XEP.244265	Y4209	R116 Ed 8 Rev 4	CONFORMING	13/09/2023	
	AC	20MM AR450	3	XEP.248459	Y4158	R116 Ed 8 Rev 4	CONFORMING	25/06/2023	
	AC	20MM AR450	1	XEP.256254	Y4217	R116 Ed 8 Rev 4	CONFORMING	27/08/2023	
	AC	20MM A35P	1	XEP.245071	Y4138	R116 Ed 8 Rev 4	CONFORMING	10/05/2023	
	AC	20MM AR450	3	XEP.248871	Y4220	R116 Ed 8 Rev 4	CONFORMING	12/09/2023	
	AC	20MM AR450	1	XEP.256239	Y4191	R116 Ed 8 Rev 4	CONFORMING	31/07/2023	
	AC	20MM AR450	3	XEP.244270	Y4200	R116 Ed 8 Rev 4	CONFORMING	28/07/2023	
	AC	20MM AR450	2	XEP.248459	Y4214	R116 Ed 8 Rev 4	CONFORMING	25/06/2023	
	AC	20MM AR450	1	XEP.247580	Y4199	R116 Ed 8 Rev 4	CONFORMING	09/08/2023	
	AC	20MM AR450	3	XEP.248458	Y4473	R116 Ed 8 Rev 4	CONFORMING	30/07/2024	
	AC	20MM Bitumen	N/A	XEP.249168	Y4436	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	20MM AR450	1	XEP.244262	Y4312	R116 Ed 8 Rev 4	CONFORMING	14/11/2023	
	AC	28MM AR450	N/A	XEP.244285	Y4249	R116 Ed 8 Rev 4	CONFORMING	05/09/2023	
	AC	28MM AR450	2	XEP.244284	Y3805	R116 Ed 8 Rev 4	CONFORMING	04/03/2024	
	AC	28MM AR450	3	XEP.248457	Y4345	R116 Ed 8 Rev 4	CONFORMING	05/02/2024	
	AC	7MM AR450	N/A	XEP.244297	Y4358	R116 Ed 8 Rev 4	CONFORMING	25/03/2024	
	EME 2	14MM EME2 15/25		XEP.243847	Y4362	R126 Ed 1 Rev 3	CONFORMING	11/12/2022	EME2
	EME 2	14MM Basalt		XEP.243847	Y4078	Not Available	SUBMITTED	11/12/2022	
	OG	10MM Bitumen	N/A	XEP.244236	Y4435	R116 Ed 8 Rev 4	CONFORMING	17/04/2024	
Port Kembla	AC	10MM AR450	N/A	XKP.244209	Y4401	R116 Ed 8 Rev 4	CONFORMING	20/04/2024	
	AC	10MM AR450	N/A	XKP.245060	Y4253	R116 Ed 8 Rev 4	CONFORMING	03/09/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Port Kembla	AC	14MM AR450	N/A	XKP.244239	Y4400	R116 Ed 8 Rev 4	CONFORMING	22/04/2024	
	AC	14MM AR450	N/A	XKP.244237	Y4252	R116 Ed 8 Rev 4	CONFORMING	07/09/2023	
	AC	14MM AR450	1W	XKP.244235	Y4251	R116 Ed 8 Rev 4	CONFORMING	13/09/2023	
	AC	20MM AR450	N/A	XKP.24580	Y4247	R116 Ed 8 Rev 4	CONFORMING	17/08/2023	
	AC	20MM AR450	N/A	XKP.244267	Y4250	R116 Ed 8 Rev 4	CONFORMING	16/08/2023	
Capital Asphalt									
Hume	AC	10MM AR450	N/A	RP21-1310-10HD	Y4228	R116 Ed 8 Rev 4	CONFORMING	18/06/2023	
	AC	10MM A5E	N/A	RP21-1310-10HDA15E	Y4231	R116 Ed 8 Rev 4	CONFORMING	30/03/2023	
	AC	14MM A5E	N/A	RP21-1310-14HD	Y4230	R116 Ed 8 Rev 4	CONFORMING	17/06/2023	
	AC	14MM AR450	N/A	RP21-1310-14HD	Y4229	R116 Ed 8 Rev 4	CONFORMING	17/06/2023	
	AC	20MM AR450	3	RP21-1310-20	Y4365	R116 Ed 8 Rev 4	CONFORMING	10/04/2024	
	AC	20MM AR450	N/A	RP21-1310-20HD	Y4233	R116 Ed 8 Rev 4	CONFORMING	16/06/2023	
	AC	7MM AR450	N/A	RP21-1310-7HD	Y4232	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	OG	10MM A5E	N/A	RP21-1310-10OGA	Y4341	R121 Ed 3 Rev 2	CONFORMING	22/01/2024	
Colas NSW									
Cooperabung (Hunter)	AC	10MM A5E	N/A	07-86410	Y4455	R116 Ed 8 Rev 4	CONFORMING	25/07/2024	
	AC	10MM AR450		07-86110	Y4454	Not Available	CONFORMING	25/07/2024	
	AC	14MM AR450	N/A	07 - 86114	Y4477	R116 Ed 8 Rev 4	PENDING	29/09/2024	failed 1.18mm sieve
	AC	20MM A5E	N/A	07-86420	Y4457	R116 Ed 8 Rev 4	CONFORMING	07/08/2024	
	AC	20MM AR450	N/A	07-86120	Y4456	R116 Ed 8 Rev 4	CONFORMING	07/08/2024	
	AC	7MM AR450	N/A	07-86107	Y4452	R116 Ed 8 Rev 4	CONFORMING	25/07/2024	
	AC	7MM A5E	N/A	07-86407	Y4453	R116 Ed 8 Rev 4	CONFORMING	25/07/2024	
	SMA	10MM A5E	N/A	07-33630	Y4340	R121 Ed 3 Rev 2	CONFORMING	01/02/2024	
Tomago	AC	10MM A5E	1W	01-96410.10	Y4258	R116 Ed 8 Rev 4	CONFORMING	27/08/2023	
	AC	10MM AR450	1W	01-96110.10	Y4246	R116 Ed 8 Rev 4	CONFORMING	27/08/2023	
	AC	10MM AR450	1W	01 - 96110.15	Y4242	R116 Ed 8 Rev 4	CONFORMING	04/09/2023	
	AC	10MM AR450	N/A	01 - 96110	Y4238	R116 Ed 8 Rev 4	CONFORMING	27/08/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Tomago	AC	10MM A5E	N/A	01-96410	Y4257	R116 Ed 8 Rev 4	CONFORMING	27/08/2023	
	AC	14MM A10E	N/A	01 - 96514	Y4377	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM AR450	1W	01-95114.10	Y4329	R116 Ed 8 Rev 4	CONFORMING	11/01/2024	
	AC	14MM A5E	1W	01 - 6414.10	Y4169	R116 Ed 8 Rev 4	CONFORMING	15/03/2023	
	AC	14MM A5E	1W	01-96414.10	Y4255	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM A10E	1W	01 - 96514.10	Y4378	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM A5E	N/A	01 - 95414	Y4332	R116 Ed 8 Rev 4	CONFORMING	11/01/2024	
	AC	14MM A5E	N/A	01-96414	Y4256	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM AR450	2W	01 - 96114.20	Y4284	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM AR450	N/A	01 - 95114	Y4330	R116 Ed 8 Rev 4	CONFORMING	11/01/2024	
	AC	14MM AR450	N/A	01-96114	Y4237	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM A5E	2W	01 - 95414.10	Y4331	R116 Ed 8 Rev 4	CONFORMING	11/01/2024	
	AC	14MM AR450	N/A	01 - 009	Y4321	R116 Ed 8 Rev 4	PENDING	22/01/2024	Awaiting DCV and moduls
	AC	14MM AR450	1W	01-96114.15	Y4241	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	14MM AR450	1W	01-96114.10	Y4245	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	20MM AR450	2	01-96120.10	Y4324	R116 Ed 8 Rev 4	CONFORMING	04/02/2024	
	AC	20MM A10E	2	01-96520.10	Y4323	R116 Ed 8 Rev 4	CONFORMING	04/02/2024	
	AC	20MM A10E	N/A	01-96520	Y4334	R116 Ed 8 Rev 4	CONFORMING	21/01/2024	
	AC	20MM AR450	N/A	01 - 96120	Y4239	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	20MM AR450	2	01-6120.20	Y4168	R116 Ed 8 Rev 4	CONFORMING	20/04/2023	
	AC	20MM AR450	3	01 - 6120.25	Y4074	R116 Ed 8 Rev 4	CONFORMING	04/12/2022	
	AC	20MM AR450	N/A	01-96120	Y4335	R116 Ed 8 Rev 4	CONFORMING	21/01/2024	
	AC	20MM AR450	2	01-96120.20	Y4322	R116 Ed 8 Rev 4	CONFORMING	04/01/2024	
	AC	20MM A10E	N/A	01-96520	Y4294	R116 Ed 8 Rev 4	CONFORMING	06/08/2023	
	AC	20MM AR450	1	01-96120.15	Y4282	R116 Ed 8 Rev 4	CONFORMING	23/11/2023	
	AC	20MM AR450	2	01 - 96120.25	Y4408	R116 Ed 8 Rev 4	CONFORMING	18/04/2024	
	AC	20MM AR450	1W	01-96120.15	Y4254	R116 Ed 8 Rev 4	CONFORMING	27/08/2023	
	AC	28MM AR450	1	01 - 6128.15	Y4170	R116 Ed 8 Rev 4	CONFORMING	03/05/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Tomago	AC	7MM AR450	N/A	01-96107	Y4240	R116 Ed 8 Rev 4	CONFORMING	29/11/2023	
	OG	10MM A5E	N/A	01 - 4410	Y4141	R119 Ed 1 Rev 2	CONFORMING	28/05/2023	
	RUB BER	14MM AR450	N/A	01-98114	Y4336	R118 Ed 1 Rev 1	CONFORMING	17/01/2024	
	RUB BER	14MM AR450	N/A	01 - 90114	Y4424	R118 Ed 1 Rev 1	CONFORMING	24/03/2024	
<u>Downer EDI</u>									
Bathurst (Kelso)	AC	10MM A5E	1W	156131.36	Y4175	R116 Ed 8 Rev 4	CONFORMING	17/05/2023	
	AC	10MM AR450	N/A	156131.02	Y4083	R116 Ed 8 Rev 4	CONFORMING	22/02/2023	
	AC	10MM A5E	1W	156131.06	Y4174	R116 Ed 8 Rev 4	CONFORMING	17/05/2023	
	AC	14MM AR450	1W	156231.02	Y4087	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC	14MM A15E	N/A	156237.06	Y4084	R116 Ed 8 Rev 4	PENDING	22/02/2023	Awaiting T640, Modulus.
	AC	14MM A5E	1W	156231.36	Y4117	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC	14MM AR450	2W	156233.02	Y4081	R116 Ed 8 Rev 4	CONFORMING	27/02/2023	
	AC	14MM AR450	N/A	156230.02	Y4086	R116 Ed 8 Rev 4	CONDITIONAL	30/10/2024	Awaitng T640 and Modulus
	AC	14MM A15E	1W	156231.06	Y4085	R116 Ed 8 Rev 4	CONFORMING	28/02/2023	
	AC	20MM AR450	2W	156330.02	Y4114	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC	20MM AR450	2	156333.02	Y4080	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC	20MM AR450	N/A	156330.02	Y4446	R116 Ed 8 Rev 4	CONDITIONAL	18/08/2024	Awaiting t640 and Modulus
	AC	20MM AR450	2W	156331.32	Y4119	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC	20MM AR450	2W	156331.02	Y4118	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	AC	20MM AR450	2W	156333.02	Y4115	R116 Ed 8 Rev 4	CONFORMING	29/01/2023	
	RUB BER	14MM AR450	N/A	156240.02	Y4319	R118 Ed 1 Rev 1	PENDING	29/01/2024	
Hume (Southern)	AC	10MM A5E	N/A	101105	Y3282	R116 Ed 8 Rev 4	CONFORMING	21/11/2023	
	AC	10MM AR450	N/A	1011025W	Y4286	R116 Ed 8 Rev 4	CONFORMING	14/08/2023	
	AC	10MM AR450	1W	1011034W	Y4285	R116 Ed 8 Rev 4	CONFORMING	22/08/2023	
	AC	10MM A5E	N/A	101105W	Y4082	R116 Ed 8 Rev 4	CONFORMING	16/02/2023	
	AC	10MM AR450	N/A	1011025	Y4463	R116 Ed 8 Rev 4	CONFORMING	05/08/2024	
	AC	14MM AR450	N/A	101147W	Y4288	R116 Ed 8 Rev 4	CONFORMING	14/08/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Hume (Southern)	AC	14MM A5E	1	1011481	Y4328	R116 Ed 8 Rev 4	CONFORMING	03/10/2023	
	AC	14MM AR450	N/A	1011420W	Y4287	R116 Ed 8 Rev 4	CONFORMING	15/08/2023	
	AC	14MM A5E	1W	1011426W	Y4113	R116 Ed 8 Rev 4	CONFORMING	17/04/2023	
	AC	14MM AR450	1	1011426	Y4002	R116 Ed 8 Rev 4	CONFORMING	16/07/2024	
	AC	14MM AR450	N/A	1011420	Y4470	R116 Ed 8 Rev 4	CONFORMING	05/08/2024	
	AC	14MM AR450	1	315241FR	Y4289	R116 Ed 8 Rev 4	CONFORMING	09/09/2023	
	AC	20MM AR450	3	1012031	Y4388	R116 Ed 8 Rev 4	CONFORMING	16/04/2024	
	AC	20MM AR450	1	1012023W	Y4310	R116 Ed 8 Rev 4	CONFORMING	20/08/2023	
	AC	20MM AR450	N/A	101 - 2016W	Y3609	R116 Ed 8 Rev 4	CONFORMING	22/06/2024	
	EME 2	14MM 10/20	N/A	1011436	Y4392	R126 Ed 1 Rev 3	CONFORMING	03/04/2024	
	OG	10MM A5E	N/A	1011022	Y4359	R116 Ed 8 Rev 4	CONFORMING	29/03/2024	
	OG	10MM A5E		101 - 1022W	Y4443	Not Available	CONFORMING	21/08/2024	
	RUB BER	14MM AR450	N/A	10114CR	Y4116	R118 Ed 1 Rev 1	CONFORMING	05/05/2023	
	SMA	10MM A5E	N/A	1011023W	Y4459	R121 Ed 3 Rev 2	CONFORMING	20/09/2024	
	SMA	14MM A5E	N/A	101149	Y4339	R121 Ed 3 Rev 2	CONFORMING	26/02/2023	
Jandra	AC	14MM AR450	N/A	162230.02	Y4290	R116 Ed 8 Rev 4	CONDITIONAL	06/03/2024	Awaiting binder thin film, moisture content (plant trial), T640 and Modulus test results
	AC	20MM AR450		162330.02	Y4291	Not Available	CONFORMING	23/11/2023	
Mogo	AC	10MM AR450	N/A	15410450HD	Y3982	R116 Ed 8 Rev 4	CONFORMING	25/04/2024	
	AC	14MM AR450	N/A	154 - 14450HD	Y4444	R116 Ed 8 Rev 4	CONFORMING	03/07/2024	
	AC	14MM A5E	N/A	154 - 14PMBHD	Y4445	R116 Ed 8 Rev 4	CONFORMING	03/07/2024	
	AC	20MM AR450	N/A	1542045HD	Y4441	R116 Ed 8 Rev 4	CONFORMING	12/05/2024	
Rosehill	AC	10MM A5E	1PW	109131.06	Y3512	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	AC	10MM Washed Glass	2W	109131.06	Y4130	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	AC	10MM Washed Glass	2W	109131.06	Y4130	R116 Ed 8 Rev 4	CONFORMING	02/05/2023	
	AC	10MM AR450	1W	109133.22	Y4223	R116 Ed 8 Rev 4	CONFORMING	13/09/2023	
	AC	10MM AR450	2W	109133.02	Y4222	R116 Ed 8 Rev 4	CONFORMING	13/09/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Rosehill	AC	10MM AR450	2W	163133.22	Y4350	R116 Ed 8 Rev 4	CONFORMING	27/02/2024	
	AC	14MM A5E	2W	109231.86	Y4167	R116 Ed 8 Rev 4	CONFORMING	03/07/2023	
	AC	14MM AR450	2W	109233.22	Y4096	R116 Ed 8 Rev 4	CONFORMING	26/02/2023	
	AC	14MM A5E	1PW	109231.06	Y3388	R116 Ed 8 Rev 4	CONFORMING	01/08/2023	
	AC	14MM AR450	2W	163233.22	Y4352	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	14MM AR450	3	109234.22	Y4225	R116 Ed 8 Rev 4	CONFORMING	23/04/2023	
	AC	14MM AR450	2W	109233.82	Y4097	R116 Ed 8 Rev 4	CONFORMING	26/02/2023	
	AC	14MM A35P	2W	109231.07	Y4129	R116 Ed 8 Rev 4	CONFORMING	09/05/2023	
	AC	14MM AR450	3	109234.02	Y4224	R116 Ed 8 Rev 4	CONFORMING	20/04/2023	
	AC	14MM A5E	1W	163231.26	Y4351	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	14MM A5E	1PW	163237.26	Y4353	R116 Ed 8 Rev 4	CONFORMING	28/02/2024	
	AC	20MM AR450	3	109335.22	Y3674	R116 Ed 8 Rev 4	CONFORMING	01/05/2023	Conforms to R116 Ed 8 Rev 5
	AC	20MM AR450	4	109335.82	Y4164	R116 Ed 8 Rev 4	CONFORMING	01/05/2023	
	AC	20MM Bitumen	4	109336.80	Y4207	R116 Ed 8 Rev 4	CONDITIONAL	18/04/2023	40% RAP
	AC	20MM AR450	4	163233.22	Y4354	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	20MM AR450	4	163335.22	Y4357	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	20MM AR450	3	109335.02	Y4120	R116 Ed 8 Rev 4	CONFORMING	25/04/2023	
	AC	20MM AR450	4	109335.22	Y4219	Not Available	CONFORMING	12/09/2023	
	AC	28MM AR450	4	109435.22	Y4369	R116 Ed 8 Rev 4	CONFORMING	03/04/2024	
	AC	7MM A5E	N/A	109030.02	Y4206	R116 Ed 8 Rev 4	CONFORMING	16/05/2023	
	AC	7MM AR450	1W	109030.02	Y4221	R116 Ed 8 Rev 4	CONFORMING	10/05/2023	
	EME 2	14MM EME2 15/25	N/A	163230.08	Y4386	R126 Ed 1 Rev 3	CONFORMING	26/03/2024	
	OG	14MM A5E	N/A	109250.06	Y4244	R119 Ed 1 Rev 1	CONFORMING	27/06/2023	
Rosehill - Devon St	AC	10MM A5E	2W	163131.26	Y4415	R116 Ed 8 Rev 4	CONFORMING	18/06/2024	s
	AC	10MM AR450	2W	163133.82	Y4476	R116 Ed 8 Rev 4	CONFORMING	08/10/2024	
	AC	14MM A5E	1PW	163237.86	Y4394	R116 Ed 8 Rev 4	CONFORMING	28/02/2024	
	AC	14MM A5E	1W	163231.86	Y4406	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Rosehill - Devon St	AC	14MM A5E	1W	163231.24	Y4480	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	14MM AR450	2W	163233.82	Y4393	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	20MM AR450	4	163335.82	Y4405	R116 Ed 8 Rev 4	CONFORMING	29/02/2024	
	AC	20MM AR450	4	163336.8	Y4431	R116 Ed 8 Rev 4	CONFORMING	28/09/2024	
	AC	20MM AR450	4	163336.20	Y4448	R116 Ed 8 Rev 4	CONFORMING	04/06/2024	
	AC	28MM AR450	3	163435.22	Y4402	R116 Ed 8 Rev 4	CONFORMING	26/05/2024	
	AC	28MM AR450	4	163436.20	Y4481	R116 Ed 8 Rev 4	PENDING	03/09/2024	Awaiting T640 , modulus, wheel tracking and fatigue
	AC	7MM AR450	N/A	163030.22	Y4419	R116 Ed 8 Rev 4	CONFORMING	19/05/2024	
	OG	10MM A5E	N/A	163150.06	Y4381	R119 Ed 1 Rev 2	CONFORMING	02/05/2024	
Shepparton	SMA	10MM A5E	N/A	163170.06	Y4468	R121 Ed 3 Rev 2	PENDING	26/08/2024	Awaiting Mix Volume Ratio and Binder Drain Dow
	AC	14MM Basalt		120-R19/0471	Y4337	R116 Ed 8 Rev 4	PENDING	30/01/2024	
Teralba	AC	20MM AR450	N/A	R19/0469	Y4281	R116 Ed 8 Rev 4	CONFORMING	26/10/2023	
	AC	10MM A5E	1W	152131.06	Y4277	R116 Ed 8 Rev 4	CONFORMING	18/07/2023	
	AC	10MM AR450	2	152133.02	Y4218	R116 Ed 8 Rev 4	CONFORMING	07/08/2023	
	AC	10MM AR450	1W	152131.02	Y4276	R116 Ed 8 Rev 4	CONFORMING	07/07/2023	
	AC	14MM AR450	1W	152231.02	Y4364	R116 Ed 8 Rev 4	PENDING	31/03/2024	Awaiting T640 and Modulus
	AC	14MM AR450	3	152233.02	Y4262	R116 Ed 8 Rev 4	CONFORMING	23/08/2023	
	AC	14MM A5E	1W	152231.06	Y4266	R116 Ed 8 Rev 4	CONFORMING	05/03/2023	
	AC	14MM AR450	2W	152233.02	Y4243	R116 Ed 8 Rev 4	CONFORMING	07/08/2023	
	AC	14MM A5E	N/A	152237.06	Y4149	R116 Ed 8 Rev 4	CONFORMING	06/06/2023	
	AC	14MM AR450	2	152233.02	Y4467	R116 Ed 8 Rev 4	FAILED	23/09/2024	Binder content out of spec
	AC	14MM AR450	1W	152231.02	Y4267	R116 Ed 8 Rev 4	CONDITIONAL	13/02/2024	Awaiting T640 and Modulus
	AC	14MM AR450	1W	152231.02	Y4338	R116 Ed 8 Rev 4	PENDING	13/02/2023	Awaiting T640 and Modulus
	AC	14MM AR450	1	152231.02	Y4375	R116 Ed 8 Rev 4	CONFORMING	31/03/2024	
	AC	20MM AR450	3	153334.02	Y4447	R116 Ed 8 Rev 4	CONFORMING	29/08/2024	
	AC	20MM AR450	2	152334.02	Y4464	R116 Ed 8 Rev 4	CONFORMING	29/08/2024	
	AC	28MM AR450	3	152434.02	Y4333	R116 Ed 8 Rev 4	PENDING	31/01/2024	Awaiting T640 and Modulus
	OG	10MM A5E	N/A	152157.06	Y4066	R119 Ed 1 Rev 2	CONFORMING	13/02/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Teralba	RUB	14MM AR450 BER	N/A	152240.02	Y4160	R118 Ed 1 Rev 1	CONFORMING	17/05/2023	
Wodonga	AC	10MM AR450	1W	315141R	Y4404	R116 Ed 8 Rev 4	CONDITIONAL	02/04/2024	Awaiting T640 and modulus
	AC	14MM A15E	N/A	140 - 14ACHDA15E	Y4053	R116 Ed 8 Rev 4	CONFORMING	19/01/2023	
	AC	20MM AR450	1	140 - 20ACHD15%RAP	Y4056	R116 Ed 8 Rev 4	PENDING	19/01/2023	awaiting dcv,mbv
	AC	20MM AR450	1	140 - 3153415CR	Y4382	R116 Ed 8 Rev 4	CONFORMING	13/03/2024	
<u>Fenworx Pty Ltd</u>									
Moree	AC	10MM A15E	N/A	03 - 005	Y4010	R116 Ed 8 Rev 4	PENDING	30/07/2024	Awaiting T640
	AC	14MM A15E Puma Pinkem ba	N/A	03 - 004	Y4469	R116 Ed 8 Rev 4	CONFORMING	27/06/2024	s
	AC	14MM A15E	N/A	03 - 004	Y3908	R116 Ed 8 Rev 4	PENDING	27/06/2024	Awaiting T640, modulus, MBV
	AC	14MM AR450	N/A	03 - 002	Y4430	R116 Ed 8 Rev 4	CONFORMING	25/06/2024	
	AC	14MM AR450	N/A	03 - 002	Y4442	R116 Ed 8 Rev 4	CONFORMING	25/06/2024	s
Muswellbrook	AC	20MM AR450	N/A	03 - 003	Y4475	R116 Ed 8 Rev 4	CONFORMING	26/06/2024	
	AC	14MM AR450	N/A	04-011	Y4194	R116 Ed 8 Rev 4	CONFORMING	22/08/2023	
	AC	14MM AR450	N/A	04 - 002	Y3820	R116 Ed 8 Rev 4	CONFORMING	31/01/2024	
	AC	20MM AR450	N/A	04 - 004	Y3849	R116 Ed 8 Rev 4	CONFORMING	31/01/2024	
Tomago (Hunter)	AC	10MM A15E	N/A	01 - 030	Y4159	R116 Ed 8 Rev 4	CONFORMING	19/06/2023	
	AC	14MM A15E	N/A	01 - 024	Y3860	R116 Ed 8 Rev 4	CONFORMING	05/02/2024	
	AC	14MM A15E	1PW	01 - 021	Y4057	R116 Ed 8 Rev 4	CONFORMING	12/01/2023	
	AC	14MM AR450	1	01 - 006	Y3949	R116 Ed 8 Rev 4	CONFORMING	31/10/2023	
	AC	14MM AR450	N/A	01 - 007	Y4145	R116 Ed 8 Rev 4	CONFORMING	01/05/2023	
	AC	14MM AR450	N/A	01 - 009	Y3850	R116 Ed 8 Rev 4	CONFORMING	22/01/2024	
	AC	14MM A15E	N/A	01 - 018	Y3950	R116 Ed 8 Rev 4	CONFORMING	20/09/2023	
	AC	20MM AR450	2	01 - 036	Y4058	R116 Ed 8 Rev 4	CONFORMING	09/01/2023	
	AC	20MM AR450	1	01 - 027	Y4407	R116 Ed 8 Rev 4	CONDITIONAL	05/06/2024	Awaiting T640 and Modulus
	AC	20MM AR450	N/A	01 - 013	Y4144	R116 Ed 8 Rev 4	CONFORMING	28/05/2023	
	AC	28MM AR450	N/A	01 - 017	Y4474	R116 Ed 8 Rev 4	CONFORMING	09/10/2024	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Tomago (Hunter)	AC	7MM	AR450	N/A	01 - 001	Y4403	R116 Ed 8 Rev 4	CONFORMING	24/04/2024
	OG	10MM	A15E	N/A	01 - 005	Y4065	R119 Ed 1 Rev 2	CONFORMING	14/02/2023
	RUB BER	14MM	AR450	N/A	01 - 016	Y3832	R118 Ed 1 Rev 1	CONFORMING	22/04/2024
	RUB BER	14MM	AR450	N/A	01 - 010	Y3749	R119 Ed 1 Rev 2	CONFORMING	09/08/2023
	SMA	10MM	C450	N/A	01 - 045	Y4371	R121 Ed 3 Rev 2	CONFORMING	23/02/2024
	SMA	10MM	Bitumen	N/A	01-045	Y4355	R121 Ed 3 Rev 2	PENDING	23/02/2024 Awaiting Mix Volume Ratio
<u>Fishers Asphalt</u>									
Kempsey (Northern)	AC	10MM	AR450	N/A	LB80021	Y3189	R116 Ed 8 Rev 4	CONFORMING	31/01/2024
	AC	14MM	AR450	N/A	LB80031	Y3190	R116 Ed 8 Rev 4	CONFORMING	06/02/2024
	AC	20MM	AR450	N/A	LB80041	Y3632	R116 Ed 8 Rev 4	CONFORMING	21/07/2024
<u>Fulton Hogan Industries P/L</u>									
Bushells Ridge	AC	10MM	A15E	N/A	4012.AP4192.1	Y4349	R116 Ed 8 Rev 4	CONFORMING	13/09/2023
	AC	10MM	AR450	1	4012.AP4173.4	Y4439	R116 Ed 8 Rev 4	CONFORMING	11/07/2024
	AC	10MM	AR450	N/A	4012.AP4173.3	Y4348	R116 Ed 8 Rev 4	CONFORMING	13/09/2023
	AC	14MM	AR450	1	4012.AP4241.4	Y4372	R116 Ed 8 Rev 4	CONFORMING	25/03/2024
	AC	14MM	AR450		4012.AP4244.1	Y4029	Not Available	CONFORMING	24/11/2022
	AC	14MM	A15E		4012.AP4243.2	Y4306	Not Available	CONFORMING	24/11/2022
	AC	14MM	AR450	1	4012.AP4241.5	Y4440	R116 Ed 8 Rev 4	CONFORMING	16/08/2024
	AC	14MM	AR450	N/A	4012.AP4244.2	Y4458	R116 Ed 8 Rev 4	CONFORMING	16/08/2024
	AC	14MM	A15E	1	4012.AP4236.3	Y4460	R116 Ed 8 Rev 4	CONFORMING	16/08/2024
	AC	14MM	A5E	N/A	4012.AP4243.3	Y4462	R116 Ed 8 Rev 4	CONFORMING	16/08/2024
	AC	14MM	AR450	N/A	4012.AP4242.4	Y4471	R118 Ed 1 Rev 1	CONFORMING	13/08/2024
	AC	14MM	A35P	1	4012.AP4239.1	Y4461	R116 Ed 8 Rev 4	CONFORMING	16/08/2024
	AC	20MM	A10E	1	4012.AP4305.1	Y4423	R116 Ed 8 Rev 4	CONFORMING	25/03/2024
	AC	20MM	AR450	2	4012.AP4311.4	Y4370	R116 Ed 8 Rev 4	CONFORMING	25/03/2024
	AC	20MM	AR450	1	4012.AP4311.5	Y4438	R116 Ed 8 Rev 4	CONFORMING	16/07/2024

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Bushells Ridge	RUB 14MM AR450 BER	N/A	4012.AP4242.3	Y3995	R118 Ed 1 Rev 1	CONFORMING	05/05/2024	
Eastern Creek	AC 10MM AR450	1	4013.AP4173.2	Y4192	R116 Ed 8 Rev 4	CONFORMING	05/06/2023	
	AC 10MM A15E	1W	4013.AP4192.1	Y4196	R116 Ed 8 Rev 4	CONFORMING	15/08/2023	
	AC 14MM AR450	2	4013.AP4241.3	Y4427	R116 Ed 8 Rev 4	CONFORMING	27/02/2024	
	AC 14MM A15E	1	4013.AP4244.1WMA	Y4037	R116 Ed 8 Rev 4	CONFORMING	08/12/2022	
	AC 14MM A35P	1	4013.AP4239.2	Y4420	R116 Ed 8 Rev 4	CONFORMING	19/05/2024	
	AC 14MM A35P	N/A	4013.AP4753.1	Y4418	R116 Ed 8 Rev 4	CONFORMING	15/06/2024	
	AC 14MM AR450	1W	4013.AP4230.1	Y4259	R116 Ed 8 Rev 4	CONFORMING	08/05/2023	
	AC 14MM A15E	2W	4010.AP4236.2	Y4204	R116 Ed 8 Rev 4	CONFORMING	03/05/2023	
	AC 14MM A15E	N/A	4013.AP4243.2	Y4327	R116 Ed 8 Rev 4	CONFORMING	01/01/2024	
	AC 20MM AR450	1	4013.AP4311.4	Y3831	R116 Ed 8 Rev 4	CONFORMING	27/02/2024	
	AC 20MM AR450	2	4013.AP4313.1WMA	Y4028	R116 Ed 8 Rev 4	CONFORMING	28/11/2022	
	AC 20MM A35P	1	4013.AP4309.2	Y3830	R116 Ed 8 Rev 4	CONFORMING	18/05/2024	
	AC 28MM AR450	2	4013.AP4344.2	Y4093	R116 Ed 8 Rev 4	CONFORMING	29/04/2024	
	AC 28MM AR450	2	4013.AP4344.1	Y4095	R116 Ed 8 Rev 4	CONFORMING	30/01/2023	
	AC 7MM AR450	N/A	4013.AP4117.3	Y4429	R116 Ed 8 Rev 4	CONFORMING	04/07/2024	
Kembla Grange	EME 14MM water 2		4013.AP4752.1	Y4277	R126 Ed 1 Rev 3	CONFORMING	22/10/2023	
	OG 10MM A15E	N/A	4007.AP4466.2	Y4311	R119 Ed 1 Rev 2	CONFORMING	21/11/2023	
	AC 10MM AR450	1	4007.AP4173.6	Y3954	R116 Ed 8 Rev 4	CONFORMING	10/01/2024	
	AC 14MM AR450	1	4007.AP4717.1	Y4226	R116 Ed 8 Rev 4	CONFORMING	25/09/2023	
	AC 14MM AR450	1	4007.AP4241.9	Y4136	R116 Ed 8 Rev 4	CONFORMING	17/04/2023	
	AC 14MM A15E	1	4007.AP4719.1	Y4395	R116 Ed 8 Rev 4	CONFORMING	25/09/2023	
	AC 14MM AR450	1	4007.AP4231.2	Y4038	R116 Ed 8 Rev 4	CONFORMING	01/12/2022	
	AC 14MM A15E	1W	4007.AP4236.5	Y4137	R116 Ed 8 Rev 4	CONFORMING	04/05/2023	
	AC 14MM AR450	1	4007.AP4717.1	Y4320	R116 Ed 8 Rev 4	CONFORMING	25/09/2023	
	AC 20MM AR450	2	4007.AP4313.1	Y4094	R116 Ed 8 Rev 4	CONFORMING	31/08/2023	
	AC 20MM AR450	1	4007.AP4311.11	Y4135	R116 Ed 8 Rev 4	CONFORMING	08/04/2023	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Kembla Grange	AC	7MM AR450	N/A	4007.AP4117.1	Y4416	R116 Ed 8 Rev 4	CONFORMING	25/06/2024	
	OG	10MM A15E	N/A	4007.AP4466.2	Y4268	R119 Ed 1 Rev 2	CONFORMING	02/11/2023	
	OG	10MM basalt		4007.AP4456.2	Y4090	R119 Ed 1 Rev 2	CONFORMING	30/01/2023	Slag Aggregate
	OG	10MM basalt		4007.AP4456.2	Y4090	R119 Ed 1 Rev 2	CONFORMING	30/01/2023	Slag Aggregate
	SMA	10MM A15E	N/A	4007.AP4572.7	Y4134	R121 Ed 3 Rev 2	CONFORMING	22/05/2023	
	SMA	10MM A15E	N/A	4007.AP4572.6	Y4062	R121 Ed 3 Rev 2	CONFORMING	22/01/2023	
	SMA	14MM A15E	N/A	4007.AP4602.4	Y4143	R121 Ed 3 Rev 2	CONFORMING	18/04/2023	
	SMA	14MM A15E	N/A	4007.AP4602.3	Y4102	R121 Ed 3 Rev 2	CONFORMING	27/02/2023	
Minto	AC	10MM AR450	1W	4010.AP4173.5	Y4305	R116 Ed 8 Rev 4	CONFORMING	28/11/2023	
	AC	14MM AR450	1	4013.AP4241.8	Y4300	R116 Ed 8 Rev 4	CONFORMING	09/01/2024	
	AC	20MM AR450	1	4010.AP4311.8	Y4299	R116 Ed 8 Rev 4	CONFORMING	09/01/2024	
Tamworth	AC	10MM AR450	N/A	4006.AP4173.6	Y4292	R116 Ed 8 Rev 4	CONFORMING	29/09/2023	
	AC	14MM A15E	N/A	4006.AP4236.4	Y4171	R116 Ed 8 Rev 4	CONFORMING	28/05/2023	
	AC	14MM AR450	N/A	4006.AP4241.5	Y4157	R116 Ed 8 Rev 4	CONFORMING	12/06/2023	
	AC	14MM AR450	N/A	4006.AP4241.5	Y4172	R116 Ed 8 Rev 4	CONFORMING	12/06/2023	
	AC	14MM A15E	N/A	4006.AP4236.4	Y4205	R116 Ed 8 Rev 4	CONFORMING	28/05/2023	
	AC	20MM AR450	N/A	4006.AP4311.7	Y4156	R116 Ed 8 Rev 4	CONFORMING	16/05/2023	
	AC	10MM AR450	N/A	4009.AP4173.6	Y4067	R116 Ed 8 Rev 4	CONFORMING	30/01/2023	
	AC	14MM AR450		4009.AP4241.6	Y4465	Not Available	CONFORMING	02/04/2024	
Wagga Wagga	AC	14MM AR450	N/A	4009.AP4241.6	Y4450	R116 Ed 8 Rev 4	CONFORMING	02/04/2024	
	AC	14MM A5E		4009.AP4236.5	Y4466	Not Available	CONFORMING	02/04/2024	
	AC	20MM AR450	N/A	4009.AP4311.8	Y4449	R116 Ed 8 Rev 4	CONFORMING	26/03/2024	
	EME 2	14MM EME2 15/25	N/A	4009.AP4752.1	Y4343	R126 Ed 1 Rev 3	CONFORMING	08/12/2022	
	SMA	10MM A15E	N/A	4009.AP4572.3	Y4068	R121 Ed 3 Rev 2	CONFORMING	12/01/2023	
<u>Hawksbury Eco Asphalt</u>									
South Windsor	EME 2	14MM Washe d Glass		HEA AP1-275699	Y4125	Not Available	CONDITIONAL	19/03/2023	EME2 mix
Windsor	AC	14MM AR450	N/A	HEAAP1 - 275621	Y3863	R116 Ed 8 Rev 4	CONFORMING	06/04/2024	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Windsor	AC	14MM A35P	N/A	HEAAP1-275695	Y4417	R116 Ed 8 Rev 4	CONFORMING	01/04/2024	
	AC	20MM AR450	N/A	HEAAP1 - 275622	Y3890	R116 Ed 8 Rev 4	CONFORMING	03/04/2024	
	AC	20MM A35P	N/A	HEAAP1 - 275696	Y4387	R116 Ed 8 Rev 4	CONFORMING	01/04/2024	
	AC	28MM A35P	N/A	HEAAP1-275697	Y4421	R116 Ed 8 Rev 4	CONFORMING	02/04/2024	
<u>Pacific Blue Metal</u>									
Possum Brush	AC	10MM Quartz-rich	N/A	AC10HD	Y4227	R116 Ed 8 Rev 4	CONFORMING	06/07/2023	
	AC	10MM Quartz-rich	N/A	AC10HD	Y4227	R116 Ed 8 Rev 4	CONFORMING	06/07/2023	
	AC	14MM AR450	N/A	AC14HD	Y4283	R116 Ed 8 Rev 4	CONFORMING	04/07/2023	
	AC	20MM AR450	N/A	AC20HD	Y4279	R116 Ed 8 Rev 4	CONFORMING	06/07/2023	
<u>Roadworx</u>									
Kembla Grange	AC	10MM AR450	N/A	04.03.00.00	Y4273	R116 Ed 8 Rev 4	CONFORMING	11/10/2023	
	AC	14MM A15E	N/A	AC14A15ER116	Y4181	R116 Ed 8 Rev 4	CONFORMING	03/07/2023	
	AC	14MM AR450	N/A	04.04.00.00	Y4208	R116 Ed 8 Rev 4	CONFORMING	21/08/2023	
	AC	14MM AR450	N/A	05.04.00.00	Y4295	R116 Ed 8 Rev 4	CONFORMING	21/11/2023	
	AC	20MM AR450	N/A	04.05.00.00	Y4274	R116 Ed 8 Rev 4	CONFORMING	06/11/2023	
<u>RPQ Asphalt Pty Ltd</u>									
Lismore	AC	14MM AR450	N/A	RPQ.AC14H211010C450	Y4148	R116 Ed 8 Rev 4	CONFORMING	07/05/2023	
	AC	14MM AR450	N/A	RPQAC14H211011A15	Y4234	R116 Ed 8 Rev 4	CONFORMING	25/05/2023	
	AC	20MM AR450	N/A	RPQAC20H211012C450	Y4235	R116 Ed 8 Rev 4	CONFORMING	29/05/2023	
<u>State Asphalt Services</u>									
Marulan	AC	14MM AR450	N/A	03 - 155S	Y4373	R116 Ed 8 Rev 4	CONFORMING	11/04/2024	
	AC	14MM AR450	N/A	03 - 154S	Y4379	R116 Ed 8 Rev 4	CONFORMING	11/04/2024	
	AC	20MM AR450	N/A	03 - 152S	Y4380	R116 Ed 8 Rev 4	CONFORMING	11/04/2024	
Molong	AC	14MM AR450		3-155	Y4089	Not Available	CONFORMING	17/02/2023	Up to date 14mm aggregate report is due
	AC	14MM Basalt		3-154	Y4077	R116 Ed 8 Rev 4	CONFORMING	17/02/2023	Up to date 14mm aggregate report test is due

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Molong	AC	14MM Samifal t A15E		3-154	Y4077	R116 Ed 8 Rev 4	CONFORMING	17/02/2023	Up to date 14mm aggregate report test is due
	AC	14MM basalt		3-155	Y4089	Not Available	CONFORMING	17/02/2023	Up to date 14mm aggregate report is due
	AC	20MM AR450		3-152	Y4076	R116 Ed 8 Rev 4	CONFORMING	17/02/2023	
	AC	20MM Basalt		3-152	Y4076	R116 Ed 8 Rev 4	CONFORMING	17/02/2023	
Nowra	AC	10MM A5E		04-012	Y4140	R116 Ed 8 Rev 4	CONFORMING	16/05/2023	
	AC	10MM Brandy Hill		04-012	Y4140	R116 Ed 8 Rev 4	CONFORMING	16/05/2023	
	AC	10MM AR450 2W		04 - H104515	Y4426	R116 Ed 8 Rev 4	CONFORMING	11/06/2024	
	AC	14MM AR450 1		H144515	Y4425	R116 Ed 8 Rev 4	CONFORMING	25/06/2024	
	AC	14MM Samifal t A15E 1PW		04-H141510G	Y4236	R116 Ed 8 Rev 4	CONDITIONAL	05/09/2023	Glass sand, A15E, 10% RAP
	AC	14MM AR450 1W		H141510	Y4451	R116 Ed 8 Rev 4	CONFORMING	16/09/2024	
	AC	14MM Hydrate d Lime 1W		04-H144515G	Y4260	Not Available	CONFORMING	04/09/2023	
	AC	20MM AR450 1		04 - H204515	Y4363	R116 Ed 8 Rev 4	CONFORMING	02/03/2024	
	AC	20MM Samifal t A15E 1P		04-H201510	Y4193	R116 Ed 8 Rev 4	CONFORMING	02/07/2023	10% RAP
	AC	20MM AR450 1		04-H204515G	Y4261	R116 Ed 8 Rev 4	CONFORMING	07/09/2023	
	OG	14MM Basalt		01-1415H_OG	Y4059	Not Available	CONFORMING	13/12/2022	
	OG	14MM Basalt		01-1415H_OG	Y4059	Not Available	CONFORMING	13/12/2022	
Preston	AC	10MM AR450 1W		01 - H104515G	Y4391	R116 Ed 8 Rev 4	CONFORMING	09/04/2024	
	AC	10MM AR450 1		01 - H104515	Y4472	R116 Ed 8 Rev 4	CONFORMING	15/10/2024	
Prestons	AC	10MM water	N/A	P1-H101500SFS	Y4272	R116 Ed 8 Rev 4	CONFORMING	15/10/2023	Slag Aggregate (10mm only)
	AC	14MM A35P SAMI Camelia	1	01 - H143510P	Y4478	R116 Ed 8 Rev 4	CONFORMING	23/10/2024	
	AC	14MM Bitumen	N/A	01 - H144515GS	Y4433	R116 Ed 8 Rev 4	CONFORMING	01/07/2024	
	AC	14MM Washed Glass	1PW	01-201415G	Y4133	Not Available	CONFORMING	26/04/2023	10% RAP; Granulated Glass Aggregate
	AC	14MM Bitumen	1	01 - H144515SA	Y4326	R116 Ed 8 Rev 4	CONFORMING	01/01/2024	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Prestons	AC	14MM Bitumen	N/A	01 - H144515	Y4325	R116 Ed 8 Rev 4	CONFORMING	01/01/2024	
	AC	14MM A5E	1PW	01-201415GS	Y4409	Not Available	CONFORMING	09/05/2024	10% RAP; Granulated Glass Aggregate; WMA
	AC	14MM A5E	1PW	01-09099s	Y4139	R116 Ed 8 Rev 4	CONDITIONAL	30/04/2023	contains Sasobit Warm Mix Additive 10% RAP
	AC	14MM Samifalt A15E		01 - 09168s	Y2848	R116 Ed 8 Rev 4	CONDITIONAL	31/05/2023	Slag Aggregate Warm Mix Additive Subject to resilient modulus report as per Table R116.6
	AC	14MM A5E	1PW	01 - 09099	Y3314	R116 Ed 8 Rev 4	CONFORMING	01/04/2023	10% RAP
	AC	14MM A5E	N/A	H141500SFS	Y4302	R116 Ed 8 Rev 4	CONFORMING	06/11/2023	
	AC	14MM A5E	N/A	H141500SFSS	Y4303	R116 Ed 8 Rev 4	CONFORMING	06/11/2023	
	AC	14MM AR450		01-137	Y2848	R116 Ed 8 Rev 4	CONFORMING	03/04/2023	Steel Furnace Slag Aggregates; Aggregate meets free lime content criteria
	AC	14MM basalt		01-137	Y2848	R116 Ed 8 Rev 4	CONFORMING	03/04/2023	Steel Furnace Slag Aggregates; Aggregate meets free lime content criteria
	AC	14MM A5E	1PW	01-201415G	Y4133	Not Available	CONFORMING	26/04/2023	10% RAP; Granulated Glass Aggregate
	AC	14MM A10E	1PW	01 - H141010	Y4360	R116 Ed 8 Rev 4	CONFORMING	19/03/2024	
	AC	14MM AR450	N/A	01 - H144500	Y4390	R116 Ed 8 Rev 4	CONFORMING	24/04/2024	
	AC	14MM A5E	N/A	01 - H141500SFSG	Y4414	R116 Ed 8 Rev 4	CONFORMING	20/05/2024	
	AC	14MM A5E	N/A	01 - H141500SFSGS	Y4413	R116 Ed 8 Rev 4	CONFORMING	20/05/2024	
	AC	20MM AR450	1	H204515S	Y4301	R116 Ed 8 Rev 4	CONFORMING	06/11/2023	
	AC	20MM C450	1	01-H204515G_s	Y4298	R116 Ed 8 Rev 4	CONFORMING	23/11/2023	15% RAP Warm Mix Additive
	AC	20MM A35P	N/A	01 - H203500P	Y4374	R116 Ed 8 Rev 4	CONFORMING	12/03/2024	
	AC	20MM C450	1	01-H204515G	Y4297	R116 Ed 8 Rev 4	CONDITIONAL	23/11/2023	15% RAP
	AC	20MM AR450	1	H204515	Y4304	R116 Ed 8 Rev 4	CONFORMING	06/11/2023	
	AC	28MM AR450	1	01 - H284515	Y4361	R116 Ed 8 Rev 4	CONFORMING	02/03/2024	
	AC	28MM AR450	1	01-284510G	Y4123	R116 Ed 8 Rev 4	CONFORMING	26/04/2023	
	AC	28MM AR450	1	01 - 284510GS	Y4412	R116 Ed 8 Rev 4	CONFORMING	26/05/2024	WMA 9.6% Washed Glass 14.5% RAP
	AC	7MM A5E	N/A	01 - H071500	Y4434	R116 Ed 8 Rev 4	CONFORMING	03/07/2024	
	AC	7MM AR450	N/A	01 - H074500	Y4356	R116 Ed 8 Rev 4	CONFORMING	04/01/2024	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Prestons	OG	10MM Samifal t A15E		01 - H1015SFS.119	Y4280	R119 Ed 1 Rev 2	CONFORMING	22/10/2023	Slag Aggregate (10mm consituent only)
	OG	10MM A5E	N/A	01 - H1015.119	Y4389	R119 Ed 1 Rev 2	CONFORMING	15/05/2024	
	OG	10MM Basalt		01-09067S	Y4063	Not Available	CONFORMING	27/01/2023	Slag Aggregate
	OG	10MM Samifal t A15E		01-09067S	Y4063	Not Available	CONFORMING	27/01/2023	Slag Aggregate
	SMA	10MM A5E	N/A	01 - H101500.121	Y4398	R121 Ed 3 Rev 2	CONFORMING	05/09/2024	
St Marys	AC	10MM Samifal t A15E		P2-G101510.127	Y4293	Not Available	CONFORMING	29/08/2023	R127 Bridge Mix; 10% RAP
	AC	10MM water	1PW		Y4265	Not Available	SUBMITTED	29/08/2023	Bridge Mix
	AC	10MM AR450		02-G104500	Y4173	R116 Ed 8 Rev 4	CONFORMING	26/06/2023	
	AC	10MM water	1PW		Y4265	Not Available	SUBMITTED	29/08/2023	Bridge Mix
	AC	10MM Boral Dunmore		P2-G101500	Y4180	R116 Ed 8 Rev 4	CONFORMING	26/06/2023	
	AC	10MM water	N/A	04-G101500SFS	Y4264	R116 Ed 8 Rev 4	CONFORMING	15/10/2023	Slag Aggregate
	AC	10MM Samifal t A15E	1PW	P2-G101510	Y4187	R116 Ed 8 Rev 4	CONFORMING	26/06/2023	10% RAP
	AC	10MM AR450	1W	P2-G104515	Y4197	R116 Ed 8 Rev 4	CONFORMING	26/06/2023	15% RAP as wearing course
	AC	14MM AR450	1W	02-G141510	Y4153	R116 Ed 8 Rev 4	CONFORMING	25/02/2024	
	AC	14MM basalt		2-190315	Y4079	Not Available	CONFORMING	28/01/2023	Slag Aggregate with A15E
	AC	14MM Samifal t A15E		2-190315	Y4079	Not Available	CONFORMING	28/01/2023	Slag Aggregate with A15E
	AC	14MM AR450	1W	02-G144515S	Y4154	R116 Ed 8 Rev 4	CONFORMING	16/05/2023	15% RAP
	AC	14MM AR450		02-G144500s	Y4152	R116 Ed 8 Rev 4	CONFORMING	30/05/2023	Warm Mix Additive
	AC	14MM C450		02-G144500	Y4151	R116 Ed 8 Rev 4	CONFORMING	30/05/2023	
	AC	20MM AR450	1	02 - C204515G-SA	Y4316	R116 Ed 8 Rev 4	CONFORMING	27/11/2023	
	AC	20MM basalt	1P	02-213520	Y4100	R116 Ed 8 Rev 4	CONFORMING	23/02/2023	A35P; 10% RAP
	AC	20MM AR450	1	02 - G204515G	Y4315	R116 Ed 8 Rev 4	CONFORMING	27/11/2023	
	AC	20MM AR450	1	P2_G204515	Y4177	Not Available	CONFORMING	02/07/2023	15% RAP
	AC	20MM AR450	1	02-G204515S	Y4342	R116 Ed 8 Rev 4	CONFORMING	20/02/2024	
	AC	20MM A5E	1PW	04 - G201510S	Y4367	R116 Ed 8 Rev 4	CONFORMING	11/03/2024	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
St Marys	AC 20MM A5E	1PW	04 - G201510G	Y4410	R116 Ed 8 Rev 4	CONFORMING	14/05/2024	10% RAP 10% washed glass
	AC 20MM A35P	1P	02-213520	Y4100	R116 Ed 8 Rev 4	CONFORMING	23/02/2023	A35P; 10% RAP
	AC 20MM A35P	N/A	02 - G203500P	Y4376	R116 Ed 8 Rev 4	CONFORMING	07/03/2024	
	AC 20MM A5E	1PW	04 - G201510GS	Y4411	R116 Ed 8 Rev 4	CONFORMING	14/05/2024	10% RAP 10% washed glass WMA
	AC 20MM A5E	1P	04 - G201510	Y4366	R116 Ed 8 Rev 4	CONFORMING	11/03/2024	
	EME 14MM 2	EME2 15/25	N/A 02 - 2014EMES	Y4150	R126 Ed 1 Rev 3	CONFORMING	06/12/2022	
	OG 10MM A5E	N/A	02-1015SFS.119	Y4263	R119 Ed 1 Rev 2	CONFORMING	22/10/2023	
	OG 10MM water		02 - 1015.119	Y4278	R116 Ed 8 Rev 4	CONFORMING	22/10/2023	
	OG 14MM Samifal t A15E		02-1415G_OG	Y4060	Not Available	CONFORMING	13/12/2022	
	OG 14MM Basalt		02-1415G_OG	Y4060	Not Available	CONFORMING	13/12/2022	
	RUB 10MM AR450 BER		02-G104500CR	Y4165	R118 Ed 1 Rev 1	CONFORMING	27/07/2023	
	SMA 10MM A5E	N/A	02 - 1015.1121	Y4479	R121 Ed 3 Rev 2	CONFORMING	15/10/2024	

The submitted constituent materials, asphalt production tolerances and plant production trial results, have been assessed against conformance criteria of TfNSW Specification R116 Edition 8 Revision 4 and Panel Contract 18.0000302746.0358.

STATUS SUMMARY:

APPROVED: The Mix Submission satisfies all submission criteria, and recommend Release of Hold Point for the nominated mix.
SUBMITTED: The Mix Submission has been received by TfNSW Yennora and is awaiting further processing in AQS.
PENDING: The Mix Submission has been processed into AQS and is awaiting additional information or confirmation of data from the Asphalt Producer.
CONDITIONAL: The Mix Submission has been approved subject to certain conditions.
FAILED: The Mix Submission has failed the quality requirements for the Panel Contract.