

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R184 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 20 December 2022 <b>Analysed Date:</b> Thursday, 22 December 2022 <b>Laboratory Receival Date:</b> Tuesday, 13 December 2022 <b>Sampled Date:</b> Tuesday, 13 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S110	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S110	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S110	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S110	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S110	Cut 4 Moulden St North	1200	2359 / 720 min	N.A.	0 /100	Acceptable limit
A27251-S110	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R185</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 20 December 2022</p> <p><b>Analysed Date:</b> Thursday, 22 December 2022</p> <p><b>Laboratory Receival Date:</b> Wednesday, 14 December 2022</p> <p><b>Sampled Date:</b> Wednesday, 14 December 2022</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S110	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S110	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S110	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S111	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S111	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S111	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R186 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 20 December 2022 <b>Analysed Date:</b> Thursday, 22 December 2022 <b>Laboratory Receival Date:</b> Wednesday, 14 December 2022 <b>Sampled Date:</b> Wednesday, 14 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S111	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S111	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S111	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S111	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S111	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S111	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R187 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 20 December 2022 <b>Analysed Date:</b> Thursday, 22 December 2022 <b>Laboratory Receival Date:</b> Thursday, 15 December 2022 <b>Sampled Date:</b> Thursday, 15 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S111	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S112	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S112	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S112	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S112	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S112	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R194 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, 22 December 2022 <b>Analysed Date:</b> Thursday, 22 December 2022 <b>Laboratory Receival Date:</b> Thursday, 22 December 2022 <b>Sampled Date:</b> Sunday, 18 December 2022
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S117	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S117	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S117	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S117	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S117	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S117	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S117	Fill 3 - South Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S118	Fill 3 - North Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R195  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Thursday, 22 December 2022  
**Analysed Date:** Thursday, 22 December 2022  
**Laboratory Receival Date:** Thursday, 22 December 2022  
**Sampled Date:** Monday, 19 December 2022

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S118	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Fill 3 - South Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S118	Fill 3 - North Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R196 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, 22 December 2022 <b>Analysed Date:</b> Thursday, 22 December 2022 <b>Laboratory Receival Date:</b> Thursday, 22 December 2022 <b>Sampled Date:</b> Monday, 19 December 2022
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S118	Cut 3 Moulden St South	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Cut 3 Moulden St North	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Cut 3 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Fill 4 Reedsdale Rd	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Fill 4 Moulden St	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Cut 4 Moulden St West	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Fill 3 - South Ballerdee Ln	1200	2359 / 720 min	1.0	0 /100	< 0.01
A27251-S119	Fill 3 - North Ballerdee Ln	1200	2359 / 720 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R197 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Thursday, 22 December 2022 <b>Analysed Date:</b> Thursday, 22 December 2022 <b>Laboratory Receival Date:</b> Thursday, 22 December 2022 <b>Sampled Date:</b> Tuesday, 20 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S119	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S119	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S119	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S120	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S120	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S120	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S120	Fill 3 - South Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S120	Fill 3 - North Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

**Report No:** A27251-R198

**Report Date:** Friday, 23 December 2022

**Client:** Georgiou

**Analysed Date:** Friday, 23 December 2022

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Friday, 23 December 2022

**Sampled Date:** Tuesday, 20 December 2022

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S120	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S120	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S120	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S120	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S120	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S121	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S121	Fill 3-South Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S121	Fill 3 - North Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R199</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Friday, 23 December 2022</p> <p><b>Analysed Date:</b> Friday, 23 December 2022</p> <p><b>Laboratory Receival Date:</b> Friday, 23 December 2022</p> <p><b>Sampled Date:</b> Wednesday, 21 December 2022</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S121	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S121	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S121	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S121	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S121	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S121	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S121	Fill 3 - South Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S122	Fill 3 - North Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R200 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Friday, 23 December 2022 <b>Analysed Date:</b> Friday, 23 December 2022 <b>Laboratory Receival Date:</b> Friday, 23 December 2022 <b>Sampled Date:</b> Wednesday, 21 December 2022  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████
<b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass - Cut 3/ Fill 4/ Cut 4 <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Type of Monitoring:</b> Background Monitoring

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S122	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Fill 3 - South Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S122	Fill 3 - North Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R201

**Report Date:** Friday, 23 December 2022

**Client:** Georgiou

**Analysed Date:** Friday, 23 December 2022

**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Laboratory Receival Date:** Friday, 23 December 2022

**Sampled Date:** Thursday, 22 December 2022

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S122	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Fill 3 - South Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S123	Fill 3 - North Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R202

**Report Date:** Monday, 9 January 2023

**Client:** Georgiou

**Analysed Date:** Saturday, 24 December 2022

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Saturday, 24 December 2022

**Sampled Date:** Thursday, 22 December 2022

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S123	Cut 3 Moulden St South	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S123	Cut 3 Moulden St North	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S123	Cut 3 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S124	Fill 4 Reedsdale Rd	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S124	Fill 4 Moulden St	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S124	Cut 4 Moulden St West	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S124	Fill 3 - South ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01
A27251-S124	Fill 3 - North Ballerdee Ln	1200	2359 720 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R203 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 9 January 2023 <b>Analysed Date:</b> Saturday, 24 December 2022 <b>Laboratory Receival Date:</b> Saturday, 24 December 2022 <b>Sampled Date:</b> Friday, 23 December 2022
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S124	Cut 3 Moulden St South	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S124	Cut 3 Moulden St North	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S124	Cut 3 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S124	Fill 4 Reedsdale Rd	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S124	Fill 4 Moulden St	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S125	Cut 4 Moulden St West	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S125	Fill 3 - South Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01
A27251-S125	Fill 3 - North Ballerdee Ln	000	1159 720 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R204 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 9 January 2023 <b>Analysed Date:</b> Tuesday, 3 January 2023 <b>Laboratory Receival Date:</b> Tuesday, 3 January 2023 <b>Sampled Date:</b> Friday, 23 December 2022
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Blank

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S125	Blank	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S125	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S125	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S125	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S125	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S125	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S125	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R205	<b>Report Date:</b> Tuesday, 10 January 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 10 January 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 3 January 2023
	<b>Sampled Date:</b> Saturday, 24 December 2022

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S126	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S126	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R206 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 10 January 2023 <b>Analysed Date:</b> Tuesday, 10 January 2023 <b>Laboratory Receival Date:</b> Tuesday, 3 January 2023 <b>Sampled Date:</b> Sunday, 25 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S127	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Fill 4 Reedsdale	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Quality Control Laboratory Blank	1200	1200 / 1440 min	N.A.	0 /100	Acceptable limit
A27251-S127	Fill 3- South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S127	Fill 3- North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R207 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 10 January 2023 <b>Analysed Date:</b> Tuesday, 10 January 2023 <b>Laboratory Receival Date:</b> Tuesday, 3 January 2023 <b>Sampled Date:</b> Monday, 26 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S127	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Fill 4 Reesdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R208 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 10 January 2023 <b>Analysed Date:</b> Tuesday, 10 January 2023 <b>Laboratory Receival Date:</b> Tuesday, 3 January 2023 <b>Sampled Date:</b> Tuesday, 27 December 2022
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S128	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S128	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R209</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Tuesday, 10 January 2023</p> <p><b>Analysed Date:</b> Tuesday, 10 January 2023</p> <p><b>Laboratory Receival Date:</b> Tuesday, 3 January 2023</p> <p><b>Sampled Date:</b> Wednesday, 28 December 2022</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background Monitoring</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S129	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S129	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Quality Control Laboratory Blank	1200	1200 / 1440 min	N.A.	0 /100	Acceptable limit
A27251-S130	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

**Report No:** A27251-R210

**Report Date:** Tuesday, 10 January 2023

**Client:** Georgiou

**Analysed Date:** Tuesday, 10 January 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Tuesday, 3 January 2023

**Sampled Date:** Thursday, 29 December 2022

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S130	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S130	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R211 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 10 January 2023 <b>Analysed Date:</b> Tuesday, 10 January 2023 <b>Laboratory Receival Date:</b> Tuesday, 3 January 2023 <b>Sampled Date:</b> Friday, 30 December 2022
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S131	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S131	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R212 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 10 January 2023 <b>Analysed Date:</b> Tuesday, 10 January 2023 <b>Laboratory Receival Date:</b> Tuesday, 3 January 2023 <b>Sampled Date:</b> Saturday, 31 December 2022  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████
<b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass - Cut 3/ Fill 4/ Cut 4 <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Type of Monitoring:</b> Background Monitoring

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S132	Cut 3 Moulden St South	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Cut 3 Moulden St North	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Cut 3 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Fill 4 Reedsdale Rd	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Fill 4 Moulden St	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Cut 4 Moulden St West	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Quality Control Laboratory Blank	1200	1200 / 1440 min	N.A.	0 /100	Acceptable limit
A27251-S132	Fill 3 - South Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01
A27251-S132	Fill 3 - North Ballerdee Ln	1200	1200 / 1440 min	0.5	0 /100	< 0.01