

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R244</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 6 February 2023</p> <p>Analysed Date: Wednesday, 1 February 2023</p> <p>Laboratory Receival Date: Monday, 6 February 2023</p> <p>Sampled Date: Wednesday, 1 February 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1579	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1580	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1581	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1582	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1583	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1584	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1585	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1586	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R245</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 6 February 2023</p> <p>Analysed Date: Thursday, 2 February 2023</p> <p>Laboratory Receival Date: Monday, 6 February 2023</p> <p>Sampled Date: Thursday, 2 February 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1587	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1588	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1589	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1590	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1591	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1592	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1593	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1594	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R246 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 7 February 2023 Analysed Date: Tuesday, 7 February 2023 Laboratory Receival Date: Tuesday, 7 February 2023 Sampled Date: Friday, 3 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1595	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1596	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1597	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1598	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1599	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1600	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1601	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1602	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R247 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 7 February 2023 Analysed Date: Tuesday, 7 February 2023 Laboratory Receival Date: Tuesday, 7 February 2023 Sampled Date: Saturday, 4 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1603	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1604	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1605	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1606	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1607	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1608	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1609	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1610	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R248 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 7 February 2023 Analysed Date: Tuesday, 7 February 2023 Laboratory Receival Date: Tuesday, 7 February 2023 Sampled Date: Sunday, 5 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1611	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1612	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1613	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1614	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1615	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1616	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1617	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1618	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	1 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R249</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 8 February 2023</p> <p>Analysed Date: Wednesday, 8 February 2023</p> <p>Laboratory Receival Date: Wednesday, 8 February 2023</p> <p>Sampled Date: Monday, 6 February 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1619	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1620	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1621	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1622	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1623	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1624	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1625	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1626	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R250 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 9 February 2023 Analysed Date: Thursday, 9 February 2023 Laboratory Receival Date: Thursday, 9 February 2023 Sampled Date: Tuesday, 7 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1627	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1628	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1629	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1630	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1631	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1632	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1633	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1634	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R251 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 10 February 2023 Analysed Date: Friday, 10 February 2023 Laboratory Receival Date: Friday, 10 February 2023 Sampled Date: Wednesday, 8 February 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1635	Cut 3 Moulden St South	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1636	Cut 3 Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1637	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1638	Fill 4 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1639	Fill 4 Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1640	Cut 4 Moulden St West	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1641	Fill 3 South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1642	Fill 3 North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R252 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, February 13, 2023 Analysed Date: Monday, February 13, 2023 Laboratory Receival Date: Monday, February 13, 2023 Sampled Date: Thursday, February 9, 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass - cut 3/fill4/cut 4 **Type of Monitoring:** Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1643	cut 3 - Moulden st south	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1644	cut 3 - Moulden st north	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1645	cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1646	fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1647	fill 4 - Moulden st	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1648	cut 4 - west Moulden st	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1649	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1650	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R253 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, February 14, 2023 Analysed Date: Tuesday, February 14, 2023 Laboratory Receival Date: Tuesday, February 14, 2023 Sampled Date: Friday, February 10, 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1651	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1652	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1653	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1654	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1655	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1656	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1657	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1658	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R254 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Tuesday, February 14, 2023 Analysed Date: Tuesday, February 14, 2023 Laboratory Receival Date: Tuesday, February 14, 2023 Sampled Date: Saturday, February 11, 2023 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1659	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1660	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1661	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1662	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1663	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1664	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1665	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1666	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R255 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, February 14, 2023 Analysed Date: Tuesday, February 14, 2023 Laboratory Receival Date: Tuesday, February 14, 2023 Sampled Date: Sunday, February 12, 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1667	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1668	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1669	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1670	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1671	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1672	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1673	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1674	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R256 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Wednesday, February 15, 2023 Analysed Date: Wednesday, February 15, 2023 Laboratory Receival Date: Wednesday, February 15, 2023 Sampled Date: Monday, February 13, 2023 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background Monitoring
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1675	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1676	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1677	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1678	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.6	0 /100	< 0.01
A27251-S1679	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1680	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1681	Fill 3 - South Ballerdee Lane	1200	1159 / 1440 min	0.6	0 /100	< 0.01
A27251-S1682	Fill 3 - North Ballerdee Lane	1200	1159 / 1440 min	0.6	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R257 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, February 17, 2023 Analysed Date: Friday, February 17, 2023 Laboratory Receival Date: Friday, February 17, 2023 Sampled Date: Tuesday, February 14, 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/Fill 4/Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1683	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1684	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1685	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1686	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1687	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1688	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1689	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1690	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R260 **Report Date:** Thursday, 23 February 2023
Client: Georgiou **Analysed Date:** Thursday, 23 February 2023
Client Address: Level 3, **Laboratory Receival Date:** Thursday, 23 February 2023
53 Berry Street, **Sampled Date:** Friday, 17 February 2023
North Sydney, NSW, 2060

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED] **Type of Monitoring:** Background Monitoring
Sampled From: Parkes Bypass - Cut3/Fill 4/Cut 4

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1707	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1708	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1709	Cut 3 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1710	Fill 4 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1711	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1712	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1713	Fill 4 - South, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1714	Fill 3 - North, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R261 **Report Date:** Thursday, 23 February 2023
Client: Georgiou **Analysed Date:** Thursday, 23 February 2023
Client Address: Level 3, **Laboratory Receival Date:** Thursday, 23 February 2023
53 Berry Street, **Sampled Date:** Saturday, 18 February 2023
North Sydney, NSW, 2060

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED] **Type of Monitoring:** Background Monitoring
Sampled From: Parkes Bypass - Cut3/Fill 4/Cut 4

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1715	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1716	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1717	Cut 3 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1718	Fill 4 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1719	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1720	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1721	Fill 3 - South, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1722	Fill 3 - North, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R264
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 24 February 2023
Analysed Date: Friday, 24 February 2023
Laboratory Receival Date: Friday, 24 February 2023
Sampled Date: Tuesday, 21 February 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut3/Fill 4/Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1739	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	1 / 100	< 0.01
A27251-S1740	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1741	Cut 3 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1742	Fill 4 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1743	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1744	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1745	Fill 3 - South, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1746	Fill 3 - North, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R265
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 24 February 2023

Analysed Date: Friday, 24 February 2023

Laboratory Receival Date: Friday, 24 February 2023

Sampled Date: Wednesday, 22 February 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass - Cut3/Fill 4/Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1747	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1748	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1749	Cut 3 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1750	Fill 4 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1751	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1752	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1753	Fill 3 - South, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1754	Fill 3 - North, Ballerdee LN	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R266	Report Date: Monday, 27 February 2023
Client: Georgiou	Analysed Date: Friday, 24 February 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 24 February 2023
	Sampled Date: Thursday, 23 February 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass - Cut3/Fill 4/Cut 4	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1755	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1756	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1757	Cut 3 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1758	Fill 4 - Reedsdale RD	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1759	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1760	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1761	Fill 3 - South, Ballerdee LN	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1762	Fill 3 - North, Ballerdee LN	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R267 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 1 March 2023 Analysed Date: Wednesday, 1 March 2023 Laboratory Receival Date: Wednesday, 1 March 2023 Sampled Date: Friday, 24 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1763	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1764	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1765	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1766	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1767	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1768	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1769	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1770	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R268 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 1 March 2023 Analysed Date: Wednesday, 1 March 2023 Laboratory Receival Date: Wednesday, 1 March 2023 Sampled Date: Saturday, 25 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1771	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1772	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1773	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1774	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1775	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1776	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1777	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1778	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R269 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 1 March 2023 Analysed Date: Wednesday, 1 March 2023 Laboratory Receival Date: Wednesday, 1 March 2023 Sampled Date: Sunday, 26 February 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1779	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1780	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1781	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1782	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1783	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1784	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1785	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1786	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R270 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 2 March 2023 Analysed Date: Thursday, 2 March 2023 Laboratory Receival Date: Thursday, 2 March 2023 Sampled Date: Monday, 27 February 2023 Sampled By: ██████████ Approved Counter and Signatory: ██████████
Attention: ██████████ Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4 Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Type of Monitoring: Background Monitoring

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1787	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1788	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1789	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1790	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1791	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1792	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1793	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1794	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R271

Report Date: Friday, 3 March 2023

Client: Georgiou

Analysed Date: Friday, 3 March 2023

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Friday, 3 March 2023

Sampled Date: Tuesday, 28 February 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass - Cut 3/ Fill 4/ Cut 4

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1795	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1796	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1797	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1798	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1799	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1800	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1801	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1802	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01