

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27251-R284	<b>Report Date:</b> Friday, 17 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, 17 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, 17 March 2023
	<b>Sampled Date:</b> Monday, 13 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass - Cut 3/ Fill 4/ Cut 4	<b>Type of Monitoring:</b> Background Monitoring
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1899	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1900	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1901	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1902	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1903	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1904	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1905	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1906	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0/100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R285  
**Client:** Georgiou  
**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Report Date:** Friday, 17 March 2023  
**Analysed Date:** Friday, 17 March 2023  
**Laboratory Receival Date:** Friday, 17 March 2023  
**Sampled Date:** Tuesday, 14 March 2023

**Sampled By:** [REDACTED]  
**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4  
**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

**Type of Monitoring:** Background Monitoring

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1907	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1908	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1909	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1910	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1911	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1912	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1913	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0/100	< 0.01
A27251-S1914	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0/100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R286 **Report Date:** Friday, 17 March 2023  
**Client:** Georgiou **Analysed Date:** Friday, 17 March 2023  
**Client Address:** Level 3, **Laboratory Receival Date:** Friday, 17 March 2023  
53 Berry Street, **Sampled Date:** Wednesday, 15 March 2023  
North Sydney, NSW, 2060  
**Sampled By:** [REDACTED]  
**Attention:** [REDACTED] **Approved Counter and Signatory:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/ Fill 4/ Cut 4 **Type of Monitoring:** Background Monitoring  
**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1915	Cut 3 Moulden St – South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1916	Cut 3 Moulden St – North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1917	Cut 3 Reedsdale Rd	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1918	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	1 / 100	< 0.01
A27251-S1919	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1920	Cut 4 West Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1921	Fill 3 – South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1922	Fill 3 – North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R287 **Report Date:** Friday, 17 March 2023  
**Client:** Georgiou **Analysed Date:** Friday, 17 March 2023  
**Client Address:** Level 3, **Laboratory Receival Date:** Friday, 17 March 2023  
53 Berry Street, **Sampled Date:** Thursday, 16 March 2023  
North Sydney, NSW, 2060

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1923	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1924	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1925	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1926	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1927	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1928	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0.5 / 100	< 0.01
A27251-S1929	Fill 3 - South, Ballerdee Ln	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1930	Fill 3 - North, Ballerdee Ln	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R288 **Report Date:** Monday, 20 March 2023  
**Client:** Georgiou **Analysed Date:** Monday, 20 March 2023  
**Client Address:** Level 3, **Laboratory Receival Date:** Monday, 20 March 2023  
53 Berry Street, **Sampled Date:** Friday, 17 March 2023  
North Sydney, NSW, 2060

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4 **Type of Monitoring:** Background During Earth Works

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1931	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1932	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1933	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1934	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1935	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	1.5 /100	< 0.01
A27251-S1936	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1937	Fill 3 - South, Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1938	Fill 3 - North, Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT

### Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27251-R289</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Parkes Bypass - Cut 3/Fill 4/Cut 4</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Monday, 20 March 2023</p> <p><b>Analysed Date:</b> Monday, 20 March 2023</p> <p><b>Laboratory Receival Date:</b> Monday, 20 March 2023</p> <p><b>Sampled Date:</b> Saturday, 18 March 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Background During Earth Works</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1939	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1940	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1941	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1942	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1943	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1944	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1945	Ballerdee Ln - Fill 3, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1946	Ballerdee Ln - Fill 3, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R290 **Report Date:** Tuesday, 21 March 2023  
**Client:** Georgiou **Analysed Date:** Monday, 20 March 2023  
**Client Address:** Level 3, **Laboratory Receival Date:** Monday, 20 March 2023  
53 Berry Street, **Sampled Date:** Sunday, 19 March 2023  
North Sydney, NSW, 2060  
**Sampled By:** [REDACTED]  
**Attention:** [REDACTED] **Approved Counter and Signatory:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4 **Type of Monitoring:** Background Monitoring  
**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1947	Cut 3 - Moulden St, South	1200	1159 / 1440 min	0.5	1 / 100	< 0.01
A27251-S1948	Cut 3 - Moulden St, North	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1949	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1950	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	1 / 100	< 0.01
A27251-S1951	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1952	Cut 4 - West, Moulden St	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1953	Ballerdee Ln - Fill 3, South	1200	1159 / 1440 min	0.5	0 / 100	< 0.01
A27251-S1954	Ballerdee Ln - Fill 3, North	1200	1159 / 1440 min	0.5	1 / 100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27251-R291  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Monday, 27 March 2023  
**Analysed Date:** Monday, 27 March 2023  
**Laboratory Receival Date:** Monday, 27 March 2023  
**Sampled Date:** Monday, 20 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1955	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1956	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1957	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1958	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1959	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1960	Cut 4 - Moulden St West	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1961	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1962	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R292	<b>Report Date:</b> Monday, 27 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 27 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 27 March 2023
	<b>Sampled Date:</b> Tuesday, 21 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Parkes Bypass - Cut 3/Fill 4/Cut 4	<b>Type of Monitoring:</b> Background Monitoring
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1963	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1964	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1965	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1966	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1967	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1968	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1969	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1970	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R293 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 27 March 2023 <b>Analysed Date:</b> Monday, 27 March 2023 <b>Laboratory Receival Date:</b> Monday, 27 March 2023 <b>Sampled Date:</b> Wednesday, 22 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1971	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1972	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1973	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1974	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1975	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1976	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1977	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1978	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R294 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 28 March 2023 <b>Analysed Date:</b> Tuesday, 28 March 2023 <b>Laboratory Receival Date:</b> Tuesday, 28 March 2023 <b>Sampled Date:</b> Thursday, 23 March 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████
<b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass - Cut 3/Fill 4/Cut 4  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Type of Monitoring:</b> Background Monitoring

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1979	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S1980	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1981	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1982	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1983	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1984	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S1985	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1986	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1987	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R295 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 28 March 2023 <b>Analysed Date:</b> Tuesday, 28 March 2023 <b>Laboratory Receival Date:</b> Tuesday, 28 March 2023 <b>Sampled Date:</b> Friday, 24 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1988	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1989	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1990	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1991	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1992	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1993	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1994	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1995	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1996	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R296 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Wednesday, 29 March 2023 <b>Analysed Date:</b> Wednesday, 29 March 2023 <b>Laboratory Receival Date:</b> Wednesday, 29 March 2023 <b>Sampled Date:</b> Saturday, 25 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S1997	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1998	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S1999	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2000	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2001	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2002	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2003	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2004	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2005	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R297 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass - Cut 3/Fill 4/Cut 4  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Wednesday, 29 March 2023 <b>Analysed Date:</b> Wednesday, 29 March 2023 <b>Laboratory Receival Date:</b> Wednesday, 29 March 2023 <b>Sampled Date:</b> Sunday, 26 March 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████  <b>Type of Monitoring:</b> Background Monitoring
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2006	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2007	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2008	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2009	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2010	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2011	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	2 /100	< 0.01
A27251-S2012	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2013	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2014	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R298 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Wednesday, 29 March 2023 <b>Analysed Date:</b> Wednesday, 29 March 2023 <b>Laboratory Receival Date:</b> Wednesday, 29 March 2023 <b>Sampled Date:</b> Monday, 27 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2015	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2016	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2017	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2018	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2019	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2020	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2021	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2022	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2023	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R299 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Friday, 31 March 2023 <b>Analysed Date:</b> Friday, 31 March 2023 <b>Laboratory Receival Date:</b> Friday, 31 March 2023 <b>Sampled Date:</b> Tuesday, 28 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2024	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2025	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2026	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2027	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2028	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2029	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2030	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2031	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2032	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit



## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R300 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Friday, 31 March 2023 <b>Analysed Date:</b> Friday, 31 March 2023 <b>Laboratory Receival Date:</b> Friday, 31 March 2023 <b>Sampled Date:</b> Wednesday, 29 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Parkes Bypass - Cut 3/Fill 4/ Cut 4

**Type of Monitoring:** Background Monitoring

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2033	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2034	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2035	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2036	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2037	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2038	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2039	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2040	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2041	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R301 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass - Cut 3/Fill 4/ Cut 4  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Monday, 3 April 2023 <b>Analysed Date:</b> Monday, 3 April 2023 <b>Laboratory Receival Date:</b> Monday, 3 April 2023 <b>Sampled Date:</b> Thursday, 30 March 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████  <b>Type of Monitoring:</b> Background Monitoring
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2042	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2043	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2044	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2045	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2046	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2047	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2048	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2049	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2050	Quality Control Laboratory Blank	1200	1159 / 1440 min	N.A.	0 /100	Acceptable limit

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27251-R302 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> ██████████ <b>Sampled From:</b> Parkes Bypass - Cut 3/Fill 4/ Cut 4  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Monday, 3 April 2023 <b>Analysed Date:</b> Monday, 3 April 2023 <b>Laboratory Receival Date:</b> Monday, 3 April 2023 <b>Sampled Date:</b> Friday, 31 March 2023  <b>Sampled By:</b> ██████████ <b>Approved Counter and Signatory:</b> ██████████  <b>Type of Monitoring:</b> Background Monitoring
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S2051	Cut 3 - Moulden St South	1200	1159 / 1440 min	0.5	1 /100	< 0.01
A27251-S2052	Cut 3 - Moulden St North	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2053	Cut 3 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2054	Fill 4 - Reedsdale Rd	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2055	Fill 4 - Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2056	Cut 4 - West Moulden St	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2057	Fill 3 - South Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01
A27251-S2058	Fill 3 - North Ballerdee Ln	1200	1159 / 1440 min	0.5	0 /100	< 0.01

\*Fibre counting performed with Mobile Laboratory at Parkes.

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R118</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Cut 3 South</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, March 23, 2023</p> <p><b>Analysed Date:</b> Wednesday, March 22, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, March 22, 2023</p> <p><b>Sampled Date:</b> Thursday, March 16, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Drilling and Power Poles</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S428	West Fence	710	1640 570 min	1.0	0 /100	< 0.01
A27351-S429	Decon	710	1640 570 min	1.0	0 /100	< 0.01
A27351-S430	Condobolin Rd	715	1645 570 min	1.0	0 /100	< 0.01
A27351-S431	East Fence	715	1645 570 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R119</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Gate 4 - Billy Mac to Broglan Rd</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, March 23, 2023</p> <p><b>Analysed Date:</b> Wednesday, March 22, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, March 22, 2023</p> <p><b>Sampled Date:</b> Thursday, March 16, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Table Drain Scrape</p>
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S432	Decon	730	1630 540 min	1.0	0 /100	< 0.01
A27351-S433	East Broglan Rd	730	1630 540 min	1.0	0 /100	< 0.01
A27351-S434	West Broglan Rd	730	1630 540 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R120	<b>Report Date:</b> Thursday, 23 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 22 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 22 March 2023
	<b>Sampled Date:</b> Thursday, 16 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Gate 4 - Broglan Rd	<b>Type of Monitoring:</b> Clearance
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S435	D.C. Exc	1130	1250 80 min	5.0	0 /100	< 0.01
A27351-S436	D.C. Truck	1130	1250 80 min	5.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p><b>Report No:</b> A27351-R121</p> <p><b>Client:</b> Georgiou</p> <p><b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p><b>Attention:</b> [REDACTED]</p> <p><b>Sampled From:</b> Cut 3 South</p> <p><b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p><b>Report Date:</b> Thursday, March 23, 2023</p> <p><b>Analysed Date:</b> Wednesday, March 22, 2023</p> <p><b>Laboratory Receival Date:</b> Wednesday, March 22, 2023</p> <p><b>Sampled Date:</b> Friday, March 17, 2023</p> <p><b>Sampled By:</b> [REDACTED]</p> <p><b>Approved Counter and Signatory:</b> [REDACTED]</p> <p><b>Type of Monitoring:</b> Drilling and Powerlines - Background</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S437	West Fence	800	1600 480 min	1.0	0 /100	< 0.01
A27351-S438	Clean end of Decon	800	1600 480 min	1.0	0 /100	< 0.01
A27351-S439	Condobolin Rd	800	1600 480 min	1.0	1 /100	< 0.01
A27351-S440	East Fence	800	1600 480 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R122	<b>Report Date:</b> Monday, 27 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 27 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 27 March 2023
	<b>Sampled Date:</b> Monday, 20 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED] r

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac Place to Broglan Rd

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S441	Clean End of Decon	1100	1700 360 min	2.0	0 /100	< 0.01
A27351-S442	Broglan Rd East	1100	1700 360 min	2.0	0 /100	< 0.01
A27351-S443	Broglan Rd West	1100	1700 360 min	2.0	0 /100	< 0.01



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R122 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 27 March 2023 <b>Analysed Date:</b> Monday, 27 March 2023 <b>Laboratory Receival Date:</b> Monday, 27 March 2023 <b>Sampled Date:</b> Monday, 20 March 2023
--	--

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac Place to Broglan Rd

**Type of Monitoring:** Background During Earthworks

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S441	Clean End of Decon	1100	1700 360 min	2.0	0 /100	< 0.01
A27351-S442	Broglan Rd East	1100	1700 360 min	2.0	0 /100	< 0.01
A27351-S443	Broglan Rd West	1100	1700 360 min	2.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R123	<b>Report Date:</b> Monday, 27 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 27 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 27 March 2023
	<b>Sampled Date:</b> Monday, 20 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 5 - Gas Slab Stockpile

**Type of Monitoring:** Spoil Removal

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S444	Decon	1430	1700 150 min	3.0	0 /100	< 0.01
A27351-S445	Exc. Cab	1430	1700 150 min	3.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R124 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 27 March 2023 <b>Analysed Date:</b> Monday, 27 March 2023 <b>Laboratory Receival Date:</b> Monday, 27 March 2023 <b>Sampled Date:</b> Tuesday, 21 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Cut 3 South

**Type of Monitoring:** Drilling

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S446	West Fence	710	1730 620 min	1.0	0 /100	< 0.01
A27351-S447	Decon	710	1730 620 min	1.0	0 /100	< 0.01
A27351-S448	Condo. Rd	715	1735 620 min	1.0	0 /100	< 0.01
A27351-S449	East Fence	715	1735 620 min	1.0	0 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R125 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 27 March 2023 <b>Analysed Date:</b> Monday, 27 March 2023 <b>Laboratory Receival Date:</b> Monday, 27 March 2023 <b>Sampled Date:</b> Tuesday, 21 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 5 Gas Slab

**Type of Monitoring:** Spoil Removal

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S450	Decon	740	1440 420 min	1.0	0 /100	< 0.01
A27351-S451	Exc. Cab	740	1440 420 min	1.0	0.5 /100	< 0.01
A27351-S452	East Exclusion	740	1440 420 min	1.0	0 /100	< 0.01
A27351-S453	West Exclusion	740	1440 420 min	1.0	1 /100	< 0.01
A27351-S454	Cell - East Fence	830	1710 520 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R126  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Monday, 27 March 2023  
**Analysed Date:** Monday, 27 March 2023  
**Laboratory Receival Date:** Monday, 27 March 2023  
**Sampled Date:** Tuesday, 21 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac

**Type of Monitoring:** Table Drain Cleaning

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S455	Decon.	820	1630 490 min	1.0	0 /100	< 0.01
A27351-S456	Broglan Rd	820	1630 490 min	1.0	0 /100	< 0.01
A27351-S457	D.C. Exc. Cab	820	1630 490 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R127

**Report Date:** Monday, 27 March 2023

**Client:** Georgiou

**Analysed Date:** Monday, 27 March 2023

**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Laboratory Receival Date:** Monday, 27 March 2023

**Sampled Date:** Tuesday, 21 March 2023

**Sampled By:** [REDACTED]

**Attention:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Sampled From:** Gate 5 - Gas Slab

**Type of Monitoring:** Clearance

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S458	Mid Gas Slab	1500	1620 80 min	5.0	0 /100	< 0.01
A27351-S459	Asset - 1224203 Kennards Tipper	1530	1650 80 min	5.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R128	<b>Report Date:</b> Monday, 27 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 27 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 27 March 2023
	<b>Sampled Date:</b> Wednesday, 22 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Cut 3 - South	<b>Type of Monitoring:</b> Drilling
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S460	West Fence	710	1710 600 min	1.0	1 /100	< 0.01
A27351-S461	Decon	710	1710 600 min	1.0	0 /100	< 0.01
A27351-S462	Condo. Rd	710	1710 600 min	1.0	0 /100	< 0.01
A27351-S463	East Fence	710	1710 600 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R129 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 27 March 2023 <b>Analysed Date:</b> Monday, 27 March 2023 <b>Laboratory Receival Date:</b> Monday, 27 March 2023 <b>Sampled Date:</b> Wednesday, 22 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac

**Type of Monitoring:** Table Drain Cleaning

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S464	Decon.	730	1740 610 min	1.0	0 /100	< 0.01
A27351-S465	D.C. Exc. Cabin	730	1740 610 min	1.0	0 /100	< 0.01
A27351-S466	Broglan Rd	735	1745 610 min	1.0	0 /100	< 0.01
A27351-S467	Quality Control Laboratory Blank	730	1745 615 min	N.A.	0 /100	Acceptable limit



### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R130 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060  <b>Attention:</b> [REDACTED] <b>Sampled From:</b> Cut 3 - South  <b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	<b>Report Date:</b> Monday, 27 March 2023 <b>Analysed Date:</b> Monday, 27 March 2023 <b>Laboratory Receival Date:</b> Monday, 27 March 2023 <b>Sampled Date:</b> Thursday, 23 March 2023  <b>Sampled By:</b> [REDACTED] <b>Approved Counter and Signatory:</b> [REDACTED]  <b>Type of Monitoring:</b> Drilling
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S468	West Fence	720	1700 580 min	1.0	4 /100	< 0.01
A27351-S469	Decon.	720	1700 580 min	1.0	0 /100	< 0.01
A27351-S470	Condo. Rd	730	1710 580 min	1.0	4 /100	< 0.01
A27351-S471	East Fence	730	1710 580 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R131	<b>Report Date:</b> Monday, 27 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Monday, 27 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Monday, 27 March 2023
	<b>Sampled Date:</b> Thursday, 23 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Gate 4 - Billy Mac	<b>Type of Monitoring:</b> Drainage Earthworks
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S472	Decon.	750	1500 430 min	1.0	0 /100	< 0.01
A27351-S473	D.C. Exc. Cab	750	1500 430 min	1.0	0 /100	< 0.01
A27351-S474	Broglan Rd	800	1510 430 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R132 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Tuesday, 28 March 2023 <b>Analysed Date:</b> Tuesday, 28 March 2023 <b>Laboratory Receival Date:</b> Tuesday, 28 March 2023 <b>Sampled Date:</b> Friday, 24 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Cut 3 - South

**Type of Monitoring:** Drilling

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S475	West Fence	720	1650 570 min	1.0	0 /100	< 0.01
A27351-S476	Decon	720	1650 570 min	1.0	0 /100	< 0.01
A27351-S477	Condo. Rd	730	1700 570 min	1.0	0 /100	< 0.01
A27351-S478	East Fence	735	1705 570 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R133  
**Client:** Georgiou  
**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Report Date:** Tuesday, 28 March 2023  
**Analysed Date:** Tuesday, 28 March 2023  
**Laboratory Receival Date:** Tuesday, 28 March 2023  
**Sampled Date:** Friday, 24 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac

**Type of Monitoring:** Drainage

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S479	Decon.	750	1630 520 min	1.0	0 /100	< 0.01
A27351-S480	Exc. DC-102	750	1630 520 min	1.0	0 /100	< 0.01
A27351-S481	Broglan Rd	810	1640 510 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R134	<b>Report Date:</b> Tuesday, 28 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 28 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 28 March 2023
	<b>Sampled Date:</b> Friday, 24 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Gate 4 - Billy Mac	<b>Type of Monitoring:</b> Clearance
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S482	Mid Culvert Site	920	1040 80 min	5.0	0 /100	< 0.01
A27351-S483	Exc. Kubota DC-102	930	1110 100 min	4.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R135  
**Client:** Georgiou  
**Client Address:** Level 3,  
 53 Berry Street,  
 North Sydney, NSW, 2060

**Report Date:** Tuesday, 28 March 2023  
**Analysed Date:** Tuesday, 28 March 2023  
**Laboratory Receival Date:** Tuesday, 28 March 2023  
**Sampled Date:** Saturday, 25 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 3 - South

**Type of Monitoring:** Drilling

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S484	Decon G-10	810	1500 410 min	1.0	0 /100	< 0.01
A27351-S485	West Fence	810	1500 410 min	1.0	0 /100	< 0.01
A27351-S486	Condo. Rd	810	1500 410 min	1.0	0 /100	< 0.01
A27351-S487	East Fence	810	1500 410 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R136	<b>Report Date:</b> Tuesday, 28 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Tuesday, 28 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Tuesday, 28 March 2023
	<b>Sampled Date:</b> Saturday, 25 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Gate 4 - Billy Mac	<b>Type of Monitoring:</b> Drainage Excavation
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S488	Decon.	730	1430 420 min	1.0	0 /100	< 0.01
A27351-S489	Exc. DC-102	730	1430 420 min	1.0	0 /100	< 0.01
A27351-S490	Broglan Rd	735	1435 420 min	1.0	0 /100	< 0.01
A27351-S491	Billy Mac Pl	740	1440 420 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R137	<b>Report Date:</b> Wednesday, 29 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 29 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 29 March 2023
	<b>Sampled Date:</b> Monday, 27 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Cut 3 - South	<b>Type of Monitoring:</b> Drilling
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S492	Decon. Gate 10	710	1850 700 min	1.0	0 /100	< 0.01
A27351-S493	West Fence	720	1900 700 min	1.0	0 /100	< 0.01
A27351-S494	Condo. Rd	725	1905 700 min	1.0	0 /100	< 0.01
A27351-S495	East Fence	725	1905 700 min	1.0	0 /100	< 0.01



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R138	<b>Report Date:</b> Wednesday, 29 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Wednesday, 29 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Wednesday, 29 March 2023
	<b>Sampled Date:</b> Monday, 27 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Gate 4 - Billy Mac	<b>Type of Monitoring:</b> Drainage Excavation
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S496	Decon	750	1650 540 min	1.0	0 /100	< 0.01
A27351-S497	Duck DC-114	750	1650 540 min	1.0	0 /100	< 0.01
A27351-S498	Billy Mac Pl	800	1700 540 min	1.0	0 /100	< 0.01
A27351-S499	Broglan Rd	800	1700 540 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R139	<b>Report Date:</b> Friday, 31 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, 31 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, 31 March 2023
	<b>Sampled Date:</b> Tuesday, 28 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 3 - South/Gate 10/ Cut 4

**Type of Monitoring:** Stockpile Removal to Cell

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S500	Grader	710	1700 590 min	1.0	0 /100	< 0.01
A27351-S501	Moxy Dump	710	1700 590 min	1.0	3 /100	< 0.01
A27351-S502	Excavator	710	1700 590 min	1.0	0 /100	< 0.01
A27351-S503	Decon	710	1700 590 min	1.0	0 /100	< 0.01
A27351-S504	West Fence	720	1740 620 min	1.0	0 /100	< 0.01
A27351-S505	Condo Rd	720	1740 620 min	1.0	0 /100	< 0.01
A27351-S506	East Fence	720	1745 625 min	1.0	0 /100	< 0.01
A27351-S507	158 Goldrush Rd S/E Gate	820	1720 540 min	1.0	0 /100	< 0.01
A27351-S508	Reedsdale Rd - East (128 Painter St - West)	830	1730 540 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R140 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Friday, 31 March 2023 <b>Analysed Date:</b> Friday, 31 March 2023 <b>Laboratory Receival Date:</b> Friday, 31 March 2023 <b>Sampled Date:</b> Tuesday, 28 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]

**Sampled From:** Gate 4 - Billy Mac

**Type of Monitoring:** Drainage Excavation

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S509	Decon.	800	1610 490 min	1.0	1 /100	< 0.01
A27351-S510	Broglan Rd	800	1610 490 min	1.0	2 /100	< 0.01

## LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R141 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Friday, 31 March 2023 <b>Analysed Date:</b> Friday, 31 March 2023 <b>Laboratory Receival Date:</b> Friday, 31 March 2023 <b>Sampled Date:</b> Wednesday, 29 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 3 South/Gate 10/Cut 4

**Type of Monitoring:** Stockpile Removal to Cell

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S511	Grader	700	1710 610 min	1.0	0 /100	< 0.01
A27351-S512	Moxy Dump	700	1710 610 min	1.0	0 /100	< 0.01
A27351-S513	Excavator	700	1700 600 min	1.0	0 /100	< 0.01
A27351-S514	Decon.	700	1700 600 min	1.0	0 /100	< 0.01
A27351-S515	158 Goldrush Rd - S/E Grid	730	1645 555 min	1.0	0 /100	< 0.01
A27351-S516	128 Painter St - West	730	1730 600 min	1.0	0 /100	< 0.01
A27351-S517	West Fence	820	1740 560 min	1.0	0 /100	< 0.01
A27351-S518	Condo. Rd	820	1740 560 min	1.0	0 /100	< 0.01
A27351-S519	East Fence	825	1745 560 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R142  
**Client:** Georgiou  
**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Report Date:** Friday, 31 March 2023  
**Analysed Date:** Friday, 31 March 2023  
**Laboratory Receival Date:** Friday, 31 March 2023  
**Sampled Date:** Wednesday, 29 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac

**Type of Monitoring:** Stockpile Remediation

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S520	DC-112 Duck	830	1540 430 min	1.0	0 /100	< 0.01
A27351-S521	Decon.	830	1540 430 min	1.0	0 /100	< 0.01
A27351-S522	Broglan Rd	830	1540 430 min	1.0	0 /100	< 0.01

**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

<b>Report No:</b> A27351-R143	<b>Report Date:</b> Friday, 31 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, 31 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, 31 March 2023
	<b>Sampled Date:</b> Thursday, 30 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 3 South/Gate 10/Cut 4

**Type of Monitoring:** Stockpile Removal to Cell

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S523	Excavator	710	1710 600 min	1.0	0 /100	< 0.01
A27351-S524	Dozer	710	1710 600 min	1.0	0 /100	< 0.01
A27351-S525	B40E Moxy Dump	710	1710 600 min	1.0	0 /100	< 0.01
A27351-S526	Decon. Gate 10	710	1720 610 min	1.0	0 /100	< 0.01
A27351-S527	Gate 9	720	1735 615 min	1.0	0 /100	< 0.01
A27351-S528	158 Goldrush Rd - S-E Grid	730	1730 600 min	1.0	0 /100	< 0.01
A27351-S529	128 Painter St - West	740	1740 600 min	1.0	0 /100	< 0.01
A27351-S530	Cut 3 - West Fence	750	1750 600 min	1.0	0 /100	< 0.01
A27351-S531	Condo. Rd	755	1755 600 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S532	Cut 3 - East Fence	800	1756 596 min	1.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R144	<b>Report Date:</b> Friday, 31 March 2023
<b>Client:</b> Georgiou	<b>Analysed Date:</b> Friday, 31 March 2023
<b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Laboratory Receival Date:</b> Friday, 31 March 2023
	<b>Sampled Date:</b> Thursday, 30 March 2023
	<b>Sampled By:</b> [REDACTED]
<b>Attention:</b> [REDACTED]	<b>Approved Counter and Signatory:</b> [REDACTED]
<b>Sampled From:</b> Gate 4 - Billy Mac	<b>Type of Monitoring:</b> Drain Excavation
<b>Test Method:</b> In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S533	Decon	810	1320 310 min	2.0	3 /100	< 0.01
A27351-S534	Exc. DC-110	810	1320 310 min	2.0	0 /100	< 0.01
A27351-S535	Broglan Rd	820	1330 310 min	2.0	0 /100	< 0.01



**LABORATORY ANALYSIS REPORT**  
**Estimation of Airborne Asbestos Fibres**

**Report No:** A27351-R145  
**Client:** Georgiou  
**Client Address:** Level 3,  
53 Berry Street,  
North Sydney, NSW, 2060

**Report Date:** Friday, 31 March 2023  
**Analysed Date:** Friday, 31 March 2023  
**Laboratory Receival Date:** Friday, 31 March 2023  
**Sampled Date:** Thursday, 30 March 2023

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Gate 4 - Billy Mac

**Type of Monitoring:** Plant Clearance

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S536	Exc. DC-114	1455	1615 80 min	5.0	0 /100	< 0.01

### LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<b>Report No:</b> A27351-R146 <b>Client:</b> Georgiou <b>Client Address:</b> Level 3, 53 Berry Street, North Sydney, NSW, 2060	<b>Report Date:</b> Monday, 3 April 2023 <b>Analysed Date:</b> Monday, 3 April 2023 <b>Laboratory Receival Date:</b> Monday, 3 April 2023 <b>Sampled Date:</b> Friday, 31 March 2023
--	---

**Sampled By:** [REDACTED]

**Approved Counter and Signatory:** [REDACTED]

**Attention:** [REDACTED]  
**Sampled From:** Cut 3 South/Gate 10/Cut 4

**Type of Monitoring:** Stockpile Removal to Cell

**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S537	Dozer	710	1200 290 min	2.0	0 /100	< 0.01
A27351-S538	Excavator	710	1200 290 min	2.0	0 /100	< 0.01
A27351-S539	Moxy	710	1200 290 min	2.0	0 /100	< 0.01
A27351-S540	Decon.	710	1333 383 min	2.0	0 /100	< 0.01
A27351-S541	Gate Nine	715	1200 285 min	2.0	0 /100	< 0.01
A27351-S542	158 Goldrush Rd - S/E Grid	720	1420 420 min	2.0	0 /100	< 0.01
A27351-S543	128 Painter St - West	730	1337 367 min	2.0	0 /100	< 0.01
A27351-S544	Cut 3 West Fence	740	1430 410 min	2.0	0 /100	< 0.01
A27351-S545	Cut 3 Condo Rd	740	1433 413 min	2.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S546	Cut 3 East Fence	745	1435 410 min	2.0	0 /100	< 0.01