

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R578
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 5 January 2024
Analysed Date: Friday, 5 January 2024
Laboratory Receival Date: Friday, 5 January 2024
Sampled Date: Monday, 1 January 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7401	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7402	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7403	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7404	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7405	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7406	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7407	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7408	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7409	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7410	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7411	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7412	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7413	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7414	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7415	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7416	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7417	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7418	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7419	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7420	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7421	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7422	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R579
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 5 January 2024
Analysed Date: Friday, 5 January 2024
Laboratory Receival Date: Friday, 5 January 2024
Sampled Date: Tuesday, 2 January 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7423	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7424	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7425	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7426	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7427	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7428	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7429	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7430	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7431	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7432	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7433	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7434	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7435	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7436	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7437	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7438	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7439	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7440	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7441	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7442	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7443	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7444	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R580</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: Paul Orrock</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 5 January 2024</p> <p>Analysed Date: Friday, 5 January 2024</p> <p>Laboratory Receival Date: Friday, 5 January 2024</p> <p>Sampled Date: Wednesday, 3 January 2024</p> <p>Sampled By: Mark Austin and Gareth Breust</p> <p>Approved Counter and Signatory: Arpit Dabhi</p> <p>Type of Monitoring: Background During Earthworks</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7445	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7446	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7447	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7448	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7449	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7450	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7451	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7452	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7453	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7454	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7455	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7456	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7457	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7458	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7459	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7460	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7461	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7462	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7463	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7464	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7465	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7466	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R581 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 8 January 2024 Analysed Date: Monday, 8 January 2024 Laboratory Receival Date: Monday, 8 January 2024 Sampled Date: Thursday, 4 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7467	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7468	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7469	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7470	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7471	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7472	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7473	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7474	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7475	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7476	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7477	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7478	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7479	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7480	158 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7481	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7482	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7483	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7484	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7485	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7486	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7487	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7488	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R582	Report Date: Monday, 8 January 2024
Client: Georgiou	Analysed Date: Monday, 8 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 8 January 2024
	Sampled Date: Friday, 5 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7489	London Road South	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7490	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7491	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7492	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7493	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7494	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7495	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7496	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7497	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7498	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7499	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7500	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7501	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7502	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7503	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7504	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7505	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7506	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7507	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7508	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7509	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7510	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R583 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 8 January 2024 Analysed Date: Monday, 8 January 2024 Laboratory Receival Date: Monday, 8 January 2024 Sampled Date: Saturday, 6 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7511	London Road South	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7512	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7513	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7514	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7515	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7516	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7517	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7518	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7519	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7520	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7521	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7522	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7523	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7524	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7525	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7526	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7527	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7528	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7529	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7530	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7531	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7532	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R584
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 9 January 2024
Analysed Date: Tuesday, 9 January 2024
Laboratory Receival Date: Tuesday, 9 January 2024
Sampled Date: Sunday, 7 January 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7533	London Road South	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S7534	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7535	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7536	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7537	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7538	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7539	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7540	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7541	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7542	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7543	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7544	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7545	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7546	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7547	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7548	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7549	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7550	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7551	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7552	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7553	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7554	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R585	Report Date: Wednesday, 10 January 2024
Client: Georgiou	Analysed Date: Wednesday, 10 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 10 January 2024
	Sampled Date: Monday, 8 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7555	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7556	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7557	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7558	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7559	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7560	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7561	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7562	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7563	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7564	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7565	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7566	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7567	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7568	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7569	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7570	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7571	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7572	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7573	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7574	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7575	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7576	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R586 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 11 January 2024 Analysed Date: Thursday, 11 January 2024 Laboratory Receival Date: Thursday, 11 January 2024 Sampled Date: Tuesday, 9 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7577	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7578	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7579	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7580	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7581	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7582	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7583	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7584	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7585	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7586	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7587	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7588	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7589	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7590	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7591	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7592	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7593	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7594	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7595	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7596	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7597	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7598	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R587</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 15 January 2024</p> <p>Analysed Date: Monday, 15 January 2024</p> <p>Laboratory Receival Date: Friday, 12 January 2024</p> <p>Sampled Date: Wednesday, 10 January 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7599	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7600	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7601	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7602	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7603	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7604	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7605	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7606	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7607	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7608	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7609	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7610	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7611	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7612	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7613	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7614	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7615	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7616	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7617	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7618	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7619	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7620	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R588</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 15 January 2024</p> <p>Analysed Date: Monday, 15 January 2024</p> <p>Laboratory Receival Date: Monday, 15 January 2024</p> <p>Sampled Date: Thursday, 11 January 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED] abhi</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7621	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7622	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7623	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7624	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7625	Brolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7626	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7627	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7628	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7629	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7630	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7631	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7632	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7633	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7634	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7635	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7636	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7637	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7638	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7639	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7640	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7641	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7642	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R589 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 15 January 2024 Analysed Date: Monday, 15 January 2024 Laboratory Receival Date: Monday, 15 January 2024 Sampled Date: Friday, 12 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7643	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7644	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7645	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7646	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7647	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7648	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7649	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7650	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7651	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7652	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7653	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7654	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7655	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7656	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7657	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7658	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7659	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7660	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7661	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7662	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7663	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7664	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R590 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 15 January 2024 Analysed Date: Tuesday, 16 January 2024 Laboratory Receival Date: Monday, 15 January 2024 Sampled Date: Saturday, 13 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7665	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7666	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7667	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7668	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7669	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7670	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7671	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7672	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7673	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7674	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7675	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7676	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7677	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7678	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7679	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7680	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7681	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7682	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7683	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7684	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7685	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7686	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R591 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 16 January 2024 Analysed Date: Tuesday, 16 January 2024 Laboratory Receival Date: Tuesday, 16 January 2024 Sampled Date: Sunday, 14 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7687	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7688	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7689	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7690	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7691	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7692	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7693	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7694	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7695	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7696	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7697	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7698	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7699	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7700	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7701	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7702	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7703	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7704	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7705	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7706	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7707	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7708	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R592 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Wednesday, 17 January 2024 Analysed Date: Wednesday, 17 January 2024 Laboratory Receival Date: Wednesday, 17 January 2024 Sampled Date: Monday, 15 January 2024 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7709	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7710	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7711	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7712	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7713	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7714	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7715	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7716	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7717	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7718	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7719	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7720	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7721	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7722	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7723	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7724	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7725	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7726	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7727	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7728	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7729	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7730	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R593 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 18 January 2024 Analysed Date: Thursday, 18 January 2024 Laboratory Receival Date: Thursday, 18 January 2024 Sampled Date: Tuesday, 16 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7731	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7732	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7733	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7734	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7735	Brolgan Road West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7736	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7737	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7738	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7739	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7740	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7741	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7742	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7743	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7744	158 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7745	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7746	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7747	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7748	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7749	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7750	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7751	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7752	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R594 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: ██████████ Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Saturday, 20 January 2024 Analysed Date: Friday, 19 January 2024 Laboratory Receival Date: Friday, 19 January 2024 Sampled Date: Wednesday, 17 January 2024 Sampled By: ██████████ Approved Counter and Signatory: ██████████ Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7753	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7754	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7755	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7756	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7757	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7758	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7759	Hartigan Avenue West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7760	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7761	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7762	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7763	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7764	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7765	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7766	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7767	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7768	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7769	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7770	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7771	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7772	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7773	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7774	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R595 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 22 January 2024 Analysed Date: Monday, 22 January 2024 Laboratory Receival Date: Monday, 22 January 2024 Sampled Date: Thursday, 18 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7775	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7776	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7777	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7778	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7779	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7780	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7781	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7782	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7783	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7784	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7785	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7786	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7787	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7788	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7789	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7790	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7791	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7792	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7793	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7794	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7795	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7796	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R596 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 22 January 2024 Analysed Date: Monday, 22 January 2024 Laboratory Receival Date: Monday, 22 January 2024 Sampled Date: Friday, 19 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7797	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7798	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7799	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7800	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7801	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7802	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7803	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7804	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7805	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7806	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7807	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7808	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7809	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7810	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7811	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7812	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7813	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7814	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7815	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7816	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7817	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7818	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R597	Report Date: Tuesday, 23 January 2024
Client: Georgiou	Analysed Date: Monday, 22 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 23 January 2024
	Sampled Date: Saturday, 20 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7819	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7820	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7821	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7822	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7823	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7824	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7825	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7826	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7827	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7828	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7829	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7830	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7831	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7832	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7833	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7834	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7835	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7836	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7837	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7838	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7839	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7849	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7850	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7851	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7852	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7853	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7854	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7855	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7856	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7857	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7858	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7859	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7860	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7861	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R599	Report Date: Wednesday, 24 January 2024
Client: Georgiou	Analysed Date: Wednesday, 24 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 24 January 2024
	Sampled Date: Monday, 22 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7862	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7863	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7864	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7865	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7866	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7867	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7868	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7869	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7870	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7871	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7872	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7873	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7874	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7875	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7876	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7877	Cut 3 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7878	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7879	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7880	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7881	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7882	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7883	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R600	Report Date: Thursday, 25 January 2024
Client: Georgiou	Analysed Date: Thursday, 25 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 25 January 2024
	Sampled Date: Tuesday, 23 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7884	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7885	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7886	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7887	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7888	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7889	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7890	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7891	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7892	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7893	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7894	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7895	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7896	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7897	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7898	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7899	Cut 3 Reedsdale South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7900	Cut 3 Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7901	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7902	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7903	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7904	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7905	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R601</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 31 January 2024</p> <p>Analysed Date: Friday, 26 January 2024</p> <p>Laboratory Receival Date: Friday, 26 January 2024</p> <p>Sampled Date: Wednesday, 24 January 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7906	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7907	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7908	Ballardee Lane South/west	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7909	Ballardee Lane North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7910	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7911	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7912	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7913	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7914	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7915	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7916	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7917	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7918	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7919	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7920	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7921	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7922	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7923	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7924	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7925	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7926	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7927	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R602	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Saturday, 27 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Saturday, 27 January 2024
	Sampled Date: Thursday, 25 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7928	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7929	London Road North	1159	1200 1400 min	0.5	0/100	< 0.01
A27251-S7930	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7931	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7932	Brolgan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7933	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7934	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7935	Hartigan Avenue East	1159	1200 1400 min	0.5	0/100	< 0.01
A27251-S7936	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7937	Cut-3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7938	Cut-3 Moulden St, North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7939	Fill-4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7940	Cut-3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7941	158 Goldrush Road S/E Gate	1159	1200 1400 min	0.5	0/100	< 0.01
A27251-S7942	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7943	Cut-3 Reedsdale RD S/E Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7944	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7945	Fill-4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7946	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7947	Lot-1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7948	Lot-1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7949	Quality Control Laboratory Blank	1159	1200 1 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R603	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Saturday, 27 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Saturday, 27 January 2024
	Sampled Date: Friday, 26 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7950	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7951	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7952	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7953	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7954	Borlgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7955	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7956	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7957	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7958	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7959	Cut-3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7960	Cut-3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7961	Fill-4 Mouldeb St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7962	Cut-3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7963	158 Goldrush Road S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7964	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7965	Cut-3 Reedsdale Rd S/E Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7966	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7967	Fill-4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7968	125 Painter Street	1159	1200 1400 min	0.5	0/100	< 0.01
A27251-S7969	Lot-1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7970	Lot-1 Bogan Road North West Fence	1159	1200 1400 min	0.5	0/100	< 0.01
A27251-S7971	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R604	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Monday, 29 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 29 January 2024
	Sampled Date: Saturday, 27 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7972	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7973	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7974	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7975	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7976	Borlgan Road West	1159	1200 1440 min	0.0	0/100	< 0.01
A27251-S7977	Borlgan Road East	1159	1200 1440 min	0.0	0/100	< 0.01
A27251-S7978	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7979	Hartigan Avenue East	1159	1200 1440 min	0.0	0/100	< 0.01
A27251-S7980	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7981	Cut-3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7982	Cut-3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7983	Fill-4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7984	Cut-3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7985	158 Goldrush Road S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7986	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7987	Cut-3 Reedsdale Rd S/E Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7988	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7989	Fill-4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7990	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7991	Lot-1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7992	Lot-1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7993	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R605 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Wednesday, 31 January 2024 Analysed Date: Tuesday, 30 January 2024 Laboratory Receival Date: Tuesday, 30 January 2024 Sampled Date: Sunday, 28 January 2024 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7994	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7995	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7996	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7997	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7998	Borlgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7999	Borlgan Road East	1159	1200 1 min	0.5	0/100	< 0.01
A27251-S8000	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8001	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8002	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8003	Cut-3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8004	Cut-3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8005	Fill-4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8006	Cut-3 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8007	158 Goldrush Road S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8008	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8009	Cut-3 Reedsdale Rd S/E Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8010	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8011	Fill-4 Reedsdale Road	1159	1200 1400 min	0.5	0/100	< 0.01
A27251-S8012	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8013	Lot-1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8014	Lot-1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8015	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R606 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 31 January 2024 Analysed Date: Wednesday, 31 January 2024 Laboratory Receival Date: Wednesday, 31 January 2024 Sampled Date: Monday, 29 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8016	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8017	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8018	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8019	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8020	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8021	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8022	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8023	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8024	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8025	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8026	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8027	Fill 4 Moulden Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8028	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8029	158 Goldrush Road S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8030	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8031	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8032	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8033	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8034	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8035	Lot 1 - Bogan Road, West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8036	Lot 1 - Bogan Road, North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8037	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R607	Report Date: Thursday, 1 February 2024
Client: Georgiou	Analysed Date: Thursday, 1 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 1 February 2024
	Sampled Date: Tuesday, 30 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8038	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8039	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8040	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8041	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8042	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8043	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8044	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8045	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8046	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8047	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8048	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8049	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8050	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8051	158 Goldrush Road S/E Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8052	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8053	Cut 3 Reedsdale Road S/E Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8054	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8055	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8056	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8057	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8058	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8059	Quality Control Laboratory Blank	1159	1200 1 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R608

Report Date: Friday, 2 February 2024

Client: Georgiou

Analysed Date: Friday, 2 February 2024

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Friday, 2 February 2024

Sampled Date: Wednesday, 31 January 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8060	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8061	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8062	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8063	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8064	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8065	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8066	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8067	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8068	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8069	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8070	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8071	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8072	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8073	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8074	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8075	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8076	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8077	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8078	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8079	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8080	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8081	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R364 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Wednesday, 10 January 2024 Analysed Date: Wednesday, 10 January 2024 Laboratory Receival Date: Wednesday, 10 January 2024 Sampled Date: Tuesday, 9 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3206	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3207	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3208	Gate 9 - Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3209	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3210	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3211	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3212	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3213	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3214	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3215	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3216	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3217	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3218	Quality Control Laboratory Blank	700	1500 480 min	0.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R365</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: Paul Orrock</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 15 January 2024</p> <p>Analysed Date: Friday, 12 January 2024</p> <p>Laboratory Receival Date: Friday, 12 January 2024</p> <p>Sampled Date: Wednesday, 10 January 2024</p> <p>Sampled By: John Bartholomew</p> <p>Approved Counter and Signatory: Kenneth Archer</p> <p>Type of Monitoring: Background During Earthworks</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3219	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3220	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3221	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3222	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3223	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3224	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3225	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3226	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3227	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3228	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3229	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3230	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3231	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R366</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: Paul Orrock</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 15 January 2024</p> <p>Analysed Date: Monday, 15 January 2024</p> <p>Laboratory Receival Date: Monday, 15 January 2024</p> <p>Sampled Date: Thursday, 11 January 2024</p> <p>Sampled By: John Bartholomew</p> <p>Approved Counter and Signatory: Arpit Dabhi</p> <p>Type of Monitoring: Background During Earthworks</p>
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3232	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3233	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3234	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3235	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3236	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3237	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3238	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3239	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3240	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3241	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3242	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3243	Gate 3 - Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3244	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R367 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Monday, 15 January 2024 Analysed Date: Monday, 15 January 2024 Laboratory Receival Date: Monday, 15 January 2024 Sampled Date: Friday, 12 January 2024 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3245	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3246	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3247	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3248	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3249	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3250	Cut 3 Condobolin Road	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3251	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3252	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3253	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3254	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3255	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3256	Gate 3 - Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3257	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R368 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 16 January 2024 Analysed Date: Tuesday, 16 January 2024 Laboratory Receival Date: Monday, 15 January 2024 Sampled Date: Saturday, 13 January 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3258	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3259	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3260	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3261	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3262	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3263	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3264	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3265	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3266	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3267	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3268	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3269	Gate 3 - Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3270	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R369 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 16 January 2024 Analysed Date: Tuesday, 16 January 2024 Laboratory Receival Date: Tuesday, 16 January 2024 Sampled Date: Monday, 15 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3271	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3272	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3273	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3274	Fill 5 Wheelwash	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3275	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3276	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3277	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3278	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3279	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3280	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3281	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3282	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3283	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R370 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 18 January 2024 Analysed Date: Thursday, 18 January 2024 Laboratory Receival Date: Thursday, 18 January 2024 Sampled Date: Tuesday, 16 January 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3284	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3285	Gate 14 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3286	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3287	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3288	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3289	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3290	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3291	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3292	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3293	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3294	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3295	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3296	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R371</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Saturday, 20 January 2024</p> <p>Analysed Date: Friday, 19 January 2024</p> <p>Laboratory Receival Date: Friday, 19 January 2024</p> <p>Sampled Date: Wednesday, 17 January 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3297	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3298	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3299	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3300	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3301	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3302	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3303	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3304	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3305	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3306	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3307	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3308	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3309	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R372	Report Date: Monday, 22 January 2024
Client: Georgiou	Analysed Date: Monday, 22 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 22 January 2024
	Sampled Date: Thursday, 18 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3310	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3311	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3312	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3313	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3314	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3315	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3316	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3317	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3318	Brolgan Road West	700	1500 480 min	1.0	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3319	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3320	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3321	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3322	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R373	Report Date: Monday, 22 January 2024
Client: Georgiou	Analysed Date: Monday, 22 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 22 January 2024
	Sampled Date: Friday, 19 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3323	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3324	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3325	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3326	Fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3327	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3328	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3329	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3330	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3331	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3332	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3333	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3334	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3335	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R374

Report Date: Monday, 22 January 2024

Client: Georgiou

Analysed Date: Monday, 22 January 2024

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Monday, 22 January 2024

Sampled Date: Saturday, 20 January 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3336	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3337	Gate 14 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3338	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3339	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3340	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3341	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3342	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3343	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3344	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3345	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3346	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3347	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3348	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R375	Report Date: Tuesday, 23 January 2024
Client: Georgiou	Analysed Date: Tuesday, 23 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 23 January 2024
	Sampled Date: Monday, 22 January 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3349	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3350	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3351	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3352	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3353	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3354	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3355	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3356	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3357	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3358	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3359	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3360	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3361	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R376
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 25 January 2024
Analysed Date: Thursday, 25 January 2024
Laboratory Receival Date: Thursday, 25 January 2024
Sampled Date: Tuesday, 23 January 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3362	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3363	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3364	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3365	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3366	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3367	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3368	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3369	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3370	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3371	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3372	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3373	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3374	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R377	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Friday, 26 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 26 January 2024
	Sampled Date: Wednesday, 24 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3375	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3376	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3377	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3378	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3379	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3380	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3381	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3382	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3383	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3384	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3385	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3386	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3387	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R378	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Friday, 26 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 26 January 2024
	Sampled Date: Thursday, 25 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3388	Gate 14 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3389	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3390	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3391	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3392	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3393	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3394	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3395	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3396	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3397	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3398	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3399	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3400	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R379	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Friday, 26 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 26 January 2024
	Sampled Date: Thursday, 25 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3401	TfNSW Main Office	900	1300 240 min	2.0	0/100	< 0.01
A27351-S3402	Georgiou Main Office	900	1300 240 min	2.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R380	Report Date: Wednesday, 31 January 2024
Client: Georgiou	Analysed Date: Tuesday, 30 January 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 30 January 2024
	Sampled Date: Monday, 29 January 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3403	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3404	Gate 14 - Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3405	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3406	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3407	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3408	Cut-3 Condobolin Rd	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3409	Cut-3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3410	Brolgan Rd East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3411	Brolgan Rd West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3412	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	0.0	0/100	< 0.01
A27351-S3413	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3414	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3415	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R381</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 31 January 2024</p> <p>Analysed Date: Wednesday, 31 January 2024</p> <p>Laboratory Receival Date: Wednesday, 31 January 2024</p> <p>Sampled Date: Tuesday, 30 January 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3416	Gate 14, Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3417	Gate 14, Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3418	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3419	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3420	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3421	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3422	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3423	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3424	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3425	Reedsdale Road North, Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3426	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3427	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3428	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit