

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R547
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 4 December 2023
Analysed Date: Monday, 4 December 2023
Laboratory Receival Date: Monday, 4 December 2023
Sampled Date: Friday, 1 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6719	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6720	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6721	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6722	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6723	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6724	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6725	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6726	Hartigan Avuene East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6727	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6728	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6729	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6730	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6731	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6732	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6733	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6734	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6735	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6736	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6737	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6738	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6739	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6740	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R548 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 5 December 2023 Analysed Date: Tuesday, 5 December 2023 Laboratory Receival Date: Tuesday, 5 December 2023 Sampled Date: Saturday, 2 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6741	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6742	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6743	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6744	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6745	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6746	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6747	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6748	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6749	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6750	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6751	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6752	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6753	Cut 3 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6754	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6755	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6756	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6757	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6758	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6759	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6760	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6761	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6762	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R549	Report Date: Tuesday, 5 December 2023
Client: Georgiou	Analysed Date: Tuesday, 5 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 5 December 2023
	Sampled Date: Sunday, 3 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6763	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6764	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6765	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6766	Ballardee Lane North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6767	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6768	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6769	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6770	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6771	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6772	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6773	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6774	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6775	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6776	158 Goldrush Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6777	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6778	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6779	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6780	fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6781	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6782	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6783	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6784	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R550
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 7 December 2023
Analysed Date: Thursday, 7 December 2023
Laboratory Receival Date: Thursday, 7 December 2023
Sampled Date: Monday, 4 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6785	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6786	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6787	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6788	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6789	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6790	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6791	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6792	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6793	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6794	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6795	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6796	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6797	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6798	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6799	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6800	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6801	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6802	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6803	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6804	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6805	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6806	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R551 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 7 December 2023 Analysed Date: Thursday, 7 December 2023 Laboratory Receival Date: Thursday, 7 December 2023 Sampled Date: Tuesday, 5 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6807	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6808	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6809	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6810	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6811	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6812	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6813	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6814	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6815	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6816	Cut 3 Mooulden Street South	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6817	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6818	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6819	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6820	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6821	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6822	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6823	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6824	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6825	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6826	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6827	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6828	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R552</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 11 December 2023</p> <p>Analysed Date: Monday, 11 December 2023</p> <p>Laboratory Receival Date: Monday, 11 December 2023</p> <p>Sampled Date: Wednesday, 6 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6829	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6830	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6831	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6832	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6833	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6834	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6835	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6836	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6837	Hartigan Avenue North	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6838	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6839	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6840	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6841	Cu 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6842	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6843	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6844	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6845	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6846	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6847	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6848	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6849	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6850	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R553 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 11 December 2023 Analysed Date: Monday, 11 December 2023 Laboratory Receival Date: Monday, 11 December 2023 Sampled Date: Thursday, 7 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6851	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6852	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6853	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6854	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6855	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6856	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6857	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6858	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6859	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6860	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6861	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6862	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6863	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6864	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6865	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6866	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6867	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6868	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6869	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6870	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6871	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6872	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R554</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 12 December 2023</p> <p>Analysed Date: Tuesday, 12 December 2023</p> <p>Laboratory Receival Date: Tuesday, 12 December 2023</p> <p>Sampled Date: Friday, 8 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6873	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6874	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6875	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6876	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6877	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6878	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6879	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6880	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6881	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6882	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6883	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6884	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6885	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6886	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6887	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6888	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6889	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6890	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6891	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6892	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6893	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6894	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R555 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 12 December 2023 Analysed Date: Tuesday, 12 December 2023 Laboratory Receival Date: Tuesday, 12 December 2023 Sampled Date: Saturday, 9 December 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6895	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6896	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6897	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6898	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6899	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6900	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6901	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6902	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6903	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6904	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6905	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6906	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6907	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6908	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6909	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6910	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6911	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6912	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6913	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6914	Lot 1 - Boogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6915	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6916	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R556 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 12 December 2023 Analysed Date: Tuesday, 12 December 2023 Laboratory Receival Date: Tuesday, 12 December 2023 Sampled Date: Sunday, 10 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6917	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6918	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6919	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6920	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6921	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6922	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6923	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6924	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6925	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6926	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6927	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6928	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6929	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6930	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6931	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6932	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6933	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6934	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6935	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6936	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6937	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6938	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R557 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 14 December 2023 Analysed Date: Thursday, 14 December 2023 Laboratory Receival Date: Thursday, 14 December 2023 Sampled Date: Tuesday, 12 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6961	London Road South	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6962	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6963	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6964	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6965	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6966	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6967	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6968	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6969	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6970	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6971	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6972	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6973	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6974	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6975	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6976	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6977	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6978	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6979	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6980	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6981	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6982	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R558</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 14 December 2023</p> <p>Analysed Date: Thursday, 14 December 2023</p> <p>Laboratory Receival Date: Thursday, 14 December 2023</p> <p>Sampled Date: Monday, 11 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6939	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6940	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6941	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6942	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6943	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6944	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6945	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6946	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6947	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6948	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6949	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6950	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6951	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6952	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6953	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6954	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6955	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6956	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6957	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6958	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6959	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6960	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R559</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 15 December 2023</p> <p>Analysed Date: Friday, 15 December 2023</p> <p>Laboratory Receival Date: Friday, 15 December 2023</p> <p>Sampled Date: Wednesday, 13 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6983	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6984	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6985	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6986	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6987	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6988	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6989	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6990	Hartigan Avenue East	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S6991	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S6992	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6993	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6994	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6995	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6996	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6997	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6998	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S6999	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7000	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7001	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7002	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7003	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7004	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R560 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 19 December 2023 Analysed Date: Tuesday, 19 December 2023 Laboratory Receival Date: Monday, 18 December 2023 Sampled Date: Thursday, 14 December 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7005	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7006	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7007	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7008	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7009	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7010	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7011	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7012	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7013	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7014	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7015	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7016	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7017	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7018	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7019	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7020	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7021	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7022	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7023	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7024	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7025	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7026	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R561	Report Date: Tuesday, 19 December 2023
Client: Georgiou	Analysed Date: Tuesday, 19 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 19 December 2023
	Sampled Date: Sunday, 17 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7071	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7072	London Road North	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S7073	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7074	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7075	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7076	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7077	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7078	Hartigan Avenue East	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7079	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7080	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7081	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7082	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7083	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7084	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7085	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7086	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7087	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7088	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7089	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7090	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7091	Lot 1 - Bogan Road Norty/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7092	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R562</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 20 December 2023</p> <p>Analysed Date: Wednesday, 20 December 2023</p> <p>Laboratory Receival Date: Tuesday, 19 December 2023</p> <p>Sampled Date: Friday, 15 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7027	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7028	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7029	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7030	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7031	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7032	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7033	Hartigan Avenue West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7034	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7035	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7036	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7037	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7038	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7039	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7040	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7041	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7042	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7043	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7044	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7045	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7046	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7047	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7048	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R563</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 20 December 2023</p> <p>Analysed Date: Wednesday, 20 December 2023</p> <p>Laboratory Receival Date: Tuesday, 19 December 2023</p> <p>Sampled Date: Saturday, 16 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7049	London Road South	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7050	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7051	Balardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7052	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7053	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7054	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7055	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7056	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7057	Hartigan Avenue North	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7058	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7059	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7060	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7061	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7062	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7063	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7064	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7065	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7066	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7067	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7068	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7069	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7070	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R564</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 21 December 2023</p> <p>Analysed Date: Thursday, 21 December 2023</p> <p>Laboratory Receival Date: Thursday, 21 December 2023</p> <p>Sampled Date: Monday, 18 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7093	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7094	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7095	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7096	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7097	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7098	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7099	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7100	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7101	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7102	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7103	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7104	Fill 4 Moulden Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7105	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7106	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7107	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7108	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7109	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7110	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7111	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7112	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7113	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7114	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R565</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 21 December 2023</p> <p>Analysed Date: Thursday, 21 December 2023</p> <p>Laboratory Receival Date: Thursday, 21 December 2023</p> <p>Sampled Date: Tuesday, 19 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7115	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7116	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7117	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7118	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7119	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7120	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7121	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7122	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7123	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7124	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7125	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7126	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7127	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7128	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7129	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7130	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7131	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7132	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7133	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7134	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7135	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7136	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R566</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 22 December 2023</p> <p>Analysed Date: Friday, 22 December 2023</p> <p>Laboratory Receival Date: Friday, 22 December 2023</p> <p>Sampled Date: Wednesday, 20 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7137	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7138	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7139	Ballardee Lane South/West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7140	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7141	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7142	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7143	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7144	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7145	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7146	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7147	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7148	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7149	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7150	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7151	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7152	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7153	Reedsdale/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7154	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7155	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7156	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7157	Lot 1 - Boagan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7158	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R567</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 29 December 2023</p> <p>Analysed Date: Thursday, 28 December 2023</p> <p>Laboratory Receival Date: Thursday, 28 December 2023</p> <p>Sampled Date: Thursday, 21 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7159	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7160	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7161	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7162	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7163	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7164	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7165	Hartigan Avenue West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7166	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7167	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7168	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7169	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7170	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7171	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7172	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7173	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7174	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7175	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7176	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7177	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7178	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7179	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7180	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R568

Report Date: Friday, 29 December 2023

Client: Georgiou

Analysed Date: Thursday, 28 December 2023

Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Laboratory Receival Date: Thursday, 28 December 2023

Sampled Date: Friday, 22 December 2023

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7181	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7182	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7183	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7184	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7185	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7186	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7187	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7188	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7189	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7190	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7191	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7192	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7193	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7194	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7195	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7196	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7197	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7198	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7199	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7200	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7201	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7202	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R569</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 29 December 2023</p> <p>Analysed Date: Thursday, 28 December 2023</p> <p>Laboratory Receival Date: Thursday, 28 December 2023</p> <p>Sampled Date: Saturday, 23 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7203	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7204	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7205	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7206	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7207	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7208	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7209	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7210	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7211	Hartigan Avenue North	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7212	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7213	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7214	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7215	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7216	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7217	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7218	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7219	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7220	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7221	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7222	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7223	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7224	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R570</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 29 December 2023</p> <p>Analysed Date: Thursday, 28 December 2023</p> <p>Laboratory Receival Date: Thursday, 28 December 2023</p> <p>Sampled Date: Sunday, 24 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7225	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7226	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7227	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7228	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7229	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7230	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7231	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7232	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7233	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7234	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7235	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7236	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7237	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7238	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7239	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7240	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7241	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7242	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7243	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7244	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7245	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7246	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R571 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, 29 December 2023 Analysed Date: Thursday, 28 December 2023 Laboratory Receival Date: Thursday, 28 December 2023 Sampled Date: Monday, 25 December 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7247	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7248	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7249	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7250	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7251	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7252	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7253	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7254	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7255	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7256	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7257	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7258	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7259	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7260	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7261	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7262	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7263	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7264	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7265	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7266	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7267	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7268	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R572</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 29 December 2023</p> <p>Analysed Date: Thursday, 28 December 2023</p> <p>Laboratory Receival Date: Thursday, 28 December 2023</p> <p>Sampled Date: Tuesday, 26 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7269	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7270	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7271	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7272	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7273	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7274	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7275	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7276	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7277	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7278	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7279	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7280	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7281	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7282	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7283	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7284	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7285	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7286	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7287	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7288	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7289	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7290	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R573	Report Date: Tuesday, 2 January 2024
Client: Georgiou	Analysed Date: Friday, 29 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 29 December 2023
	Sampled Date: Wednesday, 27 December 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7291	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7292	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7293	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7294	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7295	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7296	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7297	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7298	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7299	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7300	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7301	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7302	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7303	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7304	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7305	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7306	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7307	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7308	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7309	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7310	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7311	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7312	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R574</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 2 January 2024</p> <p>Analysed Date: Friday, 29 December 2023</p> <p>Laboratory Receival Date: Friday, 29 December 2023</p> <p>Sampled Date: Thursday, 28 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7313	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7314	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7315	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7316	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7317	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7318	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7319	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7320	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7321	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7322	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7323	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7324	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7325	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7326	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7327	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7328	Cut 3 Reedsdale South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7329	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7330	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7331	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7332	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7333	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7334	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7344	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7345	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7346	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7347	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7348	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7349	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7350	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7351	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S7352	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7353	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7354	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7355	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7356	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R576
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Friday, 5 January 2024
Analysed Date: Tuesday, 2 January 2024
Laboratory Receival Date: Tuesday, 2 January 2024
Sampled Date: Saturday, 30 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7357	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7358	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S7359	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7360	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7361	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7362	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7363	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7364	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7365	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7366	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7367	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7368	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7369	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7370	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7371	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7372	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7373	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7374	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7375	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7376	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7377	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7378	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R577 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parkes Bypass Project Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	Report Date: Friday, 5 January 2024 Analysed Date: Tuesday, 2 January 2024 Laboratory Receival Date: Tuesday, 2 January 2024 Sampled Date: Sunday, 31 December 2023 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background During Earthworks
---	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7379	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7380	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7381	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7382	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7383	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7384	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7385	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7386	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S7387	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S7388	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7389	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7390	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7391	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7392	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7393	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7394	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7395	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7396	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7397	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7398	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7399	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S7400	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R345</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 4 December 2023</p> <p>Analysed Date: Monday, 4 December 2023</p> <p>Laboratory Receival Date: Monday, 4 December 2023</p> <p>Sampled Date: Thursday, 30 November 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2959	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2960	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2961	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2962	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2963	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2964	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2965	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2966	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2967	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2968	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2969	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2970	Gate 3 - Work Zone	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2971	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R347</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 4 December 2023</p> <p>Analysed Date: Monday, 4 December 2023</p> <p>Laboratory Receival Date: Monday, 4 December 2023</p> <p>Sampled Date: Saturday, 2 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2985	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2986	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2987	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2988	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2989	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2990	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2991	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2992	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2993	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2994	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2995	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2996	Gate 3 - Work Zone	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2997	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R348	Report Date: Tuesday, 5 December 2023
Client: Georgiou	Analysed Date: Tuesday, 5 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 5 December 2023
	Sampled Date: Monday, 4 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S2998	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S2999	Gate 14 - Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3000	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3001	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3002	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3003	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3004	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3005	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3006	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3007	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3008	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3009	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3010	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R349 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Thursday, 7 December 2023 Analysed Date: Thursday, 7 December 2023 Laboratory Receival Date: Thursday, 7 December 2023 Sampled Date: Tuesday, 5 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3011	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3012	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3013	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3014	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3015	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3016	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3017	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3018	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3019	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3020	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3021	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3022	Gate 3 Work Zone	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3023	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R350</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 7 December 2023</p> <p>Analysed Date: Thursday, 7 December 2023</p> <p>Laboratory Receival Date: Thursday, 7 December 2023</p> <p>Sampled Date: Wednesday, 6 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3024	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3025	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3026	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3027	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3028	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3029	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3030	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3031	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3032	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3033	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3034	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3035	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3036	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R351 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 11 December 2023 Analysed Date: Monday, 11 December 2023 Laboratory Receival Date: Monday, 11 December 2023 Sampled Date: Thursday, 7 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3037	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3038	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3039	Gate 9 - Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3040	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3041	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3042	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3043	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3044	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3045	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3046	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3047	Gate 3 - Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3048	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3049	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R352	Report Date: Tuesday, 12 December 2023
Client: Georgiou	Analysed Date: Tuesday, 12 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 12 December 2023
	Sampled Date: Friday, 8 December 2023
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass	Type of Monitoring: Background During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3050	Gate 14 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3051	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3052	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3053	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3054	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3055	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3056	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3057	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3058	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3059	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3060	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3061	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3062	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R353 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 12 December 2023 Analysed Date: Tuesday, 12 December 2023 Laboratory Receival Date: Tuesday, 12 December 2023 Sampled Date: Saturday, 9 December 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3063	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3064	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3065	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3066	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3067	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3068	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3069	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3070	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3071	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3072	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3073	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3074	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3075	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R354	Report Date: Tuesday, 12 December 2023
Client: Georgiou	Analysed Date: Tuesday, 12 December 2023
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 12 December 2023
	Sampled Date: Monday, 11 December 2023

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3076	Gate 14 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3077	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3078	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3079	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3080	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3081	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3082	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3083	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3084	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3085	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3086	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3087	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3088	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R355</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 14 December 2023</p> <p>Analysed Date: Thursday, 14 December 2023</p> <p>Laboratory Receival Date: Thursday, 14 December 2023</p> <p>Sampled Date: Tuesday, 12 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3089	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3090	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3091	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3092	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3093	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3094	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3095	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3096	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3097	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3098	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3099	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3100	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3101	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R356</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 15 December 2023</p> <p>Analysed Date: Friday, 15 December 2023</p> <p>Laboratory Receival Date: Friday, 15 December 2023</p> <p>Sampled Date: Wednesday, 13 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3102	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3103	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3104	Gate 9 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3105	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3106	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3107	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3108	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3109	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3110	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3111	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3112	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3113	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3114	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R357 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 19 December 2023 Analysed Date: Tuesday, 19 December 2023 Laboratory Receival Date: Monday, 18 December 2023 Sampled Date: Thursday, 14 December 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3115	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3116	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3117	Gate 9 - Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3118	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3119	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3120	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3121	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3122	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3123	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3124	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3125	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3126	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3127	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R358 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 19 December 2023 Analysed Date: Tuesday, 19 December 2023 Laboratory Receival Date: Monday, 18 December 2023 Sampled Date: Friday, 15 December 2023
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3128	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3129	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3130	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3131	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3132	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3133	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3134	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3135	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3136	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3137	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3138	Gate 3 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3139	Gate 3 - Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3140	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R359</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 19 December 2023</p> <p>Analysed Date: Tuesday, 19 December 2023</p> <p>Laboratory Receival Date: Tuesday, 19 December 2023</p> <p>Sampled Date: Saturday, 16 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3141	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3142	Gate 14 - Clean End Decon	700	1500 480 min	1.0	2/100	< 0.01
A27351-S3143	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3144	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3145	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3146	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3147	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3148	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3149	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3150	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3151	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3152	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3153	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R360 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 19 December 2023 Analysed Date: Tuesday, 19 December 2023 Laboratory Receival Date: Tuesday, 19 December 2023 Sampled Date: Monday, 18 December 2023
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass

Type of Monitoring: Background During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3154	Gate 14 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3155	Gate 14 - Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3156	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3157	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3158	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3159	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3160	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3161	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3162	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3163	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3164	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3165	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3166	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R361</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 21 December 2023</p> <p>Analysed Date: Thursday, 21 December 2023</p> <p>Laboratory Receival Date: Thursday, 21 December 2023</p> <p>Sampled Date: Tuesday, 19 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3167	Gate 14 - Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3168	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3169	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3170	Fill 5 Wheelwash	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3171	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3172	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3173	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3174	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3175	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3176	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3177	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3178	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3179	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R362</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Thursday, 21 December 2023</p> <p>Analysed Date: Thursday, 21 December 2023</p> <p>Laboratory Receival Date: Thursday, 21 December 2023</p> <p>Sampled Date: Wednesday, 20 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3180	Gate 14 - Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3181	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3182	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3183	Fill 5 Wheelwash	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3184	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3185	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3186	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3187	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3188	Brolgan Road West	700	1500 480 min	1.0	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3189	Reedsdale Road Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3190	Gate 3 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3191	Gate 3 Work Zone North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3192	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R363</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 22 December 2023</p> <p>Analysed Date: Friday, 22 December 2023</p> <p>Laboratory Receival Date: Friday, 22 December 2023</p> <p>Sampled Date: Thursday, 21 December 2023</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background During Earthworks</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3193	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3194	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3195	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3196	fill 5 Wheelwash	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3197	Cut 3 West Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3198	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3199	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3200	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3201	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3202	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3203	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3204	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3205	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit