

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R608</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Friday, 2 February 2024</p> <p>Analysed Date: Friday, 2 February 2024</p> <p>Laboratory Receival Date: Friday, 2 February 2024</p> <p>Sampled Date: Wednesday, 31 January 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8060	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8061	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8062	Ballardee Lane South West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8063	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8064	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8065	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8066	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8067	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8068	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8069	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8070	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8071	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8072	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8073	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8074	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8075	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8076	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8077	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8078	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8079	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8080	Lot 1 - Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8081	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R610</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Tuesday, 6 February 2024</p> <p>Analysed Date: Tuesday, 6 February 2024</p> <p>Laboratory Receival Date: Tuesday, 6 February 2024</p> <p>Sampled Date: Friday, 2 February 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8104	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8105	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8106	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8107	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8108	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8109	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8110	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8111	Hartigan Avenue East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8112	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8113	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8114	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8115	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8116	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8117	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8118	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8119	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8120	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8121	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8122	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8123	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8124	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8125	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R611 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 6 February 2024 Analysed Date: Tuesday, 6 February 2024 Laboratory Receival Date: Tuesday, 6 February 2024 Sampled Date: Saturday, 3 February 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8126	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8127	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8128	Ballaree Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8129	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8130	Brolgan Road West	1159	1200 1440 min	0.5	2 /100	< 0.01
A27251-S8131	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8132	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8133	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8134	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8135	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8136	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8137	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8138	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8139	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8140	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8141	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8142	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8143	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8144	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8145	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8146	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8147	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R612	Report Date: Wednesday, 7 February 2024
Client: Georgiou	Analysed Date: Wednesday, 7 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 7 February 2024
	Sampled Date: Sunday, 4 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8148	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8149	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8150	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8151	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8152	Brolgan Road West	1159	1200 1440 min	0.5	3 /100	< 0.01
A27251-S8153	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8154	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8155	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8156	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8157	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8158	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8159	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8160	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8161	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8162	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8163	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8164	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8165	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8166	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8167	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8168	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8169	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R613	Report Date: Thursday, 8 February 2024
Client: Georgiou	Analysed Date: Thursday, 8 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 8 February 2024
	Sampled Date: Monday, 5 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8170	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8171	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8172	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8173	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8174	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8175	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8176	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8177	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8178	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8179	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8180	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8181	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8182	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8183	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8184	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8185	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8186	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8187	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8188	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8189	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8190	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8191	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R614	Report Date: Friday, 9 February 2024
Client: Georgiou	Analysed Date: Friday, 9 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 9 February 2024
	Sampled Date: Tuesday, 6 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8192	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8193	London Road North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8194	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8195	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8196	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8197	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8198	Hartigan Avenue West	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8199	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8200	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8201	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8202	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8203	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8204	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8205	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8206	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8207	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8208	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8209	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8210	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8211	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8212	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8213	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R615</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p>	<p>Report Date: Friday, 9 February 2024</p> <p>Analysed Date: Friday, 9 February 2024</p> <p>Laboratory Receival Date: Friday, 9 February 2024</p> <p>Sampled Date: Wednesday, 7 February 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring During Earthworks</p>
---	--

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8214	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8215	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8216	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8217	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8218	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8219	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8220	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8221	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8222	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8223	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8224	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8225	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8226	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8227	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8228	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8229	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8230	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8231	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8232	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8233	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8234	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8235	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R616 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 12 February 2024 Analysed Date: Monday, 12 February 2024 Laboratory Receival Date: Monday, 12 February 2024 Sampled Date: Thursday, 8 February 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8236	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8237	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8238	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8239	Ballardee Lane North	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8240	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8241	Brolgan Road East	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8242	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8243	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8244	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8245	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8246	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8247	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8248	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8249	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8250	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8251	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8252	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8253	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8254	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8255	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8256	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8257	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R617	Report Date: Monday, 12 February 2024
Client: Georgiou	Analysed Date: Monday, 12 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 12 February 2024
	Sampled Date: Friday, 9 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8258	London Road South	1159	1200 1440 min	0.5	1 /100	< 0.01
A27251-S8259	London Road Niorth	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8260	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8261	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8262	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8263	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8264	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8265	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8266	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8267	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8268	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8269	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8270	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8271	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8272	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8273	Cut 3 Reedsdale South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8274	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8275	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8276	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8277	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8278	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8279	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R618	Report Date: Monday, 12 February 2024
Client: Georgiou	Analysed Date: Monday, 12 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 12 February 2024
	Sampled Date: Saturday, 10 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8280	London Road South	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8281	London Road North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8282	Ballardee Lane South/West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8283	Ballardee Lane North	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8284	Brolgan Road West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8285	Brolgan Road East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8286	Hartigan Avenue West	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8287	Hartigan Avenue East	1159	1200 1440 min	0.5	0 /100	< 0.01
A27251-S8288	Hartigan Avenue North	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8289	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8290	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8291	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8292	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8293	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8294	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8295	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8296	Reedsdale Road/Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8297	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8298	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8299	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8300	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8301	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R383	Report Date: Friday, 2 February 2024
Client: Georgiou	Analysed Date: Friday, 2 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 2 February 2024
	Sampled Date: Thursday, 1 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3442	Gate 14 Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3443	Gate 14 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3444	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3445	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3446	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3447	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3448	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3449	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3450	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3451	Reedsdale Road North - Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3452	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3453	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3454	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R384</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 7 February 2024</p> <p>Analysed Date: Wednesday, 7 February 2024</p> <p>Laboratory Receival Date: Wednesday, 7 February 2024</p> <p>Sampled Date: Friday, 2 February 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3455	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3456	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3457	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3458	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3459	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3460	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3461	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3462	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3463	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3464	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3465	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3466	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3467	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R385	Report Date: Wednesday, 7 February 2024
Client: Georgiou	Analysed Date: Wednesday, 7 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 7 February 2024
	Sampled Date: Saturday, 3 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3468	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3469	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3470	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3471	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3472	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3473	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3474	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3475	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3476	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3477	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3478	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3479	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3480	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27351-R386</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 7 February 2024</p> <p>Analysed Date: Wednesday, 7 February 2024</p> <p>Laboratory Receival Date: Wednesday, 7 February 2024</p> <p>Sampled Date: Monday, 5 February 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring</p>
--	--

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3481	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3482	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3483	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3484	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3485	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3486	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3487	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3488	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3489	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3490	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3491	Gate 3 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3492	Gate 3 Work Zone North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3493	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R387	Report Date: Wednesday, 7 February 2024
Client: Georgiou	Analysed Date: Wednesday, 7 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 7 February 2024
	Sampled Date: Tuesday, 6 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3494	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3495	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3496	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3497	Fill5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3498	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3499	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3500	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3501	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3502	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3503	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3504	Gate 8 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3505	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R388	Report Date: Friday, 9 February 2024
Client: Georgiou	Analysed Date: Friday, 9 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 9 February 2024
	Sampled Date: Wednesday, 7 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3506	Gate 14 - Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3507	Gate 14 - Clean End Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3508	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3509	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3510	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3511	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3512	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3513	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3514	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3515	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3516	Gate 8 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3517	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3518	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R389
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 9 February 2024

Analysed Date: Friday, 9 February 2024

Laboratory Receival Date: Friday, 9 February 2024

Sampled Date: Thursday, 8 February 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3519	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3520	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3521	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3522	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3523	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3524	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3525	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3526	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3527	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3528	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3529	Gate 8 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3530	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3531	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R390
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 12 February 2024
Analysed Date: Monday, 12 February 2024
Laboratory Receival Date: Monday, 12 February 2024
Sampled Date: Friday, 9 February 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3532	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3533	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3534	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3535	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3536	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3537	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3538	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3539	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3540	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3541	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3542	Gate 8 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3543	Gate 8 Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3544	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R391	Report Date: Monday, 12 February 2024
Client: Georgiou	Analysed Date: Monday, 12 February 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 12 February 2024
	Sampled Date: Saturday, 10 February 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3545	Gate 14 - Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3546	Gate 14 - Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3547	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3548	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3549	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3550	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3551	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3552	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3553	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3554	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3555	Gate 8 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3556	Gate 8 Crib Room	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S3557	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27943-R21
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 12 February 2024
Analysed Date: Monday, 12 February 2024
Laboratory Receival Date: Monday, 12 February 2024
Sampled Date: Friday, 9 February 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes ByPass - EnviroScience
Solutions Toyota Hilux Registration
YTG 96H

Type of Monitoring: Background During Site Works

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27943-S48	EnviroScience Toyota Hilux Cabin	900	1430 330 min	2.0	0 /100	< 0.01