

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R33
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 3 June 2024
Analysed Date: Monday, 3 June 2024
Laboratory Receival Date: Monday, 3 June 2024
Sampled Date: Thursday, 30 May 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S552	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S553	163 GoldRush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S554	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S555	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S556	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S557	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S558	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S559	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S560	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S561	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	3/100	< 0.01
A31029-S562	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S563	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S564	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres**Report No:** A31029-R34**Client:** Georgiou**Client Address:** Level 3,
53 Berry Street,
North Sydney, NSW, 2060**Report Date:** Monday, 3 June 2024**Analysed Date:** Monday, 3 June 2024**Laboratory Receival Date:** Monday, 3 June 2024**Sampled Date:** Friday, 31 May 2024**Sampled By:** [REDACTED]**Attention:** [REDACTED]**Approved Counter and Signatory:** [REDACTED]**Sampled From:** Parks Bypass Project**Type of Monitoring:** Background Monitoring During
Earthworks**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S565	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S566	163 GoldRush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S567	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S568	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S569	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S570	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S571	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S572	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S573	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S574	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S575	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S576	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S577	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R480	Report Date: Monday, 3 June 2024
Client: Georgiou	Analysed Date: Monday, 3 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 3 June 2024
	Sampled Date: Saturday, 1 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4687	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4688	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4689	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4690	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4691	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4692	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4693	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4694	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4695	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4696	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4697	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4698	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R36
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 4 June 2024
Analysed Date: Tuesday, 4 June 2024
Laboratory Receival Date: Tuesday, 4 June 2024
Sampled Date: Sunday, 2 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S591	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S592	163 GoldRush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S593	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S594	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S595	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S596	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S597	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S598	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S599	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S600	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S601	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S602	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S603	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R481
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 5 June 2024
Analysed Date: Wednesday, 5 June 2024
Laboratory Receival Date: Wednesday, 5 June 2024
Sampled Date: Monday, 3 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4699	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4700	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4701	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4702	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4703	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4704	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4705	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4706	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4707	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4708	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4709	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4710	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R37
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 5 June 2024
Analysed Date: Wednesday, 5 June 2024
Laboratory Receival Date: Wednesday, 5 June 2024
Sampled Date: Monday, 3 June 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S604	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S605	163 GoldRush Road	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S606	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S607	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S608	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S609	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S610	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S611	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S612	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S613	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S614	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S615	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S616	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R482	Report Date: Thursday, 6 June 2024
Client: Georgiou	Analysed Date: Thursday, 6 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 6 June 2024
	Sampled Date: Tuesday, 4 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4711	Gate 14 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4712	Gate 9 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4713	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4714	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4715	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4716	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4717	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4718	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4719	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4720	Gate 8 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4721	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4722	Quality Control Laboratory Blank		/	N.A.	0 /100	Acceptable limit
			0 min			

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R38
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 6 June 2024
Analysed Date: Thursday, 6 June 2024
Laboratory Receival Date: Thursday, 6 June 2024
Sampled Date: Tuesday, 4 June 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S617	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S618	163 GoldRush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S619	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S620	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S621	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S622	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S623	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S624	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S625	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S626	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S627	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S628	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S629	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R483	Report Date: Friday, 7 June 2024
Client: Georgiou	Analysed Date: Friday, 7 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 7 June 2024
	Sampled Date: Wednesday, 5 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4723	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4724	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4725	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4726	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4727	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4728	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4729	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4730	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4731	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4732	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4733	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4734	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R39
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 7 June 2024
Analysed Date: Friday, 7 June 2024
Laboratory Receival Date: Friday, 7 June 2024
Sampled Date: Wednesday, 5 June 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S630	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S631	163 GoldRush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S632	Cut 3 Reedsdale Road Soth East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S633	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S634	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S635	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S636	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S637	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S638	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S639	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S640	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S641	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S642	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R484	Report Date: Tuesday, 11 June 2024
Client: Georgiou	Analysed Date: Tuesday, 11 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 11 June 2024
	Sampled Date: Thursday, 6 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4735	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4736	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4737	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4738	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4739	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4740	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4741	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4742	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4743	Brolgan Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4744	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4745	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4746	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R40	Report Date: Tuesday, 11 June 2024
Client: Georgiou	Analysed Date: Tuesday, 11 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 11 June 2024
	Sampled Date: Thursday, 6 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S643	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S644	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S645	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S646	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S647	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S648	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S649	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S650	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S651	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S652	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S653	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S654	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S655	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R485	Report Date: Tuesday, 11 June 2024
Client: Georgiou	Analysed Date: Tuesday, 11 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 11 June 2024
	Sampled Date: Friday, 7 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4747	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4748	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4749	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4750	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4751	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4752	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4753	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4754	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4755	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4756	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4757	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4758	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R41
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 12 June 2024
Analysed Date: Wednesday, 12 June 2024
Laboratory Receival Date: Wednesday, 12 June 2024
Sampled Date: Friday, 7 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S656	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0.5 /100	< 0.01
A31029-S657	163 GoldRush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S658	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S659	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S660	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S661	125 Painter Street	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S662	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S663	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S664	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S665	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S666	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S667	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S668	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R42	Report Date: Wednesday, 12 June 2024
Client: Georgiou	Analysed Date: Wednesday, 12 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 12 June 2024
	Sampled Date: Saturday, 8 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S669	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S670	163 GoldRush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S671	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S672	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S673	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S674	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S675	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S676	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S677	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S678	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S679	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S680	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S681	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R43
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 12 June 2024
Analysed Date: Wednesday, 12 June 2024
Laboratory Receival Date: Wednesday, 12 June 2024
Sampled Date: Sunday, 9 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S682	158 GoldRush Raod South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S683	163 GoldRush Raod	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S684	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S685	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S686	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S687	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S689	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S690	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S691	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S692	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S693	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S694	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R44

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 12 June 2024

Analysed Date: Wednesday, 12 June 2024

Laboratory Receival Date: Wednesday, 12 June 2024

Sampled Date: Monday, 10 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S695	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S696	163 GoldRush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S697	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S698	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S699	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S700	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S701	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S702	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S703	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S704	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S705	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S706	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S707	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R486
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 12 June 2024
Analysed Date: Wednesday, 12 June 2024
Laboratory Receival Date: Wednesday, 12 June 2024
Sampled Date: Tuesday, 11 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4759	Gate 14 Crib Room	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4760	Gate 9 Decon	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4761	Gate 10 Fence	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4762	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4763	Cut 3 West Fence	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4764	Cut 3 Condo Road	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4765	Cut 3 East Fence	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4766	Brolgan Road East	700	1500 480 min	1.0	0 / 100	< 0.01
A27351-S4767	Reedsdale Road North	700	1500 480 min	1.0	0 / 100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4768	Gate 8 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4769	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4770	Quality Control Laboratory Blank		/	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R45 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: [REDACTED] Sampled From: Parks Bypass Project	Report Date: Thursday, 13 June 2024 Analysed Date: Thursday, 13 June 2024 Laboratory Receival Date: Thursday, 13 June 2024 Sampled Date: Tuesday, 11 June 2024 Sampled By: [REDACTED] Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background Monitoring During Earthworks
--	---

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S708	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S709	163 Goldrush Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S710	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S711	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S712	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S713	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S714	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S715	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S716	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S717	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S718	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S719	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S720	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R487	Report Date: Thursday, 13 June 2024
Client: Georgiou	Analysed Date: Thursday, 13 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 13 June 2024
	Sampled Date: Wednesday, 12 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4771	Gate 14 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4772	Gate 9 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4773	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4774	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4775	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4777	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4778	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4779	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4780	Gate 8 Decon	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4781	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S4782	Quality Control Laboratory Blank		0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R47	Report Date: Monday, 17 June 2024
Client: Georgiou	Analysed Date: Monday, 17 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 17 June 2024
	Sampled Date: Thursday, 13 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S734	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S735	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S736	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S737	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S738	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S739	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S740	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S741	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S742	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S743	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S744	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S745	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S746	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R489	Report Date: Monday, 17 June 2024
Client: Georgiou	Analysed Date: Monday, 17 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 17 June 2024
	Sampled Date: Friday, 14 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4795	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4796	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4797	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4798	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4799	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4800	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4801	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4802	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4803	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4804	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4805	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4806	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R48
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 17 June 2024
Analysed Date: Monday, 17 June 2024
Laboratory Receival Date: Monday, 17 June 2024
Sampled Date: Friday, 14 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S747	158 Goldrush Road South East Gate	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S748	163 Goldrush Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S749	Cut 3 Reedsdale Road South East Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S750	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S751	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S752	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S753	LOT 1 Bogan Road West Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S754	LOT 1 Bogan Road North West Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S755	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S756	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S757	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S758	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S759	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R490
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 17 June 2024
Analysed Date: Monday, 17 June 2024
Laboratory Receival Date: Monday, 17 June 2024
Sampled Date: Saturday, 15 June 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4807	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4808	Gate 9 Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4809	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4810	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4811	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4812	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4813	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4814	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4815	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4816	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4817	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4818	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R49	Report Date: Monday, 17 June 2024
Client: Georgiou	Analysed Date: Monday, 17 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 17 June 2024
	Sampled Date: Saturday, 15 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S760	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S761	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S762	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S763	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S764	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S765	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S766	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S767	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S768	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S769	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S770	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S771	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S772	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R50
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 18 June 2024
Analysed Date: Tuesday, 18 June 2024
Laboratory Receival Date: Tuesday, 18 June 2024
Sampled Date: Sunday, 16 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S773	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S774	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S775	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S776	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S777	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S778	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S779	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S780	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S781	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S782	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S783	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S784	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S785	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R491
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 18 June 2024
Analysed Date: Tuesday, 18 June 2024
Laboratory Receival Date: Tuesday, 18 June 2024
Sampled Date: Monday, 17 June 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4819	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4820	Gate 8 North Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4821	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4822	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4823	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4824	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4825	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4826	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4827	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4828	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4829	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4830	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R51

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 19 June 2024

Analysed Date: Wednesday, 19 June 2024

Laboratory Receival Date: Wednesday, 19 June 2024

Sampled Date: Monday, 17 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S786	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S787	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S788	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S789	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S790	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S791	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S792	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S793	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S794	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S795	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S796	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S797	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S798	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R492	Report Date: Thursday, 20 June 2024
Client: Georgiou	Analysed Date: Thursday, 20 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 20 June 2024
	Sampled Date: Tuesday, 18 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4831	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4832	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4833	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4834	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4835	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4836	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4837	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4838	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4839	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4840	Gate 8 Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4841	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4842	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R52
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 20 June 2024
Analysed Date: Thursday, 20 June 2024
Laboratory Receival Date: Thursday, 20 June 2024
Sampled Date: Tuesday, 18 June 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S799	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S800	163 GoldRush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S801	Cut 3 Reedsdale Road Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S802	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S803	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S804	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S805	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S806	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S807	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S808	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S809	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S810	Cut 3 Moulden Street west	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S811	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R493
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 20 June 2024
Analysed Date: Thursday, 20 June 2024
Laboratory Receival Date: Thursday, 20 June 2024
Sampled Date: Wednesday, 19 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4843	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4844	Gate 19 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4845	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4846	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4847	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4848	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4849	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4850	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4851	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4852	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4853	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4854	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R53	Report Date: Friday, 21 June 2024
Client: Georgiou	Analysed Date: Friday, 21 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 21 June 2024
	Sampled Date: Wednesday, 19 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S812	158 Goldrush road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S813	163 Goldrush road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S814	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S815	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S816	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S817	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S818	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S819	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S820	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S821	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S822	Fill 4 Moulden Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S823	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S824	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R494	Report Date: Monday, 24 June 2024
Client: Georgiou	Analysed Date: Monday, 24 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 24 June 2024
	Sampled Date: Thursday, 20 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4855	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4856	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4857	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4858	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4859	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4860	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4861	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4862	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4863	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4864	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4865	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4866	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R54	Report Date: Monday, 24 June 2024
Client: Georgiou	Analysed Date: Monday, 24 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 24 June 2024
	Sampled Date: Thursday, 20 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S825	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S826	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S827	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S828	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S829	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S830	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S831	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S832	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S833	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S834	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S835	Fill 4 Moulden street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S836	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S837	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R495	Report Date: Monday, 24 June 2024
Client: Georgiou	Analysed Date: Monday, 24 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 24 June 2024
	Sampled Date: Friday, 21 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4867	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4868	Gate 9 Decon	700	1500 480 min	1.0	2/100	< 0.01
A27351-S4869	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4870	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4871	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4872	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4873	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4874	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4875	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4876	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4877	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4878	QA		/	N.A.	0/100	< 0.01
			0 min			

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R55
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 24 June 2024
Analysed Date: Monday, 24 June 2024
Laboratory Receival Date: Monday, 24 June 2024
Sampled Date: Friday, 21 June 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S838	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S839	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S840	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S841	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S842	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S843	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S844	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S845	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S846	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	1 /100	< 0.01
A31029-S847	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S848	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S849	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S850	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R496
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 24 June 2024
Analysed Date: Monday, 24 June 2024
Laboratory Receival Date: Monday, 24 June 2024
Sampled Date: Saturday, 22 June 2024

Sampled By: [REDACTED]
Attention: [REDACTED]
Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4879	Gate 14 Crib room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4880	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4881	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4882	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4883	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4884	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4885	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4886	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4887	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4888	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4889	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4890	QA		/	N.A.	0/100	< 0.01
			0 min			

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R56

Report Date: Monday, 24 June 2024

Client: Georgiou

Analysed Date: Monday, 24 June 2024

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Monday, 24 June 2024

Sampled Date: Saturday, 22 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S851	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S852	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S853	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S854	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S855	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S856	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S857	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S858	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S859	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S860	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S861	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S862	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S863	Quality Control Laboratory Blank		/ 0 min	N.A.	0 / 100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R497	Report Date: Tuesday, 25 June 2024
Client: Georgiou	Analysed Date: Tuesday, 25 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 25 June 2024
	Sampled Date: Monday, 24 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4891	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4892	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4893	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4894	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4895	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4896	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4897	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4898	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4899	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4900	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4901	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4902	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R57
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 26 June 2024
Analysed Date: Wednesday, 26 June 2024
Laboratory Receival Date: Tuesday, 25 June 2024
Sampled Date: Sunday, 23 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S864	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S865	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S866	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S867	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S868	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S869	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S870	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S871	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S872	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S873	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S874	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S875	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S876	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R58
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 26 June 2024
Analysed Date: Wednesday, 26 June 2024
Laboratory Receival Date: Wednesday, 26 June 2024
Sampled Date: Monday, 24 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S877	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S878	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S879	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S880	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S881	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S882	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S883	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S884	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S885	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S886	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S887	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S888	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S889	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R498
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 26 June 2024
Analysed Date: Wednesday, 26 June 2024
Laboratory Receival Date: Wednesday, 26 June 2024
Sampled Date: Tuesday, 25 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4903	Gate 14 Crib room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4904	Gate 9 Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4905	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4906	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4907	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4908	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4909	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4910	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4911	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4912	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4913	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4914	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R59
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 27 June 2024
Analysed Date: Thursday, 27 June 2024
Laboratory Receival Date: Thursday, 27 June 2024
Sampled Date: Tuesday, 25 June 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S890	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S891	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S892	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S893	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S894	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S895	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S896	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S897	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S898	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S899	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S900	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S901	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S902	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R499	Report Date: Thursday, 27 June 2024
Client: Georgiou	Analysed Date: Thursday, 27 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 27 June 2024
	Sampled Date: Wednesday, 26 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4915	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4916	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4917	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4918	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4919	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4920	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4921	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4922	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4923	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4924	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4925	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4926	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R60	Report Date: Friday, 28 June 2024
Client: Georgiou	Analysed Date: Friday, 28 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 28 June 2024
	Sampled Date: Wednesday, 26 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S903	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S904	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S905	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S906	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S907	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S908	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S909	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S910	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S911	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S912	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S913	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S914	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S915	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R500	Report Date: Friday, 28 June 2024
Client: Georgiou	Analysed Date: Friday, 28 June 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 28 June 2024
	Sampled Date: Thursday, 27 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4927	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4928	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4929	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4930	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4931	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4932	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4933	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4934	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4935	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4936	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4937	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4938	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R61	Report Date: Tuesday, 2 July 2024
Client: Georgiou	Analysed Date: Monday, 1 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 1 July 2024
	Sampled Date: Thursday, 27 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S916	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S917	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S918	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S919	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S920	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S921	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S922	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S923	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S924	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S925	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S926	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S927	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S928	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R501	Report Date: Tuesday, 2 July 2024
Client: Georgiou	Analysed Date: Monday, 1 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 1 July 2024
	Sampled Date: Friday, 28 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4939	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4940	Gate 9 Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4941	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4942	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4943	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4944	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4945	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4946	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4947	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4948	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4949	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4950	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R62	Report Date: Tuesday, 2 July 2024
Client: Georgiou	Analysed Date: Monday, 1 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 1 July 2024
	Sampled Date: Friday, 28 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S929	158 Goldrush Road South / East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S930	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S931	Cut 3 Reedsdale road South/ East fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S932	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S933	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S934	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S935	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S936	LOT 1 Bogan Road North/ West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S937	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S938	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S939	Fill 4 Moulden Street	1159	1200 11440 min	0.5	0/100	< 0.01
A31029-S940	Fill 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S941	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R502

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 2 July 2024

Analysed Date: Monday, 1 July 2024

Laboratory Receival Date: Monday, 1 July 2024

Sampled Date: Saturday, 29 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4951	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4952	Gate 9 Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4953	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4954	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4955	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4956	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4957	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4958	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4959	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4960	Gate 8 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4961	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4962	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R63	Report Date: Tuesday, 2 July 2024
Client: Georgiou	Analysed Date: Tuesday, 2 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 1 July 2024
	Sampled Date: Saturday, 29 June 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S942	158 Goldrush Road South / East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S943	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S944	Cut 3 Reedsdale Road South / East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S945	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S946	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S947	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S948	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S949	Lot 1 Bogan Road North / West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S950	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S951	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S952	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S953	Fill 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S954	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R64

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 3 July 2024

Analysed Date: Tuesday, 2 July 2024

Laboratory Receival Date: Tuesday, 2 July 2024

Sampled Date: Sunday, 30 June 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S955	150 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S956	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S957	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S958	Reedsdale Road and Thomas street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S959	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S960	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S961	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S962	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S963	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S964	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S965	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S966	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S967	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit