

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R503
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 3 July 2024
Analysed Date: Wednesday, 3 July 2024
Laboratory Receival Date: Wednesday, 3 July 2024
Sampled Date: Monday, 1 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4963	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4964	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4965	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4966	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4967	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4968	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4969	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4970	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4971	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4972	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4973	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4974	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R504
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 3 July 2024
Analysed Date: Wednesday, 3 July 2024
Laboratory Receival Date: Wednesday, 3 July 2024
Sampled Date: Tuesday, 2 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4975	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4976	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4977	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4978	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4979	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4980	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4981	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4982	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4983	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4984	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4985	Gate 8 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4986	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R505	Report Date: Friday, 5 July 2024
Client: Georgiou	Analysed Date: Friday, 5 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 5 July 2024
	Sampled Date: Wednesday, 3 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4987	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4988	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S4989	Gate 10 fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4990	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4991	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4992	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4993	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4994	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4995	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4996	Gate 9 Deacon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4997	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S4998	Quality Control Laboratory Blank		/	N.A.	0/100	< 0.01
A27351-S4999	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R506

Report Date: Monday, 8 July 2024

Client: Georgiou

Analysed Date: Monday, 8 July 2024

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Monday, 8 July 2024

Sampled Date: Thursday, 4 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background during Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S4999	Gate 14 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5000	Gate 9 Victoria Street Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5001	Gate 10 fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5002	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5003	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5004	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5005	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5006	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5007	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5008	Gate 9 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5009	Gate 8 CribRoom	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5010	Quality Control Laboratory Blank		/ min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R507	Report Date: Monday, 8 July 2024
Client: Georgiou	Analysed Date: Tuesday, 9 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 9 July 2024
	Sampled Date: Friday, 5 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5011	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5012	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5013	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5014	Fill 5 WheelWash Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5015	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5016	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5017	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5018	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5019	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5020	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5021	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5022	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R508	Report Date: Wednesday, 10 July 2024
Client: Georgiou	Analysed Date: Wednesday, 10 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 10 July 2024
	Sampled Date: Saturday, 6 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5023	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5024	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5025	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5026	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5027	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5028	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5029	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5030	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5031	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5032	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5033	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5034	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R509	Report Date: Wednesday, 10 July 2024
Client: Georgiou	Analysed Date: Wednesday, 10 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 10 July 2024
	Sampled Date: Monday, 8 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5035	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5036	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5037	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5038	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5039	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5040	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5041	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5042	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5043	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5044	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5045	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5046	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R510

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 11 July 2024

Analysed Date: Thursday, 11 July 2024

Laboratory Receival Date: Thursday, 11 July 2024

Sampled Date: Tuesday, 9 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5047	Gate 14 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5048	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5049	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5050	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5051	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5052	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5053	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5054	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5055	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5056	Gate 9 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5057	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5058	Quality Control Laboratory Blank		/	N.A.	0 /100	Acceptable limit
			0 min			

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R511

Report Date: Thursday, 11 July 2024

Client: Georgiou

Analysed Date: Thursday, 11 July 2024

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Thursday, 11 July 2024

Sampled Date: Wednesday, 10 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5059	Gate 14 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5060	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5061	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5062	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5063	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5064	Cut 3 Condo Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5065	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5066	Brolgan Road East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5067	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5068	Gate 9 Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5069	Gate 8 Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5070	QA		/	N.A.	0 /100	< 0.01
			0 min			

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R512	Report Date: Monday, 15 July 2024
Client: Georgiou	Analysed Date: Monday, 15 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 15 July 2024
	Sampled Date: Thursday, 11 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5071	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5072	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5073	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5074	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5075	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5076	Cut 3 Condo Road	700	1500 480 min	1.0	2/100	< 0.01
A27351-S5077	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5078	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5079	Reedsdale Road North	700	1500 480 min	1.0	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5080	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5081	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5082	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R513	Report Date: Tuesday, 16 July 2024
Client: Georgiou	Analysed Date: Monday, 15 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 15 July 2024
	Sampled Date: Friday, 12 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5083	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5084	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5085	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5086	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5087	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5088	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5089	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5090	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5091	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5092	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5093	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5094	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R514	Report Date: Tuesday, 16 July 2024
Client: Georgiou	Analysed Date: Monday, 15 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 15 July 2024
	Sampled Date: Saturday, 13 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5095	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5096	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5097	Gate 10 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5098	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5099	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5100	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5101	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5102	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5103	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5104	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5105	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5106	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R515	Report Date: Thursday, 18 July 2024
Client: Georgiou	Analysed Date: Wednesday, 17 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 17 July 2024
	Sampled Date: Monday, 15 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5107	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5108	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5109	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5110	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5111	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5112	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5113	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5114	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5115	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5116	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5117	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5118	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R516	Report Date: Thursday, 18 July 2024
Client: Georgiou	Analysed Date: Thursday, 18 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 18 July 2024
	Sampled Date: Tuesday, 16 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5119	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5120	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5121	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5122	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5123	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5124	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5125	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5126	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5127	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5128	Gate 9 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5129	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5130	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R517	Report Date: Friday, 19 July 2024
Client: Georgiou	Analysed Date: Friday, 19 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 19 July 2024
	Sampled Date: Thursday, 18 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5131	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5132	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5133	Gate 10 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5134	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5135	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5136	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5137	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5138	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5139	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5140	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5141	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5142	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R518	Report Date: Thursday, 25 July 2024
Client: Georgiou	Analysed Date: Thursday, 25 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 25 July 2024
	Sampled Date: Friday, 19 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5143	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5144	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5145	Gate 10 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5146	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5147	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5148	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5149	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5150	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5151	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5152	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5153	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5154	Quality Control Laboratory Blank		/	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R519	Report Date: Thursday, 25 July 2024
Client: Georgiou	Analysed Date: Thursday, 25 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 25 July 2024
	Sampled Date: Saturday, 20 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5155	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5156	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5157	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5158	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5159	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5160	Cut 3 Condo Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5161	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5162	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5163	Reedsdale Road North	700	1500 480 min	1.0	2/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5164	Gate 9 Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5165	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5166	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R520	Report Date: Thursday, 25 July 2024
Client: Georgiou	Analysed Date: Thursday, 25 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 24 July 2024
	Sampled Date: Monday, 22 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5167	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5168	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5169	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5170	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5171	Cut 3 West Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5172	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit
A27351-S5173	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5174	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5175	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5176	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5177	Gate 8 Crib Room Victoria Street	700	1500 480 min	1.0	0/100	< 0.01

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R521	Report Date: Thursday, 25 July 2024
Client: Georgiou	Analysed Date: Thursday, 25 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 25 July 2024
	Sampled Date: Tuesday, 23 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5178	Gate 14 Crib Room	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S5179	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5180	Gate 10 Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5181	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5182	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5183	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5184	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5185	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5186	Gate 9 Decon Fence	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5187	Gate 8 Crib Room Victoria Street	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5188	Quality Control Laboratory Blank		0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R522	Report Date: Friday, 26 July 2024
Client: Georgiou	Analysed Date: Friday, 26 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 26 July 2024
	Sampled Date: Wednesday, 24 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5189	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5190	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5191	Gate 8 Victoria Street Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5192	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5193	Cut 3 East Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5194	Gate 9 Fence	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5195	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5196	Gate 14 Crib room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5197	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5198	Reedsdale Road North	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5199	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R523	Report Date: Monday, 29 July 2024
Client: Georgiou	Analysed Date: Monday, 29 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 29 July 2024
	Sampled Date: Thursday, 25 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5200	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5201	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5202	Gate 8 Victoria Street Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5203	Cut 3 West Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5204	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5205	Gate 9 Fence	700	1500 480 min	1.0	1/100	< 0.01
A27351-S5206	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5207	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5208	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5209	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5210	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R524	Report Date: Monday, 29 July 2024
Client: Georgiou	Analysed Date: Monday, 29 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 29 July 2024
	Sampled Date: Friday, 26 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5211	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5212	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5213	Gate 8 Victoria Street Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5214	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5215	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5216	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5217	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5218	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5219	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5220	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5221	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R525	Report Date: Monday, 29 July 2024
Client: Georgiou	Analysed Date: Monday, 29 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 29 July 2024
	Sampled Date: Saturday, 27 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5222	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5223	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5224	Gate 8 Victoria Street Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5225	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5226	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5227	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5228	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5229	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5230	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5231	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5232	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R526

Report Date: Wednesday, 31 July 2024

Client: Georgiou

Analysed Date: Wednesday, 31 July 2024

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Laboratory Receival Date: Wednesday, 31 July 2024

Sampled Date: Monday, 29 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5233	Brolgan Road East	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5234	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5235	Gate 8 Victoria Street Crib room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5236	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5237	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5238	Gate 9 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5239	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5240	Gate 14 Crib room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5241	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5242	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R527	Report Date: Thursday, 1 August 2024
Client: Georgiou	Analysed Date: Thursday, 1 August 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 1 August 2024
	Sampled Date: Tuesday, 30 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5244	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5245	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5246	Gate 8 Victoria Street Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5247	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5248	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5249	Gate 9 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5250	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5251	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5252	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5253	Reedsdale Road North	700	1500 480 min	1.0	0/100	< 0.01
A27351-S5254	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A27351-R528	Report Date: Friday, 2 August 2024
Client: Georgiou	Analysed Date: Friday, 2 August 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 2 August 2024
	Sampled Date: Wednesday, 31 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5255	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5256	Gate 8 Victoria Street Decon	700	1500 480 min	1.0	1 /100	< 0.01
A27351-S5257	Gate 8 Victoria Street Crib Room	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5258	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5259	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5260	Gate 9 Fence	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S5261	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5262	Gate 14 Crib Room	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S5263	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S5264	Reedsdale Road North	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S5265	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R65	Report Date: Wednesday, 3 July 2024
Client: Georgiou	Analysed Date: Wednesday, 3 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 3 July 2024
	Sampled Date: Monday, 1 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S968	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S969	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S970	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S971	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S972	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S973	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S974	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S975	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S976	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S977	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S978	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S979	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S980	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R66	Report Date: Friday, 5 July 2024
Client: Georgiou	Analysed Date: Friday, 5 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 5 July 2024
	Sampled Date: Tuesday, 2 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S981	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S982	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S983	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S984	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S985	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S986	125 Painters Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S987	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S988	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S989	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S990	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S991	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S992	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S993	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R67

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Friday, 5 July 2024

Analysed Date: Friday, 5 July 2024

Laboratory Receival Date: Friday, 5 July 2024

Sampled Date: Wednesday, 3 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S994	158 Goldrush Road S/E Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S995	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S996	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S997	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S998	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S999	125 Painters Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1000	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1001	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1002	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1003	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1004	Fill 4 Mouden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1005	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1006	Quality Control Laboratory Blank	1159	1200 / 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R68	Report Date: Monday, 8 July 2024
Client: Georgiou	Analysed Date: Monday, 8 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 8 July 2024
	Sampled Date: Thursday, 4 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1007	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1008	163 GoldRush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1009	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1010	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1011	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S1012	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1013	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1014	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1015	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1016	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1017	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1018	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1019	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R69

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 10 July 2024

Analysed Date: Wednesday, 10 July 2024

Laboratory Receival Date: Wednesday, 10 July 2024

Sampled Date: Friday, 5 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1020	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1021	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1022	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1023	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1024	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1025	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1026	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1027	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1028	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1029	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1030	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1031	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1032	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R70	Report Date: Wednesday, 10 July 2024
Client: Georgiou	Analysed Date: Wednesday, 10 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 10 July 2024
	Sampled Date: Saturday, 6 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1033	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1034	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1035	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1036	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1037	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1038	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1039	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1040	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1041	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1042	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1043	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1044	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1045	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R71
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Wednesday, 10 July 2024
Analysed Date: Wednesday, 10 July 2024
Laboratory Receival Date: Wednesday, 10 July 2024
Sampled Date: Sunday, 7 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1046	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1047	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1048	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1049	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1050	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1051	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1052	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1053	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1054	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1055	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1056	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1057	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1058	Quality Control Laboratory Blank	1159	1200 / 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R72	Report Date: Wednesday, 10 July 2024
Client: Georgiou	Analysed Date: Wednesday, 10 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 10 July 2024
	Sampled Date: Monday, 8 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1059	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1060	163 GoldRush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1061	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1062	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1063	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1064	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1065	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1066	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1067	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1068	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1069	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1070	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1071	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R73

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 11 July 2024

Analysed Date: Thursday, 11 July 2024

Laboratory Receival Date: Thursday, 11 July 2024

Sampled Date: Tuesday, 9 July 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1072	158 GoldRush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1073	163 GoldRush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1074	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1075	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1076	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1077	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1078	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1079	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1080	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1081	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1082	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1083	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1084	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R74	Report Date: Friday, 12 July 2024
Client: Georgiou	Analysed Date: Friday, 12 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 12 July 2024
	Sampled Date: Wednesday, 10 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1085	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1086	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1087	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1088	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1089	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1090	120 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1091	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1092	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1093	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1094	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1095	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1096	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1097	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R75	Report Date: Tuesday, 16 July 2024
Client: Georgiou	Analysed Date: Tuesday, 16 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 16 July 2024
	Sampled Date: Thursday, 11 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1097	Quality Control Laboratory Blank	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1098	163 Goldrush Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1099	Cut 3 Reedsdale Road South East Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1100	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1101	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1102	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1103	LOT 1 Bogan Road West Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1104	LOT 1 Bogan Road North West Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1105	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1106	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1107	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1108	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1109	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R76
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 16 July 2024
Analysed Date: Tuesday, 16 July 2024
Laboratory Receival Date: Tuesday, 16 July 2024
Sampled Date: Friday, 12 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1110	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1111	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1112	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1113	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1114	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1115	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1116	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1117	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1118	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1119	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1120	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1121	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1122	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R77
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 16 July 2024
Analysed Date: Tuesday, 16 July 2024
Laboratory Receival Date: Tuesday, 16 July 2024
Sampled Date: Saturday, 13 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1123	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1124	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1125	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1126	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1127	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1128	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1129	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1130	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1131	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1132	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1133	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1134	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1135	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R78	Report Date: Tuesday, 16 July 2024
Client: Georgiou	Analysed Date: Tuesday, 16 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 16 July 2024
	Sampled Date: Sunday, 14 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1136	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1137	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1138	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1139	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1140	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1141	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1142	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1143	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1144	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1145	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1146	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1147	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1148	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R79

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 18 July 2024

Analysed Date: Wednesday, 17 July 2024

Laboratory Receival Date: Wednesday, 17 July 2024

Sampled Date: Monday, 15 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1149	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1150	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1151	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1152	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1153	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1154	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1155	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1156	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1157	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1158	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1159	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1160	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1161	QA		/ 0min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R80	Report Date: Thursday, 18 July 2024
Client: Georgiou	Analysed Date: Thursday, 18 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 18 July 2024
	Sampled Date: Tuesday, 16 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1162	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	2 /100	< 0.01
A31029-S1163	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1164	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1165	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1166	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1167	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1168	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1169	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1170	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1171	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1172	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1173	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1174	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R81	Report Date: Friday, 19 July 2024
Client: Georgiou	Analysed Date: Friday, 19 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 19 July 2024
	Sampled Date: Wednesday, 17 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1175	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1176	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1177	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1178	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1179	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1180	125 Painters Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1181	lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S1182	lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1183	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1184	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1185	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1186	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1187	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R82
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 23 July 2024
Analysed Date: Tuesday, 23 July 2024
Laboratory Receival Date: Tuesday, 23 July 2024
Sampled Date: Thursday, 18 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1188	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1189	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1190	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1191	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1192	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1193	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1194	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1195	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1196	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1197	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1198	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1199	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1200	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres**Report No:** A31029-R83**Client:** Georgiou**Client Address:** Level 3,
53 Berry Street,
North Sydney, NSW, 2060**Report Date:** Tuesday, 23 July 2024**Analysed Date:** Tuesday, 23 July 2024**Laboratory Receival Date:** Tuesday, 23 July 2024**Sampled Date:** Friday, 19 July 2024**Sampled By:** [REDACTED]**Attention:** [REDACTED]**Approved Counter and Signatory:** [REDACTED]**Sampled From:** Parks Bypass Project**Type of Monitoring:** Background Monitoring During
Earthworks**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1201	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1202	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1203	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1204	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1205	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1206	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1207	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1208	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1209	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1210	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1211	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1212	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1213	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R84
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 23 July 2024
Analysed Date: Tuesday, 23 July 2024
Laboratory Receival Date: Tuesday, 23 July 2024
Sampled Date: Saturday, 20 July 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1214	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1215	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1216	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1217	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1218	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1219	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1220	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1221	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1222	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1223	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1224	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1225	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1226	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R85	Report Date: Thursday, 25 July 2024
Client: Georgiou	Analysed Date: Wednesday, 24 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 24 July 2024
	Sampled Date: Sunday, 21 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1227	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1228	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1229	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1230	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1231	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1232	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1233	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1234	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1235	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1236	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1237	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1238	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1239	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R86
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 25 July 2024
Analysed Date: Wednesday, 24 July 2024
Laboratory Receival Date: Wednesday, 24 July 2024
Sampled Date: Monday, 22 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1240	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1241	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1242	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S1243	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1244	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1245	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1246	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1247	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1248	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1249	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1250	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1251	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1252	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R87	Report Date: Thursday, 25 July 2024
Client: Georgiou	Analysed Date: Thursday, 25 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 25 July 2024
	Sampled Date: Tuesday, 23 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1253	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1254	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1255	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1256	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1257	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1258	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1259	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1260	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1261	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1262	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1263	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1264	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1265	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R88	Report Date: Friday, 26 July 2024
Client: Georgiou	Analysed Date: Friday, 26 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 26 July 2024
	Sampled Date: Wednesday, 24 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1266	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1267	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1268	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1269	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1270	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1271	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1272	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1273	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1274	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1275	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1276	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1277	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1278	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R89	Report Date: Monday, 29 July 2024
Client: Georgiou	Analysed Date: Monday, 29 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 29 July 2024
	Sampled Date: Thursday, 25 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1279	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1280	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1281	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1282	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1283	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1284	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1285	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1286	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1287	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	2/100	< 0.01
A31029-S1288	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	2/100	< 0.01
A31029-S1289	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1290	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1291	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R90
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 29 July 2024
Analysed Date: Monday, 29 July 2024
Laboratory Receival Date: Monday, 29 July 2024
Sampled Date: Friday, 26 July 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1292	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1293	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1294	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1295	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1296	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1297	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1298	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1299	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1300	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1301	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1302	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1303	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1304	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R91	Report Date: Monday, 29 July 2024
Client: Georgiou	Analysed Date: Monday, 29 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 29 July 2024
	Sampled Date: Saturday, 27 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1305	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1306	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1307	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1308	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1309	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1310	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1311	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1312	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1313	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S1314	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1315	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1316	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1317	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R92 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Tuesday, 30 July 2024 Analysed Date: Tuesday, 30 July 2024 Laboratory Receival Date: Tuesday, 30 July 2024 Sampled Date: Sunday, 28 July 2024
---	---

Sampled By: [REDACTED]

Attention: [REDACTED] Sampled From: Parks Bypass Project	Approved Counter and Signatory: [REDACTED] Type of Monitoring: Background Monitoring During Earthworks
---	---

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1318	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1319	163 Goldrush Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1320	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1321	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1322	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1323	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1324	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1325	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1326	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1327	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	1 /100	< 0.01
A31029-S1328	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1329	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1330	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R93	Report Date: Wednesday, 31 July 2024
Client: Georgiou	Analysed Date: Wednesday, 31 July 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 31 July 2024
	Sampled Date: Monday, 29 July 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1331	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1332	163 Goldrush Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S1333	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1334	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1335	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1336	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1337	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1338	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1339	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1340	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1341	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1342	Cut 3 Moulden Street West	1159	1200 / 1440 min	0.5	0 /100	< 0.01
A31029-S1343	Quality Control Laboratory Blank		/ 0 min	N.A.	0 /100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres**Report No:** A31029-R94**Client:** Georgiou**Client Address:** Level 3,
53 Berry Street,
North Sydney, NSW, 2060**Report Date:** Thursday, 1 August 2024**Analysed Date:** Thursday, 1 August 2024**Laboratory Receival Date:** Thursday, 1 August 2024**Sampled Date:** Tuesday, 30 July 2024**Sampled By:** [REDACTED]**Attention:** [REDACTED]**Approved Counter and Signatory:** [REDACTED]**Sampled From:** Parks Bypass Project**Type of Monitoring:** Background Monitoring During
Earthworks**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1344	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1345	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1346	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1347	Reedsdale Road And Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1348	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1349	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1350	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1351	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1352	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1353	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1354	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1355	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1356	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R95 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060 Attention: XXXXXXXXXX Sampled From: Parks Bypass Project	Report Date: Friday, 2 August 2024 Analysed Date: Friday, 2 August 2024 Laboratory Receival Date: Friday, 2 August 2024 Sampled Date: Wednesday, 31 July 2024 Sampled By: XXXXXXXXXX Approved Counter and Signatory: XXXXXXXXXX Type of Monitoring: Background Monitoring During Earthworks
--	--

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1357	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1358	163 Goldrush Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S1359	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1360	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1361	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S1362	125 Painter Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1363	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S1364	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1365	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1366	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1367	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1368	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S1369	Quality Control Laboratory Blank		/	N.A.	0 /100	Acceptable limit
			0 min			