

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R637	Report Date: Tuesday, 5 March 2024
Client: Georgiou	Analysed Date: Tuesday, 5 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 4 March 2024
	Sampled Date: Thursday, 29 February 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8698	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8699	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8700	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8701	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8702	Brolgan Road West	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S8703	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8704	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8705	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8706	Hartigan Avenue Noth	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8707	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8708	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8709	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8710	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8711	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8712	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8713	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8714	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8715	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8716	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8717	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8718	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8719	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R639
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 5 March 2024
Analysed Date: Tuesday, 5 March 2024
Laboratory Receival Date: Monday, 4 March 2024
Sampled Date: Saturday, 2 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8742	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8743	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8744	Ballardee lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8745	Ballardee lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8746	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8747	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8748	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8749	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8750	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8751	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8752	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8753	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8754	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8755	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8756	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8757	Cut 3 Reedsdale Road South/East fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8758	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8759	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8760	125 painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8761	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8762	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8763	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27251-R640	Report Date: Tuesday, 5 March 2024
Client: Georgiou	Analysed Date: Tuesday, 5 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 5 March 2024
	Sampled Date: Sunday, 3 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8764	London Road South	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8765	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8766	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8767	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8768	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8769	Brolgan Road East	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8770	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8771	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8772	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8773	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8774	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8775	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8776	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8777	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8778	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8779	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8780	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8781	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8782	125 painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8783	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8784	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8785	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R641	Report Date: Wednesday, 6 March 2024
Client: Georgiou	Analysed Date: Thursday, 7 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 6 March 2024
	Sampled Date: Monday, 4 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8786	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8787	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8788	Ballardee Lane South West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8789	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8790	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8791	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8792	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8793	Hartigan Avenue East	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8794	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8795	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8796	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8797	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8798	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8799	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8800	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8801	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8802	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8803	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8804	125 Painters Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8805	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8806	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8807	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R642	Report Date: Thursday, 7 March 2024
Client: Georgiou	Analysed Date: Thursday, 7 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 7 March 2024
	Sampled Date: Tuesday, 5 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8808	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8809	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8810	Ballardee Lane South West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8811	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8812	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8813	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8814	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8815	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8816	Hartigan Avenue North	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8817	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8818	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8819	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8820	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8821	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8822	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8823	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8824	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8825	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8826	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8827	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8828	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8829	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R643	Report Date: Friday, 8 March 2024
Client: Georgiou	Analysed Date: Friday, 8 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 8 March 2024
	Sampled Date: Wednesday, 6 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8830	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8831	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8832	Ballardee Lane South/West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8833	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8834	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8835	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8836	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8837	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8838	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8839	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8840	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8841	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8842	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8843	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8844	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8845	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8846	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8847	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8848	125 Painters Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8849	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8850	Lot 1 Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8851	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R644
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 11 March 2024
Analysed Date: Monday, 11 March 2024
Laboratory Receival Date: Sunday, 10 March 2024
Sampled Date: Thursday, 7 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8852	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8853	London Road North	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8854	Ballardee Lane South West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8855	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8856	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8857	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8858	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8859	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8860	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8861	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8862	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8863	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8864	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8865	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8866	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8867	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8868	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8869	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8870	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8871	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8872	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8873	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R645
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 11 March 2024
Analysed Date: Monday, 11 March 2024
Laboratory Receival Date: Monday, 11 March 2024
Sampled Date: Friday, 8 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8874	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8875	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8876	Ballardee Lane South/West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8877	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8878	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8879	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8880	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8881	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8882	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8883	Cut 3 Molden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8884	Cut 3 Molden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8885	Fill 4 Moulden Street	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8886	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8887	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8888	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8889	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8890	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8891	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8892	125 Painters Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8893	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8894	Lot 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8895	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A27251-R646</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Wednesday, 13 March 2024</p> <p>Analysed Date: Wednesday, 13 March 2024</p> <p>Laboratory Receival Date: Wednesday, 13 March 2024</p> <p>Sampled Date: Saturday, 9 March 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8896	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8897	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8898	Ballardee Lane South/West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8899	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8900	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8901	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8902	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8903	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8904	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8905	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8906	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8907	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8908	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8909	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8910	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8911	Cut 3 Reedsdale Road South/East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8912	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8913	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8914	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8915	Lot 1 - Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8916	Lot 1 - Bogan Road North/West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8917	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27251-R647
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 14 March 2024
Analysed Date: Thursday, 14 March 2024
Laboratory Receival Date: Wednesday, 13 March 2024
Sampled Date: Sunday, 10 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8918	London Road South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8919	London Road North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8920	Ballardee Lane South/West	1159	1200 1440 min	0.5	1/100	< 0.01
A27251-S8921	Ballardee Lane North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8922	Brolgan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8923	Brolgan Road East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8924	Hartigan Avenue West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8925	Hartigan Avenue East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8926	Hartigan Avenue North	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27251-S8927	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8928	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8929	Fill 4 Moulden Street	1159	1200 1440 min	0.5	2/100	< 0.01
A27251-S8930	Cut 3 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8931	158 Goldrush Road South/East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8932	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8933	Cut 3 Reedsdale Road South/East	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8934	Reedsdale Road & Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8935	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8936	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8937	Lot 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8938	Lot 1 Bogan Road North/ West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A27251-S8939	Quality Control Laboratory Blank	1159	1200 1440 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R408	Report Date: Wednesday, 28 February 2024
Client: Georgiou	Analysed Date: Tuesday, 5 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 4 March 2024
	Sampled Date: Friday, 1 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3766	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3767	Gate 14 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3768	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3769	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3770	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3771	Cut 3 Condoblin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3772	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3773	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3774	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3775	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3776	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3777	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3778	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R409	Report Date: Tuesday, 5 March 2024
Client: Georgiou	Analysed Date: Tuesday, 5 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 4 March 2024
	Sampled Date: Saturday, 2 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3779	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3780	Gate 14 Clean and Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3781	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3782	Fill 5 WheelWash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3783	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3784	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3785	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3786	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3787	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3788	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3789	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3790	Gate 8 Crib Room	700	1500 480 min	1.0	2/100	< 0.01
A27351-S3791	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R410	Report Date: Tuesday, 5 March 2024
Client: Georgiou	Analysed Date: Tuesday, 5 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 5 March 2024
	Sampled Date: Monday, 4 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3792	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3793	Gate 14 Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3794	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3795	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3796	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3797	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3798	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3799	Brolgan Road East	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3800	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3801	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3802	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3803	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3804	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R411
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 7 March 2024

Analysed Date: Thursday, 7 March 2024

Laboratory Receival Date: Wednesday, 6 March 2024

Sampled Date: Tuesday, 5 March 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3805	Gate 14 Crib Room	700	1500 480 min	1.0	2 /100	< 0.01
A27351-S3806	Gate 14 Clean End Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3807	Gate 10 Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3808	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3809	Cut 3 West Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3810	Cut 3 Condobolin Road	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3811	Cut 3 East Fence	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3812	Brolgan Road East	700	1500 480 min	1.0	0 /100	< 0.01
A27351-S3813	Brolgan Road West	700	1500 480 min	1.0	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3814	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3815	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3816	Gate 8 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3817	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R412	Report Date: Thursday, 7 March 2024
Client: Georgiou	Analysed Date: Thursday, 7 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 7 March 2024
	Sampled Date: Wednesday, 6 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3818	Gate 14 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3819	Gate 14 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3820	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3821	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3822	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3823	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3824	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3825	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3826	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3827	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3828	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3829	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3830	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R413	Report Date: Friday, 8 March 2024
Client: Georgiou	Analysed Date: Friday, 8 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 8 March 2024
	Sampled Date: Thursday, 7 March 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3831	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3832	Gate 14 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3833	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3834	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3835	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3836	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3837	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3838	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3839	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3840	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3841	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3842	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3843	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R414 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 11 March 2024 Analysed Date: Monday, 11 March 2024 Laboratory Receival Date: Sunday, 10 March 2024 Sampled Date: Friday, 8 March 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3844	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3845	Gate 14 Clean End Decon	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3846	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3847	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3848	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3849	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3850	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3851	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3852	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3853	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3854	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3855	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3856	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A27351-R415	Report Date: Monday, 11 March 2024
Client: Georgiou	Analysed Date: Monday, 11 March 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 11 March 2024
	Sampled Date: Saturday, 9 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3857	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3858	Gate 14 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3859	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3860	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3861	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3862	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3863	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3864	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3865	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3866	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3867	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3868	Gate 8 Crib Room	700	1500 480 min	1.0	1/100	< 0.01
A27351-S3869	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R416
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 14 March 2024
Analysed Date: Thursday, 14 March 2024
Laboratory Receival Date: Thursday, 14 March 2024
Sampled Date: Monday, 11 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3870	Gate 14 Crib room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3871	Gate 14 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3872	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3873	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3874	Cut 3 West Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3875	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3876	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3877	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3878	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3879	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3880	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3881	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3882	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A27351-R417
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 14 March 2024
Analysed Date: Thursday, 14 March 2024
Laboratory Receival Date: Thursday, 14 March 2024
Sampled Date: Tuesday, 12 March 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3883	Gate 14 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3884	Gate 14 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3885	Gate 10 Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3886	Fill 5 Wheelwash Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3887	Cut 3 West fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3888	Cut 3 Condobolin Road	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3889	Cut 3 East Fence	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3890	Brolgan Road East	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3891	Brolgan Road West	700	1500 480 min	1.0	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A27351-S3892	Reedsdale Road North Adjacent Containment Cell	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3893	Gate 8 Clean End Decon	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3894	Gate 8 Crib Room	700	1500 480 min	1.0	0/100	< 0.01
A27351-S3895	Quality Control Laboratory Blank	700	1500 480 min	N.A.	0/100	Acceptable limit