

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R138	Report Date: Monday, 16 September 2024
Client: Georgiou	Analysed Date: Monday, 16 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 16 September 2024
	Sampled Date: Wednesday, 11 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1903	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1904	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1905	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1906	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1907	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1908	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1909	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1910	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1911	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1912	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1913	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1914	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1915	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R140
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 16 September 2024
Analysed Date: Monday, 16 September 2024
Laboratory Receival Date: Monday, 16 September 2024
Sampled Date: Friday, 13 September 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1929	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1930	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1931	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1932	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1933	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1934	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1935	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1936	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1937	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1938	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1939	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1940	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1941	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R141
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 16 September 2024
Analysed Date: Monday, 16 September 2024
Laboratory Receipt Date: Monday, 16 September 2024
Sampled Date: Saturday, 14 September 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1942	158 Goldrush Road South East	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1943	163 Goldrush Road	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S1944	Cut 3 Reedsdale Road South East	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1945	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1946	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1947	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1948	LOT 1 Bogan Road West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S1949	LOT 1 Bogan Road North West	1159	1200 / 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1950	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1951	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1952	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1953	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1954	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R142
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 17 September 2024
Analysed Date: Tuesday, 17 September 2024
Laboratory Receival Date: Tuesday, 17 September 2024
Sampled Date: Sunday, 15 September 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1955	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1956	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1957	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1958	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1959	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1960	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1961	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1962	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1963	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1964	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1965	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1966	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1967	QA		/ 0min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R143	Report Date: Thursday, 19 September 2024
Client: Georgiou	Analysed Date: Thursday, 19 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 19 September 2024
	Sampled Date: Monday, 16 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1968	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1969	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1970	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1971	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S1972	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1973	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1974	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1975	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1976	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1977	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1978	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1979	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1980	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R144	Report Date: Thursday, 19 September 2024
Client: Georgiou	Analysed Date: Thursday, 19 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 19 September 2024
	Sampled Date: Tuesday, 17 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1981	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1982	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1983	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1984	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1985	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1986	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1987	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1988	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1989	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1990	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1991	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1992	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1993	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R145	Report Date: Tuesday, 24 September 2024
Client: Georgiou	Analysed Date: Monday, 23 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 23 September 2024
	Sampled Date: Wednesday, 18 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S1994	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1995	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1996	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1997	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S1998	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S1999	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2000	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2001	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2002	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2003	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2004	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2005	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2006	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R146
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 24 September 2024
Analysed Date: Monday, 23 September 2024
Laboratory Receival Date: Monday, 23 September 2024
Sampled Date: Thursday, 19 September 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2007	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2008	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2009	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2010	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2011	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2012	125 painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2013	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2014	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2015	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2016	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2017	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2018	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2019	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres**Report No:** A31029-R147**Client:** Georgiou**Client Address:** Level 3,
53 Berry Street,
North Sydney, NSW, 2060**Report Date:** Tuesday, 24 September 2024**Analysed Date:** Tuesday, 24 September 2024**Laboratory Receival Date:** Monday, 23 September 2024**Sampled Date:** Friday, 20 September 2024**Sampled By:** [REDACTED]**Attention:** [REDACTED]**Approved Counter and Signatory:** [REDACTED]**Sampled From:** Parks Bypass Project**Type of Monitoring:** Background Monitoring During
Earthworks**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2020	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2021	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2022	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2023	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2024	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2025	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2026	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2027	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2028	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2029	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2030	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2031	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2032	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R148
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 24 September 2024
Analysed Date: Monday, 23 September 2024
Laboratory Receival Date: Monday, 23 September 2024
Sampled Date: Saturday, 21 September 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2033	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2034	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2035	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2036	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2037	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2038	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2039	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2040	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2041	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2042	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2043	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2044	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2045	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R149
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 24 September 2024
Analysed Date: Tuesday, 24 September 2024
Laboratory Receival Date: Tuesday, 24 September 2024
Sampled Date: Sunday, 22 September 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2046	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2047	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2048	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2049	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2050	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2051	125 Painter Street	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2052	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2053	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2054	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2055	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2056	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2057	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2058	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R150	Report Date: Thursday, 26 September 2024
Client: Georgiou	Analysed Date: Thursday, 26 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 26 September 2024
	Sampled Date: Monday, 23 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2059	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2060	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2061	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2062	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2063	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2064	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2065	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2066	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2067	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2068	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2069	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2070	Cut 4 Moulden Street west	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2071	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R151	Report Date: Thursday, 26 September 2024
Client: Georgiou	Analysed Date: Thursday, 26 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 26 September 2024
	Sampled Date: Tuesday, 24 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2072	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2073	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2074	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2075	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2077	125 painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2078	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2079	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2080	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2081	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2082	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2083	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2084	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R152	Report Date: Tuesday, 1 October 2024
Client: Georgiou	Analysed Date: Monday, 30 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 30 September 2024
	Sampled Date: Wednesday, 25 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2085	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2086	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2087	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2088	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2089	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2090	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2091	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2092	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2093	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2094	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2095	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2096	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2097	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R153
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 1 October 2024
Analysed Date: Wednesday, 30 October 2024
Laboratory Receival Date: Monday, 30 September 2024
Sampled Date: Thursday, 26 September 2024

Sampled By: [REDACTED]
Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project
Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2098	158 Goldrush Road South East	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S2099	163 Goldrush Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2100	Cut 3 Reedsdale Road South East	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2101	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2102	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2103	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2104	LOT 1 Bogan Road West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2105	LOT 1 Bogan Road North West	1159	1200 / 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2106	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2107	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2108	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2109	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2110	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R154	Report Date: Tuesday, 1 October 2024
Client: Georgiou	Analysed Date: Monday, 30 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 30 September 2024
	Sampled Date: Friday, 27 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2111	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2112	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2113	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2114	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2115	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2116	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2117	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2118	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2119	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2120	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2121	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2122	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2123	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R155	Report Date: Tuesday, 1 October 2024
Client: Georgiou	Analysed Date: Monday, 30 September 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 30 September 2024
	Sampled Date: Saturday, 28 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2124	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2125	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2126	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2127	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2128	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2129	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2130	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2131	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2132	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2133	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2134	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2135	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2136	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R156

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Wednesday, 2 October 2024

Analysed Date: Tuesday, 1 October 2024

Laboratory Receival Date: Tuesday, 1 October 2024

Sampled Date: Sunday, 29 September 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2137	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2138	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2139	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2140	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2141	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2142	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2143	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2144	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2145	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2146	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2147	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2148	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2149	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R157	Report Date: Friday, 4 October 2024
Client: Georgiou	Analysed Date: Thursday, 3 October 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 3 October 2024
	Sampled Date: Monday, 30 September 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2150	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2151	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2152	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2153	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2154	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2155	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2156	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2157	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2158	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2159	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2160	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2161	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2162	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R158	Report Date: Friday, 4 October 2024
Client: Georgiou	Analysed Date: Friday, 4 October 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 3 October 2024
	Sampled Date: Tuesday, 1 October 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2163	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2164	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2165	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2166	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2167	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2168	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2169	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2170	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2171	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2172	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2173	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2174	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2175	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit