



Licence No 4627 - Publication of Monitoring Data
M8 St Peters Interchange – 10-16 Albert Street, St Peters

Disclaimer: In NSW, section 66(6) of the Protection of the Environment Operations Act 1997 (POEO Act) requires holders of environment protection licences to make their pollution monitoring data publicly available. Accordingly, the monitoring data below is provided to meet Transport for NSW (TfNSW) obligations under section 66(6) the POEO Act and any associated guidance documentation published by the Environment Protection Authority (www.epa.nsw.gov.au). TfNSW recognises that the intent of section 66(6) of the POEO Act is to improve the general public's access to information about the environmental performance of licensed facilities. To the best of TfNSW's knowledge, the data contained in this document is as accurate as possible. No material in this document is to be reproduced or published elsewhere in any form without TfNSW's prior written consent.

Link to licence on EPA website;

<https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=258561&SYSUID=1&LICID=4627>

Gas Accumulation Monitoring in Enclosed Structures

EPL No: 4627
Date of Sampling: 19 September 2023
Date Received: 8 February 2024
Date of Publication: 9 February 2024

The monitoring of methane gas in buildings adjacent to the M8 St Peters Interchange every 3 months is part of the post construction monitoring and required by the EPA Licence. It is not required to be published as an emission under section 66(6) of the POEO Act but is provided here as information for interested parties. Some buildings adjacent to the M8 St Peters Interchange were inaccessible and TfNSW is continuing to seek to obtain permission for access.

The methane concentration that would trigger further investigation is greater than 1% (10,000 ppm).

Address	Methane Range Detected (ppm)
1 Canal Road, St Peters *	21.1 - 32.0
166 Princes Highway, St Peters	0.0 – 0.1
178 Princes Highway, St Peters	0.0 – 0.2
180 Princes Highway, St Peters	0.0 – 14.8
238 Princes Highway, St Peters	0.0 – 0.2
Units 1, 21 and 22 / 2 Bishop Street, St Peters	0.0 – 0.1
1 - 3 Burrows Road, St Peters Units 2, 3, 5, 6, 6A, 7, 8, 9 and 9A	0.0 – 0.1

* Not all areas at this address were accessible

NOTES:

EPL - Environment Protection Licence

ppm - parts per million