

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R159	Report Date: Tuesday, 8 October 2024
Client: Georgiou	Analysed Date: Tuesday, 8 October 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 8 October 2024
	Sampled Date: Wednesday, 2 October 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2176	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2177	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2178	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2179	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2180	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2181	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2182	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2183	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2184	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2185	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2186	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2187	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2188	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R160
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 8 October 2024
Analysed Date: Tuesday, 8 October 2024
Laboratory Receival Date: Tuesday, 8 October 2024
Sampled Date: Thursday, 3 October 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2189	158 Goldrush Road South East	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2190	163 Goldrush Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2191	Cut 3 Reedsdale Road South East	1159	1200 / 1440 min	0.5	2/100	< 0.01
A31029-S2192	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2193	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2194	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2195	LOT 1 Bogan Road West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2196	LOT 1 Bogan Road North West	1159	1200 / 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2197	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2198	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2199	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2200	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2201	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R161
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 8 October 2024
Analysed Date: Tuesday, 8 October 2024
Laboratory Receival Date: Tuesday, 8 October 2024
Sampled Date: Friday, 4 October 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2202	158 Goldrush Road South East Gate	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S2203	163 Goldrush Road	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S2204	Cut 3 Reedsdale Road Soth East Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2205	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2206	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2207	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2208	LOT 1 Bogan Road West Fence	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2209	LOT 1 Bogan Road North West Fence	1159	1200 / 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2210	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2211	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2212	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2213	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2214	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R162	Report Date: Tuesday, 8 October 2024
Client: Georgiou	Analysed Date: Tuesday, 8 October 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 8 October 2024
	Sampled Date: Saturday, 5 October 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2215	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2216	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2217	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2218	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2219	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2220	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2221	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2222	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2223	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2224	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2225	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2226	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2227	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R163
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 8 October 2024
Analysed Date: Tuesday, 8 October 2024
Laboratory Receival Date: Tuesday, 8 October 2024
Sampled Date: Sunday, 6 October 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2228	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2229	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2230	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2231	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2232	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2233	125 painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2234	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2235	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2236	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2237	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2238	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2239	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2240	QA		/ 0min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R164
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 10 October 2024
Analysed Date: Thursday, 10 October 2024
Laboratory Receival Date: Thursday, 10 October 2024
Sampled Date: Monday, 7 October 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2241	158 Goldrush Road South East	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2242	163 Goldrush Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2243	Cut 3 Reedsdale Road South East	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2244	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2245	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2246	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2247	LOT 1 Bogan Road West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2248	LOT 1 Bogan Road North West	1159	1200 / 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2249	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2250	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2251	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2252	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2253	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres**Report No:** A31029-R165**Client:** Georgiou**Client Address:** Level 3,
53 Berry Street,
North Sydney, NSW, 2060**Report Date:** Thursday, 10 October 2024**Analysed Date:** Thursday, 10 October 2024**Laboratory Receival Date:** Thursday, 10 October 2024**Sampled Date:** Tuesday, 8 October 2024**Sampled By:** [REDACTED]**Attention:** [REDACTED]**Approved Counter and Signatory:** [REDACTED]**Sampled From:** Parks Bypass Project**Type of Monitoring:** Background Monitoring During
Earthworks**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2254	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2255	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2256	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2257	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2258	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2259	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2260	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2261	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2262	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2263	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2264	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2265	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2266	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R166
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 15 October 2024
Analysed Date: Tuesday, 15 October 2024
Laboratory Receival Date: Tuesday, 15 October 2024
Sampled Date: Wednesday, 9 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2267	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2268	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2269	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2270	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2271	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2272	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2273	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2274	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2275	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2276	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2277	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2278	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2279	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R167
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 15 October 2024
Analysed Date: Tuesday, 15 October 2024
Laboratory Receival Date: Tuesday, 15 October 2024
Sampled Date: Thursday, 10 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2280	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2281	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2282	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2283	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2284	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2285	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2286	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2287	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2288	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2289	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2290	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2291	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2292	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R168
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 15 October 2024
Analysed Date: Monday, 14 October 2024
Laboratory Receival Date: Monday, 14 October 2024
Sampled Date: Friday, 11 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2293	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2294	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2295	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2296	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2297	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2298	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2299	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2300	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2301	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2302	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2303	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2304	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S2305	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R169
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 15 October 2024
Analysed Date: Monday, 14 October 2024
Laboratory Receival Date: Monday, 14 October 2024
Sampled Date: Saturday, 12 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2306	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2307	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2308	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2309	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2310	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2311	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2312	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2313	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2314	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2315	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2316	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2317	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2318	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R170
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 15 October 2024
Analysed Date: Tuesday, 15 October 2024
Laboratory Receival Date: Tuesday, 15 October 2024
Sampled Date: Sunday, 13 October 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2319	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2320	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2321	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2322	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2323	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2324	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2325	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2326	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2327	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2328	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2329	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2330	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2331	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R171
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 17 October 2024
Analysed Date: Thursday, 17 October 2024
Laboratory Receival Date: Thursday, 17 October 2024
Sampled Date: Monday, 14 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2332	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2333	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2334	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2335	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2336	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2337	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2338	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2339	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2340	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2341	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2342	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2343	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	2/100	< 0.01
A31029-S2344	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R172
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Thursday, 17 October 2024
Analysed Date: Thursday, 17 October 2024
Laboratory Receival Date: Thursday, 17 October 2024
Sampled Date: Tuesday, 15 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2345	158 Goldrush Road South East	1159	1200 / 1440 min	0.5	1 / 100	< 0.01
A31029-S2346	163 Goldrush Road	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S2347	Cut 3 Reedsdale Road Soth East	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S2348	Reedsdale Road and Thomas Street	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S2349	Fill 4 Reedsdale Road	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S2350	125 Painter Street	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S2351	LOT 1 Bogan Road West	1159	1200 / 1440 min	0.5	0 / 100	< 0.01
A31029-S2352	LOT 1 Bogan Road North West	1159	1200 / 1440 min	0.5	0 / 100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2353	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2354	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2355	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2356	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2357	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R173	Report Date: Monday, 21 October 2024
Client: Georgiou	Analysed Date: Monday, 21 October 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 21 October 2024
	Sampled Date: Wednesday, 16 October 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2358	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2359	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2360	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2361	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2362	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2363	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2364	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2365	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2366	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2367	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2368	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2369	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2370	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R174

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 21 October 2024

Analysed Date: Monday, 21 October 2024

Laboratory Receival Date: Monday, 21 October 2024

Sampled Date: Thursday, 17 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2371	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2372	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2373	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2374	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2375	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2376	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2377	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	3/100	< 0.01
A31029-S2378	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	1/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2379	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2380	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2381	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2382	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2383	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R175
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 21 October 2024
Analysed Date: Monday, 21 October 2024
Laboratory Receival Date: Monday, 21 October 2024
Sampled Date: Friday, 18 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2384	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2385	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2386	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2387	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2388	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2389	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2390	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2391	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2392	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2393	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2394	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2395	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2396	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R176
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 21 October 2024
Analysed Date: Monday, 21 October 2024
Laboratory Receival Date: Monday, 21 October 2024
Sampled Date: Saturday, 19 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2397	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2398	163 Goldrush Road	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2399	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2400	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2401	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2402	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2403	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2404	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2405	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2406	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2407	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2408	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2409	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R177

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Thursday, 24 October 2024

Analysed Date: Wednesday, 23 October 2024

Laboratory Receival Date: Wednesday, 23 October 2024

Sampled Date: Sunday, 20 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2410	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2411	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2412	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2413	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2414	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2415	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2416	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2417	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2418	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2419	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2420	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2421	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2422	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R179	Report Date: Friday, 25 October 2024
Client: Georgiou	Analysed Date: Friday, 25 October 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 25 October 2024
	Sampled Date: Tuesday, 22 October 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2436	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2437	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2438	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2439	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2440	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2441	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2442	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2443	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2444	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2445	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2446	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2447	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2448	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R180
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 28 October 2024
Analysed Date: Monday, 28 October 2024
Laboratory Receival Date: Monday, 28 October 2024
Sampled Date: Wednesday, 23 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2449	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2450	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2451	Cut 3 Reedsdale Road South Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2452	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2453	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2454	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2455	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2456	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2457	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2458	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2459	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2460	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2461	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R181
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 29 October 2024
Analysed Date: Monday, 28 October 2024
Laboratory Receival Date: Monday, 28 October 2024
Sampled Date: Thursday, 24 October 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2462	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2463	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2464	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2465	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2466	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2467	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2468	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2469	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2470	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2471	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2472	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2473	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2474	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R182
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 29 October 2024
Analysed Date: Monday, 28 October 2024
Laboratory Receival Date: Monday, 28 October 2024
Sampled Date: Friday, 25 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2475	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2476	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2477	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2478	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2479	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2480	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2481	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2482	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2483	Cut 3 Moulden Street South	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2484	Cut 3 Moulden Street North	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2485	Fill 4 Moulden Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2486	Cut 4 Moulden Street West	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2487	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R183
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 29 October 2024
Analysed Date: Monday, 28 October 2024
Laboratory Receival Date: Monday, 28 October 2024
Sampled Date: Saturday, 26 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2488	158 Goldrush Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2489	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2490	Cut 3 Reedsdale Road South East	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2491	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2492	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2493	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2494	LOT 1 Bogan Road West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2495	LOT 1 Bogan Road North West	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2496	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2497	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2498	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2499	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2500	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R184

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Tuesday, 29 October 2024

Analysed Date: Sunday, 27 October 2024

Laboratory Receival Date: Tuesday, 29 October 2024

Sampled Date: Sunday, 27 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2501	158 Goldrush Road South East Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2502	163 Goldrush Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2503	Cut 3 Reedsdale Road South East Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2504	Reedsdale Road and Thomas Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2505	Fill 4 Reedsdale Road	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2506	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2507	LOT 1 Bogan Road West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2508	LOT 1 Bogan Road North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2509	Cut 3 Moulden Street South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2510	Cut 3 Moulden Street North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2511	Fill 4 Moulden Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2512	Cut 4 Moulden Street West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2513	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R185

Client: Georgiou

Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 4 November 2024

Analysed Date: Friday, 1 November 2024

Laboratory Receipt Date: Monday, 4 November 2024

Sampled Date: Monday, 28 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Sampled From: Parks Bypass Project

Type of Monitoring: Background Monitoring During
Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2514	158 Goldrush Rd S/E Gate	1159	1200 1440 min	0.5	1 /100	< 0.01
A31029-S2515	163 Goldrush Rd	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S2516	Cut 3 Reedsdale Rd S/E Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S2517	Reedsdale Rd & Thomas St	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S2518	Fill 4 Reedsdale Rd	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S2519	125 Painter Rd	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S2520	Lot 1 Bogan Rd West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01
A31029-S2521	Lot 1 Bogan Rd North West Fence	1159	1200 1440 min	0.5	0 /100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2522	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2523	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2524	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2525	Cut 4 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2526	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R186	Report Date: Monday, 4 November 2024
Client: Georgiou	Analysed Date: Friday, 1 November 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Monday, 4 November 2024
	Sampled Date: Tuesday, 29 October 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parks Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2527	158 Goldrush Rd SE	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2528	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2529	Cut 3 Reedsdale Rd SE	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2530	Reedsdale Rd & Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2531	Fill 4 Reedsdale Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2532	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2533	Lot 1 Bogan Rd West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2534	Lot 1 Bogan Rd North West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2535	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2536	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2537	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2538	Cut 4 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2539	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres**Report No:** A31029-R187**Client:** Georgiou**Client Address:** Level 3,
53 Berry Street,
North Sydney, NSW, 2060**Report Date:** Monday, 4 November 2024**Analysed Date:** Friday, 1 November 2024**Laboratory Receival Date:** Monday, 4 November 2024**Sampled Date:** Wednesday, 30 October 2024**Sampled By:** [REDACTED]**Attention:** [REDACTED]**Approved Counter and Signatory:** [REDACTED]**Sampled From:** Parks Bypass Project**Type of Monitoring:** Background Monitoring During
Earthworks**Test Method:** In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2540	158 Goldrush Rd SE Gate	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2541	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2542	Cut 3 Reedsdale Rd SE Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2543	Reedsdale Rd & Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2544	Fill 4 Reedsdale Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2545	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2546	Lot 1 Bogan Rd West Fence	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2547	Lot 1 Bogan Rd North West Fence	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2548	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2549	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2550	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2551	Cut 4 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2552	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R188
Client: Georgiou
Client Address: Level 3,
53 Berry Street,
North Sydney, NSW, 2060

Report Date: Monday, 4 November 2024
Analysed Date: Friday, 1 November 2024
Laboratory Receival Date: Monday, 4 November 2024
Sampled Date: Thursday, 31 October 2024

Sampled By: [REDACTED]

Attention: [REDACTED]
Sampled From: Parks Bypass Project

Approved Counter and Signatory: [REDACTED]

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2553	158 Goldrush Rd SE	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2554	163 Goldrush Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2555	Cut 3 Reedsdale Rd SE	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2556	Reedsdale Rd & Thomas St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2557	Fill 4 Reedsdale Rd	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2558	125 Painter St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2559	Lot 1 Bogan Rd West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2560	Lot 1 Bogan Rd North West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2561	Cut 3 Moulden St South	1159	1200 1440 min	0.5	0/100	< 0.01

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2562	Cut 3 Moulden St North	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2563	Fill 4 Moulden St	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2564	Cut 4 Moulden St West	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2565	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit