

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R219	Report Date: Tuesday, 3 December 2024
Client: Georgiou	Analysed Date: Tuesday, 3 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Tuesday, 3 December 2024
	Sampled Date: Sunday, 1 December 2024

Sampled By: ██████████

Approved Counter and Signatory: ██████████

Attention: ██████████
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2776	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2777	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2778	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2779	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

<p>Report No: A31029-R220</p> <p>Client: Georgiou</p> <p>Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060</p> <p>Attention: [REDACTED]</p> <p>Sampled From: Parkes Bypass Project</p> <p>Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.</p>	<p>Report Date: Monday, 9 December 2024</p> <p>Analysed Date: Friday, 6 December 2024</p> <p>Laboratory Receival Date: Friday, 6 December 2024</p> <p>Sampled Date: Monday, 2 December 2024</p> <p>Sampled By: [REDACTED]</p> <p>Approved Counter and Signatory: [REDACTED]</p> <p>Type of Monitoring: Background Monitoring During Earthworks</p>
--	---

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2780	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2781	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2782	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2783	QA		/ 0 min	N.A.	1/100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R221	Report Date: Monday, 9 December 2024
Client: Georgiou	Analysed Date: Friday, 6 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 6 December 2024
	Sampled Date: Tuesday, 3 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2784	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2785	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1.5/100	< 0.01
A31029-S2786	Brolgan Road Shared Path	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2787	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R222	Report Date: Monday, 9 December 2024
Client: Georgiou	Analysed Date: Friday, 6 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 6 December 2024
	Sampled Date: Wednesday, 4 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2788	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2789	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2790	Brolgan Road Shared Path	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2791	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R223 **Report Date:** Tuesday, 10 December 2024
Client: Georgiou **Analysed Date:** Tuesday, 10 December 2024
Client Address: Level 3, **Laboratory Receival Date:** Tuesday, 10 December 2024
 53 Berry Street, **Sampled Date:** Thursday, 5 December 2024
 North Sydney, NSW, 2060
Sampled By: [REDACTED]
Attention: [REDACTED] **Approved Counter and Signatory:** [REDACTED]
Sampled From: Parkes Bypass Project **Type of Monitoring:** Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2792	125 Painter Street	1159 / 1200	1440 min	0.5	1/100	< 0.01
A31029-S2793	Fill 5 Containment Cell	1159 / 1200	1440 min	0.5	1/100	< 0.01
A31029-S2794	Brolgan Road Shared Path	1159 / 1200	1440 min	0.5	0/100	< 0.01
A31029-S2795	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R224 **Report Date:** Tuesday, 10 December 2024
Client: Georgiou **Analysed Date:** Tuesday, 10 December 2024
Client Address: Level 3, **Laboratory Receival Date:** Tuesday, 10 December 2024
53 Berry Street, **Sampled Date:** Friday, 6 December 2024
North Sydney, NSW, 2060

Sampled By: ██████████

Approved Counter and Signatory: ██████████

Attention: ██████████
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2796	125 Painter Street	1159	1200 / 1440 min	0.5	3/100	< 0.01
A31029-S2797	Fill 5 Containment Cell	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2798	Brolgan Road Shared Path	1159	1200 / 1440 min	0.5	1/100	< 0.01
A31029-S2799	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R225 **Report Date:** Tuesday, 10 December 2024
Client: Georgiou **Analysed Date:** Tuesday, 10 December 2024
Client Address: Level 3, **Laboratory Receival Date:** Tuesday, 10 December 2024
53 Berry Street, **Sampled Date:** Saturday, 7 December 2024
North Sydney, NSW, 2060

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2800	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2801	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2802	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2803	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R226
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Tuesday, 10 December 2024
Analysed Date: Tuesday, 10 December 2024
Laboratory Receival Date: Tuesday, 10 December 2024
Sampled Date: Sunday, 8 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2804	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2805	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2806	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2807	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R227 **Report Date:** Tuesday, 10 December 2024
Client: Georgiou **Analysed Date:** Friday, 13 December 2024
Client Address: Level 3, **Laboratory Receival Date:** Friday, 13 December 2024
53 Berry Street, **Sampled Date:** Monday, 9 December 2024
North Sydney, NSW, 2060

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2808	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2809	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2810	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2811	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R228 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Friday, 13 December 2024 Analysed Date: Friday, 13 December 2024 Laboratory Receival Date: Friday, 13 December 2024 Sampled Date: Tuesday, 10 December 2024
--	---

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2812	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2813	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2814	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2815	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R229	Report Date: Friday, 13 December 2024
Client: Georgiou	Analysed Date: Friday, 13 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 13 December 2024
	Sampled Date: Wednesday, 11 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2816	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2817	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2818	Brolgan Road Shared Path	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2819	QA		/ 0 min	N.A.	0/100	< 0.01

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R230	Report Date: Wednesday, 18 December 2024
Client: Georgiou	Analysed Date: Wednesday, 18 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 18 December 2024
	Sampled Date: Thursday, 12 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2820	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2821	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2822	Brolgan Road Shared Path	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2823	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R231	Report Date: Wednesday, 18 December 2024
Client: Georgiou	Analysed Date: Wednesday, 18 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 18 December 2024
	Sampled Date: Friday, 13 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2824	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2825	Fill 5 Containment cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2826	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2827	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R232	Report Date: Wednesday, 18 December 2024
Client: Georgiou	Analysed Date: Wednesday, 18 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 18 December 2024
	Sampled Date: Saturday, 14 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2828	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2829	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2830	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2831	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R233	Report Date: Wednesday, 18 December 2024
Client: Georgiou	Analysed Date: Wednesday, 18 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Wednesday, 18 December 2024
	Sampled Date: Sunday, 15 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2832	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2833	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2834	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2835	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R234	Report Date: Friday, 20 December 2024
Client: Georgiou	Analysed Date: Friday, 20 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 20 December 2024
	Sampled Date: Monday, 16 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2836	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2837	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2838	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2839	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R235
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Friday, 20 December 2024
Analysed Date: Friday, 20 December 2024
Laboratory Receival Date: Friday, 20 December 2024
Sampled Date: Tuesday, 17 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2840	125 Painter Street	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2841	Fill 5 Containment Cell	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2842	Brolgan Road Shared Path	1159	1200 / 1440 min	0.5	0/100	< 0.01
A31029-S2843	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R236	Report Date: Friday, 20 December 2024
Client: Georgiou	Analysed Date: Friday, 20 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Friday, 20 December 2024
	Sampled Date: Wednesday, 18 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2844	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2845	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2846	Brolgan Road Shared Path	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2847	Quality Control Laboratory Blank		/ 0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT

Estimation of Airborne Asbestos Fibres

Report No: A31029-R237	Report Date: Monday, 6 January 2025
Client: Georgiou	Analysed Date: Thursday, 26 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 26 December 2024
	Sampled Date: Thursday, 19 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2848	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2849	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2850	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2851	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R238
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 26 December 2024
Laboratory Receival Date: Thursday, 26 December 2024
Sampled Date: Friday, 20 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2852	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2853	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2854	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2855	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R239	Report Date: Monday, 6 January 2025
Client: Georgiou	Analysed Date: Thursday, 26 December 2024
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 26 December 2024
	Sampled Date: Saturday, 21 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2856	125 Painter Street	1159 / 1200 1440 min		0.5	0/100	< 0.01
A31029-S2857	Fill 5 Containment Cell	1159 / 1200 1440 min		0.5	0/100	< 0.01
A31029-S2858	Brolgan Road Shared Path	1159 / 1200 1440 min		0.5	1/100	< 0.01
A31029-S2859	Quality Control Laboratory Blank	/ 0 min		N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT Estimation of Airborne Asbestos Fibres

Report No: A31029-R240 Client: Georgiou Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Report Date: Monday, 6 January 2025 Analysed Date: Thursday, 26 December 2024 Laboratory Receival Date: Thursday, 26 December 2024 Sampled Date: Sunday, 22 December 2024
--	--

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2860	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2861	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2862	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2863	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R241
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 2 January 2025
Laboratory Receival Date: Thursday, 2 January 2025
Sampled Date: Monday, 23 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2864	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2865	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2866	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2867	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R242
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 2 January 2025
Laboratory Receival Date: Thursday, 2 January 2025
Sampled Date: Tuesday, 24 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2868	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2869	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2870	Brolgan Road Shared Path	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2871	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R243	Report Date: Monday, 6 January 2025
Client: Georgiou	Analysed Date: Thursday, 2 January 2025
Client Address: Level 3, 53 Berry Street, North Sydney, NSW, 2060	Laboratory Receival Date: Thursday, 2 January 2025
	Sampled Date: Wednesday, 25 December 2024
	Sampled By: [REDACTED]
Attention: [REDACTED]	Approved Counter and Signatory: [REDACTED]
Sampled From: Parkes Bypass Project	Type of Monitoring: Background Monitoring During Earthworks
Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.	

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2872	125 Painter Street	1159	1200 1440 min	0.5	2/100	< 0.01
A31029-S2873	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2874	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2875	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R244
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 2 January 2025
Laboratory Receival Date: Thursday, 2 January 2025
Sampled Date: Thursday, 26 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2876	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2877	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2878	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2879	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R245
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 2 January 2025
Laboratory Receival Date: Thursday, 2 January 2025
Sampled Date: Friday, 27 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2880	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2881	Fill 5 containment cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2882	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2883	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R246
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 2 January 2025
Laboratory Receival Date: Thursday, 2 January 2025
Sampled Date: Saturday, 28 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2884	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2885	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2886	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2887	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R247
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Thursday, 2 January 2025
Laboratory Receival Date: Thursday, 2 January 2025
Sampled Date: Sunday, 29 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2888	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2889	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2890	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2891	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R248
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Friday, 3 January 2025
Laboratory Receival Date: Friday, 3 January 2025
Sampled Date: Monday, 30 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2892	125 Painter Street	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2893	Fill 5 Containment Cell	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2894	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2895	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit

LABORATORY ANALYSIS REPORT
Estimation of Airborne Asbestos Fibres

Report No: A31029-R249
Client: Georgiou
Client Address: Level 3,
 53 Berry Street,
 North Sydney, NSW, 2060

Report Date: Monday, 6 January 2025
Analysed Date: Friday, 3 January 2025
Laboratory Receival Date: Friday, 3 January 2025
Sampled Date: Tuesday, 31 December 2024

Sampled By: [REDACTED]

Approved Counter and Signatory: [REDACTED]

Attention: [REDACTED]
Sampled From: Parkes Bypass Project

Type of Monitoring: Background Monitoring During Earthworks

Test Method: In accordance with the NOHSC:3003 (2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (as outlined in the Laboratory Method Manual). Accredited for compliance with ISO/IEC:17025-Testing.

Sample Number	Sample Location	Time		Flow Rate L/ Min	Results Fibres / Field	Results Fibres / ml
		On	Off			
A31029-S2896	125 Painter Street	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2897	Fill 5 Containment Cell	1159	1200 1440 min	0.5	1/100	< 0.01
A31029-S2898	Brolgan Road Shared Path	1159	1200 1440 min	0.5	0/100	< 0.01
A31029-S2899	Quality Control Laboratory Blank	/	0 min	N.A.	0/100	Acceptable limit